

THE
REGISTRAR-GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES
FOR THE YEAR

1935

(New Annual Series, No. 15)

TABLES. PART I. MEDICAL

Crown Copyright Reserved



LONDON

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2 ; 120 George Street, Edinburgh 2 ;
26 York Street, Manchester 1 ; 1 St. Andrew's Crescent, Cardiff
80 Chichester Street, Belfast ;
or through any bookseller

1936

Price 6s. *od.* net

WELLCOME INSTITUTE LIBRARY	
Coll.	welMOrnec
Call No.	



TABLE OF CONTENTS.

PART I.—Medical.

	Page
Table 1. Estimated Population by Sex and Age, Mid Year 1935. England and Wales	1
Table 2. Estimated Resident Populations by Sex and Age, Mid Year, 1935. Geographical Regions and Certain Aggregates	2
Table 3. Deaths, Death-rates, Ratio of Male to Female Mortality and Infant Mortality, 1838–1935. England and Wales	3
Table 4. Deaths Registered and Death-rates in each Quarter, 1838–1935. England and Wales	5
Table 5. Death-rates at All Ages (Standardized) and at Age Groups. Infant Mortality, 1838–1935. England and Wales	6
Table 6. Deaths from Various Causes, Males and Females, 1925–1935. England and Wales	9
Table 7. Crude Death-rates from Certain Causes, Males, Females and Persons, 1925–1935. England and Wales ..	25
Table 8. Standardized Death-rates from Certain Causes, 1925– 1935. England and Wales	39
Table 9. Death-rates from principal Epidemic or General Diseases, 1851–1935. England and Wales	43
Table 10. Crude Death-rates from the principal Epidemic Diseases and from certain other causes; Infant Mortality, 1934 and 1935. England and Wales, Metropolitan Boroughs, Administrative Counties and County Boroughs	44
Table 11. Deaths of Infants from Certain Causes, 1925–1935. England and Wales	50
Table 12. Infant Mortality from Certain Causes, 1925–1935. England and Wales	51
Table 13. Deaths at Various Periods in the First Year of Life, 1935 and the Four Quarters thereof. England and Wales and Geographical Regions	52
Table 14. Infant Mortality by Sex, Age, Cause and Legitimacy, 1935. England and Wales, Greater London, and Aggregates of County Boroughs, Urban Districts and Rural Districts	53
Table 15. Infant Mortality from Certain Causes, 1935. England and Wales and Geographical Regions	64
Table 16. Infant Mortality by Legitimacy and Age, 1935. England and Wales, Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County	66

	Page
Table 17. Population, Births, Deaths, Infant Mortality, 1935. Geographical Regions and all Administrative Areas	70
Table 18. Stillbirths by Sex and Legitimacy, 1935. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County..	121
Table 19. Deaths at each year of Age, 1935. England and Wales..	124
Table 20. Deaths at Different Ages, 1935. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County ..	125
Table 21. Deaths by Cause at different Age periods, 1935. England and Wales	142
Table 22. Deaths by Cause at Ages under five, 1935. England and Wales	169
Table 23. Deaths by Month of Occurrence and by Cause, Oct.- Dec., 1934, and Jan.-Sept., 1935. England and Wales	173
Table 24. Deaths by Abridged List of Causes, Sex and Age, 1935. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County	189
Table 25. Violent Deaths by Sex and Age and form of Violence, 1935. England and Wales	331
Table 26. Case-rates (Notifications) of Certain Infectious Diseases, 1925-1935. England and Wales and certain Aggre- gates	343
Table 27. Seasonal Incidence of Certain Infectious Diseases, 1935. England and Wales	346
Table 28. Cases of Certain Infectious Diseases Notified, 1925-1935. England and Wales	347
Table 29. Cases of Infectious Diseases Notified and certain Attack- rates, 1935. Geographical Regions and all Admini- strative Areas	350
Table 30. Air Temperature, Rainfall and Sunshine, 1935. England and Wales	401
Table 31. Meteorological Elements, Greenwich, 1886-1935 ..	402
Table 32. Quarterly Meteorological Elements, Greenwich, 1935..	404
Appendix A. Infant Mortality by Sex, Age, Cause and Legitimacy, 1931-1935. England and Wales, Greater London, and Aggregates of County Boroughs, Urban Districts and Rural Districts	405
Appendix B. Estimated Mid Year Populations of Areas in which changes of boundary occurred during the Year 1935	416

TABLE 1. ESTIMATED POPULATION BY SEX } { England and Wales.
AND AGE. MID-YEAR, 1935.

Age.	Persons.	Males.	Females.
All ages ..	40,645,000	19,500,000	21,145,000
0— ..	566,700	289,400	277,300
1— ..	546,400	277,500	268,900
2— ..	554,900	281,400	273,500
3— ..	575,800	292,000	283,800
4— ..	590,600	298,700	291,900
0—5 ..	2,834,400	1,439,000	1,395,400
5— ..	3,003,900	1,515,800	1,488,100
10— ..	3,428,400	1,730,800	1,697,600
15— ..	3,090,200	1,557,800	1,532,400
20— ..	3,414,200	1,677,000	1,737,200
25— ..	3,455,700	1,685,600	1,770,100
30— ..	3,329,400	1,628,500	1,700,900
35— ..	2,964,700	1,378,500	1,586,200
40— ..	2,740,100	1,253,800	1,486,300
45— ..	2,597,100	1,194,800	1,402,300
50— ..	2,432,700	1,119,500	1,313,200
55— ..	2,211,200	1,031,100	1,180,100
60— ..	1,840,000	860,500	979,500
65— ..	1,404,100	643,400	760,700
70— ..	964,690	420,790	543,900
75— ..	565,490	230,820	334,670
80— ..	261,870	97,620	164,250
85 and up	106,850	34,670	72,180

TABLE 2. ESTIMATED RESIDENT POPULATIONS BY SEX AND AGE, MID-YEAR, 1935. } { England and Wales; Geographical Regions*; Aggregates of County Boroughs, Other Urban Districts and Rural Districts.

Adjusted to allow for changes in boundary during the year. (See note at head of Table 17.)

Figures given to the nearest hundred.

		All Ages.	0-	5-	15-	25-	35-	45-	55-	65-	75 and upwards.
England and Wales	.. { M F	19,500,0 21,145,0	1,439,0 1,395,4	3,246,6 3,185,7	3,234,8 3,269,6	3,314,1 3,471,0	2,632,3 3,072,5	2,314,3 2,715,5	1,891,6 2,159,6	1,064,2 1,304,6	363,1 571,1
<i>Regional Summary.</i>											
South East	.. { M F	6,596,5 7,412,0	467,7 453,2	1,045,9 1,021,9	1,120,7 1,163,8	1,143,4 1,236,4	894,2 1,089,1	788,3 967,9	637,0 771,5	366,3 480,7	133,0 227,5
Greater London	.. { M F	3,968,2 4,506,7	283,3 274,7	628,8 617,7	687,2 747,1	712,3 789,1	548,5 669,1	474,2 579,0	371,7 445,2	196,3 264,1	65,9 120,7
Remainder of South East	.. { M F	2,628,3 2,905,3	184,4 178,5	417,1 404,2	433,5 416,7	431,1 447,3	345,7 420,0	314,1 388,9	265,3 326,3	170,0 216,6	67,1 106,8
North	.. { M F	6,334,8 6,812,4	481,7 468,9	1,080,5 1,066,8	1,043,6 1,057,9	1,074,3 1,127,1	866,1 999,8	759,6 881,1	616,4 686,0	319,7 383,5	92,9 141,3
North I	.. { M F	1,115,5 1,124,3	94,6 91,0	217,3 212,7	185,1 173,6	180,7 182,2	145,2 157,1	123,8 132,2	100,1 100,7	52,5 54,9	16,2 19,9
North II	.. { M F	632,1 659,8	51,0 49,1	109,9 108,6	105,5 100,5	103,4 102,9	81,5 92,4	72,9 82,9	59,4 65,4	35,5 40,4	13,0 17,6
North III	.. { M F	1,670,7 1,789,1	121,4 118,3	275,4 271,5	271,6 277,5	289,8 301,3	231,1 264,4	204,9 232,8	167,3 183,8	85,0 101,9	24,2 37,6
North IV	.. { M F	2,916,5 3,239,2	214,7 210,5	477,9 474,0	481,4 506,3	500,4 540,7	408,3 485,9	358,0 433,2	289,6 336,1	146,7 186,3	39,5 66,2
Midland	.. { M F	3,413,8 3,631,8	258,3 250,4	585,9 575,4	566,2 574,1	589,0 601,6	454,6 519,4	395,6 450,6	321,8 354,3	180,6 212,9	61,8 93,1
Midland I	.. { M F	2,236,8 2,392,5	171,2 166,4	388,5 382,3	372,9 379,0	383,4 393,2	296,5 339,6	258,0 295,5	210,2 233,8	116,5 140,2	39,6 62,5
Midland II	.. { M F	1,177,0 1,239,3	87,1 84,0	197,4 193,1	193,3 195,1	205,6 208,4	158,1 179,8	137,6 155,1	111,6 120,5	64,1 72,7	22,2 30,6
East	.. { M F	902,3 935,7	66,2 64,6	150,4 145,7	146,2 135,5	142,4 139,0	113,4 128,6	105,9 118,9	90,8 99,9	61,3 68,2	25,7 35,3
South West	.. { M F	982,0 1,086,0	68,9 66,0	151,3 148,1	153,2 148,9	160,1 163,7	131,2 155,4	117,2 143,6	103,1 126,5	69,1 88,7	27,9 45,1
Wales	.. { M F	1,270,6 1,267,1	96,2 92,3	232,6 227,8	204,9 189,4	204,9 203,2	172,8 180,2	147,7 153,4	122,5 121,4	67,2 70,6	21,8 28,8
Wales I	.. { M F	938,3 913,1	71,8 69,3	176,8 173,4	152,7 139,7	152,5 149,6	130,2 131,4	108,9 107,4	87,4 81,3	44,8 44,0	13,2 17,0
Wales II	.. { M F	332,3 354,0	24,4 23,0	55,8 54,4	52,2 49,7	52,4 53,6	42,6 48,8	38,8 46,0	35,1 40,1	22,4 26,6	8,6 11,8
<i>Density Summary of all areas outside Greater London.</i>											
County Boroughs	.. { M F	6,072,6 6,699,1	469,1 457,2	1,027,9 1,018,1	1,003,8 1,069,4	1,034,1 1,106,5	829,0 972,6	726,4 861,3	584,4 670,3	305,1 388,3	92,8 155,4
Other Urban Districts	{ M F	5,763,4 6,214,3	406,5 391,1	970,4 953,6	950,8 941,8	971,6 1,007,5	778,8 903,0	689,6 804,6	567,3 647,8	319,5 393,9	108,9 171,0
Rural Districts	.. { M F	3,695,8 3,724,9	280,1 272,4	619,5 596,3	593,0 511,3	596,1 567,9	476,0 527,8	424,1 470,6	368,2 396,3	243,3 258,3	95,5 124,0

* The counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 3. DEATHS, DEATH-RATES, RATIO OF MALE TO FEMALE } England and Wales.
MORTALITY AND INFANT MORTALITY, 1838-1935.

Period.	Deaths.			Crude rates per 1,000 living.			Standard- ized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1838-1935	47,400,748	24,311,167	23,089,581	17·3	18·5	16·3	16·7	18·0	15·4	1,166	131	—	—
1841-1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	21·6	22·5	20·7	1,085	153	—	—
1851-1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	21·2	22·1	20·3	1,092	154	—	—
1861-1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	21·3	22·6	20·2	1,119	154	—	—
1871-1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	20·3	21·8	19·0	1,150	149	—	—
1881-1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	18·6	20·0	17·3	1,154	142	—	—
1891-1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	18·1	19·5	16·7	1,167	153	—	—
1901-1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	15·2	16·6	13·9	1,190	128	—	—
1911-1920 †	5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	13·5	15·0	12·2	1,230	100	96	194
1921-1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	10·6	11·8	9·6	1,232	72	70	130
1841-1845	1,746,110	885,168	860,942	21·4	22·1	20·6	20·6	21·6	19·8	1,089	148	—	—
1846-1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	22·4	23·4	21·6	1,084	157	—	—
1851-1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	21·7	22·7	20·7	1,097	156	—	—
1856-1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	20·7	21·6	19·9	1,090	152	—	—
1861-1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	21·4	22·6	20·3	1,113	151	—	—
1866-1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	21·2	22·6	20·0	1,130	157	—	—
1871-1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	20·9	22·4	19·5	1,149	153	—	—
1876-1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	19·8	21·3	18·4	1,158	145	—	—
1881-1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	18·7	20·1	17·5	1,151	139	—	—
1886-1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	18·5	20·0	17·2	1,163	145	—	—
1891-1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	18·5	20·0	17·2	1,161	151	—	—
1896-1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	17·6	19·1	16·2	1,178	156	—	—
1901-1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	16·0	17·4	14·6	1,192	138	—	—
1906-1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	14·4	15·8	13·2	1,196	117	113	224
1911-1915 †	2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	13·7	15·1	12·4	1,218	110	105	210
1916-1920 †	2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	13·4	15·1	11·9	1,269	90	85	179
1921-1925	2,336,270	1,189,865	1,146,405	12·2	13·0	11·4	10·9	12·1	9·9	1,223	76	73	140
1926-1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	10·3	11·5	9·3	1,240	68	65	119
1931-1935	2,426,435	1,232,370	1,194,065	12·0	12·7	11·4	9·6	10·7	8·6	1,251	62	60	103
1886	537,276	275,874	261,402	19·5	20·6	18·5	19·0	20·4	17·7	1,155	149	—	—
1887	530,758	272,137	258,621	19·1	20·2	18·1	18·6	20·0	17·3	1,152	145	—	—
1888	510,971	263,294	247,677	18·1	19·2	17·0	17·7	19·2	16·4	1,168	136	—	—
1889	518,353	266,102	252,251	18·2	19·3	17·2	17·9	19·2	16·6	1,159	144	—	—
1890	562,248	290,448	271,800	19·5	20·8	18·3	19·3	21·0	17·8	1,181	151	—	—
1891	587,925	302,494	285,431	20·2	21·5	19·0	20·0	21·7	18·5	1,174	149	—	—
1892	559,684	286,062	273,622	19·0	20·0	18·0	18·8	20·2	17·5	1,158	148	—	—
1893	569,958	291,889	278,069	19·2	20·3	18·1	18·9	20·4	17·6	1,157	159	—	—
1894	498,827	256,015	242,812	16·6	17·6	15·6	16·4	17·7	15·2	1,165	137	—	—
1895	568,997	290,704	278,293	18·7	19·7	17·7	18·5	19·9	17·3	1,155	161	—	—

* The standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for males and females are standardized for differences of age constitution in each sex, and also between the two sexes. See the Registrar-General's Decennial Supplement, 1921, Part III. (pages xxxiii-xlii).

† For the years 1915-20 the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 3—(continued).

Year.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1896	526,727	270,575	256,152	17.1	18.1	16.1	16.9	18.3	15.7	1,163	148	—	—
1897	541,487	280,211	261,276	17.4	18.6	16.2	17.3	18.8	15.9	1,187	156	—	—
1898	552,141	283,981	268,160	17.5	18.6	16.5	17.4	18.9	16.1	1,172	160	—	—
1899	581,799	299,472	282,327	18.2	19.4	17.2	18.2	19.8	16.8	1,176	163	—	—
1900	587,830	303,823	284,007	18.2	19.5	17.1	18.2	19.9	16.7	1,189	154	—	—
1901	551,585	285,618	265,967	16.9	18.1	15.8	16.9	18.5	15.5	1,192	151	—	—
1902	535,538	277,216	258,322	16.3	17.4	15.2	16.2	17.7	14.8	1,195	133	—	—
1903	514,628	266,290	248,338	15.5	16.5	14.4	15.4	16.8	14.1	1,196	132	—	—
1904	549,784	283,206	266,578	16.3	17.4	15.3	16.2	17.6	14.9	1,185	145	—	—
1905	520,031	267,601	252,430	15.3	16.3	14.4	15.2	16.5	13.9	1,188	128	—	—
1906	531,281	274,233	257,048	15.5	16.5	14.5	15.3	16.8	14.0	1,195	132	127	261
1907	524,221	269,259	254,962	15.1	16.0	14.2	14.9	16.2	13.6	1,190	118	113	220
1908	520,456	268,714	251,742	14.8	15.8	13.9	14.5	16.0	13.3	1,204	120	116	233
1909	518,003	265,203	252,800	14.6	15.5	13.8	14.3	15.6	13.1	1,192	109	104	211
1910	483,247	249,016	234,231	13.5	14.4	12.7	13.2	14.5	12.0	1,205	105	102	195
1911	527,810	272,512	255,298	14.6	15.6	13.7	14.2	15.6	13.0	1,202	130	125	245
1912	486,939	250,232	236,707	13.4	14.2	12.6	12.9	14.2	11.8	1,203	95	91	181
1913	504,975	261,687	243,288	13.8	14.8	12.9	13.3	14.7	12.1	1,221	108	104	213
1914	516,742	267,359	249,383	14.0	14.9	13.1	13.5	14.9	12.2	1,216	105	100	207
1915†	562,253	292,381	269,872	15.7	17.7	14.0	14.6	16.3	13.0	1,254	110	105	203
1916†	508,217	265,030	243,187	14.3	16.7	12.5	13.1	14.9	11.5	1,296	91	87	183
1917†	498,922	262,215	236,707	14.2	17.1	12.1	13.0	15.1	11.2	1,348	96	90	201
1918†	611,861	314,704	297,157	17.3	20.1	15.2	16.6	19.0	14.5	1,310	97	91	186
1919†	504,203	258,089	246,114	14.0	15.7	12.6	13.0	14.6	11.6	1,259	89	84	173
1920†	466,130	240,302	225,828	12.4	13.5	11.5	11.9	13.2	10.7	1,234	80	76	156
1921	458,629	234,291	224,338	12.1	13.0	11.3	11.3	12.5	10.2	1,223	83	79	158
1922	486,780	247,221	239,559	12.8	13.6	12.0	11.6	12.9	10.6	1,215	77	74	139
1923	444,785	226,858	217,927	11.6	12.4	10.9	10.3	11.4	9.3	1,229	69	67	132
1924	473,235	240,620	232,615	12.2	13.0	11.5	10.7	11.8	9.7	1,222	75	73	133
1925	472,841	240,875	231,966	12.2	12.9	11.4	10.7	11.9	9.7	1,227	75	72	136
1926	453,804	231,549	222,255	11.6	12.4	10.9	10.1	11.2	9.1	1,235	70	68	130
1927	484,609	246,606	238,003	12.3	13.1	11.6	10.6	11.8	9.6	1,236	70	67	120
1928	460,389	235,542	224,847	11.7	12.5	10.9	9.9	11.1	8.9	1,248	65	63	115
1929	532,492	269,903	262,589	13.4	14.2	12.7	11.5	12.7	10.4	1,226	74	72	126
1930	455,427	234,010	221,417	11.4	12.3	10.7	9.6	10.8	8.5	1,260	60	58	105
1931	491,630	249,717	241,913	12.3	13.0	11.6	10.1	11.3	9.0	1,251	66	64	111
1932	484,129	245,715	238,414	12.0	12.7	11.4	9.7	10.9	8.7	1,248	65	63	112
1933	496,465	250,625	245,840	12.3	12.9	11.7	9.8	10.9	8.8	1,240	64	62	107
1934	476,810	242,855	233,955	11.8	12.5	11.1	9.3	10.4	8.3	1,252	59	57	95
1935	477,401	243,458	233,943	11.7	12.5	11.1	9.0	10.2	8.0	1,265	57	56	90

* See footnote * on first page of this Table.

† For the years 1915–20 the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 4. DEATHS REGISTERED AND DEATH-RATES IN EACH } { England and Wales.
QUARTER, 1838-1935.

Period.	Quarter ended.							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths : Males.				Deaths : Females.			
1838-1935*	6,874,086	5,924,617	5,484,258	6,028,206	6,645,047	5,520,945	5,116,252	5,807,337
1841-50	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-60	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-70	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-80	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-90	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-10	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-20*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-30	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1926	65,742	58,414	46,917	60,476	64,869	55,395	43,788	58,203
1927	83,802	55,711	47,904	59,189	84,958	51,884	44,334	56,827
1928	69,050	59,160	48,120	59,212	67,249	55,582	45,595	56,421
1929	99,944	61,439	50,201	58,319	104,365	57,289	46,548	54,387
1930	67,653	57,414	49,766	59,177	64,314	53,922	46,623	56,558
1931	81,036	58,755	49,896	60,030	81,172	55,939	46,839	57,963
1932	76,393	59,749	50,360	59,213	77,058	56,479	47,624	57,253
1933	84,280	55,459	48,977	61,909	85,703	53,132	46,833	60,172
1934	74,292	60,796	49,808	57,959	71,711	58,211	47,661	56,372
1935	67,538	61,679	51,357	62,884	65,119	60,256	48,709	59,859
	Deaths : Persons.				Annual Death-rates per 1,000 persons living.			
1838-1935*	13,519,133	11,445,562	10,600,510	11,835,543	20·1	16·8	15·4	17·2
1841-50	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851-60	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861-70	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871-80	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881-90	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901-10	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911-20*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	14·9
1921-30	1,489,996	1,136,431	936,261	1,160,303	15·5	11·7	9·5	11·8
1926	130,611	113,809	90,705	118,679	13·6	11·7	9·2	12·1
1927	168,760	107,595	92,238	116,016	17·4	11·0	9·3	11·7
1928	136,299	114,742	93,715	115,633	13·9	11·7	9·4	11·7
1929	204,309	118,728	96,749	112,706	20·9	12·0	9·7	11·3
1930	131,967	111,336	96,389	115,735	13·4	11·2	9·6	11·5
1931	162,208	114,694	96,735	117,993	16·5	11·5	9·6	11·7
1932	153,451	116,228	97,984	116,466	15·4	11·6	9·7	11·5
1933	169,983	108,591	95,810	122,081	17·1	10·8	9·4	12·0
1934	146,003	119,007	97,469	114,331	14·6	11·8	9·6	11·2
1935	132,657	121,935	100,066	122,743	13·2	12·0	9·8	12·0

*See Note † to Table 3.

TABLE 5. DEATH-RATES PER 1,000 LIVING AT
ALL AGES (STANDARDIZED) AND AGE GROUPS. } England and Wales.
INFANT MORTALITY, 1838-1935.*

PERSONS.

Period.	All Ages (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards	Deaths under 1 year per 1,000 Live Births.
1838-1935‡	16.7	51.0	5.2	3.0	4.3	5.5	6.6	9.2	14.1	26.8	58.5	131.2	275.6	131
1841-50	21.6	66.0	9.0	5.3	7.5	9.3	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-60	21.2	67.6	8.5	5.0	7.0	8.7	9.8	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-70	21.3	68.6	8.0	4.5	6.4	8.2	9.8	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-80	20.3	63.4	6.5	3.7	5.4	7.1	9.0	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-90	18.6	56.8	5.3	3.0	4.4	5.6	7.6	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	18.1	57.7	4.3	2.5	3.7	4.7	6.4	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-10	15.2	46.0	3.6	2.1	3.0	3.8	5.1	8.3	14.3	28.1	58.8	127.2	260.8	128
1911-20‡	13.5	34.6	3.6	2.3	3.3	4.3	5.5	7.4	12.6	25.0	55.8	125.5	254.2	100
1921-30	10.6	22.9	2.4	1.6	2.5	3.2	3.7	5.5	10.0	21.1	51.9	123.1	268.7	72
1841-45	20.6	63.6	8.7	5.0	7.2	8.8	9.7	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-50	22.4	68.7	9.4	5.6	7.7	9.8	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-55	21.7	68.9	8.6	5.2	7.4	9.1	10.2	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-60	20.7	66.9	8.3	4.7	6.7	8.3	9.4	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-65	21.4	69.1	8.4	4.7	6.6	8.4	9.8	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-70	21.2	68.1	7.6	4.3	6.2	8.0	9.9	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-75	20.9	64.9	6.9	4.0	5.8	7.7	9.6	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-80	19.8	61.9	6.1	3.5	4.9	6.5	8.3	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-85	18.7	56.6	5.8	3.2	4.6	6.0	8.0	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-90	18.5	56.9	4.9	2.8	4.1	5.3	7.2	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-95	18.5	57.8	4.6	2.7	4.0	5.0	6.8	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	17.6	57.6	4.1	2.4	3.5	4.5	6.0	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-05	16.0	50.2	3.7	2.2	3.1	4.0	5.4	8.9	14.9	28.7	59.4	127.3	258.6	138
1906-10	14.4	41.7	3.4	2.0	2.9	3.6	4.8	7.8	13.7	27.5	58.1	127.0	262.4	117
1911-15‡	13.7	37.5	3.4	2.1	2.9	3.6	4.6	7.3	13.1	26.2	57.3	126.2	257.9	110
1916-20‡	13.4	31.4	3.8	2.5	3.8	5.2	6.5	7.5	12.1	24.0	54.5	124.8	250.7	90
1921-25	10.9	24.7	2.5	1.7	2.6	3.3	3.8	5.7	10.1	21.5	51.6	122.7	255.0	76
1926-30	10.3	20.9	2.4	1.6	2.5	3.1	3.5	5.4	9.9	20.7	52.2	123.4	281.4	68
1931-35	9.6	18.1	2.2	1.4	2.3	3.0	3.2	4.8	9.4	20.0	49.2	119.8	257.6	62
1895	18.5	60.6	4.1	2.5	3.7	4.7	6.3	10.2	16.6	32.1	66.5	146.5	287.3	161
1896	16.9	56.7	4.5	2.4	3.5	4.4	5.9	9.7	15.4	28.5	57.7	120.1	240.3	148
1897	17.3	57.4	4.0	2.4	3.5	4.5	6.0	9.8	15.6	29.3	60.2	129.9	259.8	156
1898	17.4	58.5	3.8	2.2	3.4	4.4	5.9	9.8	15.7	29.7	61.5	132.1	268.1	160
1899	18.2	58.5	4.1	2.4	3.5	4.5	6.1	10.5	17.0	31.9	66.6	142.2	283.9	163
1900	18.2	56.7	4.2	2.4	3.5	4.6	6.2	10.5	17.5	33.1	68.1	143.9	285.2	154
1901	16.9	54.2	4.1	2.3	3.3	4.2	5.8	9.6	15.9	29.8	61.5	129.8	258.0	151
1902	16.2	49.6	4.1	2.3	3.2	4.2	5.7	9.3	15.5	29.4	60.6	129.0	258.8	133
1903	15.4	48.1	3.5	2.1	3.0	3.8	5.4	8.6	14.6	27.7	57.5	122.2	243.6	132
1904	16.2	53.0	3.6	2.1	3.1	3.9	5.3	8.5	14.6	28.7	59.7	130.1	267.6	145
1905	15.2	46.2	3.5	2.1	3.0	3.9	5.2	8.3	14.2	28.0	58.0	125.5	264.5	128
1906	15.3	47.2	3.6	2.1	3.0	3.8	5.1	8.2	14.2	28.2	57.7	126.9	273.1	132
1907	14.9	42.9	3.5	2.1	2.9	3.7	5.0	8.2	14.2	28.6	59.6	129.3	271.0	118
1908	14.5	43.0	3.4	2.0	2.8	3.7	4.9	7.8	13.7	27.6	57.8	127.2	259.0	120
1909	14.3	39.2	3.4	2.1	2.9	3.6	4.8	7.7	13.8	27.8	60.4	131.7	268.3	109
1910	13.2	36.4	3.0	1.9	2.7	3.4	4.4	7.2	12.7	25.7	55.2	120.1	242.4	105
1911	14.2	43.1	3.4	2.1	2.9	3.5	4.6	7.3	13.1	26.0	55.8	123.7	243.0	130
1912	12.9	32.9	3.1	1.9	2.8	3.4	4.4	7.1	12.9	25.8	56.4	123.6	248.9	95
1913	13.3	36.8	3.2	2.0	2.7	3.4	4.3	7.1	12.9	25.9	55.8	121.7	247.7	108
1914	13.5	36.2	3.4	2.1	2.9	3.5	4.6	7.3	13.2	26.0	56.5	121.8	256.8	105
1915‡	14.6	38.2	3.8	2.3	3.2	4.3	5.1	7.6	13.5	27.5	61.7	139.5	291.8	110
1916‡	13.1	29.5	3.3	2.2	3.2	4.3	5.1	7.2	12.5	25.4	58.5	133.3	282.2	91
1917‡	13.0	29.1	3.3	2.2	3.4	4.5	5.3	7.2	12.0	24.7	56.5	130.5	263.9	96
1918‡	16.6	36.5	5.7	3.7	6.1	9.3	12.4	10.1	14.2	25.1	55.1	117.5	225.8	97
1919‡	13.0	29.6	3.5	2.3	3.5	4.7	6.4	7.2	11.6	23.7	54.6	130.6	264.0	89
1920‡	11.9	32.6	3.3	2.0	2.8	3.6	4.4	6.1	10.4	21.2	48.2	113.1	220.8	80
1921	11.3	29.1	2.8	1.8	2.8	3.4	3.9	5.8	10.0	21.1	49.0	116.7	242.3	83
1922	11.6	27.4	2.6	1.8	2.6	3.5	4.1	6.1	10.6	22.7	54.2	129.9	257.7	77
1923	10.3	22.0	2.3	1.6	2.5	3.2	3.7	5.5	9.8	21.0	49.4	117.0	241.8	69
1924	10.7	22.6	2.3	1.7	2.5	3.3	3.7	5.7	10.0	21.7	53.0	124.5	256.8	75
1925	10.7	23.0	2.5	1.7	2.6	3.2	3.6	5.5	10.0	21.1	52.2	125.4	276.0	75
1926	10.1	21.1	2.4	1.5	2.4	3.0	3.5	5.3	9.5	20.2	49.7	117.7	263.4	70
1927	10.6	21.3	2.3	1.5	2.5	3.1	3.6	5.6	10.2	21.3	53.6	127.7	293.6	70
1928	9.9	19.7	2.3	1.6	2.5	3.1	3.5	5.2	9.6	20.0	50.4	115.6	270.9	65
1929	11.5	24.0	2.5	1.7	2.6	3.2	3.7	5.7	10.8	22.4	58.2	140.5	330.1	74
1930	9.6	18.3	2.3	1.5	2.4	2.9	3.4	5.0	9.4	19.6	48.9	115.4	252.1	60
1931	10.1	19.9	2.1	1.5	2.5	3.1	3.4	5.1	9.8	20.6	50.8	123.9	267.9	66
1932	9.7	19.0	2.1	1.4	2.4	3.0	3.2	4.8	9.3	20.0	49.9	122.2	265.6	65
1933	9.8	17.9	2.2	1.4	2.4	3.1	3.4	5.1	9.9	20.3	49.7	124.4	268.1	64
1934	9.3	17.5	2.4	1.4	2.3	2.9	3.1	4.6	9.2	19.7	48.1	114.0	238.9	59
1935	9.0	16.1	2.0	1.3	2.1	2.7	3.0	4.5	9.0	19.5	47.8	115.6	249.0	57

* The age rates for intercensal years are based upon estimated populations.

† See Note * to Table 3.

‡ Including civilian mortality only in 1915-20.

TABLE 5—(continued).

MALES.

Period.	All ages (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards	Deaths under 1 year per 1,000 Live Births.
1838-1935‡	18.0	55.2	5.3	3.0	4.3	5.7	6.9	10.1	16.0	30.0	64.6	142.3	294.0	144
1841-50	22.5	71.2	9.2	5.1	7.1	9.5	9.9	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-60	22.1	72.4	8.5	4.9	6.7	8.8	9.6	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-70	22.6	73.5	8.2	4.5	6.2	8.5	9.9	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-80	21.8	68.4	6.7	3.7	5.3	7.4	9.3	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-90	20.0	61.6	5.3	3.0	4.3	5.7	7.8	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900	19.5	62.7	4.3	2.4	3.8	5.1	6.8	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-10	16.6	50.0	3.5	2.1	3.1	4.2	5.6	9.2	16.2	31.8	64.8	137.7	279.2	140
1911-20‡	15.0	37.8	3.6	2.2	3.4	4.9	6.5	8.6	14.5	29.0	63.5	139.3	274.5	112
1921-30	11.8	25.3	2.5	1.7	2.6	3.3	3.9	6.4	11.6	24.4	59.2	136.9	283.1	81
1841-45	21.6	68.7	8.8	4.8	6.8	9.0	9.4	12.2	17.2	30.3	65.5	143.7	305.1	162
1846-50	23.4	73.7	9.5	5.4	7.4	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851-55	22.7	73.9	8.8	5.2	7.0	9.2	10.0	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-60	21.6	71.5	8.3	4.6	6.4	8.4	9.2	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-65	22.6	74.1	8.5	4.7	6.4	8.6	9.8	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-70	22.6	72.9	7.9	4.3	6.0	8.3	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-75	22.4	69.9	7.1	4.0	5.7	8.1	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-80	21.3	67.1	6.3	3.4	4.8	6.7	8.7	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-85	20.1	61.3	5.8	3.2	4.5	6.0	8.2	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-90	20.0	61.9	4.9	2.8	4.1	5.5	7.4	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-95	20.0	62.9	4.5	2.6	4.0	5.2	7.1	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900	19.1	62.4	4.1	2.3	3.6	4.9	6.5	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-05	17.4	54.7	3.7	2.1	3.2	4.4	5.9	9.7	17.0	32.4	65.3	137.6	274.6	151
1906-10	15.8	45.4	3.3	2.0	3.0	4.0	5.3	8.6	15.5	31.2	64.4	137.7	283.0	129
1911-15‡	15.1	40.9	3.4	2.0	3.0	4.0	5.1	8.2	14.9	30.2	64.1	139.2	281.6	121
1916-20‡	15.1	34.4	3.8	2.4	3.9	6.6	8.6	9.1	14.0	27.9	63.0	139.4	267.8	101
1921-25	12.1	27.3	2.5	1.7	2.6	3.5	4.1	6.5	11.6	24.8	58.6	136.2	271.6	86
1926-30	11.5	23.2	2.5	1.6	2.6	3.2	3.7	6.2	11.7	24.0	59.7	137.6	293.6	77
1931-35	10.7	20.1	2.3	1.4	2.4	3.2	3.3	5.4	11.2	23.5	56.8	135.2	278.8	70
1895	19.9	66.0	4.1	2.5	3.8	5.0	6.6	11.0	18.5	34.9	71.3	154.1	306.1	176
1896	18.3	61.2	4.5	2.3	3.5	4.8	6.2	10.6	17.3	31.6	63.0	128.6	251.9	161
1897	18.8	62.5	3.9	2.4	3.6	4.8	6.4	10.8	17.7	32.9	65.8	141.7	272.1	170
1898	18.9	63.4	3.8	2.2	3.5	4.8	6.3	10.7	17.6	33.2	66.4	140.3	282.6	175
1899	19.8	63.4	4.1	2.3	3.6	5.0	6.7	11.6	19.2	35.5	72.0	150.3	302.1	177
1900	19.9	61.6	4.2	2.3	3.7	5.1	6.7	11.7	19.9	37.1	74.2	153.7	304.3	169
1901	18.5	59.0	4.0	2.3	3.5	4.7	6.2	10.6	18.0	33.5	67.8	139.8	276.5	166
1902	17.7	54.1	3.9	2.2	3.3	4.6	6.2	10.4	17.8	33.3	66.7	138.5	270.0	147
1903	16.8	52.5	3.5	2.0	3.0	4.2	5.8	9.4	16.6	31.6	63.3	132.8	260.3	145
1904	17.6	57.4	3.6	2.1	3.1	4.3	5.7	9.4	16.5	32.3	65.5	139.7	287.6	159
1905	16.5	50.3	3.4	2.1	3.1	4.2	5.6	9.0	16.1	31.5	63.3	137.2	278.2	141
1906	16.8	51.2	3.5	2.0	3.2	4.1	5.5	9.1	16.1	32.4	64.3	137.3	298.5	145
1907	16.2	46.8	3.4	2.0	3.0	4.0	5.5	9.0	16.1	32.3	65.2	138.8	291.7	130
1908	16.0	46.9	3.3	2.0	2.9	4.0	5.3	8.6	15.4	31.4	64.3	138.4	277.2	133
1909	15.6	42.8	3.4	2.0	3.0	3.9	5.2	8.5	15.6	31.1	66.4	142.5	289.9	120
1910	14.5	39.7	3.0	1.9	2.7	3.7	4.7	7.9	14.5	29.4	61.8	131.6	259.7	116
1911	15.6	46.7	3.5	2.1	3.1	3.8	5.0	8.1	14.9	29.6	62.4	136.7	268.0	142
1912	14.2	35.9	3.1	1.8	2.9	3.6	4.8	7.9	14.7	29.6	62.7	135.6	266.7	106
1913	14.7	40.3	3.2	1.9	2.8	3.6	4.8	7.9	14.7	29.9	62.9	136.6	269.3	120
1914	14.9	39.4	3.4	2.1	3.1	3.9	5.1	8.3	14.9	30.0	63.4	133.2	281.2	116
1915‡	16.3	42.0	3.9	2.3	3.3	5.8	6.5	8.9	15.4	31.9	69.0	153.6	322.7	123
1916‡	14.9	32.5	3.3	2.2	3.4	6.9	7.2	8.6	14.4	29.6	66.8	148.1	309.2	102
1917‡	15.1	31.8	3.3	2.2	3.6	7.9	8.5	9.1	14.1	29.2	66.2	147.2	286.5	108
1918‡	19.0	38.9	5.5	3.5	6.2	13.8	19.6	12.6	16.4	29.3	64.4	132.1	234.4	108
1919‡	14.6	32.8	3.5	2.3	3.6	5.5	8.1	8.6	13.3	27.2	62.6	145.5	277.6	100
1920‡	13.2	36.2	3.3	1.9	2.9	3.9	4.7	7.0	12.1	24.5	55.6	125.1	235.2	90
1921	12.5	32.3	2.8	1.8	2.8	3.6	4.2	6.5	11.4	24.4	55.8	128.7	262.8	93
1922	12.9	30.2	2.6	1.7	2.7	3.7	4.4	6.9	12.0	26.0	61.2	143.9	271.3	87
1923	11.4	24.3	2.3	1.6	2.6	3.4	4.0	6.3	11.2	24.1	56.0	130.2	262.0	78
1924	11.8	25.1	2.4	1.6	2.5	3.4	3.9	6.5	11.5	24.9	60.0	137.5	271.4	85
1925	11.9	25.3	2.5	1.7	2.6	3.3	3.9	6.3	11.6	24.5	59.6	140.2	290.0	84
1926	11.2	23.3	2.5	1.5	2.5	3.1	3.7	6.1	11.1	23.3	56.8	132.7	282.0	79
1927	11.8	23.7	2.4	1.6	2.5	3.3	3.8	6.6	11.9	24.5	61.1	141.7	309.0	79
1928	11.1	21.9	2.4	1.7	2.6	3.1	3.7	6.0	11.2	23.3	57.8	130.1	287.7	74
1929	12.7	26.3	2.6	1.7	2.7	3.4	3.9	6.8	12.9	25.9	65.7	154.2	335.7	83
1930	10.8	20.5	2.4	1.6	2.5	3.1	3.6	5.7	11.2	23.0	56.7	129.1	257.3	68
1931	11.3	22.4	2.3	1.5	2.6	3.3	3.5	5.8	11.6	23.9	58.7	138.4	295.4	75
1932	10.9	21.0	2.2	1.4	2.5	3.2	3.3	5.3	10.8	23.4	57.9	138.0	289.2	73
1933	10.9	19.9	2.3	1.5	2.6	3.3	3.5	5.7	11.7	23.7	56.7	139.4	286.5	72
1934	10.4	19.3	2.5	1.4	2.4	3.1	3.2	5.1	10.9	23.3	55.6	129.3	256.4	65
1935	10.2	17.9	2.1	1.3	2.1	2.9	3.1	5.0	10.8	23.2	55.5	131.8	269.2	64

† See Note * to Table 3.

‡ Including civilian mortality only in 1915-20.

TABLE 5—(continued).

FEMALES.

Period.	All ages (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards	Deaths under 1 year per 1,000 Live Births.
1838-1935	15.4	46.9	5.1	3.1	4.4	5.2	6.3	8.5	12.4	23.8	53.5	123.2	265.1	118
1841-50	20.7	61.1	8.9	5.4	7.9	9.1	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-60	20.3	62.7	8.4	5.1	7.4	8.5	9.9	12.1	15.2	27.0	58.7	134.5	288.9	139
1861-70	20.2	63.7	7.8	4.5	6.6	8.0	9.7	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-80	19.0	58.3	6.2	3.7	5.5	6.8	8.6	11.6	15.6	28.7	61.0	135.4	296.4	134
1881-90	17.3	51.9	5.3	3.1	4.4	5.5	7.4	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900	16.7	52.8	4.4	2.6	3.7	4.5	6.1	9.6	14.7	28.4	60.7	130.6	261.4	138
1901-10	13.9	41.9	3.6	2.2	2.9	3.5	4.7	7.5	12.5	24.8	53.9	119.8	250.3	114
1911-20	12.2	31.4	3.6	2.3	3.2	3.9	4.8	6.4	10.9	21.5	49.6	116.3	243.6	89
1921-30	9.6	20.4	2.3	1.6	2.5	3.0	3.5	4.8	8.6	18.1	46.0	114.0	261.5	63
1841-45	19.8	58.6	8.6	5.2	7.7	8.6	9.9	12.1	15.1	27.2	59.1	131.8	288.6	133
1846-50	21.6	63.6	9.2	5.7	8.1	9.6	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851-55	20.7	63.8	8.5	5.3	7.8	8.9	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856-60	19.9	62.3	8.4	4.8	7.1	8.2	9.6	11.8	14.8	26.5	58.1	131.9	285.8	137
1861-65	20.3	64.2	8.3	4.8	6.9	8.2	9.8	12.1	15.5	27.9	59.1	133.8	287.9	136
1866-70	20.0	63.3	7.4	4.3	6.4	7.8	9.6	12.1	15.8	27.9	59.1	136.1	282.3	142
1871-75	19.5	60.0	6.6	4.0	5.9	7.4	9.2	12.0	15.9	28.7	61.3	135.3	293.9	138
1876-80	18.4	56.8	5.9	3.5	5.0	6.2	8.0	11.3	15.3	28.6	60.8	135.5	299.0	130
1881-85	17.5	51.9	5.7	3.3	4.7	5.9	7.9	10.9	15.2	28.1	59.1	129.0	265.5	125
1886-90	17.2	52.0	4.9	2.9	4.2	5.2	6.9	10.3	15.0	28.8	61.7	132.3	276.1	131
1891-95	17.2	52.8	4.6	2.7	4.0	4.8	6.6	10.1	15.2	29.5	63.0	134.3	264.0	135
1896-1900	16.2	52.7	4.2	2.4	3.4	4.1	5.6	9.1	14.3	27.4	58.5	127.0	258.7	141
1901-05	14.6	45.8	3.8	2.2	3.0	3.7	5.0	8.0	13.1	25.4	54.8	119.9	249.4	124
1906-10	13.2	38.0	3.4	2.1	2.8	3.3	4.5	7.1	12.0	24.3	53.1	119.6	250.9	105
1911-15	12.4	34.0	3.4	2.1	2.8	3.2	4.1	6.5	11.4	22.7	51.7	117.5	245.4	97
1916-20	11.9	28.4	3.8	2.6	3.7	4.5	5.5	6.4	10.4	20.4	47.7	115.1	241.9	79
1921-25	9.9	22.1	2.4	1.7	2.6	3.1	3.6	5.0	8.8	18.6	46.0	114.0	246.9	66
1926-30	9.3	18.5	2.3	1.5	2.4	3.0	3.3	4.7	8.4	17.7	46.0	114.0	275.3	59
1931-35	8.6	16.0	2.1	1.4	2.2	2.8	3.1	4.3	7.9	16.9	43.0	109.7	247.6	54
1895	17.3	55.2	4.2	2.6	3.7	4.5	6.1	9.5	14.8	29.6	62.6	140.9	276.2	144
1896	15.7	52.3	4.5	2.4	3.4	4.2	5.7	8.9	13.6	25.8	53.4	113.9	233.4	134
1897	15.9	52.4	4.0	2.4	3.4	4.1	5.6	8.9	13.7	26.2	55.7	121.2	252.6	141
1898	16.1	53.5	3.9	2.3	3.3	4.1	5.5	8.9	13.9	26.7	57.5	126.0	259.6	145
1899	16.8	53.6	4.2	2.4	3.3	4.1	5.7	9.4	15.0	28.7	62.3	136.3	273.2	148
1900	16.7	51.8	4.2	2.5	3.3	4.2	5.7	9.3	15.3	29.6	63.2	136.8	273.9	139
1901	15.5	49.5	4.1	2.4	3.2	3.8	5.3	8.7	13.8	26.5	56.5	122.6	247.1	136
1902	14.8	45.0	4.2	2.3	3.1	3.9	5.3	8.4	13.4	25.9	55.7	122.1	252.3	118
1903	14.1	43.7	3.6	2.1	2.9	3.5	4.9	7.9	12.8	24.4	52.9	114.7	233.9	118
1904	14.9	48.5	3.6	2.2	3.0	3.5	4.9	7.7	12.8	25.6	55.1	123.2	256.1	131
1905	13.9	42.1	3.5	2.2	2.9	3.6	4.8	7.5	12.5	24.8	53.8	117.2	256.7	115
1906	14.0	43.1	3.7	2.3	2.9	3.5	4.7	7.5	12.4	24.8	52.5	119.6	258.7	120
1907	13.6	39.1	3.5	2.1	2.9	3.4	4.6	7.4	12.4	25.3	55.1	122.6	259.4	104
1908	13.3	39.0	3.4	2.0	2.7	3.4	4.4	6.9	12.1	24.2	52.7	119.4	248.8	107
1909	13.1	35.7	3.5	2.1	2.8	3.3	4.4	6.9	12.1	24.8	55.5	124.2	256.2	97
1910	12.0	33.1	3.1	2.0	2.6	3.1	4.1	6.5	11.1	22.4	49.8	112.3	232.8	94
1911	13.0	39.5	3.4	2.1	2.7	3.3	4.2	6.6	11.4	22.8	50.5	115.1	229.4	117
1912	11.8	29.9	3.1	2.0	2.7	3.2	4.0	6.4	11.2	22.4	51.2	115.5	239.3	84
1913	12.1	33.3	3.2	2.0	2.6	3.2	4.0	6.4	11.3	22.3	50.2	111.8	236.2	96
1914	12.2	32.9	3.4	2.2	2.7	3.2	4.1	6.5	11.5	22.4	51.0	114.2	244.2	93
1915	13.0	34.4	3.8	2.3	3.0	3.4	4.2	6.5	11.7	23.6	55.7	130.2	275.9	96
1916	11.5	26.5	3.2	2.2	3.0	3.4	4.1	6.1	10.7	21.6	51.8	123.4	268.4	80
1917	11.2	26.3	3.2	2.2	3.2	3.4	3.9	5.8	10.1	20.7	48.8	119.3	252.2	85
1918	14.5	34.1	5.9	4.0	6.0	7.9	9.8	8.5	12.3	21.4	47.8	107.8	221.3	86
1919	11.6	26.4	3.6	2.3	3.4	4.3	5.4	6.1	10.1	20.5	48.3	120.8	257.0	78
1920	10.7	28.9	3.2	2.0	2.7	3.3	4.2	5.4	9.0	18.2	42.3	105.2	213.6	69
1921	10.2	25.8	2.7	1.8	2.7	3.2	3.7	5.2	8.8	18.2	43.6	108.9	232.3	72
1922	10.6	24.5	2.5	1.8	2.6	3.2	3.9	5.3	9.3	19.7	48.6	120.9	251.0	66
1923	9.3	19.6	2.2	1.6	2.5	3.0	3.4	4.8	8.5	18.2	44.1	108.5	231.9	60
1924	9.7	20.2	2.2	1.7	2.5	3.1	3.5	5.0	8.6	18.9	47.3	116.0	249.5	65
1925	9.7	20.7	2.4	1.7	2.5	3.1	3.4	4.8	8.6	18.1	46.2	115.8	269.1	66
1926	9.1	18.8	2.3	1.5	2.4	2.9	3.3	4.6	8.2	17.4	43.9	108.0	254.2	61
1927	9.6	18.9	2.2	1.5	2.4	3.0	3.4	4.9	8.7	18.3	47.4	118.5	285.8	60
1928	8.9	17.4	2.2	1.5	2.4	3.0	3.3	4.6	8.1	17.1	44.3	106.0	262.5	56
1929	10.4	21.6	2.3	1.7	2.5	3.1	3.5	4.9	9.0	19.3	52.0	131.4	327.2	65
1930	8.5	16.0	2.2	1.5	2.3	2.8	3.2	4.3	7.8	16.6	42.6	106.3	249.5	51
1931	9.0	17.4	2.0	1.5	2.4	2.9	3.3	4.5	8.3	17.6	44.4	114.4	255.1	57
1932	8.7	16.8	1.9	1.3	2.2	2.8	3.1	4.3	8.0	17.0	43.3	111.8	254.7	56
1933	8.8	15.8	2.1	1.4	2.3	2.9	3.2	4.6	8.3	17.3	44.0	114.4	259.4	55
1934	8.3	15.6	2.4	1.4	2.2	2.7	3.0	4.1	7.7	16.4	42.0	103.9	230.6	51
1935	8.0	14.2	1.9	1.3	2.0	2.6	2.9	4.0	7.4	16.2	41.5	104.9	239.3	50

† See Note * to Table 3.

TABLE 6.—DEATHS OF MALES AND FEMALES FROM VARIOUS
CAUSES AT ALL AGES, 1925—1935.

England and Wales.

As from the year 1931 the causes of death for England and Wales are tabulated according to the International List (Fourth Revision, 1929).† In the first column the numbers in Roman type relate to the Detailed List and those in italics to the Intermediate List. In the second column the lettered divisions of the main titles are international, while the numbered divisions have been adopted for use in England and Wales by the Registrar-General. The deaths for the earlier years have been reconstructed as far as possible in the terms of the revised List, and where such reconstruction is incomplete an * is marked against the heading. Details of the changes made at the Fourth Revision will be found in Appendix C to Part I of the Statistical Review for 1931.

Inter- national List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
	ALL CAUSES { M F	240875 231966	231549 222255	246606 238003	235542 224847	269903 262589	234010 221417	249717 241913	245715 238414	250625 245840	242855 233955	243458 233943
1-44	I.—Infectious and Parasitic Diseases* { M F	39174 34771	33939 29533	40213 36579	33163 28270	45270 41861	31296 25953	35226 30624	32389 29241	36826 32909	29168 24155	26809 22025
1 & 2	Typhoid and paratyphoid fevers { M F	188 200	192 175	188 179	215 223	187 195	163 150	134 117	136 122	124 98	75 84	85 89
1 (1)	Typhoid fever { M F	174 173	171 155	166 147	161 177	163 164	140 117	102 83	117 102	105 78	65 69	73 76
2 (1)	Paratyphoid fevers { M F	14 27	21 20	22 32	54 46	24 31	23 33	32 34	19 20	19 20	10 15	12 13
3 (2)	Typhus fever { M F	— —	— 1	— —	1 —	— —	— 1	— —	— —	— —	— —	— —
4 (17)	Relapsing fever ("Spirillum obermeieri") { M F	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
5 (17)	Undulant fever { M F	— —	— 1	— —	— —	— —	2 1	— 1	2 4	4 1	3 2	5 2
6 (3)	Small-pox { M F	3 6	9 9	23 24	38 15	19 20	15 13	5 4	1 2	2 —	3 3	— —
7 (4)	Measles { M F	2853 2484	1834 1649	1914 1708	2284 2018	1736 1652	2264 1924	1768 1520	1793 1618	1018 919	1984 1784	697 649
8 (5)	Scarlet fever { M F	478 510	355 322	284 295	263 317	358 359	352 388	239 301	235 295	340 389	466 497	263 310
9 (6)	Whooping cough { M F	2770 3288	1877 2241	1660 2021	1343 1633	2787 3545	897 1140	1112 1400	1302 1654	991 1279	863 1186	689 895
10 (7)	Diphtheria { M F	1348 1426	1421 1573	1339 1393	1580 1611	1632 1814	1725 1772	1338 1335	1122 1217	1291 1355	1971 2114	1715 1773
11 (8)	Influenza { M F	6308 6413	4540 4396	10804 11459	4084 3670	13867 15217	2742 2277	6899 7510	6162 6994	10926 11964	2925 2694	3758 3624
	(a) With respiratory complications* { M F	4133 3912	2932 2557	7698 7753	2742 2196	10690 11147	1843 1301	4915 5082	4250 4685	8350 8637	2006 1658	2612 2305
	(1) With pneumonic complications { M F	2831 2341	2157 1631	5308 4699	2035 1432	7394 6835	1335 848	3367 3012	2929 2947	5694 5419	1480 1097	1929 1496
	(2) With other respiratory complications* { M F	1302 1571	775 926	2390 3054	707 764	3296 4312	508 453	1548 2070	1321 1738	2656 3218	526 561	683 809
	(b) Without respiratory complications* { M F	2175 2501	1608 1839	3106 3706	1342 1474	3177 4070	899 976	1984 2428	1912 2309	2576 3327	919 1036	1146 1319
	(1) With non-respiratory complications* { M F	1271 1417	1013 1130	1752 2056	998 1070	1981 2443	663 740	1392 1636	1372 1606	1696 2137	698 759	869 991
	(2) Without stated complications { M F	904 1084	595 709	1354 1650	344 404	1196 1627	236 236	592 792	540 703	880 1190	221 277	277 328
12 (17)	Cholera { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13 (9)	Dysentery { M F	73 62	74 68	53 42	84 71	68 30	57 40	69 47	80 53	56 36	64 39	65 51
	(a) Amoebic { M F	9 2	11 3	12 1	12 1	10 4	6 —	10 —	3 —	5 1	9 —	10 —
	(b) Bacillary { M F	6 7	6 5	4 2	17 20	13 7	20 22	26 21	30 23	29 15	23 21	36 31
	(c) Other or unspecified { M F	58 53	57 60	37 39	55 50	45 19	31 18	33 26	47 30	22 20	32 18	19 20

† See Manual of the International List of Causes of Death obtainable from H.M. Stationery Office, Adastral House, Kingsway, London, W.C.2; 120 George St., Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any bookseller. Price 3s.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
14 (10)	Plague { M F	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(a) Bubonic { M F	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(b) Pneumonic { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(c) Septicæmic { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(d) Not otherwise defined { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
15 (17)	Erysipelas { M F	449 401	427 380	414 406	480 416	540 491	548 486	521 483	503 487	624 567	789 669	579 481
16 (17)	Acute poliomyelitis .. { M F	85 71	127 108	107 75	99 68	83 57	86 78	56 42	99 79	119 83	74 61	73 72
	(1) Acute poliomyelitis .. { M F	65 51	91 85	67 45	68 44	48 37	61 47	37 26	55 48	84 51	44 38	51 46
	(2) Acute polioencephalitis { M F	20 20	36 23	40 30	31 24	35 20	25 31	19 16	44 31	35 32	30 23	22 26
17 (17)	Encephalitis lethargica .. { M F	666 706	650 675	592 563	512 560	517 520	437 479	496 466	402 423	428 387	356 432	350 372
18 (17)	Cerebro-spinal fever .. { M F	202 152	211 154	259 171	246 192	352 236	363 269	863 577	718 495	530 412	433 296	349 268
19 (17)	Glanders { M F	— —	1 —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
20 (17)	Anthrax { M F	10 1	6 2	3 —	9 3	7 —	7 2	4 1	5 —	3 1	8 1	8 —
21 (17)	Rabies { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
22 (17)	Tetanus { M F	120 39	111 37	136 29	107 26	113 46	105 28	94 25	95 21	76 28	87 26	100 28
23-32	Tuberculosis (all forms) .. { M F	22238 18154	20673 16857	20919 17261	20161 16471	21292 16709	19790 15960	19941 15877	18743 14915	18734 14525	17448 13434	16543 12658
23 (11)	Respiratory system .. { M F	17995 14387	16773 13335	17184 13882	16608 13191	17786 13639	16468 12946	16704 12954	15543 12084	15862 11992	14734 10948	14081 10522
24 (12)	Central nervous system .. { M F	1608 1427	1468 1366	1534 1334	1333 1218	1344 1220	1273 1199	1346 1252	1281 1141	1106 1037	1099 1056	988 859
25 (12)	Intestines and peritoneum .. { M F	847 851	763 771	653 698	635 701	608 619	557 592	516 578	524 497	440 518	391 432	357 393
26 (12)	Vertebral column .. { M F	305 233	298 236	283 216	277 213	262 217	270 216	274 220	257 218	278 185	262 194	254 180
27 (12)	Other bones and joints .. { M F	200 145	200 126	190 117	185 118	156 115	173 112	160 91	159 125	142 95	146 96	123 81
28 (12)	Skin and subcutaneous tissues { M F	20 38	30 34	16 57	19 60	12 43	19 31	12 31	21 32	13 33	19 27	16 26
29 (12)	Lymphatic system (ab- dominal and bronchial glands excepted). { M F	49 44	39 45	46 41	49 41	36 23	40 37	39 26	27 46	41 24	26 39	33 26
30 (12)	Genito-urinary system .. { M F	156 118	124 85	132 98	164 127	169 110	156 103	163 123	177 107	172 88	158 110	154 100
31 (12)	Other organs { M F	12 9	6 8	9 11	8 17	13 10	9 6	20 11	17 15	22 10	15 14	19 12
	(1) Adrenals { M F	4 1	4 1	3 4	4 5	6 5	4 1	11 7	11 11	12 6	10 13	12 7
	(2) Other sites included under 31 { M F	8 8	2 7	6 7	4 12	7 5	5 5	9 4	6 4	10 4	5 1	7 5

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
32 (12)	Disseminated tuberculosis { M F	1046 902	972 851	872 807	883 785	906 713	825 718	707 591	737 650	658 543	598 518	518 459
	(a) Acute { M F	344 355	341 341	313 334	339 344	330 294	316 309	354 299	332 323	315 288	323 314	263 251
	(b) Chronic { M F	702 547	631 510	559 473	544 441	576 419	509 409	6 3	1 5	3 1	— 3	3 3
	(c) Not distinguished as acute or chronic .. { M F											
		347 289	404 322	340 254	275 201	252 205						
33 (17)	Leprosy { M F	2 —	— 1	2 1	1 —	2 1	2 —	3 —	1 —	2 1	2 1	1 —
34 (13)	Syphilis { M F	726 459	784 470	865 541	993 539	892 497	918 496	956 490	834 469	870 451	838 396	879 363
	(a) Congenital syphilis .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	229 183	203 162	162 134	133 128	133 106
	(b & c) Acquired or un- specified { M F	? ?	? ?	? ?	? ?	? ?	? ?	727 307	631 307	708 317	705 268	746 257
35 (17)	Other venereal diseases .. { M F	30 13	31 20	52 22	55 21	56 13	47 18	47 18	43 23	44 14	45 19	29 16
	(1) Gonorrhœal or puru- lent ophthalmia .. { M F	7 8	10 7	24 8	13 12	16 9	15 13	13 9	12 13	9 6	11 10	4 2
	(2) Other diseases included under 35 { M F	23 5	21 13	28 14	42 9	40 4	32 5	34 9	31 10	35 8	34 9	25 14
36 (14)	Purulent infection, septi- cæmia* { M F	370 252	429 254	409 266	404 284	543 323	558 303	487 279	410 263	462 287	525 292	442 251
	(a) Septicæmia { M F	? ?	? ?	? ?	? ?	? ?	? ?	448 263	356 229	413 255	484 263	416 231
	(b) Pyæmia { M F	? ?	? ?	? ?	? ?	? ?	? ?	36 15	50 33	46 31	36 29	26 20
	(c) Gas gangrene .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	3 1	4 1	3 1	5 —	— —
37 (17)	Yellow fever.. .. { M F	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
38 (15)	Malaria { M F	62 4	58 7	33 6	31 5	46 3	38 2	28 3	26 3	18 4	22 —	10 1
39 (16)	Other diseases due to pro- tozoa { M F	8 3	3 —	5 1	7 —	6 —	2 1	4 —	9 1	1 1	11 —	14 3
40 (16)	Ankylostomiasis { M F	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
41 (16)	Hydatid cysts { M F	14 13	18 19	18 16	16 14	10 13	16 19	11 16	23 11	15 8	10 17	18 9
	(a) Liver { M F	12 9	14 13	17 13	11 12	7 10	13 15	6 12	14 8	11 7	5 13	13 7
	(b) Other organs.. .. { M F	2 4	4 6	1 3	5 2	3 3	3 4	5 4	9 3	4 1	5 4	5 2
42 (16)	Other diseases due to helminths { M F	8 3	6 6	9 16	7 12	13 6	6 8	5 6	6 7	5 4	5 8	2 3
43 (17)	Mycoses { M F	59 43	60 36	54 26	67 31	53 42	51 36	70 38	71 43	63 40	73 34	66 37
	(1) Actinomycosis .. { M F	21 15	27 16	30 13	44 19	27 18	29 17	42 18	40 22	39 22	45 20	42 23
	(2) Other mycoses .. { M F	38 28	33 20	24 13	23 12	26 24	22 19	28 20	31 21	24 18	28 14	24 14
44 (17)	Other infectious or parasitic diseases { M F	104 68	90 72	70 58	76 70	90 72	104 62	74 68	68 42	80 55	88 66	69 70
	(1) Vaccinia { M F	2 1	— 1	— 1	7 9	7 6	2 1	3 5	— 1	3 1	3 2	1 3

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
44 (17)	Other infectious or parasitic diseases— <i>contd.</i>											
	(2) Other sequelæ of vaccination† { M F	4 1	1 —	3 1	3 4	3 1	1 1	2 3	— —	— 1	2 —	2 4
	(3) German measles .. { M F	24 18	21 14	15 5	7 5	19 12	14 13	10 6	3 4	5 6	4 4	4 7
	(4) Varicella { M F	50 33	27 29	27 22	33 29	26 27	34 13	31 23	26 15	27 16	27 19	17 15
	(5) Mumps { M F	18 10	25 15	11 13	11 14	13 12	20 12	14 11	8 6	13 5	12 13	7 8
	(6) Other diseases in- cluded under 44 .. { M F	6 5	16 13	14 16	15 9	22 14	33 22	14 20	31 16	32 26	40 28	38 33
45-55	II.—Cancer and Other Tumours { M F	24900 29456	25468 30402	26062 30648	27084 31851	27330 32212	28030 32674	28908 33281	29660 33604	29925 34446	30943 35204	31894 35398
45-53	Cancer, malignant disease* { M F	24002 27937	24437 28783	25048 29030	26013 30240	26284 30612	26916 30967	27777 31569	28829 31887	28837 32735	29777 33486	30780 33727
45 (18)	Buccal cavity and pharynx { M F	2953 515	2894 515	3043 512	3109 508	2928 529	2913 519	2951 514	3040 536	2812 537	3000 542	2972 537
46 (18)	Digestive organs and peritoneum* .. { M F	14838 13473	15264 14311	15534 14059	15887 14743	16396 14955	16710 15230	17043 15368	17703 15493	17704 15958	18002 16356	18641 16371
47 (18)	Respiratory organs .. { M F	1642 651	1735 659	1794 665	1984 708	1991 760	2258 864	2532 908	2688 920	2971 953	3252 1057	3491 1107
48 (18)	Uterus F	4467	4409	4428	4525	4455	4354	4341	4342	4313	4451	4470
49 (18)	Other female genital organs F	1238	1382	1444	1483	1567	1645	1667	1735	1868	1936	1983
50 (18)	Breast { M F	39 5372	43 5296	41 5678	51 5878	46 5944	60 6052	61 6381	49 6386	55 6551	53 6687	77 6768
51 (18)	Male genito-urinary organs M	2437	2474	2586	2822	2885	2947	3187	3259	3277	3431	3572
52 (18)	Skin { M F	572 432	585 427	589 475	652 502	664 494	627 447	683 480	630 527	618 500	627 460	606 483
53 (18)	Other or unspecified organs { M F	1521 1789	1442 1784	1461 1769	1508 1893	1374 1908	1401 1856	1320 1910	1460 1948	1400 2055	1412 1997	1421 2008
54 (19)	Non-malignant tumours .. { M F	289 848	351 948	378 945	437 962	376 980	444 1042	484 1099	482 1083	420 1096	459 1094	484 1061
	(a) Female genital organs F	635	697	671	693	668	717	743	723	722	713	673
	(b) Other sites { M F	289 213	351 251	378 274	437 269	376 312	444 325	484 356	482 360	420 374	459 381	484 388
55 (19)	Tumours of undetermined nature* .. { M F	609 671	680 671	636 673	634 649	670 620	670 665	647 613	649 634	668 615	707 624	630 610
	(a) Female genital organs F	40	34	25	24	32	28	29	26	22	13	9
	(b) Other sites* { M F	609 631	680 637	636 648	634 625	670 588	670 637	647 584	649 608	668 593	707 611	630 601
56-69	III.—Rheumatism, Diseases of Nutrition and of Endocrine Glands and other General Diseases.* { M F	4223 6904	4387 6872	4531 7437	4844 7995	4953 8497	4758 8285	4707 8498	4716 8589	4806 8898	4798 8994	4869 9263
56 (20)	Rheumatic fever { M F	833 1052	818 954	694 868	638 862	638 779	693 812	557 703	491 627	589 718	594 793	526 649
57 (21)	Chronic rheumatism, osteo- arthritis { M F	682 1685	706 1711	835 1842	903 2097	978 2410	884 2118	950 2193	901 2262	924 2291	960 2199	1046 2309
	(1) Chronic rheumatism* { M F	159 207	142 182	100 121	98 128	93 125	72 115	56 95	52 94	44 85	57 72	59 63
	(2) Rheumatoid arthritis, osteo-arthritis* .. { M F	523 1478	564 1529	735 1721	805 1969	885 2285	812 2003	894 2098	849 2168	880 2206	903 2127	987 2246
58 (21)	Gout { M F	168 33	153 39	224 41	277 53	253 49	238 55	213 53	233 32	200 45	180 40	179 33
59 (22)	Diabetes { M F	1814 2543	1973 2533	2045 2905	2198 2982	2306 3322	2317 3342	2259 3551	2425 3683	2460 3818	2496 3975	2531 4150

† Includes deaths following inoculation against diseases other than Small-pox as follows, in 1934—2 males, in 1935—2 females.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
60 (23)	Scurvy { M F	16 5	7 3	17 9	18 3	11 8	9 10	15 6	9 8	6 10	10 7	8 3
61 (23)	Beri-beri { M F	3 —	1 —	1 —	— —	1 —	— —	1 —	— —	1 —	— —	— —
62 (23)	Pellagra { M F	— 9	— 6	1 7	1 4	— 1	1 5	— 4	2 2	2 5	1 6	2 7
63 (23)	Rickets* { M F	? ?	? ?	? ?	? ?	? ?	? ?	238 147	195 129	130 98	114 80	103 75
	(1) Rickets { M F	281 197	248 172	232 146	290 203	252 164	184 132	227 134	182 119	123 90	108 72	93 66
	(2) Spinal curvatures of undetermined nature* { M F	16 35	18 30	23 28	18 39	20 28	12 25	11 13	13 10	7 8	6 8	10 9
64 (23)	Osteomalacia* { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
65 (25)	Diseases of the pituitary gland { M F	12 10	13 14	19 24	17 26	14 28	14 22	26 23	24 20	25 24	14 38	17 41
	(1) Infantilism { M F	2 2	2 1	2 5	3 4	— 3	1 2	2 3	5 3	4 4	1 4	1 1
	(2) Other diseases of the pituitary gland .. { M F	10 8	11 13	17 19	14 22	14 25	13 20	24 20	19 17	21 20	13 34	16 40
66 (24)	Diseases of the thyroid and parathyroid glands* .. { M F	160 1067	189 1137	198 1243	209 1374	206 1333	191 1481	220 1567	227 1575	243 1624	234 1613	255 1719
	(a) Simple goitre .. { M F	23 130	35 146	28 146	24 198	23 147	26 147	30 145	18 134	31 167	21 107	27 150
	(b) Exophthalmic goitre.. { M F	65 687	84 743	91 853	119 933	128 936	112 1115	138 1162	165 1239	168 1244	181 1315	183 1378
	(c) Myxœdema, cretinism { M F	46 218	44 218	53 220	47 218	37 232	40 201	37 247	23 185	37 197	21 167	29 178
	(d) Tetany* { M F	21 24	19 23	23 19	18 17	16 13	12 11	13 8	18 13	4 5	9 15	11 9
	(e) Other diseases included under 66 { M F	5 8	7 7	3 5	1 8	2 5	1 7	2 5	3 4	3 11	2 9	5 4
67 (25)	Diseases of the thymus .. { M F	102 67	110 56	90 63	108 65	116 86	84 54	95 48	91 63	100 53	80 53	86 62
68 (25)	Diseases of the adrenals .. { M F	100 148	93 163	74 153	96 140	97 146	91 141	77 129	60 129	88 137	75 138	65 149
69 (25)	Other general diseases* .. { M F	36 53	58 54	78 108	71 147	61 143	40 88	55 61	56 51	37 68	37 49	50 59
	(1) Amyloid disease of un- stated origin*.. .. { M F	2 —	3 —	4 3	1 —	— —	— —	3 —	3 4	2 5	— 3	3 11
	(2) Other diseases included under 69 { M F	34 53	55 54	74 105	70 147	61 143	40 88	52 61	53 47	35 63	37 46	47 48
70-74	IV.—Diseases of the Blood and Blood-forming Organs { M F	1967 2320	2097 2485	2070 2347	1719 1961	1832 2025	1932 2127	2019 2221	2166 2476	2098 2482	2192 2484	2139 2558
70 (27)	Hæmorrhagic conditions .. { M F	202 176	196 177	191 159	229 192	203 192	217 186	218 165	191 148	193 210	238 201	205 197
	(a) Purpura { M F	129 140	125 137	123 137	141 153	136 159	131 148	135 148	119 126	125 164	129 158	125 159
	(b) Hæmophilia { M F	73 36	71 40	68 22	88 39	67 33	86 38	83 17	72 22	68 46	109 43	80 38
71 (26)	Anæmia, chlorosis { M F	1189 1677	1252 1830	1192 1683	831 1256	910 1273	995 1379	990 1476	1178 1711	1075 1641	1054 1633	1022 1627
	(a) Pernicious anæmia .. { M F	1078 1507	1122 1658	1100 1555	739 1115	807 1148	902 1248	893 1333	1040 1551	963 1465	926 1459	918 1442

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
71 (26)	Anæmia, chlorosis— <i>contd.</i>											
	(b) Other anæmias and chlorosis { M F	111 170	130 172	92 128	92 141	103 125	93 131	97 143	138 160	112 176	128 174	104 185
	(1) Splenic anæmia { M F	62 74	82 83	60 76	60 81	71 78	57 76	67 85	98 94	75 107	95 106	68 114
	(2) Other diseases in- cluded under 71b { M F	49 96	48 89	32 52	32 60	32 47	36 55	30 58	40 66	37 69	33 68	36 71
72 (27)	Leukæmia, aleukæmia { M F	541 423	605 426	631 464	601 457	670 497	672 493	752 520	740 553	751 554	820 585	830 645
	(a) Leukæmia { M F	296 273	325 278	341 301	342 275	357 335	354 302	378 328	390 347	407 369	463 382	454 409
	(b) { (1) Aleukæmia (lymphadenoma) { M F } { (2) Aleukæmia (agranulocytosis) { M F }	245 150	280 148	290 163	259 182	313 162	318 191	374 192	350 206	344 185	357 203	360 200 16 36
73 (27)	Diseases of the spleen { M F	28 34	34 43	43 33	44 50	37 50	34 57	47 52	42 50	56 60	56 49	60 72
	(1) Banti's disease { M F	18 16	14 26	25 17	24 28	26 34	19 33	31 29	21 35	37 32	36 33	42 51
	(2) Other diseases of the spleen { M F	10 18	20 17	18 16	20 22	11 16	15 24	16 23	21 15	19 28	20 16	18 21
74 (27)	Other diseases of the blood and blood-forming organs { M F	7 10	10 9	13 8	14 6	12 13	14 12	12 8	15 14	23 17	24 16	22 17
75-77	V.—Chronic Poisoning { M F	129 62	128 48	137 27	135 46	137 53	93 50	78 4	101 41	76 37	69 24	82 24
75 (28)	Alcoholism (acute or chronic) { M F	95 55	76 39	84 24	74 34	85 49	49 45	40 41	61 34	43 30	33 19	50 23
76 (29)	Chronic poisoning by other organic substances { M F	3 3	3 3	5 2	5 5	10 3	2 4	4 —	12 3	3 3	4 3	3 —
77 (29)	Chronic poisoning by mineral substances { M F	31 4	49 6	48 1	56 7	42 1	42 1	34 3	28 4	30 4	32 2	29 1
	(1) Occupational lead poisoning { M F	28 3	44 3	44 —	53 6	40 1	39 1	30 3	27 2	26 2	30 2	26 —
	(2) Other chronic poisoning by mineral substances { M F	3 1	5 3	4 1	3 1	2 —	3 —	4 —	1 2	4 2	2 —	3 1
78-89	VI.—Diseases of the Nervous System and Sense Organs* { M F	22601 23298	22094 23331	20655 22059	19456 21088	20630 21830	19008 20837	19569 20860	19429 21029	18669 20399	18622 20685	18830 21010
78 (36)	Encephalitis { M F	201 122	215 142	155 110	153 130	172 138	161 116	173 105	153 116	158 123	152 131	160 148
	(a) Cerebral abscess { M F	131 73	143 89	104 50	94 74	112 66	92 63	115 56	102 58	84 64	90 66	96 69
	(b) Other diseases included under 78 { M F	70 49	72 53	51 60	59 56	60 72	69 53	58 49	51 58	74 59	62 65	64 79
79 (30)	Meningitis* { M F	1016 798	863 761	813 650	669 541	735 596	590 487	590 506	621 459	615 390	544 424	478 362
80 (31)	Tabes dorsalis (locomotor ataxy) { M F	602 129	630 117	642 138	651 126	744 138	579 122	557 114	634 144	592 141	496 107	553 118
81 (36)	Other diseases of the spinal cord { M F	792 601	765 614	761 641	829 599	754 601	719 578	744 576	708 592	684 582	679 544	699 528
	(1) Progressive muscular atrophy { M F	291 221	264 246	290 218	319 225	307 240	291 240	316 245	274 225	304 244	331 224	312 234
	(2) Subacute combined sclerosis.. .. { M F	14 20	23 26	29 30	24 22	16 26	30 27	34 24	46 49	43 56	41 56	38 57
	(3) Myelitis of unstated origin { M F	222 162	207 164	199 200	204 168	204 164	159 161	164 157	173 150	159 141	139 129	156 121
	(4) Other diseases included under 81 { M F	265 198	271 178	243 193	282 184	227 171	239 150	230 150	215 168	178 141	168 135	193 116

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
82(32)	Cerebral hæmorrhage, apoplexy, etc. { M	13182	13065	11931	10991	11966	11164	11593	11592	11215	11362	11619
 { F	16348	16656	15431	14624	15206	14723	14704	14937	14505	14812	15310
	(a) Cerebral hæmorrhage { M	10500	10321	9438	8760	9383	8560	8791	8675	8106	8157	8162
 { F	12902	12937	12025	11400	11729	11181	10998	11104	10566	10609	10706
	(1) Cerebral hæmorrhage { M	9435	9369	8648	8051	8712	7977	8207	8135	7647	7738	7799
	so returned { F	11642	11730	10977	10548	10917	10472	10295	10409	9998	10104	10194
	(2) Apoplexy (lesion un- { M	1065	952	790	709	671	583	584	540	459	419	363
	stated) { F	1260	1207	1048	852	812	709	703	695	568	505	512
	(b) Cerebral embolism and { M	1700	1869	1784	1591	1896	2003	2183	2369	2577	2705	2963
	thrombosis { F	2330	2656	2461	2371	2591	2773	2934	3115	3316	3590	3978
	(1) Cerebral embolism.. { M	321	277	302	202	214	225	199	200	206	180	193
 { F	497	480	358	330	299	313	299	281	297	271	269
	(2) Cerebral thrombosis { M	1186	1341	1278	1232	1504	1620	1838	2025	2266	2409	2674
 { F	1625	1852	1837	1830	2086	2243	2416	2643	2857	3187	3548
83(33)	(3) Cerebral softening.. { M	193	251	204	157	178	158	146	144	105	116	96
 { F	208	324	266	211	206	217	219	191	162	132	161
	(c) Hemiplegia and other { M	982	875	709	640	687	601	619	548	532	500	494
	paralyses of unstated { F	1116	1063	945	853	886	769	772	718	623	613	626
	origin. (1) Hemiplegia .. { M	859	777	629	553	610	535	571	495	488	463	452
 { F	1004	959	848	778	793	702	716	657	568	571	570
	(2) Other paralyses of { M	123	98	80	87	77	66	48	53	44	37	42
	unstated origin .. { F	112	104	97	75	93	67	56	61	55	42	56
	General paralysis of the in- { M	1254	1161	1229	1150	988	943	945	864	771	788	725
	sane { F	285	277	284	263	264	218	259	236	239	224	240
	4(34) Other forms of insanity* { M	358	438	461	491	530	450	423	426	384	378	447
 { F	557	638	720	770	766	673	692	729	625	675	626
	(a) Dementia præcox .. { M	?	?	?	?	?	?	14	31	33	37	43
 { F	?	?	?	?	?	?	23	26	33	41	30
85(35)	(b) Other conditions in- { M	?	?	?	?	?	?	409	395	351	341	404
	cluded under 84* .. { F	?	?	?	?	?	?	669	703	592	634	596
	Epilepsy { M	1097	1099	1152	1133	1128	1154	1201	1183	1105	1048	1078
 { F	1026	944	994	1121	1068	1038	1087	1083	1054	1005	983
86(36)	Infantile convulsions (under { M	1985	1720	1316	1122	1158	1014	989	873	750	739	684
	5 years of age) { F	1381	1224	946	757	837	660	632	567	515	491	477
87(36)	Other diseases of the nervous { M	1421	1386	1434	1488	1565	1416	1498	1510	1484	1427	1503
	system* { F	1509	1444	1558	1531	1577	1570	1586	1536	1515	1519	1572
	(a) Chorea { M	24	22	23	18	22	21	32	14	14	19	17
 { F	80	72	70	66	79	79	51	51	48	55	54
	(b) Neuritis, neuralgia* .. { M	100	87	74	90	69	67	63	48	53	60	46
 { F	133	133	144	139	131	119	89	68	60	87	57
	(c) Paralysis agitans .. { M	533	521	577	620	699	594	710	792	780	750	771
 { F	492	450	520	524	547	588	620	617	658	646	677
	(d) Disseminated sclerosis { M	359	393	368	378	376	380	389	395	390	356	407
 { F	374	416	420	421	448	418	496	488	458	461	501
	(e) Other diseases included { M	405	363	392	382	399	354	304	261	247	242	262
	under 87* { F	430	373	404	381	372	366	330	312	291	270	283
88(37)	Diseases of the eye and { M	21	34	31	39	50	37	35	36	45	45	37
	annexa { F	31	42	41	35	49	46	38	41	47	43	58
89(37)	Diseases of the ear and { M	672	718	730	740	840	781	821	829	866	964	847
	mastoid sinus { F	511	472	546	591	590	606	561	589	663	710	588
	(a) Otitis and other dis- { M	467	483	472	498	575	499	504	484	517	595	496
	eases of the ear .. { F	357	321	364	376	376	376	347	375	409	424	361
	(b) Diseases of the mastoid { M	205	235	258	242	265	282	317	345	349	369	351
	sinus { F	154	151	182	215	214	230	214	214	254	286	227

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
90-103	VII.—Diseases of the Circulatory System* { M F	41789 43448	42509 43881	48326 50565	52070 54274	58337 62729	55044 57433	60735 64749	62241 65525	64569 68755	66033 68566	68988 71798
90-95	Heart diseases* { M F	29691 34368	30023 34442	33365 38744	35777 41251	45018 51449	42961 47142	47960 53393	49160 53665	51412 56675	52718 56244	55524 59147
90(38)	Pericarditis { M F	188 144	159 119	169 117	153 129	180 111	167 133	165 106	183 109	198 115	154 112	131 87
91(39)	Acute endocarditis* .. { M F	769 795	712 830	728 799	648 736	657 787	662 738	601 584	569 580	605 651	574 640	608 639
	(1) Malignant endocarditis { M F	508 473	484 527	528 510	456 488	477 528	496 526	539 505	498 517	545 578	511 562	553 592
	(2) Other acute endocar- { M F	261 322	228 303	200 289	192 248	180 259	166 212	62 79	71 63	60 73	63 78	55 47
92(40)	Chronic endocarditis, valv- { M F	11297 13634	11024 13058	11653 14528	11990 15001	12876 15921	11625 14533	12097 15130	11654 14162	10857 14062	10665 12839	10436 12601
	(1) Aortic valve disease* { M F	2054 1025	2076 956	2181 1005	2252 1074	2390 1075	2276 1146	2359 1167	2359 1028	2133 1095	2118 1044	2144 1048
	(2) Mitral valve disease* { M F	3270 5558	3145 5291	3635 6233	3855 6640	4212 7145	3723 6366	3772 6559	3760 6354	3456 6217	3525 5725	3477 5662
	(3) Aortic and mitral valve { M F	444 425	458 335	543 486	633 662	723 612	648 574	627 559	622 591	578 553	622 537	585 527
	(4) Endocarditis, not re- { M F	5529 6626	5345 6476	5294 6804	5250 6625	5551 7089	4978 6447	590 838	534 741	502 755	482 658	457 636
	(5) Other or unspecified { M F							4749 6007	4379 5448	4188 5442	3918 4875	3773 4728
93(41)	Diseases of the myocardium* { M F	10578 12580	11826 13651	13929 16396	16204 19011	23633 27626	22699 25430	26698 30813	27954 31889	30143 34606	30874 35162	32923 37681
	(a) Acute myocarditis* .. { M F	199 234	236 275	232 242	236 220	261 250	192 194	75 78	96 90	91 90	115 112	112 118
	(b) Myocardial degenera- { M F	10379 12346	11590 13376	13697 16154	15968 18791	23372 27376	22507 25236	20931 24100	22079 25114	23778 27212	24399 28121	26422 30569
	(1) Fatty heart .. { M F	1202 1562	1237 1381	1218 1618	1225 1671	1343 1837	1263 1714	1250 1664	1198 1555	1128 1431	982 1409	911 1313
	(2) Cardiovascular { M F	9177 10784	10353 11995	12479 14536	14743 17120	22029 25539	21244 23522	5640 5207	6254 5759	6905 6267	7222 6550	7774 7553
	(3) Other diseases in- { M F							14041 17229	14627 17800	15745 19514	16195 20162	17737 21703
	(c) Myocarditis, not dis- { M F	5692 5635	5779 6685	6274 7304	6360 6929	6389 6994	5692 5635	5692 5635	5779 6685	6274 7304	6360 6929	6389 6994
94(42)	Diseases of the coronary { M F	1285 551	1280 600	1982 820	2586 1108	3376 1431	4118 1766	4565 2063	5241 2432	6325 2905	7173 3491	8232 4085
95(43)	Other diseases of the heart.. { M F	5574 6664	5022 6184	4904 6084	4196 5266	4296 5573	3690 4542	3834 4697	3559 4493	3284 4336	3278 4000	3194 4054
	(a) Disordered action of { M F	537 835	626 965	776 1232	702 1259	774 1392	794 1302	905 1439	1019 1598	1031 1638	1101 1627	1140 1796
	(b) Other diseases included { M F	5037 5829	4396 5219	4128 4852	3494 4007	3522 4181	2896 3240	2929 3258	2540 2895	2253 2698	2177 2373	2054 2258
	(1) Dilatation of heart { M F	389 411	316 378	342 347	258 245	195 175	173 151	171 155	177 120	133 119	130 108	121 95
	(2) Heart disease (un- { M F	4648 5418	4080 4841	3786 4505	3236 3762	3327 4006	2723 3089	2758 3103	2363 2775	2120 2579	2047 2265	1933 2163
96(44)	Aneurysm { M F	829 236	777 245	885 270	946 280	947 305	1006 313	989 325	958 336	931 414	984 431	982 459
97(45)	Arterio-sclerosis* .. { M F	10074 7617	10464 7959	12907 10241	14176 11577	11265 9722	10088 8837	10841 9888	11120 10469	11271 10580	11304 10704	11436 11055
	(1) With cerebral { M F	2047 1768	2087 1805	3191 2973	3811 3591	3791 3520	3711 3588	4055 4021	4189 4269	4154 4370	4173 4463	4353 4511

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
97(45)	Arterio-sclerosis*— <i>contd.</i>											
	(2) With record of other { M 1060 995 1388 1664 1657 1711 1828 2018 2116 2376 2400 cerebral vascular lesion { F 930 946 1306 1623 1579 1541 1832 2087 2221 2264 2608											
	(3) Without record of { M 6967 7382 8328 8701 5817 4666 4958 4913 5001 4755 4683 cerebral vascular lesion { F 4919 5208 5962 6363 4623 3708 4035 4113 3989 3977 3936											
98(45)	Gangrene { M 645 641 556 528 549 430 423 433 396 397 317 { F 602 546 559 423 506 417 434 363 341 345 316											
	(a) Senile gangrene .. { M 598 593 521 480 504 396 389 389 362 356 291 { F 552 512 523 385 469 375 390 326 310 312 288											
	(b) Other gangrene .. { M 47 48 35 48 45 34 34 44 34 41 26 { F 50 34 36 38 37 42 44 37 31 33 28											
99(46)	Other diseases of the arteries* { M 280 331 303 288 251 230 177 192 169 164 206 { F 286 291 312 294 271 220 171 179 183 159 168											
100(46)	Diseases of the veins (varix, { M 159 154 150 211 183 180 187 181 176 211 236 hæmorrhoids,phlebitis,etc.) { F 252 285 314 337 341 365 374 335 353 418 391											
	(1) Varix { M ? ? ? ? ? ? 68 74 63 80 113 { F ? ? ? ? ? ? 174 151 152 171 174											
	(2) Other diseases of the { M ? ? ? ? ? ? 119 107 113 131 123 veins { F ? ? ? ? ? ? 200 184 201 247 217											
101(46)	Diseases of the lymphatic { M 55 44 50 37 44 53 42 53 38 42 43 system (lymphangitis,etc.) { F 43 34 47 36 55 51 40 42 49 33 43											
102(46)	Abnormalities of blood- { M 36 63 96 94 67 89 107 141 173 205 235 pressure* { F 25 69 70 65 70 82 118 131 153 225 213											
103(46)	Other diseases of the circula- { M 20 12 14 13 13 7 9 3 3 8 9 tory system { F 19 10 8 11 10 6 6 5 7 7 6											
104-114	VIII.—Diseases of the Respi- { M 41548 36659 40699 32947 44732 29362 34384 29318 30269 27972 26594 ratory System* { F 36281 31169 35242 26544 38619 22555 29623 25490 25971 22139 20669											
104(50)	Diseases of the nasal fossæ { M 85 102 100 141 128 156 118 149 158 145 172 and annexa { F 65 64 102 86 99 107 76 120 121 102 100											
	(1) Diseases of the nose .. { M 23 28 24 38 22 25 21 16 14 15 29 { F 15 15 20 29 25 23 14 20 17 19 17											
	(2) Diseases of the acces- { M 62 74 76 103 106 131 97 133 144 130 143 sory nasal sinuses .. { F 50 49 82 57 74 84 62 100 104 83 83											
105(50)	Diseases of the larynx .. { M 247 204 200 185 188 171 141 93 119 114 80 { F 177 157 148 171 138 110 95 99 103 79 81											
	(1) Laryngismus stridulus* { M 66 40 45 41 29 31 22 25 20 19 17 { F 33 33 29 29 18 21 16 16 11 15 16											
	(2) Laryngitis { M 173 161 150 136 159 133 119 61 96 91 61 { F 141 122 119 141 116 86 76 82 87 63 62											
	(3) Other diseases of the { M 8 3 5 8 — 7 — 7 3 4 2 larynx* { F 3 2 — 1 4 3 3 1 5 1 3											
106(47)	Bronchitis { M 17323 15291 16211 11942 16223 10179 12513 10127 10494 8832 8386 { F 17929 14896 16810 11489 17155 9344 12647 10207 10581 8116 7376											
	(a) Acute bronchitis .. { M 4103 3567 3815 2329 3570 2001 2906 2224 2457 1952 1740 { F 5253 4253 4911 2783 4713 2380 3742 2920 3258 2409 2204											
	(b) Chronic bronchitis .. { M 6348 6038 6145 4614 5964 4229 4811 4163 4371 3986 3991 { F 5091 4481 4824 3467 4618 2829 3478 2988 3051 2615 2451											
	(c) Bronchitis, not distin- { M 6872 5686 6251 4999 6699 3949 4796 3740 3666 2894 2655 guished as acute or { F 7585 6162 7075 5239 7824 4135 5427 4299 4272 3092 2721 chronic.											
107-109	Pneumonia (all forms) .. { M 21090 18430 21336 18212 25081 16468 18951 16516 16965 16620 15527 { F 15900 13909 15906 12802 18765 11256 14622 13042 13094 12003 11259											
107(48)	Broncho-pneumonia .. { M 10535 9457 11063 8413 12961 7481 10019 8291 8758 7856 7492 { F 9249 8178 9297 7072 11419 6141 8724 7524 7723 6837 6521											
108(48)	Lobar pneumonia { M 6378 5549 6633 6983 8421 6480 6321 6061 6056 6769 6271 { F 3718 3366 4006 3871 4869 3589 4120 3947 3796 3821 3607											

TABLE 6—*continued.*

Inter- national List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
109(48)	Pneumonia (not otherwise defined) { M F	4177 2933	3424 2365	3640 2603	2816 1859	3699 2477	2507 1526	2611 1778	2164 1571	2151 1575	1995 1345	1764 1131
110(49)	Pleurisy { M F	710 433	699 412	647 467	686 440	806 494	674 358	626 417	601 365	588 359	548 349	510 270
	(1) Empyema { M F	305 138	259 113	267 135	273 119	354 159	289 103	267 153	300 126	302 140	272 144	242 85
	(2) Other pleurisy .. { M F	405 295	440 299	380 332	413 321	452 335	385 255	359 264	301 239	286 219	276 205	268 185
111(50)	Congestion and hæmorrhagic infarct of lung, etc.* .. { M F	532 770	523 772	491 687	433 608	511 734	435 576	539 719	560 736	584 794	523 708	555 757
	(1) Hypostatic congestion of lungs { M F	524 768	518 769	488 681	431 604	507 732	435 569	485 669	499 669	523 748	483 662	494 703
	(2) Other diseases included under 111* { M F	8 2	5 3	3 6	2 4	4 2	— 7	54 50	61 67	61 46	40 46	61 54
112(50)	Asthma { M F	1137 846	969 802	1324 990	997 827	1429 1128	956 694	1106 939	887 808	975 820	802 680	907 714
113(50)	Pulmonary emphysema .. { M F	138 54	141 46	85 28	51 14	54 10	45 13	56 14	51 12	47 12	60 15	42 10
114(50)	Other diseases of the respiratory system { M F	286 107	300 111	305 104	300 107	312 96	278 97	334 94	334 101	339 87	328 87	415 102
	(a) Chronic interstitial pneumonia, including occupational diseases of the lung. { M F	191 46	199 64	221 61	220 74	222 60	201 64	260 60	241 49	252 53	236 49	306 61
	(b) Other diseases included under 114 { M F	95 61	101 47	84 43	80 33	90 36	77 33	74 34	93 52	87 34	92 38	109 41
	(1) Gangrene of the lung { M F	20 13	32 11	16 7	16 8	20 9	16 2	13 6	14 8	16 4	14 5	14 3
	(2) Other diseases included under 114 (b) { M F	75 48	69 36	68 36	64 25	70 27	61 31	61 28	79 44	71 30	78 33	95 38
115-129	IX.—Diseases of the Digestive System { M F	14912 12564	15021 12572	14148 11813	14417 12184	15173 12458	14310 11677	14093 11656	14058 11994	14004 11946	13813 12173	14058 11613
115(58)	Diseases of the buccal cavity, pharynx, etc. { M F	640 474	618 551	743 693	863 861	911 898	881 858	868 845	822 941	907 1056	1149 1289	944 1048
	(1) Diseases of the teeth and gums { M F	212 129	199 142	255 181	299 227	262 194	261 190	263 207	222 195	221 204	229 179	214 167
	(2) Ludwig's angina .. { M F	53 39	63 44	57 38	52 37	61 51	54 48	47 39	41 44	45 30	61 47	48 45
	(3) Diseases of the tonsils { M F	279 239	263 270	339 368	373 451	436 511	441 467	448 468	420 516	488 621	640 753	527 639
	(4) Other diseases included under 115 { M F	96 67	93 95	92 106	139 146	152 142	125 153	110 131	139 186	153 201	219 310	155 197
116(58)	Diseases of the œsophagus { M F	30 13	29 14	33 14	18 21	27 19	23 26	22 19	28 18	27 15	26 12	31 24
117(51)	Ulcer of the stomach or duodenum { M F	2458 1000	2663 981	2974 998	2833 998	3055 1031	3214 1036	3214 1021	2935 1052	3134 1000	3241 1075	3320 1021
	(a) Ulcer of the stomach { M F	1565 814	1737 806	1915 855	1827 816	1976 870	2074 876	2029 846	1867 827	2012 814	2172 850	2167 812
	(b) Ulcer of the duodenum { M F	893 186	926 175	1059 143	1006 182	1079 161	1140 160	1185 175	1068 225	1122 186	1069 225	1153 209
118(58)	Other diseases of the stomach { M F	976 1060	980 945	790 846	738 845	659 743	621 673	638 723	556 616	493 525	415 519	458 465
	(1) Inflammation of the stomach { M F	812 906	802 822	627 739	625 761	551 655	505 578	513 634	449 522	394 458	317 451	362 410
	(2) Other diseases included under 118 { M F	164 154	178 123	163 107	113 84	108 88	116 95	125 89	107 94	99 67	98 68	96 55

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
119 & 120 (52 & 53)	Diarrhœa and enteritis .. { M	4552	4592	3313	3528	3841	2988	2840	3033	3084	2507	2592
	F	3778	3823	2884	2937	3228	2503	2382	2643	2532	2209	2207
	(a) { (1) Colitis* .. { M	168	214	179	163	184	146	134	154	130	123	148
	F	218	259	213	187	198	203	189	208	165	173	163
	(2) Other diarrhœa and enteritis* { M	4262	4256	3008	3246	3530	2720	2576	2704	2791	2205	2258
	F	3394	3392	2502	2569	2837	2115	1983	2170	2104	1761	1733
	(b) Ulceration of intestines { M	122	122	126	119	127	122	130	175	163	179	186
121(54)	F	166	172	169	181	193	185	210	265	263	275	311
	Appendicitis { M	1624	1535	1524	1623	1657	1693	1608	1715	1650	1628	1692
122(55)	F	1238	1175	1236	1245	1169	1248	1264	1299	1404	1357	1273
	Hernia, intestinal obstruc- { M	2148	2147	2281	2267	2506	2352	2413	2519	2447	2500	2549
	tion { F	2134	2156	2231	2126	2262	2192	2306	2318	2318	2325	2261
	(a) Hernia { M	830	842	957	993	1090	950	977	1058	1019	1049	1049
	F	931	923	1008	974	1039	1002	1044	1074	1076	1031	1040
	(1) Strangulated hernia { M	?	?	?	?	?	?	692	734	729	756	758
	F	?	?	?	?	?	?	792	814	832	811	827
	(2) Hernia not returned { M	?	?	?	?	?	?	285	324	290	293	291
	as strangulated .. { F	?	?	?	?	?	?	252	260	244	220	213
	(b) Intestinal obstruction { M	1318	1305	1324	1274	1416	1402	1436	1461	1428	1451	1500
	F	1203	1233	1223	1152	1223	1190	1262	1244	1242	1294	1221
	Other diseases of the { M	241	233	266	268	300	304	304	314	349	350	394
123(58)	intestines { F	255	246	244	272	284	328	318	352	327	356	373
	(1) Constipation, intestinal { M	70	79	76	67	69	52	51	53	41	35	50
	stasis { F	112	109	101	93	96	99	94	90	64	63	62
	(2) Diverticulitis { M	91	84	97	120	138	158	174	187	206	231	255
	F	63	72	77	96	116	148	150	181	183	221	225
	(3) Other diseases included { M	80	70	93	81	93	94	79	74	102	84	89
	under 123 { F	80	65	66	83	72	81	74	81	80	72	86
	(b) Intestinal obstruction { M	1318	1305	1324	1274	1416	1402	1436	1461	1428	1451	1500
124(56)	F	1203	1233	1223	1152	1223	1190	1262	1244	1242	1294	1221
	Cirrhosis of the liver .. { M	1201	1214	1214	1206	1174	1100	1054	946	817	872	898
	F	646	651	646	684	604	556	557	505	424	478	436
	(a) Returned as alcoholic { M	87	82	162	210	175	144	162	115	115	125	139
	F	49	50	101	110	83	71	99	62	77	84	62
	(b) Not returned as alco- { M	1114	1132	1052	996	999	956	892	831	702	747	759
	holic { F	597	601	545	574	521	485	458	443	347	394	374
125(57)	Other diseases of the liver.. { M	171	148	115	132	108	122	101	113	87	99	91
	F	162	149	158	162	148	146	125	111	114	119	138
	(1) Acute yellow atrophy { M	15	20	19	22	12	22	19	27	22	24	27
	F	58	63	62	54	62	69	47	48	54	58	76
	(2) Other diseases included { M	156	128	96	110	96	100	82	86	65	75	64
126(57)	under 125 { F	104	86	96	108	86	77	78	63	60	61	62
	Biliary calculi { M	323	288	325	335	321	333	353	342	301	309	368
	F	763	802	835	903	889	880	853	882	884	962	945
	(1) With cholecystitis .. { M	?	?	?	?	?	?	118	136	95	102	121
	F	?	?	?	?	?	?	293	311	323	341	336
127(57)	(2) Without mention of { M	?	?	?	?	?	?	235	206	206	207	247
	cholecystitis { F	?	?	?	?	?	?	560	571	561	621	609
	Other diseases of the gall { M	274	321	269	314	289	354	330	355	337	361	397
	bladder and ducts .. { F	584	648	566	644	690	721	711	752	791	859	899
	(1) Cholecystitis without { M	235	274	223	269	230	300	301	300	308	322	348
128(58)	record of biliary calculi { F	516	593	518	573	632	665	665	697	731	811	863
	(2) Other diseases included { M	39	47	46	45	59	54	29	55	29	39	49
	under 127 { F	68	55	48	71	58	56	46	55	60	48	36
129(58)	Diseases of the pancreas .. { M	147	144	186	192	196	189	227	252	234	218	225
	F	187	167	216	226	262	260	299	266	265	299	301
129(58)	Peritonitis, without stated { M	127	109	115	100	129	136	121	128	137	138	99
	cause { F	270	264	246	260	231	250	233	239	291	314	222

TABLE 6—continued.

Inter-national List No.	Causes of Death.		1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
130-139	X.—Non-venereal Diseases of the Genito-urinary System and Annexa.	$\begin{cases} M \\ F \end{cases}$	10800 7257	10987 7387	12012 8039	12645 8722	13391 9070	13331 9157	14001 9370	14403 9554	13790 9293	14171 9298	14526 9572
130-132	Nephritis	$\begin{cases} M \\ F \end{cases}$	6519 6096	6569 6183	7151 6701	7525 7336	7874 7638	7902 7729	8284 7840	8298 8018	7687 7786	7894 7717	8059 7995
130(59)	Acute nephritis*	$\begin{cases} M \\ F \end{cases}$	756 651	721 683	696 610	600 583	563 602	600 574	558 515	549 536	536 520	559 517	488 483
131(59)	Chronic nephritis*	$\begin{cases} M \\ F \end{cases}$	5763 5445	5848 5500	6455 6091	6925 6753	7311 7036	7302 7155	6728 6335	6788 6533	6302 6421	6545 6387	6781 6721
132(59)	Nephritis, not stated to be acute or chronic*	$\begin{cases} M \\ F \end{cases}$? ?	? ?	? ?	? ?	? ?	? ?	998 990	961 949	849 845	790 813	790 791
133(60)	Other diseases of the kidney and annexa	$\begin{cases} M \\ F \end{cases}$	359 369	382 406	352 459	363 480	371 468	400 488	388 537	454 575	412 538	475 569	475 618
	(a) Pyelitis	$\begin{cases} M \\ F \end{cases}$	247 258	259 298	246 315	243 322	231 339	271 354	284 394	336 439	293 420	338 433	327 450
	(b) Other diseases included under 133	$\begin{cases} M \\ F \end{cases}$	112 111	123 108	106 144	120 158	140 129	129 134	104 143	118 136	119 118	137 136	148 168
134(61)	Calculi of the urinary passages	$\begin{cases} M \\ F \end{cases}$	204 102	188 94	201 122	241 133	308 149	249 168	269 160	267 161	273 152	281 164	308 199
	(a) Calculi of kidney and ureter	$\begin{cases} M \\ F \end{cases}$? ?	? ?	? ?	? ?	? ?	? ?	173 141	182 148	194 140	204 146	209 182
	(b) Calculi of the bladder	$\begin{cases} M \\ F \end{cases}$? ?	? ?	? ?	? ?	? ?	? ?	94 18	82 11	79 11	77 17	93 16
	(c) Calculi of unstated site	$\begin{cases} M \\ F \end{cases}$? ?	? ?	? ?	? ?	? ?	? ?	2 1	3 2	— 1	— 1	6 1
135(62)	Diseases of the bladder	$\begin{cases} M \\ F \end{cases}$	660 259	734 282	687 307	605 358	545 377	513 335	552 366	555 351	484 335	524 337	467 323
	(a) Cystitis	$\begin{cases} M \\ F \end{cases}$	621 247	685 256	638 292	575 345	514 356	486 316	522 348	516 336	436 313	487 301	427 304
	(b) Other diseases of the bladder	$\begin{cases} M \\ F \end{cases}$	39 12	49 26	49 15	30 13	31 21	27 19	30 18	39 15	48 22	37 36	40 19
136(63)	Diseases of the urethra, urinary abscess, etc.	$\begin{cases} M \\ F \end{cases}$	335 2	354 4	385 8	429 7	457 5	404 5	405 5	420 3	359 4	359 6	361 6
	(a) Stricture of the urethra	$\begin{cases} M \\ F \end{cases}$	296 —	327 —	364 2	407 —	433 1	389 —	391 1	403 —	341 —	339 —	344 1
	(b) Other diseases of the urethra, etc.	$\begin{cases} M \\ F \end{cases}$	39 2	27 4	21 6	22 7	24 4	15 5	14 4	17 3	18 4	20 6	17 5
137(64)	Diseases of the prostate	M	2665	2705	3172	3407	3760	3803	4039	4328	4498	4566	4770
138(65)	Diseases of the male genital organs.	M	58	55	64	75	76	60	64	81	77	72	86
139(65)	Diseases of the female genital organs.	F	429	418	442	408	433	432	462	446	478	505	431
	(a) Diseases of the ovary, Fallopian tube and parametrium.	F	272	248	247	225	239	230	240	218	227	255	194
	(1) Diseases of the ovary	F	12	11	11	18	5	8	6	9	10	18	7
	(2) Diseases of the Fallopian tube.	F	229	195	210	186	205	188	211	192	186	206	162
	(3) Diseases of the parametrium.	F	31	42	26	21	29	34	23	17	31	31	25
	(b) Diseases of the uterus	F	126	138	157	145	168	170	200	201	216	216	198
	(c) Diseases of the breast	F	14	18	13	10	13	6	9	11	13	11	11
	(d) Other diseases of the female genital organs.	F	17	14	25	28	13	26	13	16	22	23	28

TABLE 6—continued.

Inter-national List No.	Causes of Death.		1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
140-150	XI.—Diseases of Pregnancy, Childbirth and the Puerperal State.	F	2900	2863	2691	2921	2791	2855	2601	2587	2618	2748	2457
140 & 145	Puerperal sepsis	F	1110	1112	1027	1185	1161	1244	1050	991	1061	1212	1006
140(68)	Post-abortion sepsis*	F	?	222	215	224	238	300	229	262	257	295	262
141(66)	Abortion not returned as septic.	F	156	158	154	124	118	124	118	117	121	99	91
	(1) Hæmorrhage following abortion.*	F	67	72	72	47	51	59	97	105	108	94	71
	(2) Without record of hæmorrhage.*	F	89	86	82	77	67	65	21	12	13	5	20
142(66)	Ectopic gestation	F	87	94	98	86	86	73	79	83	90	88	74
143(66)	Other accidents of pregnancy	F	19	19	25	14	16	16	23	19	22	28	16
144(67)	Puerperal hæmorrhage ..	F	373	339	327	331	313	348	289	291	269	265	253
	(a) Placenta prævia ..	F	183	156	142	171	159	162	139	156	137	109	123
	(b) Other puerperal hæmorrhage.	F	190	183	185	160	154	186	150	135	132	156	130
145(68)	Puerperal sepsis not returned as post-abortion.*	F	?	890	812	961	923	944	821	729	804	917	744
	(a) Puerperal septicæmia and pyæmia.*	F	?	887	811	960	919	943	820	729	803	917	744
	(b) Puerperal tetanus ..	F	—	3	1	1	4	1	1	—	1	—	—
146(69)	Puerperal albuminuria and convulsions.*	F	499	524	537	557	524	467	375	373	372	414	348
147(69)	Other toxæmias of pregnancy*	F	56	57	45	45	66	66	131	151	140	126	133
148(70)	Puerperal phlegmasia alba dolens, embolism and sudden death.	F	240	202	175	219	180	190	188	200	175	158	165
	(a) Puerperal phlegmasia alba dolens not returned as septic.*	F	35	25	32	31	17	23	47	46	55	50	43
	(b) Puerperal embolism and sudden death.*	F	205	177	143	188	163	167	141	154	120	108	122
149(70)	Other accidents of childbirth	F	247	272	251	307	274	246	300	286	311	293	311
150(70)	Other or unspecified conditions of the puerperal state.	F	113	86	52	53	53	81	48	76	57	65	55
	(1) Puerperal insanity ..	F	23	13	14	21	22	25	13	24	11	21	15
	(2) Puerperal diseases of the breast.	F	6	6	7	8	6	8	11	13	17	20	16
	(3) Childbirth (unqualified)	F	84	67	31	24	25	48	24	39	29	24	24
151-153	XII.—Diseases of the Skin and Cellular Tissue*	{ M F	991 864	952 842	904 803	1034 875	1057 832	999 820	1006 882	1066 901	1084 895	1191 1029	1053 927
151(71)	Carbuncle, boil	{ M F	244 122	258 133	256 138	307 152	303 166	340 171	352 160	369 197	383 230	368 197	341 233
152(71)	Cellulitis, acute abscess*	{ M F	417 327	388 315	335 275	426 311	455 313	372 305	378 367	385 312	426 330	523 446	424 331
	(1) Cellulitis	{ M F	313 238	310 242	250 205	338 238	354 252	296 240	294 289	282 232	335 267	427 342	342 266
	(2) Acute abscess* ..	{ M F	104 89	78 73	85 70	88 73	101 61	76 65	84 78	103 80	91 63	96 104	82 65
153(71)	Other diseases of the skin and its annexa.. ..	{ M F	330 415	306 394	313 390	351 412	299 353	287 344	276 355	312 392	275 335	300 386	288 363
154-156	XIII.—Diseases of the Bones and Organs of Locomotion.	{ M F	501 299	488 294	538 317	579 309	577 388	560 352	545 327	608 354	534 359	591 314	552 347
154(72)	Acute infective osteomyelitis and periostitis	{ M F	291 146	271 146	315 164	362 144	318 191	326 164	321 163	347 156	279 175	331 137	288 159

TABLE 6—continued.

Inter- national List No.	Causes of Death	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
155(72)	Other diseases of the bones.. { M F	93 60	110 80	94 68	95 56	114 69	102 72	91 56	115 69	115 76	103 67	123 79
156(72)	Diseases of the joints and other organs of locomotion { M F	117 93	107 68	129 85	122 109	145 126	132 116	133 108	146 129	140 108	152 110	141 109
	(a) Diseases of the joints { M F	82 57	72 43	100 62	96 64	109 78	103 80	93 74	106 91	110 76	110 72	99 65
	(b) Diseases of other organs of locomotion .. { M F	35 36	35 25	29 23	26 45	36 48	29 36	40 34	40 38	30 32	42 38	42 44
157(73)	XIV.—Congenital Malforma- tions { M F	2035 1611	2018 1586	1969 1596	2058 1624	2069 1746	2193 1665	2199 1712	2271 1810	2161 1716	2230 1821	2224 1773
	(a) Congenital hydroceph- alus { M F	164 114	159 119	160 113	135 92	144 112	138 108	147 117	161 127	151 115	153 115	155 129
	(b) Spina bifida and men- ingocele { M F	326 450	320 467	328 453	387 467	361 517	397 470	407 516	427 635	418 601	435 663	440 627
	(c) Congenital malforma- tion of heart { M F	801 618	773 621	791 599	780 630	823 659	888 639	858 640	860 589	812 566	863 618	806 564
	(d) Monstrosities .. { M F	39 30	28 28	22 32	24 37	24 41	29 23	33 50	35 59	38 55	40 44	31 55
	(e) Other congenital mal- formations { M F	705 399	738 351	668 399	732 398	717 417	741 425	754 389	788 400	742 379	739 381	792 398
	(1) Congenital pyloric stenosis { M F	217 82	279 66	217 55	240 68	233 83	270 77	330 76	292 74	247 70	279 73	302 81
	(2) Cleft palate, hare- lip { M F	88 63	72 62	70 50	77 51	88 79	80 77	85 53	96 42	81 45	52 47	66 42
	(3) Imperforate anus .. { M F	62 19	56 8	54 22	74 19	54 15	55 17	42 18	51 22	54 10	50 15	55 17
	(4) Other stated congen- ital malformations .. { M F	270 202	272 175	276 228	303 228	308 220	288 215	247 195	300 228	320 229	300 216	326 221
	(5) Congenital malform- ation unspecified .. { M F	68 33	59 40	51 44	38 32	34 20	48 39	50 47	49 34	40 25	58 30	43 37
158-161	XV.— Diseases of Early In- fancy* { M F	11277 8490	10895 7955	10388 7567	10061 7313	10252 7512	9723 7067	9803 6997	9510 6722	9085 6712	8891 6445	8764 6322
158(74)	Congenital debility* .. { M F	2506 1650	2166 1524	1653 1115	1578 977	1522 982	1357 841	1307 809	1119 704	1082 728	943 583	916 605
159(75)	Premature birth { M F	7025 5509	6932 5214	6898 5234	6630 5041	6784 5208	6447 4913	6594 4971	6406 4768	6138 4747	5995 4523	5867 4447
160(76)	Injury at birth { M F	663 395	647 406	732 482	751 505	862 492	834 527	837 497	899 480	813 508	862 529	885 530
	(a) With mention of Cæs- arean section { M F	? ?	? ?	? ?	? ?	? ?	? ?	6 4	12 3	7 5	6 8	11 4
	(b) Without mention of Cæsarean section .. { M F	? ?	? ?	? ?	? ?	? ?	? ?	831 493	887 477	806 503	856 521	874 526
161(77)	Other diseases peculiar to early infancy* { M F	1083 936	1150 811	1105 736	1102 790	1084 830	1085 786	1065 720	1086 770	1052 729	1091 810	1096 740
	(a) Atelectasis { M F	581 518	641 440	613 405	594 455	581 440	601 411	637 405	619 433	657 422	635 464	670 448
	(b) Icterus neonatorum .. { M F	235 162	225 147	257 145	255 136	257 132	235 141	204 122	199 114	193 107	209 121	195 94
	(c) Other diseases included under 161* { M F	267 256	284 224	235 186	253 199	246 258	249 234	224 193	268 223	202 200	247 225	231 198
	(1) Diseases of the umbilicus { M F	72 67	80 41	39 36	41 38	52 46	61 52	57 33	51 52	43 26	50 33	44 29

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
161(77)	Other diseases peculiar to early infancy*— <i>conid.</i>											
	(2) Pemphigus neonatorum { M F	105 68	87 53	85 37	79 40	65 61	56 46	51 33	40 32	28 24	37 32	34 24
	(3) Other diseases in- cluded under 161 (c)* { M F	90 121	117 130	111 113	133 121	129 151	132 136	116 127	177 139	131 150	160 160	153 145
162(78)	XVI.—Old Age* { M F	10202 15112	10036 14528	9150 13603	7976 11774	8495 12685	7345 10772	7120 10867	7250 11016	6703 10435	6331 9735	6807 10186
	(a) Senile dementia* .. { M F	760 957	710 1061	782 1037	852 1141	877 1271	776 1112	565 758	491 659	449 514	388 426	424 465
	(b) Other forms of senile decay* { M F	9442 14155	9326 13467	8368 12566	7124 10633	7618 11414	6569 9660	6555 10109	6759 10357	6254 9921	5943 9309	6383 9721
163-198	XVII.—Deaths from Violence { M F	12903 5648	12993 5929	14162 6227	14810 6753	15184 6936	15585 6832	14547 7031	14981 6888	15295 7385	15178 7553	14501 7462
163-171	Suicide { M F	2852 1232	3099 1350	3458 1449	3409 1473	3480 1504	3527 1524	3624 1523	4054 1689	3893 1761	3839 1711	3525 1698
163(79)	By solid or liquid poisons and corrosive substances { M F	254 212	323 283	399 338	380 285	354 314	406 309	368 308	428 349	468 348	426 323	344 313
164(79)	By poisonous gas .. { M F	465 297	588 355	658 340	667 421	824 461	842 509	934 517	1168 639	1091 641	1183 681	1101 678
165(79)	By hanging or strangula- tion { M F	608 172	676 151	671 157	697 166	690 136	629 124	614 122	727 135	704 168	631 155	616 179
166(79)	By drowning { M F	508 327	558 349	580 363	609 350	546 329	554 333	584 329	670 329	561 324	535 272	459 287
167(79)	By firearms { M F	197 14	210 8	225 18	226 11	221 11	254 8	254 13	249 10	283 5	226 12	220 6
168(79)	By cutting or piercing instruments { M F	549 95	531 96	634 125	567 111	581 118	535 88	524 87	534 77	455 97	478 93	491 75
169(79)	By jumping from high places { M F	83 57	70 54	93 53	83 59	87 65	110 67	111 56	98 74	102 64	113 67	104 66
170(79)	By crushing { M F	182 35	130 33	185 27	173 36	170 20	190 30	227 36	172 30	218 44	236 45	179 44
171(79)	By other means { M F	6 23	13 21	13 28	7 34	7 50	7 56	8 55	8 46	11 70	11 63	11 50
172-175	Homicide { M F	118 144	127 149	99 109	100 108	97 107	112 82	76 114	71 115	87 123	109 117	81 97
172(80)	Infanticide (under 1 year)†											
173(80)	By firearms { M F	10 10	9 25	10 11	7 10	9 16	9 9	6 12	8 17	6 12	4 8	6 11
174(80)	By cutting or piercing instruments { M F	21 39	14 25	11 24	13 25	18 22	7 9	9 23	5 16	15 23	8 20	9 21
175(80)	By other means { M F	87 95	104 99	78 74	80 73	70 69	96 64	61 79	58 82	66 88	97 89	66 65
176-194	Accidental deaths { M F	9111 3976	8929 4153	9700 4381	10415 4883	10827 5066	11081 4968	9943 5076	9976 4771	10465 5202	10420 5409	10065 5336
176(81)	Attack by venomous animals { M F	18 16	11 12	6 9	18 15	5 18	18 14	9 14	21 23	25 19	22 10	8 15
177(81)	Food poisoning { M F	23 14	12 8	10 12	19 14	10 8	10 6	8 7	5 10	12 6	11 7	10 9
178(81)	Accidental absorption of irrespirable or poisonous gas. { M F	97 52	101 75	87 77	88 63	119 90	111 39	104 73	136 64	106 58	129 47	122 78
179(81)	Other acute accidental poisoning (not by gas) { M F	75 46	43 40	50 37	49 49	46 25	56 48	51 41	45 44	57 49	42 51	56 35

† Deaths from this cause are included under headings 173-175 (Homicide).

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
180(81)	Conflagration { M F	25 22	18 21	28 31	32 25	45 30	31 30	30 42	22 27	30 16	22 38	23 42
181(81)	Accidental burns (con- flagration excepted) .. { M F	726 858	577 773	689 767	641 822	681 935	601 749	597 800	535 729	534 783	524 714	531 801
182(81)	Accidental mechanical suffocation { M F	283 248	309 210	282 242	280 223	265 205	277 197	242 186	255 167	248 144	236 175	234 155
183(81)	Accidental drowning .. { M F	743 130	762 97	660 132	743 144	735 131	622 117	583 102	753 80	810 115	542 58	688 133
184(81)	Accidental injury by fire- arms. { M F	71 6	63 8	66 5	62 6	55 10	75 4	66 4	66 8	67 3	60 5	67 7
185(81)	Accidental injury by cutting or piercing in- struments. { M F	4 1	8 —	11 —	15 11	14 6	9 1	2 2	7 1	10 4	9 —	6 1
186(81)	Accidental injury by fall, crushing, etc. { M F	6429 2335	6430 2642	7178 2846	7854 3281	8241 3365	8552 3497	7813 3637	7581 3384	7980 3784	8275 4091	7815 3865
187(81)	Cataclysm { M F	? ?	? ?	? ?	? ?	? ?	? ?	— —	— —	— —	— —	— —
188(81)	Injury by animals (poison- ing by venomous animals excepted). { M F	64 6	65 4	58 5	50 3	52 7	42 10	45 4	54 4	37 4	51 4	41 4
189(81)	Hunger or thirst { M F	7 6	13 6	16 10	14 9	20 7	9 5	6 5	5 2	9 2	10 5	13 1
190(81)	Excessive cold { M F	40 16	43 11	50 12	40 9	68 27	28 6	19 5	14 6	30 7	11 5	17 9
191(81)	Excessive heat { M F	76 45	60 32	7 8	52 22	50 19	155 72	11 1	67 36	93 53	35 21	37 22
192(81)	Lightning { M F	17 —	10 1	5 —	4 —	14 —	9 1	10 2	7 1	13 2	11 —	13 1
193(81)	Electricity (lightning ex- cepted) { M F	42 1	43 2	51 1	51 4	52 1	61 7	51 5	51 4	63 7	63 4	61 9
194(81)	Other and unstated forms of accidental violence { M F	371 174	361 211	446 187	403 183	355 182	415 165	296 146	352 181	341 146	367 174	323 149
	(1) Inattention at birth { M F	121 116	147 155	143 123	132 118	105 118	105 112	82 100	114 112	87 78	91 106	85 70
	(2) Other causes in- cluded under 194 .. { M F	250 58	214 56	303 64	271 65	250 64	310 53	214 46	238 69	254 68	276 68	238 79
195(82)	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.). { M F	743 296	749 276	830 287	789 289	700 259	788 258	802 318	786 313	757 299	719 315	749 331
196(83)	Wounds of war { M F	63 —	73 —	68 1	76 —	72 —	74 —	92 —	85 —	84 —	83 —	69 —
197(83)	Execution of civilians by belligerent armies .. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
198(84)	Execution { M F	16 —	16 1	7 —	21 —	8 —	3 —	10 —	9 —	9 —	8 1	12 —
199-200	XVIII.—Ill-defined Diseases* { M F	923 681	828 578	642 443	494 343	484 347	441 306	777 570	748 593	731 584	662 588	768 539
199(85)	Sudden death* { M F	162 98	171 74	154 88	138 74	133 82	117 75	174 97	178 113	194 143	153 107	171 112
200(85)	Cause of death unstated or ill-defined* { M F	761 583	657 504	488 355	356 269	351 265	324 231	603 473	570 480	537 441	509 481	597 427
	(1) Heart failure* .. { M F	514 353	467 344	359 234	246 169	250 171	214 153	499 397	493 426	463 367	448 426	512 379
	(2) Other ill-defined causes { M F	197 183	136 119	99 104	85 84	70 79	80 55	63 64	49 43	50 58	43 37	51 37
	(3) Cause not specified .. { M F	50 47	54 41	30 17	25 16	31 15	30 23	41 12	28 11	24 16	18 18	34 11

TABLE 7. CRUDE DEATH-RATES OF MALES, FEMALES AND PERSONS }
FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, } England and Wales.
1925-1935.

*List of Causes as in use for 1931 (see note to heading of Table 6), but in this table headings consistently showing a mortality of less than 5 per million and some indefinite headings are omitted. Where the incidence of mortality falls particularly on one sex, the rate in that sex has been taken as the criterion. For titles omitted see Table 6. The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6. The deaths on which the rates for years prior to 1931 are based have been reconstructed as far as possible in the terms of the revised List, and where such reconstruction is incomplete an * is marked against the heading.*

List No.	Causes of Death.				1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
	ALL CAUSES	{ M. F. P.	12,949 11,434 12,158	12,384 10,911 11,616	13,115 11,618 12,334	12,465 10,922 11,661	14,229 12,724 13,444	12,268 10,680 11,441	13,033 11,615 12,294	12,745 11,396 12,043	12,948 11,711 12,304	12,511 11,112 11,783	12,485 11,064 11,746
1-44	I.—Infectious and Parasitic Diseases*	{ M. F. P.	2,106 1,714 1,901	1,818 1,450 1,626	2,139 1,786 1,954	1,755 1,373 1,556	2,387 2,028 2,200	1,641 1,252 1,438	1,839 1,470 1,647	1,706 1,398 1,545	1,902 1,568 1,728	1,503 1,147 1,318	1,375 1,042 1,201
1 & 2	Typhoid and paratyphoid fevers	{ M. F. P.	10 10 10	10 9 9	10 9 9	11 11 11	10 9 10	9 7 8	7 6 6	7 6 6	6 5 6	4 4 4	4 4 4
1	Typhoid fever	{ M. F. P.	9 9 9	9 8 8	9 7 8	9 9 9	9 8 8	7 6 6	5 4 5	6 5 5	5 4 5	3 3 3	4 4 4
7	Measles	{ M. F. P.	153 122 137	98 81 89	102 83 92	121 98 109	92 80 86	119 93 105	92 73 82	93 77 85	53 44 48	102 85 93	36 31 33
8	Scarlet fever	{ M. F. P.	26 25 25	19 16 17	15 14 15	14 15 15	19 17 18	18 19 19	12 14 14	12 14 13	18 19 18	24 24 24	13 15 14
9	Whooping cough	{ M. F. P.	149 162 156	100 110 105	88 99 94	71 79 75	147 172 160	47 55 51	58 67 63	68 79 74	51 61 56	44 56 51	35 42 39
10	Diphtheria	{ M. F. P.	72 70 71	76 77 77	71 68 70	84 78 81	86 88 87	90 85 88	70 64 67	58 58 58	67 65 66	102 100 101	88 84 86
11	Influenza	{ M. F. P.	339 316 327	243 216 229	575 559 567	216 178 196	731 737 734	144 110 126	360 360 360	320 334 327	564 570 567	151 128 139	193 171 182
	(a)	{ 1. With pneumonic complications	..	{ M. F. P.	152 115 133	115 80 97	282 229 255	108 70 88	390 331 359	70 41 55	176 145 160	152 141 146	294 258 275	76 52 64	99 71 84
		{ 2. With other respiratory complications*		{ M. F. P.	70 77 74	41 45 44	127 149 139	37 37 37	174 209 192	27 22 24	81 99 90	69 83 76	137 153 146	27 27 27	35 38 37
	(b)	{ 1. With non-respiratory complications*		{ M. F. P.	68 70 69	54 55 55	93 100 97	53 52 52	104 118 112	35 36 35	73 79 76	71 77 74	88 102 95	36 36 36	45 47 46
		{ 2. Without complications	stated	{ M. F. P.	49 53 51	32 35 33	72 81 76	18 20 19	63 79 71	12 11 12	31 38 35	28 34 31	45 57 51	11 13 12	14 16 15
13	Dysentery	{ M. F. P.	4 3 3	4 3 4	3 2 2	4 3 4	4 1 2	3 2 2	4 2 3	4 3 3	3 2 2	3 2 3	3 2 3
15	Erysipelas	{ M. F. P.	24 20 22	23 19 21	22 20 21	25 20 23	28 24 26	29 23 26	27 23 25	26 23 25	32 27 30	41 32 36	30 23 26
16	Acute poliomyelitis	{ M. F. P.	5 3 4	7 5 6	6 4 5	5 3 4	4 3 4	5 4 4	3 2 2	5 4 4	6 4 5	4 3 3	4 3 4
17	Encephalitis lethargica	{ M. F. P.	36 35 35	35 33 34	31 27 29	27 27 27	27 25 26	23 23 23	26 22 24	21 20 21	22 18 20	18 21 19	18 18 18
18	Cerebro-spinal fever	{ M. F. P.	11 7 9	11 8 9	14 8 11	13 9 11	19 11 15	19 13 16	45 28 36	37 24 30	27 20 23	22 14 18	18 13 15
22	Tetanus	{ M. F. P.	6 2 4	6 2 4	7 1 4	6 1 3	6 2 4	6 1 3	5 1 3	5 1 3	4 1 3	4 1 3	5 1 3

TABLE 7—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
	Cancer, malignant disease* — <i>contd.</i>											
47	Respiratory organs .. { M. F. P.	88 32 59	93 32 61	95 32 63	105 34 68	105 37 69	118 42 78	132 44 86	139 44 90	153 45 97	168 50 106	179 52 113
48	Uterus F.	220	216	216	220	216	210	208	208	205	211	211
49	Other female genital organs F.	61	68	70	72	76	79	80	83	89	92	94
50	Breast { M. F. P.	2 265 139	2 260 137	2 277 146	3 286 150	2 288 151	3 292 154	3 306 161	3 305 160	3 312 164	3 318 167	4 320 168
51	Male genito-urinary organs M.	131	132	138	149	152	154	166	169	169	177	183
52	Skin { M. F. P.	31 21 26	31 21 26	31 23 27	35 24 29	35 24 29	33 22 27	36 23 29	33 25 29	32 24 28	32 22 27	31 23 27
53	Other or unspecified organs { M. F. P.	82 88 85	77 88 83	78 86 82	80 92 86	72 92 83	73 90 82	69 92 81	76 93 85	72 98 86	73 95 84	73 95 84
54	Non-malignant tumours .. { M. F. P.	16 42 29	19 47 33	20 46 34	23 47 35	20 47 34	23 50 37	25 53 40	25 52 39	22 52 38	24 52 38	25 50 38
	(a) Female genital organs F.	31	34	33	34	32	35	36	35	34	34	32
	(b) Other sites { M. F. P.	16 10 13	19 12 15	20 13 17	23 13 18	20 15 17	23 16 19	25 17 21	25 17 21	22 18 20	24 18 21	25 18 21
55	Tumours of undetermined nature* { M. F. P.	33 33 33	36 33 35	34 33 33	34 32 32	35 30 33	35 32 34	34 29 32	34 30 32	35 29 32	36 30 33	32 29 31
	(b) Sites other than female genital organs* .. { M. F. P.	33 31 32	36 31 34	34 32 33	34 30 32	35 28 32	35 31 33	34 28 31	34 29 31	35 28 31	36 29 33	32 28 30
56-69	III.—Rheumatism, Diseases of Nutrition and of Endocrine Glands and other General Diseases.*											
	{ M. F. P.	227 340 286	235 335 288	241 363 305	256 388 325	261 412 340	249 400 328	246 408 330	245 411 331	248 424 340	247 427 341	250 438 348
56	Rheumatic fever { M. F. P.	45 52 48	44 47 45	37 42 40	34 42 38	34 38 36	36 39 38	29 34 32	25 30 28	30 34 32	31 38 34	27 31 29
57	Chronic rheumatism, osteo-arthritis { M. F. P.	37 83 61	38 84 62	44 90 68	48 102 76	52 117 86	46 102 75	50 105 79	47 108 79	48 109 80	49 104 78	54 109 83
	(1) Chronic rheumatism* .. { M. F. P.	9 10 9	8 9 8	5 6 6	5 6 6	5 6 6	4 6 5	3 5 4	3 4 4	2 4 3	3 3 3	3 3 3
	(2) Rheumatoid arthritis, osteo-arthritis* .. { M. F. P.	28 73 51	30 75 54	39 84 63	43 96 70	47 111 80	43 97 71	47 101 75	44 104 75	45 105 76	47 101 75	51 106 80
58	Gout { M. F. P.	9 2 5	8 2 5	12 2 7	15 3 8	13 2 8	12 3 7	11 3 7	12 2 7	10 2 6	9 2 5	9 2 5
59	Diabetes { M. F. P.	98 125 112	106 124 115	109 142 126	116 145 131	122 161 142	121 161 142	118 170 145	126 176 152	127 182 156	129 189 160	130 196 164
63	Rickets* { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	12 7 10	10 6 8	7 5 6	6 4 5	5 4 4
	(1) Rickets (excluding spinal curvatures of undetermined nature) { M. F. P.	15 10 12	13 8 11	12 7 10	15 10 12	13 8 11	10 6 8	12 9 10	9 6 7	6 4 5	6 3 4	5 3 4
64	Osteomalacia* { M. F. P.							0 1 0	0 0 0	0 0 0	0 0 0	0 0 0
66	Diseases of the thyroid and parathyroid glands* .. { M. F. P.	9 53 32	10 56 34	11 61 37	11 67 40	11 65 39	10 71 42	11 75 45	12 75 45	13 77 46	12 77 46	13 81 49
	(a) Simple goitre { M. F. P.	1 6 4	2 7 5	1 7 4	1 10 6	1 7 4	1 7 4	2 7 4	1 6 4	2 8 5	1 5 3	1 7 4

TABLE 7—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
66	Diseases of the thyroid and parathyroid glands*— <i>contd.</i>											
	(b) Exophthalmic goitre ..	{ M. 3 F. 34 P. 19	{ 4 36 21	{ 5 42 24	{ 6 45 27	{ 7 45 27	{ 6 54 31	{ 7 56 33	{ 9 59 35	{ 9 59 35	{ 9 62 37	{ 9 65 38
	(c) Myxœdema, cretinism	{ M. 2 F. 11 P. 7	{ 2 11 7	{ 3 11 7	{ 2 11 7	{ 2 11 7	{ 2 10 6	{ 2 12 7	{ 1 9 5	{ 2 9 6	{ 1 8 5	{ 1 8 5
67	Diseases of the thymus ..	{ M. 5 F. 3 P. 4	{ 6 3 4	{ 5 3 4	{ 6 3 4	{ 6 4 5	{ 4 3 3	{ 5 2 4	{ 5 3 4	{ 5 3 4	{ 4 3 3	{ 4 3 4
68	Diseases of the adrenals ..	{ M. 5 F. 7 P. 6	{ 5 8 7	{ 4 7 6	{ 5 7 6	{ 5 7 6	{ 5 7 6	{ 4 6 5	{ 3 6 5	{ 5 7 6	{ 4 7 5	{ 3 7 5
69	Other general diseases*	{ M. 2 F. 3 P. 2	{ 3 3 3	{ 4 5 5	{ 4 7 6	{ 3 7 5	{ 2 4 3	{ 3 3 3	{ 3 2 3	{ 2 3 3	{ 2 2 2	{ 3 3 3
70-74	IV.—Diseases of the Blood and Blood-forming Organs ..	{ M. 106 F. 114 P. 110	{ 112 122 117	{ 110 115 112	{ 91 95 93	{ 97 98 97	{ 101 103 102	{ 105 107 106	{ 112 118 115	{ 108 118 114	{ 113 118 116	{ 110 121 116
70	Hæmorrhagic conditions ..	{ M. 11 F. 9 P. 10	{ 10 9 10	{ 10 8 9	{ 12 9 11	{ 11 9 10	{ 11 9 10	{ 11 8 10	{ 10 7 8	{ 10 10 10	{ 12 10 11	{ 11 9 10
	(a) Purpura ..	{ M. 7 F. 7 P. 7	{ 7 7 7	{ 7 7 7	{ 7 7 7	{ 7 8 7	{ 7 7 7	{ 7 7 7	{ 6 6 6	{ 6 8 7	{ 7 8 7	{ 6 8 7
71	Anæmia, chlorosis ..	{ M. 64 F. 83 P. 74	{ 67 90 79	{ 63 82 73	{ 44 61 53	{ 48 62 55	{ 52 67 60	{ 52 71 62	{ 61 82 72	{ 56 78 67	{ 54 78 66	{ 52 77 65
	(a) Pernicious anæmia ..	{ M. 58 F. 74 P. 66	{ 60 81 71	{ 58 76 68	{ 39 54 47	{ 43 56 49	{ 47 60 54	{ 47 64 56	{ 54 74 64	{ 50 70 60	{ 48 69 59	{ 47 68 58
	(b) Other anæmias and chlorosis ..	{ M. 6 F. 8 P. 7	{ 7 8 8	{ 5 6 6	{ 5 7 6	{ 5 6 6	{ 5 6 6	{ 5 7 6	{ 7 8 7	{ 6 8 7	{ 7 8 7	{ 5 9 7
72	Leukæmia, aleukæmia ..	{ M. 29 F. 21 P. 25	{ 32 21 26	{ 34 23 28	{ 32 22 27	{ 35 24 29	{ 35 24 29	{ 39 25 32	{ 38 26 32	{ 39 26 32	{ 42 28 35	{ 43 31 36
	(a) Leukæmia ..	{ M. 16 F. 13 P. 15	{ 17 14 15	{ 18 15 16	{ 18 13 16	{ 19 16 17	{ 19 15 16	{ 20 16 18	{ 20 17 18	{ 21 18 19	{ 24 18 21	{ 23 19 21
	(b) Aleukæmia (lymphadenoma) ..	{ M. 13 F. 7 P. 10	{ 15 7 11	{ 15 8 12	{ 14 9 11	{ 17 8 12	{ 17 9 13	{ 20 9 14	{ 18 10 14	{ 18 9 13	{ 18 10 14	{ 19 11 15
75-77	V.—Chronic Poisoning ..	{ M. 7 F. 3 P. 5	{ 7 2 5	{ 7 1 4	{ 7 2 5	{ 7 3 5	{ 5 2 4	{ 4 2 3	{ 5 2 4	{ 4 2 3	{ 4 1 2	{ 4 1 3
75	Alcoholism (acute or chronic)	{ M. 5 F. 3 P. 4	{ 4 2 3	{ 4 1 3	{ 4 2 3	{ 4 2 3	{ 3 2 2	{ 2 2 2	{ 3 2 2	{ 2 1 2	{ 2 1 1	{ 3 1 2
78-89	VI.—Diseases of the Nervous System and Sense Organs*	{ M. 1,215 F. 1,148 P. 1,180	{ 1,182 1,145 1,163	{ 1,098 1,077 1,087	{ 1,030 1,024 1,027	{ 1,088 1,058 1,072	{ 996 1,005 1,001	{ 1,021 1,002 1,011	{ 1,008 1,005 1,006	{ 964 972 968	{ 959 982 971	{ 966 994 980
78	Encephalitis ..	{ M. 11 F. 6 P. 8	{ 11 7 9	{ 8 5 7	{ 8 6 7	{ 9 7 8	{ 8 6 7	{ 9 5 7	{ 8 6 7	{ 8 6 7	{ 8 6 7	{ 8 7 8
	(a) Cerebral abscess ..	{ M. 7 F. 4 P. 5	{ 8 4 6	{ 6 2 4	{ 5 4 4	{ 6 3 4	{ 5 3 4	{ 6 3 4	{ 5 3 4	{ 4 3 4	{ 5 3 4	{ 5 3 4
79	Meningitis* ..	{ M. 55 F. 39 P. 47	{ 46 37 42	{ 43 32 37	{ 35 26 31	{ 39 29 34	{ 31 23 27	{ 31 24 27	{ 32 22 27	{ 32 19 25	{ 28 20 24	{ 25 17 21
80	Tabes dorsalis (locomotor ataxy) ..	{ M. 32 F. 6 P. 19	{ 34 6 19	{ 34 7 20	{ 34 6 20	{ 39 7 22	{ 30 6 18	{ 29 5 17	{ 33 7 19	{ 31 7 18	{ 26 5 15	{ 28 6 17

TABLE 7—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
81	Other diseases of the spinal cord	M. 43	41	40	44	40	38	39	37	35	35	36
		F. 30	30	31	29	29	28	28	28	28	26	25
		P. 36	35	36	36	34	33	33	32	31	30	30
	(1) Progressive muscular atrophy	M. 16	14	15	17	16	15	16	14	16	17	16
		F. 11	12	11	11	12	12	12	11	12	11	11
		P. 13	13	13	14	14	13	14	12	14	14	13
	(3) Myelitis of unstated origin	M. 12	11	11	11	11	8	9	9	8	7	8
		F. 8	8	10	8	8	8	8	7	7	6	6
		P. 10	9	10	9	9	8	8	8	7	7	7
	(4) Other diseases included under 81	M. 14	14	13	15	12	13	12	11	9	9	10
		F. 10	9	9	9	8	7	7	8	7	6	5
		P. 12	11	11	12	10	10	10	10	8	7	8
82	Cerebral hæmorrhage, apoplexy, etc.	M. 709	699	634	582	631	585	605	601	579	585	596
		F. 806	818	753	710	737	710	706	714	691	703	724
		P. 759	761	696	649	686	650	653	660	637	647	663
	(a) { 1. Cerebral hæmorrhage so returned	M. 507	501	460	426	459	418	428	422	395	399	400
		F. 574	576	536	512	529	505	494	498	476	480	482
		P. 542	540	499	471	496	463	463	461	437	441	443
	{ 2. Apoplexy (lesion unstated)	M. 57	51	42	38	35	31	30	28	24	22	19
		F. 62	59	51	41	39	34	34	33	27	24	24
		P. 60	55	47	40	37	32	32	31	25	23	22
	{ 1. Cerebral embolism ..	M. 17	15	16	11	11	12	10	10	11	9	10
		F. 24	24	17	16	14	15	14	13	14	13	13
		P. 21	19	17	13	13	14	12	12	12	11	11
	(b) { 2. Cerebral thrombosis	M. 64	72	68	65	79	85	96	105	117	124	137
		F. 80	91	90	89	101	108	116	126	136	151	168
		P. 72	82	79	78	91	97	106	116	127	138	153
	{ 3. Cerebral softening ..	M. 10	13	11	8	9	8	8	7	5	6	5
		F. 10	16	13	10	10	10	11	9	8	6	8
		P. 10	15	12	9	10	9	9	8	7	6	6
	(c) { 1. Hemiplegia ..	M. 46	42	33	29	32	28	30	26	25	24	23
		F. 49	47	41	38	38	34	34	31	27	27	27
		P. 48	44	38	34	35	31	32	29	26	26	25
	{ 2. Other paralyzes of unstated origin ..	M. 7	5	4	5	4	3	3	3	2	2	2
		F. 6	5	5	4	5	3	3	3	3	2	3
		P. 6	5	5	4	4	3	3	3	2	2	2
83	General paralysis of the insane	M. 67	62	65	61	52	49	49	45	40	41	37
		F. 14	14	14	13	13	11	12	11	11	11	11
		P. 40	37	39	36	32	29	30	27	25	25	24
84	Other forms of insanity* ..	M. 19	23	25	26	28	24	22	22	20	19	23
		F. 27	31	35	37	37	32	33	35	30	32	30
		P. 24	28	30	32	33	28	28	29	25	26	26
	(a) Dementia præcox ..	M. ?	?	?	?	?	?	1	2	2	2	2
		F. ?	?	?	?	?	?	1	1	2	2	1
		P. ?	?	?	?	?	?	1	1	2	2	2
	(b) Other conditions included under 84*	M. ?	?	?	?	?	?	21	20	18	18	21
		F. ?	?	?	?	?	?	32	34	28	30	28
		P. ?	?	?	?	?	?	27	27	23	24	25
85	Epilepsy	M. 59	59	61	60	59	60	63	61	57	54	55
		F. 51	46	49	54	52	50	52	52	50	48	46
		P. 55	52	55	57	55	55	57	56	54	51	51
86	Infantile convulsions (under 5 years of age)	M. 107	92	70	59	61	53	52	45	39	38	35
		F. 68	60	46	37	41	32	30	27	25	23	23
		P. 87	75	58	48	50	42	41	36	31	30	29
87	Other diseases of the nervous system*	M. 76	74	76	79	83	74	78	78	77	74	77
		F. 74	71	76	74	76	76	76	73	72	72	74
		P. 75	72	73	76	79	75	77	76	74	73	76
	(b) Neuritis, neuralgia* ..	M. 5	5	4	5	4	4	3	2	3	3	2
		F. 7	7	7	7	6	6	4	3	3	4	3
		P. 6	6	6	6	5	5	4	3	3	4	3
	(c) Paralysis agitans ..	M. 29	28	31	33	37	31	37	41	40	39	40
		F. 24	22	25	25	27	28	30	29	31	31	32
		P. 26	25	28	29	31	30	33	35	36	34	36
	(d) Disseminated sclerosis ..	M. 19	21	20	20	20	20	20	20	20	18	21
		F. 18	20	21	20	22	20	24	23	22	22	24
		P. 19	21	20	20	21	20	22	22	21	20	22

TABLE 7—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
87	Other diseases of the nervous system*— <i>contd.</i>											
	(e) Other diseases included under 87*	{ M. 22 F. 21 P. 21	{ 19 18 19	{ 21 20 20	{ 20 19 19	{ 21 18 19	{ 19 18 18	{ 16 16 16	{ 14 15 14	{ 13 14 13	{ 12 13 13	{ 13 13 13
89	Diseases of the ear and mastoid sinus	{ M. 36 F. 25 P. 30	{ 38 23 30	{ 39 27 32	{ 39 29 34	{ 44 29 36	{ 41 29 35	{ 43 27 35	{ 48 28 35	{ 45 32 38	{ 50 34 41	{ 43 28 35
	(a) Otitis and other diseases of the ear	{ M. 25 F. 18 P. 21	{ 26 16 21	{ 25 18 21	{ 26 18 22	{ 30 18 24	{ 26 18 22	{ 26 17 21	{ 25 18 21	{ 27 19 23	{ 31 20 25	{ 25 17 21
	(b) Diseases of the mastoid sinus	{ M. 11 F. 8 P. 9	{ 13 7 10	{ 14 9 11	{ 13 10 12	{ 14 10 12	{ 15 11 13	{ 17 10 13	{ 18 10 14	{ 18 12 15	{ 19 14 16	{ 18 11 14
90-103	VII.—Diseases of the Circulatory System*	{ M. 2,246 F. 2,142 P. 2,192	{ 2,273 2,154 2,211	{ 2,570 2,468 2,517	{ 2,756 2,636 2,693	{ 3,075 3,039 3,057	{ 2,886 2,770 2,826	{ 3,170 3,109 3,138	{ 3,228 3,132 3,178	{ 3,336 3,275 3,304	{ 3,402 3,257 3,326	{ 3,538 3,396 3,464
90-95	Heart diseases*	{ M. 1,596 F. 1,694 P. 1,647	{ 1,606 1,691 1,650	{ 1,774 1,891 1,835	{ 1,893 2,004 1,951	{ 2,373 2,493 2,436	{ 2,252 2,274 2,264	{ 2,503 2,564 2,535	{ 2,550 2,565 2,558	{ 2,656 2,700 2,679	{ 2,716 2,671 2,693	{ 2,847 2,797 2,821
90	Pericarditis	{ M. 10 F. 7 P. 9	{ 9 6 7	{ 9 6 7	{ 8 6 7	{ 9 5 7	{ 9 6 8	{ 9 5 7	{ 9 5 7	{ 10 5 8	{ 8 5 7	{ 7 4 5
91	Acute endocarditis*	{ M. 41 F. 39 P. 40	{ 38 41 39	{ 39 39 39	{ 34 36 35	{ 35 38 36	{ 35 36 35	{ 31 28 30	{ 30 28 29	{ 31 31 31	{ 30 30 30	{ 31 30 31
	(1) Malignant endocarditis	{ M. 27 F. 23 P. 25	{ 26 26 26	{ 28 25 26	{ 24 24 24	{ 25 26 25	{ 26 25 26	{ 28 24 26	{ 26 25 25	{ 28 28 28	{ 26 27 27	{ 28 28 28
	(2) Other acute endocarditis*	{ M. 14 F. 16 P. 15	{ 12 15 14	{ 11 14 12	{ 10 12 11	{ 9 13 11	{ 9 10 9	{ 3 4 4	{ 4 3 3	{ 3 3 3	{ 3 4 3	{ 3 2 3
92	Chronic endocarditis, valvular disease*	{ M. 607 F. 672 P. 641	{ 590 641 616	{ 620 709 666	{ 635 729 684	{ 679 771 727	{ 609 701 657	{ 631 726 681	{ 604 677 642	{ 561 670 618	{ 549 610 581	{ 535 596 567
	(1) Aortic valve disease*	{ M. 110 F. 51 P. 79	{ 111 47 78	{ 116 49 81	{ 119 52 84	{ 126 52 87	{ 119 55 86	{ 123 56 88	{ 122 49 84	{ 110 52 80	{ 109 50 78	{ 110 50 79
	(2) Mitral valve disease*	{ M. 176 F. 274 P. 227	{ 168 260 216	{ 193 304 251	{ 204 323 266	{ 222 346 287	{ 195 307 253	{ 197 315 258	{ 195 304 252	{ 179 296 240	{ 182 272 229	{ 178 268 225
	(3) Aortic and mitral valve disease*	{ M. 24 F. 21 P. 22	{ 24 16 20	{ 29 24 26	{ 33 32 33	{ 38 30 34	{ 34 28 31	{ 33 27 30	{ 32 28 30	{ 30 26 28	{ 32 26 29	{ 30 25 27
	(4) Endocarditis, not returned as acute or chronic*	{ M. 297 F. 327 P. 313	{ 286 318 303	{ 282 332 308	{ 278 322 301	{ 293 343 319	{ 261 311 287	{ 31 40 36	{ 28 35 32	{ 26 36 31	{ 25 31 28	{ 23 30 27
	(5) Other or unspecified valve disease*	{ M. 569 F. 620 P. 595	{ 632 670 652	{ 741 800 772	{ 858 923 892	{ 1,246 1,339 1,294	{ 1,190 1,227 1,209	{ 1,393 1,479 1,438	{ 1,450 1,524 1,489	{ 1,557 1,648 1,605	{ 1,590 1,670 1,632	{ 1,688 1,782 1,737
93	Diseases of the myocardium*	{ M. 569 F. 620 P. 595	{ 632 670 652	{ 741 800 772	{ 858 923 892	{ 1,246 1,339 1,294	{ 1,190 1,227 1,209	{ 1,393 1,479 1,438	{ 1,450 1,524 1,489	{ 1,557 1,648 1,605	{ 1,590 1,670 1,632	{ 1,688 1,782 1,737
	(a) Acute myocarditis*	{ M. 11 F. 12 P. 11	{ 13 14 13	{ 12 12 12	{ 12 11 12	{ 14 12 13	{ 10 9 10	{ 4 4 4	{ 5 4 5	{ 5 4 4	{ 6 5 6	{ 6 6 6
	(b) Myocardial degeneration*	{ M. 558 F. 609 P. 584	{ 620 657 639	{ 728 789 760	{ 845 913 880	{ 1,232 1,326 1,281	{ 1,180 1,217 1,199	{ 1,092 1,157 1,126	{ 1,145 1,200 1,174	{ 1,228 1,296 1,264	{ 1,257 1,336 1,298	{ 1,355 1,446 1,402
	1. Fatty heart	{ M. 65 F. 77 P. 71	{ 66 68 67	{ 65 79 72	{ 65 81 73	{ 71 89 80	{ 66 83 75	{ 65 80 73	{ 62 74 68	{ 58 68 63	{ 51 67 59	{ 47 62 55
	2. Cardiovascular degeneration*	{ M. 294 F. 250 P. 271	{ 324 275 299	{ 357 299 326	{ 372 311 340	{ 399 357 377	{ 294 250 271	{ 324 275 299	{ 357 299 326	{ 372 311 340	{ 399 357 377	{ 399 357 377
	3. Other diseases included under 93 (b)	{ M. 493 F. 532 P. 513	{ 554 589 572	{ 664 710 688	{ 780 832 807	{ 1,161 1,237 1,201	{ 1,114 1,135 1,125	{ 733 827 782	{ 759 851 807	{ 813 930 874	{ 834 958 898	{ 910 1,026 970
	(c) Myocarditis, not distinguished as acute or chronic*	{ M. 297 F. 319 P. 308	{ 300 320 310	{ 324 348 337	{ 328 329 328	{ 328 329 329	{ 297 319 308	{ 300 320 310	{ 324 348 337	{ 328 329 328	{ 328 329 328	{ 328 329 329

TABLE 7—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
94	Diseases of the coronary arteries, angina pectoris*..	M. 69 F. 27 P. 47	68 29 48	105 40 71	137 54 94	178 69 121	216 85 148	238 99 166	272 116 191	327 138 229	370 166 264	422 193 303
95	Other diseases of the heart ..	M. 300 F. 328 P. 315	269 304 287	261 297 280	222 256 240	226 270 249	193 219 207	200 226 213	185 215 200	170 207 189	169 190 180	164 192 178
	(a) Disordered action of heart	M. 29 F. 41 P. 35	33 47 41	41 60 51	37 61 50	41 67 55	42 63 53	47 69 59	53 76 65	53 78 66	57 77 67	58 85 72
	(b) { 1. Dilatation of heart (cause unspecified)	M. 21 F. 20 P. 21	17 19 18	18 17 18	14 12 13	10 8 9	9 7 8	9 7 8	9 6 7	7 6 6	7 5 6	6 4 5
	{ 2. Heart disease (undefined)	M. 250 F. 267 P. 259	218 238 228	201 220 211	171 183 177	175 194 185	143 149 146	144 149 147	123 133 128	110 123 116	105 108 107	99 102 101
96	Aneurysm	M. 45 F. 12 P. 27	42 12 26	47 13 29	50 14 31	50 15 32	53 15 33	52 16 33	50 16 32	48 20 33	51 20 35	50 22 35
97	Arterio-sclerosis*	M. 542 F. 375 P. 455	560 391 472	686 500 589	750 562 652	594 471 530	529 426 475	566 475 518	577 500 537	582 504 542	582 508 544	586 523 553
	(1) With cerebral hæmorrhage	M. 110 F. 87 P. 98	112 89 100	170 145 157	202 174 187	200 171 185	195 173 183	212 193 202	217 204 210	215 208 211	215 212 213	223 213 218
	(2) With record of other cerebral vascular lesion	M. 57 F. 46 P. 51	53 46 50	74 64 69	88 79 83	87 77 82	90 74 82	95 88 92	105 100 102	109 106 107	122 108 115	123 123 123
	(3) Without record of cerebral vascular lesion ..	M. 375 F. 242 P. 306	395 256 322	443 291 364	460 309 382	307 224 264	245 179 210	259 194 225	255 197 225	258 190 223	245 189 216	240 186 212
98	Gangrene	M. 35 F. 30 P. 32	34 27 30	30 27 28	28 21 24	29 25 27	23 20 21	22 21 21	22 17 20	20 16 18	20 16 18	16 15 16
	(a) Senile gangrene	M. 32 F. 27 P. 30	32 25 28	28 26 27	25 19 22	27 23 25	21 18 19	20 19 19	20 16 18	19 15 17	18 15 17	15 14 14
99	Other diseases of the arteries*	M. 15 F. 14 P. 15	18 14 16	16 15 16	15 14 15	13 13 13	12 11 11	9 8 9	10 9 9	9 9 9	8 8 8	11 8 9
100	Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.)	M. 9 F. 12 P. 11	8 14 11	8 15 12	11 16 14	10 17 13	9 18 14	10 18 14	9 16 13	9 17 13	11 20 16	12 18 15
	(1) Varix	M. ? F. ? P. ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	4 8 6	4 7 6	3 7 5	4 8 6	6 8 7
	(2) Other diseases of the veins	M. ? F. ? P. ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	6 10 8	6 9 7	6 10 8	7 12 9	6 10 8
102	Abnormalities of blood-pressure*	M. 2 F. 1 P. 2	3 3 3	5 3 4	5 3 4	4 3 3	5 4 4	6 6 6	7 6 7	9 7 8	11 11 11	12 10 11
104-114	VIII.—Diseases of the Respiratory System*	M. 2,234 F. 1,783 P. 2,001	1,961 1,530 1,736	2,164 1,720 1,933	1,744 1,289 1,507	2,358 1,871 2,104	1,539 1,088 1,304	1,795 1,422 1,601	1,521 1,218 1,363	1,564 1,237 1,394	1,441 1,051 1,238	1,364 977 1,163
104	Diseases of the nasal fossæ and annexa	M. 5 F. 3 P. 4	5 3 4	5 5 5	7 4 6	7 5 6	8 5 7	6 4 5	8 6 7	8 6 7	7 5 6	9 5 7
	(2) Diseases of the accessory nasal sinuses	M. 3 F. 2 P. 3	4 2 3	4 4 4	5 3 4	6 4 5	7 4 5	5 3 4	7 5 6	7 5 6	7 4 5	7 4 6

TABLE 7—continued.

List No.	Causes of Death.			1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
105	Diseases of the larynx	..	{ M. F. P.	13 9 11	11 8 9	11 7 9	10 8 9	10 7 8	9 5 7	7 5 6	5 5 5	6 5 6	6 4 5	4 4 4
	(2) Laryngitis	..	{ M. F. P.	9 7 8	9 6 7	8 6 7	7 7 7	8 6 7	7 4 6	6 4 5	3 4 4	5 4 5	5 3 4	3 3 3
106	Bronchitis	{ M. F. P.	931 884 906	818 731 773	862 821 840	632 558 593	855 831 843	534 451 490	653 607 629	525 488 506	542 504 522	455 385 419	430 349 388
	(a) Acute bronchitis	..	{ M. F. P.	221 259 241	191 209 200	203 240 222	123 135 129	188 228 209	105 115 110	152 180 166	115 140 128	127 155 142	101 114 108	89 104 97
	(b) Chronic bronchitis	..	{ M. F. P.	341 251 294	323 220 269	327 235 279	244 163 205	314 224 267	222 136 177	251 167 207	216 143 178	226 145 184	205 124 163	205 116 158
	(c) Bronchitis, not distinguished as acute or chronic	{ M. F. P.	369 374 372	304 303 303	332 345 339	265 254 259	353 379 367	207 199 203	250 261 256	194 205 200	189 203 197	149 147 148	136 129 132
107-109	Pneumonia (all forms)	..	{ M. F. P.	1,134 784 951	986 683 828	1,135 776 948	964 622 786	1,322 909 1,107	863 543 696	989 702 840	857 623 735	876 624 745	856 570 707	796 532 659
107	Broncho-pneumonia	..	{ M. F. P.	566 456 509	506 401 451	588 454 518	445 344 392	683 553 616	392 296 342	523 419 469	430 360 393	452 368 408	405 325 363	384 308 345
108	Lobar pneumonia	..	{ M. F. P.	343 183 260	297 165 228	353 196 271	370 188 275	444 236 336	340 173 253	330 198 261	314 189 249	313 181 244	349 181 262	322 171 243
109	Pneumonia (not otherwise defined)	{ M. F. P.	225 145 183	183 116 148	194 127 159	149 90 118	195 120 156	131 74 101	136 85 110	112 75 93	111 75 92	103 64 83	90 53 71
110	Pleurisy	{ M. F. P.	38 21 29	37 20 28	34 23 28	36 21 29	42 24 33	35 17 26	33 20 26	31 17 24	30 17 23	28 17 22	26 13 19
	(1) Empyema	..	{ M. F. P.	16 7 11	14 6 10	14 7 10	14 6 10	19 8 13	15 5 10	14 7 11	16 6 11	16 7 11	14 7 10	12 4 8
	(2) Other pleurisy	{ M. F. P.	22 15 18	24 15 19	20 16 18	22 16 19	24 16 20	20 12 16	19 13 16	16 11 13	15 10 13	14 10 12	14 9 11
111	Congestion and hæmorrhagic infarct of lung, etc.*	..	{ M. F. P.	29 38 33	28 38 33	26 34 30	23 30 26	27 36 31	23 28 25	28 35 31	29 35 32	30 38 34	27 34 30	28 36 32
	(1) Hypostatic congestion of lungs	{ M. F. P.	28 38 33	28 38 33	26 33 30	23 29 26	27 35 31	23 27 25	25 32 29	26 32 29	27 36 31	25 31 28	25 33 29
112	Asthma	{ M. F. P.	61 42 51	52 39 45	70 48 59	53 40 46	75 55 65	50 33 41	58 45 51	46 39 42	50 39 44	41 32 37	47 34 40
113	Pulmonary emphysema	..	{ M. F. P.	7 3 5	8 2 5	5 1 3	3 1 2	3 0 2	2 1 1	3 1 2	3 1 2	2 1 1	3 1 2	2 0 1
114	Other diseases of the respiratory system	{ M. F. P.	15 5 10	16 5 11	16 5 10	16 5 10	16 5 10	15 5 9	17 5 11	17 5 11	18 4 11	17 4 10	21 5 13
	(a) Chronic interstitial pneumonia, including occupational diseases of the lung	{ M. F. P.	10 2 6	11 3 7	12 3 7	12 4 7	12 3 7	11 3 7	14 3 8	13 2 7	13 3 8	12 2 7	16 3 9
115-129	IX.—Diseases of the Digestive System	{ M. F. P.	802 619 707	803 617 706	752 577 661	763 592 674	800 604 698	750 563 653	736 560 644	729 573 648	723 569 643	712 578 642	721 549 632
115	Diseases of the buccal cavity, pharynx, etc.	{ M. F. P.	34 23 29	33 27 30	40 34 37	46 42 44	48 44 46	46 41 44	45 41 43	43 45 44	47 50 49	59 61 60	48 50 49
	(1) Diseases of the teeth and gums	{ M. F. P.	11 6 9	11 7 9	14 9 11	16 11 13	14 9 12	14 9 11	14 10 12	12 9 10	11 10 11	12 9 10	11 8 9

TABLE 7—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
115	Diseases of the buccal cavity, pharynx, etc.— <i>contd.</i>											
	(3) Diseases of the tonsils..	M. 15 F. 12 P. 13	14 13 14	18 18 18	20 22 21	23 25 24	23 23 23	23 22 23	22 25 23	25 30 27	33 36 34	27 30 29
	(4) Other diseases included under 115	M. 5 F. 3 P. 4	5 5 5	5 5 5	7 7 7	8 7 7	7 7 7	6 6 6	7 9 8	8 10 9	11 15 13	8 9 9
117	Ulcer of the stomach or duodenum	M. 132 F. 49 P. 89	142 48 93	158 49 101	150 48 97	161 50 103	168 50 107	168 49 106	152 50 99	162 48 102	167 51 107	170 48 107
	(a) Ulcer of the stomach ..	M. 84 F. 40 P. 61	93 40 65	102 42 71	97 40 67	104 42 72	109 42 74	106 41 72	97 40 67	104 39 70	112 40 75	111 38 73
	(b) Ulcer of the duodenum	M. 48 F. 9 P. 28	50 9 28	56 7 31	53 9 30	57 8 31	60 8 33	62 8 34	55 11 32	58 9 32	55 11 32	59 10 34
118	Other diseases of the stomach	M. 52 F. 52 P. 52	52 46 49	42 41 42	39 41 40	35 36 35	33 32 33	33 35 34	29 29 29	25 25 25	21 25 23	23 22 23
	(1) Inflammation of the stomach	M. 44 F. 45 P. 44	43 40 42	33 36 35	33 37 35	29 32 30	26 28 27	27 30 29	23 25 24	20 22 21	16 21 19	19 19 19
	(2) Other diseases included under 118	M. 9 F. 8 P. 8	10 6 8	9 5 7	6 4 5	6 4 5	6 5 5	7 4 5	6 4 5	5 3 4	5 3 4	5 3 4
119-120	Diarrhoea and enteritis ..	M. 245 F. 186 P. 214	246 188 215	176 141 158	187 143 164	202 156 178	157 121 138	148 114 131	157 126 141	159 121 139	129 105 117	133 104 118
	(a) { 1. Colitis*	M. 9 F. 11 P. 10	11 13 12	10 10 10	9 9 9	10 10 10	8 10 9	7 9 8	8 10 9	7 8 7	6 8 7	8 8 8
	2. Other diarrhoea and enteritis*	M. 229 F. 167 P. 197	228 167 196	160 122 140	172 125 147	186 137 161	143 102 121	134 95 114	140 104 121	144 100 121	114 84 98	116 82 98
	(b) Ulceration of intestines	M. 7 F. 8 P. 7	7 8 8	7 8 8	6 9 8	7 9 8	6 9 8	7 10 9	9 13 11	8 13 11	9 13 11	10 15 12
121	Appendicitis	M. 87 F. 61 P. 74	82 58 69	81 60 70	86 60 73	87 57 71	89 60 74	84 61 72	89 62 75	85 67 76	84 64 74	87 60 73
122	Hernia, intestinal obstruction	M. 115 F. 105 P. 110	115 106 110	121 109 115	120 103 111	132 110 120	123 106 114	126 111 118	131 111 120	126 110 118	129 110 119	131 107 118
	(a) Hernia	M. 45 F. 46 P. 45	45 45 45	51 49 50	53 47 50	57 50 54	50 48 49	51 50 51	55 51 53	53 51 52	54 49 51	54 49 51
	1. Strangulated hernia	M. ? F. ? P. ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	36 38 37	38 39 39	38 40 39	39 39 39	39 39 39
	2. Hernia not returned as strangulated ..	M. ? F. ? P. ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	15 12 13	17 12 15	15 12 13	15 10 13	15 10 12
	(b) Intestinal obstruction..	M. 71 F. 59 P. 65	70 61 65	70 60 65	67 56 61	75 59 67	73 57 65	75 61 67	76 59 67	74 59 66	75 61 68	77 58 67
123	Other diseases of the intestines	M. 13 F. 13 P. 13	12 12 12	14 12 13	14 13 14	16 14 15	16 16 16	16 15 16	16 17 17	18 16 17	18 17 17	20 18 19
	(1) Constipation, intestinal stasis	M. 4 F. 6 P. 5	4 5 5	4 5 5	4 5 4	4 5 4	3 5 4	3 5 4	3 4 4	2 3 3	2 3 2	3 3 3
	(2) Diverticulitis	M. 5 F. 3 P. 4	4 4 4	5 4 4	6 5 5	7 6 6	8 7 8	9 7 8	10 9 9	11 9 10	12 10 11	13 11 12
	(3) Other diseases included under 123	M. 4 F. 4 P. 4	4 3 3	5 3 4	4 4 4	5 3 4	5 4 4	4 4 4	4 4 4	5 4 5	4 3 4	5 4 4

TABLE 7—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
124	Cirrhosis of the liver ..	{ M. 65	{ M. 65	{ M. 65	{ M. 64	{ M. 62	{ M. 58	{ M. 55	{ M. 49	{ M. 42	{ M. 45	{ M. 46
		{ F. 32	{ F. 32	{ F. 32	{ F. 33	{ F. 29	{ F. 27	{ F. 27	{ F. 24	{ F. 20	{ F. 23	{ F. 21
		{ P. 47	{ P. 48	{ P. 47	{ P. 48	{ P. 45	{ P. 42	{ P. 40	{ P. 36	{ P. 31	{ P. 33	{ P. 33
	(a) Returned as alcoholic ..	{ M. 5	{ M. 4	{ M. 9	{ M. 11	{ M. 9	{ M. 8	{ M. 8	{ M. 6	{ M. 6	{ M. 6	{ M. 7
		{ F. 2	{ F. 2	{ F. 5	{ F. 5	{ F. 4	{ F. 3	{ F. 5	{ F. 3	{ F. 4	{ F. 4	{ F. 3
		{ P. 3	{ P. 3	{ P. 7	{ P. 8	{ P. 7	{ P. 5	{ P. 7	{ P. 4	{ P. 5	{ P. 5	{ P. 5
	(b) Not returned as alcoholic ..	{ M. 60	{ M. 61	{ M. 56	{ M. 53	{ M. 53	{ M. 50	{ M. 47	{ M. 43	{ M. 36	{ M. 38	{ M. 39
		{ F. 29	{ F. 30	{ F. 27	{ F. 28	{ F. 25	{ F. 23	{ F. 22	{ F. 21	{ F. 17	{ F. 19	{ F. 18
		{ P. 44	{ P. 44	{ P. 41	{ P. 40	{ P. 38	{ P. 36	{ P. 34	{ P. 32	{ P. 26	{ P. 28	{ P. 28
125	Other diseases of the liver ..	{ M. 9	{ M. 8	{ M. 6	{ M. 7	{ M. 6	{ M. 6	{ M. 5	{ M. 6	{ M. 4	{ M. 5	{ M. 5
		{ F. 8	{ F. 7	{ F. 8	{ F. 8	{ F. 7	{ F. 7	{ F. 6	{ F. 5	{ F. 5	{ F. 6	{ F. 7
		{ P. 9	{ P. 8	{ P. 7	{ P. 7	{ P. 6	{ P. 7	{ P. 6	{ P. 6	{ P. 5	{ P. 5	{ P. 6
126	Biliary calculi ..	{ M. 17	{ M. 15	{ M. 17	{ M. 18	{ M. 17	{ M. 17	{ M. 18	{ M. 18	{ M. 16	{ M. 16	{ M. 19
		{ F. 38	{ F. 39	{ F. 41	{ F. 44	{ F. 43	{ F. 42	{ F. 41	{ F. 42	{ F. 42	{ F. 46	{ F. 45
		{ P. 28	{ P. 28	{ P. 30	{ P. 31	{ P. 31	{ P. 30	{ P. 30	{ P. 30	{ P. 29	{ P. 31	{ P. 32
	(1) With cholecystitis ..	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. 6	{ M. 7	{ M. 5	{ M. 5	{ M. 6
		{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. 14	{ F. 15	{ F. 15	{ F. 16	{ F. 16
		{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. 10	{ P. 11	{ P. 10	{ P. 11	{ P. 11
	(2) Without mention of cholecystitis ..	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. 12	{ M. 11	{ M. 11	{ M. 11	{ M. 13
		{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. 27	{ F. 27	{ F. 27	{ F. 29	{ F. 29
		{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. 20	{ P. 19	{ P. 19	{ P. 20	{ P. 21
127	Other diseases of the gall bladder and ducts ..	{ M. 15	{ M. 17	{ M. 14	{ M. 17	{ M. 15	{ M. 19	{ M. 17	{ M. 18	{ M. 17	{ M. 19	{ M. 20
		{ F. 29	{ F. 32	{ F. 28	{ F. 31	{ F. 33	{ F. 35	{ F. 34	{ F. 36	{ F. 38	{ F. 41	{ F. 43
		{ P. 22	{ P. 25	{ P. 21	{ P. 24	{ P. 25	{ P. 27	{ P. 26	{ P. 28	{ P. 28	{ P. 30	{ P. 32
	(1) Cholecystitis without record of biliary calculi ..	{ M. 13	{ M. 15	{ M. 12	{ M. 14	{ M. 12	{ M. 16	{ M. 16	{ M. 16	{ M. 16	{ M. 17	{ M. 18
		{ F. 25	{ F. 29	{ F. 25	{ F. 28	{ F. 31	{ F. 32	{ F. 32	{ F. 33	{ F. 35	{ F. 39	{ F. 41
		{ P. 19	{ P. 22	{ P. 19	{ P. 21	{ P. 22	{ P. 24	{ P. 24	{ P. 25	{ P. 26	{ P. 28	{ P. 30
128	Diseases of the pancreas ..	{ M. 8	{ M. 8	{ M. 10	{ M. 10	{ M. 10	{ M. 10	{ M. 12	{ M. 13	{ M. 12	{ M. 11	{ M. 12
		{ F. 9	{ F. 8	{ F. 11	{ F. 11	{ F. 13	{ F. 13	{ F. 14	{ F. 13	{ F. 13	{ F. 14	{ F. 14
		{ P. 9	{ P. 8	{ P. 10	{ P. 11	{ P. 12	{ P. 11	{ P. 13	{ P. 13	{ P. 12	{ P. 13	{ P. 13
129	Peritonitis, without stated cause ..	{ M. 7	{ M. 6	{ M. 6	{ M. 5	{ M. 7	{ M. 7	{ M. 6	{ M. 7	{ M. 7	{ M. 7	{ M. 5
		{ F. 13	{ F. 13	{ F. 12	{ F. 13	{ F. 11	{ F. 12	{ F. 11	{ F. 11	{ F. 14	{ F. 15	{ F. 10
		{ P. 10	{ P. 10	{ P. 9	{ P. 9	{ P. 9	{ P. 10	{ P. 9	{ P. 9	{ P. 11	{ P. 11	{ P. 8
130-139	X.—Non-venereal Diseases of the Genito-urinary System and Annexa ..	{ M. 581	{ M. 588	{ M. 639	{ M. 669	{ M. 706	{ M. 699	{ M. 731	{ M. 747	{ M. 712	{ M. 730	{ M. 745
		{ F. 358	{ F. 363	{ F. 392	{ F. 424	{ F. 439	{ F. 442	{ F. 450	{ F. 457	{ F. 443	{ F. 442	{ F. 453
		{ P. 464	{ P. 470	{ P. 510	{ P. 541	{ P. 567	{ P. 565	{ P. 584	{ P. 596	{ P. 572	{ P. 580	{ P. 593
130-132	Nephritis ..	{ M. 350	{ M. 351	{ M. 380	{ M. 398	{ M. 415	{ M. 414	{ M. 432	{ M. 430	{ M. 397	{ M. 407	{ M. 413
		{ F. 300	{ F. 304	{ F. 327	{ F. 356	{ F. 370	{ F. 373	{ F. 376	{ F. 383	{ F. 371	{ F. 367	{ F. 378
		{ P. 324	{ P. 326	{ P. 353	{ P. 376	{ P. 392	{ P. 393	{ P. 403	{ P. 406	{ P. 383	{ P. 386	{ P. 395
130	Acute nephritis* ..	{ M. 41	{ M. 39	{ M. 37	{ M. 32	{ M. 30	{ M. 31	{ M. 29	{ M. 28	{ M. 28	{ M. 29	{ M. 25
		{ F. 32	{ F. 34	{ F. 30	{ F. 28	{ F. 29	{ F. 28	{ F. 25	{ F. 26	{ F. 25	{ F. 25	{ F. 23
		{ P. 36	{ P. 36	{ P. 33	{ P. 30	{ P. 29	{ P. 29	{ P. 27	{ P. 27	{ P. 26	{ P. 27	{ P. 24
131	Chronic nephritis* ..	{ M. 310	{ M. 313	{ M. 343	{ M. 366	{ M. 385	{ M. 383	{ M. 351	{ M. 352	{ M. 326	{ M. 337	{ M. 348
		{ F. 268	{ F. 270	{ F. 297	{ F. 328	{ F. 341	{ F. 345	{ F. 304	{ F. 312	{ F. 306	{ F. 303	{ F. 318
		{ P. 288	{ P. 290	{ P. 319	{ P. 346	{ P. 362	{ P. 363	{ P. 327	{ P. 331	{ P. 315	{ P. 320	{ P. 332
132	Nephritis, not stated to be acute or chronic* ..	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. 52	{ M. 50	{ M. 44	{ M. 41	{ M. 41
		{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. 48	{ F. 45	{ F. 40	{ F. 39	{ F. 37
		{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. 50	{ P. 48	{ P. 42	{ P. 40	{ P. 39
133	Other diseases of the kidney and annexa ..	{ M. 19	{ M. 20	{ M. 19	{ M. 19	{ M. 20	{ M. 21	{ M. 20	{ M. 24	{ M. 21	{ M. 24	{ M. 24
		{ F. 18	{ F. 20	{ F. 22	{ F. 23	{ F. 23	{ F. 24	{ F. 26	{ F. 27	{ F. 26	{ F. 27	{ F. 29
		{ P. 19	{ P. 20	{ P. 21	{ P. 21	{ P. 21	{ P. 22	{ P. 23	{ P. 26	{ P. 24	{ P. 26	{ P. 27
	(a) Pyelitis ..	{ M. 13	{ M. 14	{ M. 13	{ M. 13	{ M. 12	{ M. 14	{ M. 15	{ M. 17	{ M. 15	{ M. 17	{ M. 17
		{ F. 13	{ F. 15	{ F. 15	{ F. 16	{ F. 16	{ F. 17	{ F. 19	{ F. 21	{ F. 20	{ F. 21	{ F. 21
		{ P. 13	{ P. 14	{ P. 14	{ P. 14	{ P. 14	{ P. 16	{ P. 17	{ P. 19	{ P. 18	{ P. 19	{ P. 19
	(b) Other diseases included under 133 ..	{ M. 6	{ M. 7	{ M. 6	{ M. 6	{ M. 7	{ M. 7	{ M. 5	{ M. 6	{ M. 6	{ M. 7	{ M. 8
		{ F. 5	{ F. 5	{ F. 7	{ F. 8	{ F. 6	{ F. 6	{ F. 7	{ F. 7	{ F. 6	{ F. 6	{ F. 8
		{ P. 6	{ P. 6	{ P. 6	{ P. 7	{ P. 7	{ P. 7	{ P. 6	{ P. 6	{ P. 6	{ P. 7	{ P. 8
134	Calculi of the urinary passages ..	{ M. 11	{ M. 10	{ M. 11	{ M. 13	{ M. 16	{ M. 13	{ M. 14	{ M. 14	{ M. 14	{ M. 14	{ M. 16
		{ F. 5	{ F. 5	{ F. 6	{ F. 6	{ F. 7	{ F. 8	{ F. 8	{ F. 8	{ F. 7	{ F. 8	{ F. 9
		{ P. 8	{ P. 7	{ P. 8	{ P. 9	{ P. 12	{ P. 10	{ P. 11	{ P. 11	{ P. 11	{ P. 11	{ P. 12
	(a) Calculi of kidney and ureter ..	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. 9	{ M. 9	{ M. 10	{ M. 11	{ M. 11
		{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. 7	{ F. 7	{ F. 7	{ F. 7	{ F. 9
		{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. 8	{ P. 8	{ P. 8	{ P. 9	{ P. 10
	(b) Calculi of the bladder ..	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. ?	{ M. 5	{ M. 4	{ M. 4	{ M. 4	{ M. 5
		{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. ?	{ F. 1	{ F. 1	{ F. 1	{ F. 1	{ F. 1
		{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. ?	{ P. 3	{ P. 2	{ P. 2	{ P. 2	{ P. 3

TABLE 7—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
135	Diseases of the bladder .. { M. 35 39 37 32 29 27 29 29 25 27 24 F. 13 14 15 17 18 16 18 17 16 16 15 P. 24 26 25 24 23 21 23 23 20 21 19											
	(a) Cystitis { M. 33 37 34 30 27 25 27 27 23 25 22 F. 12 13 14 17 17 15 17 16 15 14 14 P. 22 24 24 23 22 20 22 21 19 19 18											
136	Diseases of the urethra, { urinary abscess, etc. .. { M. 18 19 20 23 24 21 21 22 19 18 19 F. 0 0 0 0 0 0 0 0 0 0 0 P. 9 9 10 11 12 10 10 11 9 9 9											
	(a) Stricture of the urethra { M. 16 17 19 22 23 20 20 21 18 17 18 F. — — 0 — 0 — 0 — — 0 P. 8 8 9 10 11 10 10 10 8 8 8											
137	Diseases of the prostate .. M.	143	145	169	180	198	199	211	224	232	235	245
139	Diseases of the female genital { organs { F. 21 21 22 20 21 21 22 21 23 24 20											
	(a) Diseases of the ovary, { Fallopian tube and { parametrium { F. 13 12 12 11 12 11 12 10 11 12 9											
	2. Diseases of the Fallo- { pian tube { F. 11 10 10 9 10 9 10 9 9 10 8											
	(b) Diseases of the uterus.. F.	6	7	8	7	8	8	10	10	10	10	9
140- 150	XI.—Diseases of Pregnancy, { Child-birth and the Puer- { peral State† { F. 4·08 4·12 4·11 4·25 4·16 4·22 3·95 4·04 4·32 4·41 3·94											
140 & 145	Puerperal sepsis F.	1·56	1·60	1·57	1·72	1·73	1·84	1·59	1·55	1·75	1·95	1·61
140	Post-abortion sepsis* .. F.	?	0·32	0·33	0·33	0·35	0·44	0·35	0·41	0·42	0·47	0·42
141	Abortion not returned as { septic { F. 0·22 0·23 0·24 0·18 0·18 0·18 0·18 0·18 0·20 0·16 0·15											
	(1) Hæmorrhage following { abortion* { F. 0·09 0·10 0·11 0·07 0·08 0·09 0·15 0·16 0·18 0·15 0·11											
	(2) Without record of { hæmorrhage* { F. 0·13 0·12 0·13 0·11 0·10 0·10 0·03 0·02 0·02 0·01 0·03											
142	Ectopic gestation F.	0·12	0·14	0·15	0·13	0·13	0·11	0·12	0·13	0·15	0·14	0·12
143	Other accidents of pregnancy F.	0·03	0·03	0·04	0·02	0·02	0·02	0·03	0·03	0·04	0·04	0·03
144	Puerperal hæmorrhage .. F.	0·52	0·49	0·50	0·48	0·47	0·51	0·44	0·45	0·44	0·43	0·41
	(a) Placenta prævia .. F.	0·26	0·22	0·22	0·25	0·24	0·24	0·21	0·24	0·23	0·18	0·20
	(b) Other puerperal hæmor- { rhage { F. 0·27 0·26 0·28 0·23 0·23 0·27 0·23 0·21 0·22 0·25 0·21											
145	Puerperal sepsis not returned { as post-abortion* { F. ? 1·28 1·24 1·40 1·38 1·40 1·25 1·14 1·33 1·47 1·19											
	(a) Puerperal septicæmia { and pyæmia* { F. ? 1·28 1·24 1·40 1·37 1·39 1·24 1·14 1·33 1·47 1·19											
	(b) Puerperal tetanus .. F.	—	0·00	0·00	0·00	0·01	0·00	0·00	—	0·00	—	—
146	Puerperal albuminuria and { convulsions* { F. 0·70 0·75 0·82 0·81 0·78 0·69 0·57 0·58 0·61 0·66 0·56											
147	Other toxæmias of pregnancy* F.	0·08	0·08	0·07	0·07	0·10	0·10	0·20	0·24	0·23	0·20	0·22
148	Puerperal phlegmasia alba { dolens, embolism and sud- { den death { F. 0·34 0·29 0·27 0·32 0·27 0·28 0·29 0·31 0·29 0·25 0·26											
	(a) Puerperal phlegmasia { alba dolens not re- { turned as septic* .. { F. 0·05 0·04 0·05 0·05 0·03 0·03 0·07 0·07 0·09 0·08 0·07											
	(b) Puerperal embolism and { sudden death* { F. 0·29 0·25 0·22 0·27 0·24 0·25 0·21 0·24 0·20 0·17 0·20											

† The rates for these headings are per 1,000 Live-births up to and including 1927. From 1928 onwards they are per 1,000 Total (live and still) Births.

TABLE 7—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
149	Other accidents of childbirth F.	0·35	0·39	0·38	0·45	0·41	0·36	0·46	0·45	0·51	0·47	0·50
150	Other or unspecified conditions of the puerperal state } F.	0·16	0·12	0·08	0·08	0·08	0·12	0·07	0·12	0·09	0·10	0·09
†	(1) Puerperal insanity .. F.	0·03	0·02	0·02	0·03	0·03	0·04	0·02	0·04	0·02	0·03	0·02
	(2) Puerperal diseases of the breast .. } F.	0·01	0·01	0·01	0·01	0·01	0·01	0·02	0·02	0·03	0·03	0·03
	(3) Childbirth (unqualified) F.	0·12	0·10	0·05	0·03	0·04	0·07	0·04	0·06	0·05	0·04	0·04
151-153	XII.—Diseases of the Skin and Cellular Tissue* .. } M. F. P.	53 43 48	51 41 46	48 39 43	57 43 50	56 40 48	52 40 46	53 42 47	55 43 49	56 43 49	61 49 55	54 44 49
151	Carbuncle, boil .. } M. F. P.	13 6 9	14 7 10	14 7 10	16 7 12	16 8 12	18 8 13	18 8 13	19 9 14	20 11 15	19 9 14	17 11 14
152	Cellulitis, acute abscess* .. } M. F. P.	22 16 19	21 15 18	18 13 16	23 15 19	24 15 19	20 15 17	20 18 19	20 15 17	22 16 19	27 21 24	22 16 19
	(1) Cellulitis .. } M. F. P.	17 12 14	17 12 14	13 10 12	18 12 15	19 12 15	16 12 13	15 14 15	15 11 13	17 13 15	22 16 19	18 13 15
	(2) Acute abscess* .. } M. F. P.	6 4 5	4 4 4	5 3 4	5 4 4	5 3 4	4 3 4	4 4 4	5 4 5	5 3 4	5 5 5	4 3 4
153	Other diseases of the skin and its annexa .. } M. F. P.	18 20 19	16 19 18	17 19 18	19 20 19	16 17 16	15 17 16	14 17 16	16 19 18	14 16 15	15 18 17	15 17 16
154-156	XIII.—Diseases of the Bones and Organs of Locomotion } M. F. P.	27 15 21	26 14 20	29 15 22	31 15 22	30 19 24	29 17 23	28 16 22	32 17 24	28 17 22	30 15 22	28 16 22
154	Acute infective osteomyelitis and periostitis .. } M. F. P.	16 7 11	14 7 11	17 8 12	19 7 13	17 9 13	17 8 12	17 8 12	18 7 13	14 8 11	17 7 12	15 8 11
155	Other diseases of the bones } M. F. P.	5 3 4	6 4 5	5 3 4	5 3 4	6 3 5	5 3 4	5 3 4	6 3 5	6 4 5	6 3 4	6 4 5
156	Diseases of the joints and other organs of locomotion } M. F. P.	6 5 5	6 3 4	7 4 5	6 5 6	8 6 7	7 6 6	7 5 6	8 6 7	7 5 6	8 5 6	7 5 6
	(a) Diseases of the joints .. } M. F. P.	4 3 4	4 2 3	5 3 4	5 3 4	6 4 5	5 4 5	5 4 4	5 4 5	6 4 5	6 3 4	5 3 4
157	XIV.—Congenital Malformations .. } M. F. P.	109 79 94	108 78 92	105 78 91	109 79 93	109 85 96	115 80 97	115 82 98	118 87 102	112 82 96	115 86 100	111 88 99
	(a) Congenital hydrocephalus .. } M. F. P.	9 6 7	9 6 7	9 6 7	7 4 6	8 5 6	7 5 6	8 6 7	8 6 7	8 5 7	8 5 7	8 5 7
	(b) Spina bifida and meningocele .. } M. F. P.	18 22 20	17 23 20	17 22 20	20 23 22	19 25 22	21 23 22	21 25 23	22 30 26	22 29 25	22 31 27	22 33 28
	(c) Congenital malformation of heart .. } M. F. P.	43 30 36	41 30 36	42 29 35	41 31 36	43 32 37	47 31 38	45 31 37	45 28 36	42 27 34	44 29 37	44 29 37
	(e) Other congenital malformations .. } M. F. P.	38 20 28	39 17 28	36 19 27	39 19 29	38 20 29	39 21 29	39 19 29	41 19 30	38 18 28	38 18 28	41 19 29
	1. Congenital pyloric stenosis .. } M. F. P.	12 4 8	15 3 9	12 3 7	13 3 8	12 4 8	14 4 9	17 4 10	15 4 9	13 3 8	14 3 9	14 3 9
	2. Cleft palate, hare lip } M. F. P.	5 3 4	4 3 3	4 2 3	4 2 3	5 4 4	4 4 4	4 3 3	5 2 3	4 2 3	3 2 2	3 2 2

† The rates for these headings are per 1,000 Live-births up to and including 1927. From 1928 onwards they are per 1,000 Total (live and still) Births.

TABLE 7—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
157	Congenital Malformations— <i>contd.</i> (e) Other congenital malformations— <i>contd.</i>											
	4. Other stated congenital malformations ..	{ M. 15 F. 10 P. 12	{ 15 9 11	{ 15 11 13	{ 16 11 13	{ 16 11 13	{ 15 10 13	{ 13 9 11	{ 16 11 13	{ 17 11 14	{ 15 10 13	{ 17 10 13
	5. Congenital malformation unspecified ..	{ M. 4 F. 2 P. 3	{ 3 2 3	{ 3 2 2	{ 2 2 2	{ 2 1 1	{ 3 2 2	{ 3 2 2	{ 3 2 2	{ 2 1 2	{ 3 1 2	{ 2 2 2
158-161	XV.—Diseases of Early Infancy	(The rates for this section are shown per 1,000 live-births in Table 12.)										
162	XVI.—Old Age*	{ M. 548 F. 745 P. 651	{ 537 713 629	{ 487 664 579	{ 422 572 500	{ 448 615 535	{ 385 520 455	{ 372 522 450	{ 376 527 454	{ 346 497 425	{ 326 462 397	{ 349 482 418
	(a) Senile dementia*	{ M. 41 F. 47 P. 44	{ 38 52 45	{ 42 51 46	{ 45 55 50	{ 46 62 54	{ 41 54 47	{ 29 36 33	{ 25 31 29	{ 23 24 24	{ 20 20 20	{ 22 22 22
	(b) Other forms of senile decay*	{ M. 508 F. 698 P. 607	{ 499 661 583	{ 445 613 533	{ 377 517 450	{ 402 553 481	{ 344 466 408	{ 342 485 417	{ 351 495 426	{ 323 473 401	{ 306 442 377	{ 327 460 396
163-198	XVII.—Deaths from Violence..	{ M. 694 F. 278 P. 477	{ 695 291 484	{ 753 304 519	{ 784 328 546	{ 800 336 558	{ 817 330 563	{ 759 338 540	{ 777 329 544	{ 790 352 562	{ 782 359 562	{ 744 353 540
163-171	Suicide	{ M. 153 F. 61 P. 105	{ 166 66 114	{ 184 71 125	{ 180 72 124	{ 183 73 126	{ 185 74 127	{ 189 73 129	{ 210 81 143	{ 201 84 140	{ 198 81 137	{ 181 80 129
163	By solid or liquid poisons and corrosive substances	{ M. 14 F. 10 P. 12	{ 17 14 16	{ 21 16 19	{ 20 14 17	{ 19 15 17	{ 21 15 18	{ 19 15 17	{ 22 17 19	{ 24 17 20	{ 22 15 19	{ 18 15 16
164	By poisonous gas	{ M. 25 F. 15 P. 20	{ 31 17 24	{ 35 17 25	{ 35 20 28	{ 43 22 32	{ 44 25 34	{ 49 25 36	{ 61 31 45	{ 56 31 43	{ 61 32 46	{ 56 32 44
165	By hanging or strangulation	{ M. 33 F. 8 P. 20	{ 36 7 21	{ 36 8 21	{ 37 8 22	{ 36 7 21	{ 33 6 19	{ 32 6 18	{ 38 6 21	{ 36 8 22	{ 33 7 19	{ 32 8 20
166	By drowning	{ M. 27 F. 16 P. 21	{ 30 17 23	{ 31 18 24	{ 32 17 24	{ 29 16 22	{ 29 16 22	{ 30 16 23	{ 35 16 25	{ 29 15 22	{ 28 13 20	{ 24 14 18
167	By firearms	{ M. 11 F. 1 P. 5	{ 11 0 6	{ 12 1 6	{ 12 1 6	{ 12 1 6	{ 13 0 7	{ 13 1 7	{ 13 0 6	{ 15 0 7	{ 12 1 6	{ 11 0 6
168	By cutting or piercing instruments	{ M. 30 F. 5 P. 17	{ 28 5 16	{ 34 6 19	{ 30 5 17	{ 31 6 18	{ 28 4 16	{ 27 4 15	{ 28 4 15	{ 24 5 14	{ 25 4 14	{ 25 4 14
169	By jumping from high places	{ M. 4 F. 3 P. 4	{ 4 3 3	{ 5 3 4	{ 4 3 4	{ 5 3 4	{ 6 3 4	{ 6 3 4	{ 5 4 4	{ 5 3 4	{ 6 3 4	{ 5 3 4
170	By crushing	{ M. 10 F. 2 P. 6	{ 7 2 4	{ 10 1 5	{ 9 2 5	{ 9 1 5	{ 10 1 6	{ 12 2 7	{ 9 1 5	{ 11 2 6	{ 12 2 7	{ 9 2 5
172-175	Homicide	{ M. 6 F. 7 P. 7	{ 7 7 7	{ 5 5 5	{ 5 5 5	{ 5 5 5	{ 6 4 5	{ 4 5 5	{ 4 5 5	{ 4 6 5	{ 6 6 6	{ 4 5 4
176-194	Accidental deaths	{ M. 490 F. 196 P. 337	{ 478 204 335	{ 516 214 358	{ 551 237 387	{ 571 245 401	{ 581 240 403	{ 519 244 376	{ 517 228 367	{ 541 248 388	{ 537 257 391	{ 516 252 379
178	Accidental absorption of irrespirable or poisonous gas	{ M. 5 F. 3 P. 4	{ 5 4 5	{ 5 4 4	{ 5 3 4	{ 6 4 5	{ 6 2 4	{ 5 4 4	{ 7 3 5	{ 5 3 4	{ 7 2 4	{ 6 4 5
181	Accidental burns (conflagration excepted)	{ M. 39 F. 42 P. 41	{ 31 38 35	{ 37 37 37	{ 34 40 37	{ 36 45 41	{ 32 36 34	{ 31 38 35	{ 28 35 31	{ 28 37 33	{ 27 34 31	{ 27 38 33
182	Accidental mechanical suffocation	{ M. 15 F. 12 P. 14	{ 17 10 13	{ 15 12 13	{ 15 11 13	{ 14 10 12	{ 15 10 12	{ 13 9 11	{ 13 8 10	{ 13 7 10	{ 12 8 10	{ 12 7 10

TABLE 7—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
	Accidental deaths— <i>contd.</i>											
183	Accidental drowning .. { M. F. P.	40 6 22	41 5 22	35 6 20	39 7 22	39 6 22	33 6 19	30 5 17	39 4 21	42 5 23	28 3 15	35 6 20
186	Accidental injury by fall, crushing, etc. .. { M. F. P.	346 115 225	344 130 232	382 139 255	416 159 282	434 163 293	448 169 303	408 175 286	393 162 273	412 180 292	426 194 306	401 183 287
191	Excessive heat .. { M. F. P.	4 2 3	3 2 2	0 0 0	3 1 2	3 1 2	8 3 6	1 0 0	3 2 3	5 3 4	2 1 1	2 1 1
194	Other and unstated forms of accidental violence .. { M. F. P.	20 9 14	19 10 15	24 9 16	21 9 15	19 9 14	22 8 15	15 7 11	18 9 13	18 7 12	19 8 13	17 7 12
	(1) Inattention at birth† { M. F. P.	7 6 6	8 8 8	8 6 7	7 6 6	6 6 6	6 5 5	4 5 5	6 5 6	4 4 4	5 5 5	4 3 4
	(2) Other causes included under 194 .. { M. F. P.	13 3 8	11 3 7	16 3 9	14 3 9	13 3 8	16 3 9	11 2 7	12 3 8	13 3 8	14 3 9	12 4 8
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.) .. { M. F. P.	40 15 27	40 14 26	44 14 28	42 14 27	37 13 24	41 12 26	42 15 28	41 15 27	39 14 26	37 15 26	38 16 27
196	Wounds of war .. { M. F. P.	3 — 2	4 — 2	4 0 2	4 — 2	4 — 2	4 — 2	5 — 2	4 — 2	4 — 2	4 — 2	4 — 2
199–200	XVIII.—Ill-defined Diseases* { M. F. P.	50 34 41	44 28 36	34 22 28	26 17 21	26 17 21	23 15 19	41 27 34	39 28 33	38 28 33	34 28 31	39 25 32
199	Sudden death* .. { M. F. P.	9 5 7	9 4 6	8 4 6	7 4 5	7 4 5	6 4 5	9 5 7	9 5 7	10 7 8	8 5 6	9 5 7
200	Cause of death unstated or ill-defined* .. { M. F. P.	41 29 35	35 25 30	26 17 21	19 13 16	19 13 16	17 11 14	31 23 27	30 23 26	28 21 24	26 23 24	31 20 25
	(1) Heart failure* .. { M. F. P.	28 17 22	25 17 21	19 11 15	13 8 11	13 8 11	11 7 9	26 19 22	26 20 23	24 17 21	23 20 22	26 18 22

† The rates for this cause per 1,000 Live Births are shown in Table 12.

TABLE 8.—STANDARDIZED DEATH-RATES* OF MALES AND FEMALE FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1925-35. } England and Wales.

The deaths on which these rates are based were classified according to the International List in use from 1921-30 and according to the revised International List from 1931 onwards. A † is inserted against those headings in which changes of classification occur, but in most cases these changes do not materially affect the comparability of the figures. The nature of the change will be found in Appendix C to Part I, Statistical Review, 1931. The numbers and headings to the various causes are those of the revised International List, but where a difference in name occurs the old name is shown in brackets. The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
	ALL CAUSES .. { Males. Females. Persons.	11,878 9,683 10,710	11,236 9,099 10,096	11,810 9,552 10,607	11,104 8,900 9,931	12,714 10,372 11,472	10,767 8,546 9,586	11,281 9,019 10,077	10,896 8,730 9,738	10,920 8,809 9,794	10,428 8,328 9,305	10,167 8,036 9,026
1 & 2	Typhoid and paratyphoid (enteric) fevers. { M. F.	10 10	10 8	10 8	11 10	9 9	8 7	7 5	7 5	6 4	4 4	4 4
7	Measles { M. F.	182 162	121 111	131 119	159 143	125 121	165 142	130 114	133 123	76 71	151 139	54 52
8	Scarlet fever { M. F.	30 32	22 20	18 19	17 20	23 23	23 26	16 20	16 20	23 26	31 34	18 21
9	Whooping cough { M. F.	177 216	124 152	114 142	95 117	202 261	66 85	83 107	98 127	76 100	67 94	54 73
10	Diphtheria { M. F.	85 91	91 101	87 91	104 106	109 121	117 120	91 90	77 83	88 92	134 144	120 123
11	Influenza { M. F.	297 253	212 171	504 438	185 139	623 550	119 83	304 265	263 237	463 401	122 91	152 120
15	Erysipelas† { M. F.	21 17	20 15	19 16	22 16	24 19	25 20	25 20	23 21	30 25	34 27	25 19
16	Acute poliomyelitis { M. F.	5 4	8 7	7 5	6 4	5 4	5 5	4 3	6 5	8 5	5 4	5 5
17	Encephalitis lethargica .. { M. F.	34 34	33 32	30 26	25 26	25 23	21 21	23 20	19 18	19 16	16 18	15 14
18	Cerebro-spinal fever (meningococcal meningitis). { M. F.	12 9	13 10	17 11	16 12	23 16	24 18	55 37	46 32	35 27	29 20	23 19
23-32	Tuberculosis (all forms)† .. { M. F.	1,143 904	1,058 839	1,061 854	1,015 812	1,057 820	974 781	976 772	913 727	901 707	832 657	774 610
23	Respiratory system .. { M. F.	895 691	829 638	838 660	803 625	846 641	775 606	780 601	718 562	729 559	669 512	627 486
24	Central nervous system .. { M. F.	100 90	93 87	99 87	87 80	89 82	85 80	91 84	87 78	75 71	75 73	68 60
25	Intestines and peritoneum { M. F.	50 48	45 43	40 39	39 39	37 35	34 32	31 32	32 27	27 28	23 23	21 20
34	Syphilis { M. F.	39 25	43 26	45 29	50 28	45 26	45 25	45 24	39 23	39 21	36 18	37 16
43-53	Cancer, malignant disease† .. { M. F.	1,023 991	1,011 995	1,018 984	1,032 1,000	1,031 999	1,031 987	1,034 974	1,052 966	1,035 973	1,046 974	1,058 959
54	Non-malignant tumours† .. { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	22 40	21 39	18 39	19 39	20 37
55	Tumours of undetermined nature.† { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	28 22	27 23	28 23	29 22	26 22
54 (a) & 55 (a)	Tumours of female genital organs — non - malignant and undetermined.† { F.	? ?	? ?	? ?	? ?	? ?	? ?	27 25	25 25	24 24	23 23	
56	Rheumatic fever { M. F.	45 54	44 49	37 45	35 45	35 41	38 42	30 37	27 32	33 38	32 42	29 34
57 (2)	Rheumatoid arthritis, osteo-arthritis.† { M. F.	23 51	24 51	31 56	32 62	35 72	32 61	34 61	31 62	32 61	32 58	34 60
59	Diabetes { M. F.	81 94	86 91	88 101	91 101	95 111	93 108	88 111	92 112	92 114	91 115	89 117
68	Diseases of the adrenals† .. { M. F.	5 6	4 6	4 6	4 6	4 6	4 5	3 5	3 5	4 5	3 5	3 5
71 (a)	Pernicious anæmia { M. F.	46 57	47 61	45 56	30 39	32 39	35 42	34 43	39 49	35 46	34 44	32 43
72 (a)	Leukæmia { M. F.	15 12	17 12	17 14	18 12	17 15	18 13	18 15	19 15	19 16	22 16	22 17
72 (b)	Aleukæmia (lymphadenoma) { M. F.	12 6	14 6	14 7	13 8	15 6	15 8	17 8	16 8	15 7	16 8	17 9
79	Meningitis† { M. F.	61 47	52 45	50 40	42 34	46 37	37 31	38 32	39 29	40 25	35 27	31 24
80	Tabes dorsalis (locomotor ataxy). { M. F.	25 5	26 4	26 5	25 4	29 5	22 4	20 4	23 5	21 4	17 3	19 4

* See Note re Standardized death-rates at foot of Table 3.

TABLE 8—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930	1931.	1932.	1933.	1934.	1935.
82	Cerebral hæmorrhage, apoplexy, etc.† {M. F.	528 509	509 502	459 457	412 424	446 438	405 415	436 421	427 418	404 399	398 397	396 399
83	General paralysis of the insane {M. F.	56 11	51 11	54 11	49 10	42 10	40 8	40 10	35 9	31 9	32 8	28 9
84	Other forms of insanity† .. {M. F.	16 21	19 24	19 27	20 28	21 27	18 23	17 24	17 25	15 21	15 23	17 21
85	Epilepsy {M. F.	56 45	56 42	57 43	55 47	55 45	56 42	57 45	56 45	51 43	49 41	49 40
87 (c)	Paralysis agitans {M. F.	23 17	22 15	24 17	25 16	28 17	23 18	26 17	29 17	27 18	26 17	26 17
87 (d)	Disseminated sclerosis .. {M. F.	16 14	17 16	16 16	16 15	16 16	15 15	16 18	16 17	15 16	14 16	16 17
89	Diseases of the ear and mastoid sinus. {M. F.	38 29	41 27	42 31	43 33	49 34	45 35	47 32	49 34	50 38	57 42	50 34
90-95	Heart diseases† {M. F.	1,322 1,220	1,293 1,188	1,412 1,303	1,474 1,349	1,835 1,658	1,706 1,486	1,845 1,592	1,848 1,560	1,896 1,616	1,897 1,565	1,949 1,597
91 (1)	Malignant (infective) endocarditis. {M. F.	26 22	25 25	26 24	23 23	23 24	24 25	26 24	24 23	26 27	24 26	26 28
91 (2)	Other acute endocarditis† .. {M. F.	14 16	12 15	11 14	10 12	10 13	9 10	3 3	3 3	3 3	3 3	3 2
92 (1)	Aortic valve disease† .. {M. F.	89 36	87 33	90 34	91 35	96 35	88 36	89 35	88 31	78 32	76 30	75 29
92 (2)	Mitral valve disease† .. {M. F.	147 206	139 193	157 222	165 232	177 249	154 219	151 219	148 207	135 202	136 185	131 180
92 (3)	Aortic and mitral valve disease.† {M. F.	20 16	20 12	23 18	27 24	30 22	27 21	25 19	25 20	23 19	24 18	23 17
92 (4)	Endocarditis, not returned as acute or chronic.† {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	23 28	21 23	19 24	18 21	17 20
92 (5)	Other or unspecified valve disease.† {M. F.	245 240	231 229	224 236	217 224	227 238	200 213	187 192	168 171	159 169	147 150	133 143
93 (a)	Acute myocarditis† {M. F.	10 10	11 11	11 10	12 10	13 11	9 8	3 3	4 3	3 3	4 4	4 4
93 (b.1)	Fatty heart {M. F.	51 54	51 47	50 54	48 54	53 58	48 54	47 50	43 46	40 42	34 40	31 36
93 (b.2)	Cardiovascular degeneration.† {M. F.	409 361	446 388	526 460	601 525	894 781	838 699	215 144	233 155	251 165	255 168	266 188
93 (b.3)	Other diseases included under 93 (b).† {M. F.							538 483	547 488	578 524	578 526	617 552
93 (c)	Myocarditis, not distinguished as acute or chronic.† {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	216 190	214 187	228 200	225 185	220 181
94	Diseases of the coronary arteries, angina pectoris.† {M. F.	55 19	52 20	79 27	101 35	131 45	156 53	168 59	189 69	224 80	248 94	279 107
95 (a)	Disordered action of heart .. {M. F.	24 29	27 33	33 41	28 40	31 45	31 40	34 42	38 46	37 46	39 45	39 48
95 (b.2)	Heart disease (undefined) .. {M. F.	206 189	176 164	160 148	132 120	134 127	107 96	105 91	88 80	78 73	73 63	68 58
96	Aneurysm {M. F.	34 9	32 9	36 9	37 9	37 10	38 10	38 10	36 11	35 13	36 13	36 14
97	Arterio-sclerosis† {M. F.	451 252	454 255	545 321	581 352	458 295	398 261	412 275	412 284	409 281	398 277	391 278
97 (1)	With cerebral hæmorrhage {M. F.	136 91	131 89	190 136	221 161	217 156	210 153	151 114	152 118	148 118	145 118	147 116
97 (2)	With other cerebral vascular lesion. {M. F.							69 51	74 57	76 59	83 58	81 65
98	Gangrene {M. F.	31 20	29 18	25 18	23 13	24 16	18 13	17 13	17 10	15 9	15 9	11 8
98 (a)	Senile gangrene {M. F.	28 18	27 16	23 16	20 11	22 14	16 11	15 11	15 9	14 8	13 8	10 7
100	Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.)† {M. F.	7 9	7 10	6 11	8 11	7 11	7 12	7 12	7 10	7 11	8 12	8 12
104-114	Diseases of the respiratory system.† {M. F.	2,108 1,572	1,851 1,349	2,060 1,513	1,649 1,151	2,258 1,670	1,438 958	1,704 1,242	1,426 1,055	1,442 1,043	1,313 897	1,228 831
104 (2)	Diseases of the accessory nasal sinuses. {M. F.	3 2	4 2	4 4	5 3	5 4	7 4	5 3	7 5	8 5	7 4	7 4

TABLE 8—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
105	Diseases of the larynx .. {M. F.	15 11	13 10	13 9	12 11	12 9	12 7	9 6	6 6	7 6	7 5	5 5
106	Bronchitis {M. F.	832 674	719 546	749 600	548 412	735 601	452 328	548 420	436 337	435 334	361 255	335 230
106 (a)	Acute {M. F.	212 212	183 170	193 188	120 113	178 179	101 94	145 140	111 108	115 112	94 86	82 78
106 (b)	Chronic {M. F.	281 173	261 149	260 156	190 109	243 145	169 87	187 101	159 86	163 86	145 72	144 67
107	Broncho-pneumonia .. {M. F.	615 506	559 457	671 528	510 404	795 653	446 343	614 488	499 410	515 410	460 366	432 343
108	Lobar pneumonia .. {M. F.	307 161	264 146	313 169	325 162	390 202	295 145	284 169	271 157	270 150	295 148	267 139
109	Pneumonia (not otherwise defined). {M. F.	208 134	173 107	183 120	139 86	185 113	123 68	130 82	106 71	105 70	93 58	82 51
110 (1)	Empyema {M. F.	16 8	14 6	14 7	14 7	18 8	15 6	14 8	15 7	15 7	13 7	12 4
110 (2)	Other pleurisy .. {M. F.	18 11	20 12	17 12	18 12	19 13	16 9	15 9	12 8	12 7	11 7	11 6
111	Congestion and hæmorrhagic infarct of lung.† {M. F.	26 27	25 27	23 23	20 21	23 24	19 18	24 22	24 22	24 23	21 20	22 20
112	Asthma† {M. F.	49 31	41 29	55 35	41 29	58 38	38 24	43 31	34 27	37 26	30 22	33 23
114 (a)	Chronic interstitial pneumonia, including occupational diseases of the lung. {M. F.	8 2	8 2	9 2	9 3	9 2	8 2	10 2	9 2	10 2	9 2	11 2
115-129	Diseases of the digestive system. {M. F.	778 586	783 587	718 528	734 544	780 565	713 510	690 494	687 511	684 507	654 495	659 469
117 (a)	Ulcer of the stomach† .. {M. F.	70 31	76 30	83 31	77 29	82 30	85 30	82 28	73 27	78 26	82 26	81 25
117 (b)	Ulcer of the duodenum .. {M. F.	40 7	41 7	47 5	43 6	46 6	47 6	48 6	43 7	44 6	41 7	43 6
118	Other diseases of the stomach† {M. F.	52 46	51 41	41 36	38 35	34 30	32 27	32 29	28 24	24 21	21 19	22 17
118 (1)	Inflammation of the stomach {M. F.	44 40	43 36	33 32	32 32	29 27	26 23	27 26	23 21	20 19	16 17	18 16
121	Appendicitis {M. F.	85 60	80 56	78 51	82 57	84 53	84 55	79 55	83 57	79 60	78 58	80 53
122 (a)	Hernia.. .. {M. F.	39 33	38 32	43 34	44 32	48 34	40 32	41 32	43 32	40 31	40 30	41 29
122 (b)	Intestinal obstruction .. {M. F.	67 50	66 51	67 49	64 47	71 50	69 48	69 49	69 48	68 48	68 48	69 45
124	Cirrhosis of the liver† .. {M. F.	49 23	49 23	48 22	47 23	45 20	41 18	39 18	34 16	29 13	31 15	31 13
125	Other diseases of the liver†.. {M. F.	20 25	20 26	16 23	18 25	16 26	19 26	4 5	5 4	4 5	4 5	4 6
127	Other diseases of the gall bladder and ducts. {M. F.							13 22	13 23	13 23	13 24	14 25
126	Biliary calculi {M. F.	14 27	12 27	13 28	13 29	13 29	13 28	13 26	12 26	11 26	11 27	13 27
128	Diseases of the pancreas .. {M. F.	6 7	6 6	8 8	8 8	8 9	7 9	9 10	10 9	9 8	8 9	8 9
129	Peritonitis, without stated cause. {M. F.	7 15	6 14	6 13	5 14	7 13	7 14	7 13	7 14	7 17	7 18	5 12
130	Acute nephritis† {M. F.	38 30	36 32	35 28	31 27	28 28	30 25	27 23	26 23	26 22	27 22	24 21
131	Chronic nephritis† {M. F.	254 200	250 195	271 213	284 230	297 237	289 234	258 200	256 202	234 196	239 190	243 196
132	Nephritis, not stated to be acute or chronic.† {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	40 32	37 30	32 27	30 25	29 24

TABLE 8—continued.

List No.	Causes of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
134	Calculi of the urinary passages {M. F.	9 4	8 3	9 4	10 5	13 5	10 6	11 6	11 5	11 5	11 5	12 7
135 (a)	Cystitis {M. F.	23 9	30 9	27 10	24 11	21 11	20 10	20 10	20 10	16 9	17 8	15 8
136 (a)	Stricture of the urethra .. M.	12	13	15	16	17	15	14	15	12	12	12
137	Diseases of the prostate .. M.	121	117	135	140	154	150	153	161	162	160	163
151	Carbuncle, boil .. . {M. F.	11 5	12 6	12 6	14 7	13 7	15 7	15 6	16 8	16 9	16 8	14 9
152 (1)	Cellulitis† {M. F.	15 10	15 11	12 9	16 10	16 10	14 9	13 12	13 9	15 10	18 13	14 10
154	Acute infective osteomyelitis and periostitis. {M. F.	17 9	16 9	19 10	22 9	19 12	20 10	19 10	21 10	17 11	20 8	17 10
162	Old age† {M. F.	499 488	472 453	418 415	349 348	373 377	313 312	290 292	288 288	260 267	237 242	248 245
163- 198	Deaths from violence (external causes). {M. F.	642 244	639 252	690 264	719 283	735 290	746 281	693 290	710 280	721 293	705 297	669 287
163- 171	Suicide {M. F.	128 50	136 55	151 57	147 57	148 58	149 58	149 58	165 62	158 65	153 63	139 61
176- 194	Accidental deaths† .. . {M. F.	508 186	495 190	534 201	567 220	582 226	591 218	500 212	503 198	521 208	511 214	489 206
181	Accidental burns (conflagration excepted). {M. F.	43 45	35 41	42 42	40 44	43 49	38 39	37 40	34 37	34 39	33 35	33 40
186(pt)	Accidental injury by fall .. {M. F.	74 48	72 50	73 53	78 57	79 56	79 56	76 57	67 52	75 60	76 63	78 61
199- 200	Ill-defined diseases† .. . {M. F.	42 29	37 24	28 18	22 14	21 14	19 12	31 19	30 19	29 18	25 18	28 16
199	Sudden death† .. . {M. F.	7 4	7 3	6 3	6 2	5 3	4 3	7 3	7 4	7 4	6 3	6 3
200 (1)	Heart failure† .. . {M. F.	22 13	20 13	14 8	10 6	10 6	8 5	19 12	19 12	17 10	16 12	18 10

† This heading excludes headings 195-198 (see Table 6) which were included in the heading "Violent deaths (excluding suicide and homicide)" to which the figures prior to 1931 relate.

TABLE 9.—DEATH-RATES PER MILLION LIVING FROM THE } England and Wales.
PRINCIPAL EPIDEMIC OR GENERAL DISEASES, 1851-1935.

Note.—The rates throughout the table are based on total deaths and population (including non-civilians).

Period.	At All Ages (Standardized).								At Ages under 15 Years.					
	Typhoid and paratyphoid fevers.	Small-pox.	Influenza.	Encephalitis lethargica.	Tuberculosis (all forms).	Tuberculosis of respira- tory system.	Cancer.	Diabetes.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Acute poliomyelitis.	Cerebro-spinal fever.
1851-60					3,478	2,772	326		1,151					
1861-70		149			3,263	2,590	396		1,221	2,617	1,148	1,418		
1871-80	321	228			2,882	2,231	484		1,038	1,908	765	1,415		
1881-90	199	45			2,444	1,810	610		1,227	903	823	1,259		
1891-1900	175	14	363		2,021	1,418	767		1,217	439	894	1,115		
1901-10	91	13	208		1,646	1,143	867	93	973	311	584	876		
1911-20	34	0	566		1,375	1,007	928	98	891	141	447	596	13	45
1921-30	11	1	310	25	993	768	991	95	416	74	306	437	11	31
1851-55					3,638	2,890	320		1,114			1,439		
1856-60		180			3,328	2,663	341		1,185	2,201	1,379	1,398		
1861-65		205			3,316	2,625	381		1,265	2,646	1,422	1,437		
1866-70		97			3,217	2,558	416		1,180	2,589	891	1,511		
1871-75	371	392			2,956	2,327	460		1,023	2,018	807	1,378		
1876-80	275	76			2,818	2,141	515		1,051	1,806	726	1,450		
1881-85	218	78			2,558	1,922	567		1,138	1,160	848	1,269		
1886-90	181	13			2,342	1,704	650		1,313	656	799	1,250		
1891-95	175	20	418		2,138	1,504	725		1,174	498	896	1,151		
1896-1900	176	7	311		1,912	1,337	805		1,260	380	893	1,079		
1901-05	113	25	189		1,739	1,208	849	88	1,016	366	668	940		
1906-10	70	0	224		1,556	1,082	882	97	930	257	503	813		
1911-15	47	0	164		1,389	1,005	932	107	1,110	185	444	681	14	41
1916-20	22	0	965		1,359	1,009	924	91	665	96	449	509	12	48
1921-25	13	0	319	22	1,065	816	976	91	449	92	310	484	11	25
1926-30	9	1	301	26	922	721	1,004	97	381	55	302	387	12	37
1931-35	5	0	241	18	782	620	1,000	103	287	57	300	239	10	68
1891	169	2	582		2,325	1,659	708		1,237	465	719	1,335		
1892	138	15	540		2,156	1,517	704		1,317	519	821	1,307		
1893	230	49	329		2,158	1,509	723		1,075	629	1,074	991		
1894	160	27	222		1,987	1,419	723		1,136	461	978	1,198		
1895	176	7	426		2,072	1,426	764		1,106	418	889	927		
1896	167	17	122		1,899	1,327	770		1,685	495	981	1,274		
1897	157	1	196		1,933	1,356	791		1,214	414	805	1,097		
1898	182	8	331		1,915	1,325	804		1,256	320	788	973		
1899	198	6	390		1,908	1,339	829		948	334	953	965		
1900	174	3	504		1,904	1,337	830		1,199	340	936	1,090		
1901	155	11	173		1,807	1,263	841	91	850	380	888	965		
1902	126	75	222		1,739	1,229	836	83	1,211	427	763	924		
1903	101	23	187		1,741	1,196	856	84	854	364	592	893		
1904	93	15	166		1,780	1,228	854	91	1,141	330	564	1,109		
1905	90	3	199		1,634	1,130	856	91	1,025	333	532	809		
1906	92	1	178		1,647	1,138	880	94	871	301	587	768		
1907	68	0	256		1,606	1,125	866	93	1,157	275	541	944		
1908	75	0	275		1,585	1,099	874	98	729	236	521	899		
1909	60	1	241		1,524	1,063	895	99	1,145	273	484	654		
1910	53	1	172		1,422	988	893	103	750	200	384	798		
1911	67	1	113		1,456	1,035	909	99	1,173	158	433	705	16	31
1912	44	0	137		1,361	995	925	103	1,150	168	376	756	13	25
1913	41	0	161		1,340	958	948	108	951	175	392	492	15	25
1914	46	0	148		1,345	988	943	111	816	233	510	722	13	29
1915	37	0	257		1,440	1,053	933	113	1,458	189	510	730	13	97
1916	29	0	210		1,423	1,046	935	109	478	112	468	546	13	59
1917	26	0	174		1,479	1,085	930	90	941	62	393	411	11	62
1918	25	0	3,024		1,539	1,165	913	84	892	82	430	918	14	41
1919	15	1	1,169		1,229	918	915	89	334	104	447	248	12	40
1920	14	1	267		1,123	833	928	85	675	119	510	417	9	37
1921	16	0	213	19	1,117	845	957	90	212	106	432	435	12	30
1922	12	1	503	9	1,107	848	959	99	542	109	373	607	10	27
1923	12	0	189	13	1,049	798	973	92	508	83	250	399	9	21
1924	13	0	416	36	1,039	801	988	87	464	74	231	384	11	22
1925	10	0	274	34	1,017	788	1,002	88	520	86	262	594	11	27
1926	9	0	191	32	942	730	999	89	340	57	283	408	16	28
1927	9	1	470	28	952	744	996	95	359	49	257	367	12	33
1928	11	1	161	26	909	709	1,011	97	430	49	303	300	12	33
1929	9	1	587	24	932	738	1,010	104	346	57	328	649	10	45
1930	7	1	101	21	872	685	1,003	101	431	64	340	211	11	48
1931	6	0	284	22	869	686	998	101	341	45	258	263	7	95
1932	6	0	251	18	815	636	1,001	103	354	46	228	310	13	80
1933	5	0	432	17	799	639	997	104	201	63	261	237	13	67
1934	4	0	106	17	740	586	1,003	104	390	83	402	214	9	51
1935	4	—	135	15	687	552	1,001	104	143	47	351	170	10	46

TABLE 10.—CRUDE DEATH-RATES (INCLUDING NON-CIVILIANS) FROM THE PRINCIPAL EPIDEMIC } England and Wales, Metropolitan Boroughs,
DISEASES AND FROM CERTAIN OTHER CAUSES; INFANT MORTALITY; 1934 AND 1935. } County Boroughs, Administrative Counties.

Note :—The figures relate to the areas as constituted during each year.

Administrative Area.	Mortality per Million Population at all Ages.																Mortality per 1,000 Live births.				Mortality per 1,000 Total (live and still) births.			
	Typhoid and paratyphoid fevers.		Smallpox.		Measles.		Scarlet fever.		Whooping cough.		Diphtheria.		Tuberculosis (all forms).		Tuberculosis of respiratory system.		Deaths under One Year.		Diarrhoea and enteritis under Two Years.		The Puerperal state.			
	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.
England and Wales ..	4	4	0	—	93	33	24	14	51	39	101	86	763	718	635	605	59	57	5.36	5.56	1.95	1.61	2.47	2.32
<i>Metropolitan Boroughs:</i>																								
City of London ..	—	—	—	—	—	—	—	—	—	—	—	—	1,035	1,068	828	855	133	111	33.33	13.89	—	13.51	—	—
The Temples ..	—	—	—	—	—	—	—	—	—	—	—	—	2,500	—	2,500	—	—	—	—	—	—	—	—	—
Battersea ..	—	—	—	—	212	—	—	—	46	61	133	61	875	850	722	756	61	65	12.53	9.03	1.35	—	—	1.80
Bermondsey ..	10	—	—	—	362	39	19	—	86	49	114	97	999	1,052	876	954	64	69	14.77	18.82	1.88	—	—	0.63
Bethnal Green..	10	10	—	—	333	—	10	10	78	40	98	100	794	631	725	591	73	51	21.92	11.13	0.66	—	—	1.33
Camberwell ..	—	—	—	—	126	9	17	4	42	55	84	85	969	819	847	708	68	61	11.10	12.04	1.54	—	—	0.92
Chelsea ..	—	17	—	—	138	—	—	35	69	35	172	17	739	715	567	645	65	60	11.11	13.63	—	—	—	4.57
Deptford ..	—	—	—	—	424	10	10	—	178	50	187	101	1,006	894	907	834	68	52	16.28	11.17	1.22	—	—	1.83
Finsbury ..	—	—	—	—	246	—	31	16	77	63	200	16	970	856	862	792	54	59	13.25	13.95	—	—	—	—
Fulham..	7	—	—	—	213	—	7	—	48	35	206	84	915	891	770	773	59	51	8.52	9.55	1.46	—	—	1.46
Greenwich ..	10	10	—	—	165	—	31	10	62	10	51	31	874	807	751	735	87	60	22.44	9.72	0.73	—	—	2.19
Hackney ..	—	5	—	—	128	5	24	5	33	19	128	62	853	660	739	575	56	48	10.29	7.09	0.97	—	—	0.64
Hammersmith..	—	8	—	—	271	—	31	23	147	55	194	94	960	929	890	859	77	70	12.34	14.91	2.17	—	—	2.71
Hampstead ..	22	—	—	—	100	—	11	—	33	11	89	—	656	419	589	320	53	49	7.45	7.01	2.07	—	—	2.07
Holborn ..	28	—	—	—	111	—	—	—	56	39	139	56	889	847	750	819	71	89	12.94	14.76	3.17	—	—	3.53
Islington ..	3	3	—	—	123	—	13	—	58	39	104	43	912	730	824	661	63	53	9.01	11.94	0.83	—	—	1.45
Kensington ..	—	6	—	—	313	—	17	6	145	17	78	107	659	499	575	437	93	79	24.15	25.59	0.88	—	—	0.44
Lambeth ..	4	4	—	—	236	7	11	—	46	64	159	57	940	779	817	700	63	59	9.45	8.89	1.45	—	—	0.97
Lewisham ..	5	—	—	—	86	13	23	4	59	13	117	63	639	659	581	587	43	43	3.31	6.44	0.71	—	—	0.71
Paddington ..	7	—	—	—	165	7	—	—	79	36	93	94	694	635	608	541	95	71	22.93	16.29	3.04	—	—	1.52
Poplar ..	—	7	—	—	307	7	27	—	82	42	150	77	909	905	765	814	62	47	7.94	4.06	2.13	—	—	2.47
St. Marylebone ..	11	22	—	—	119	—	—	—	54	43	22	22	737	781	672	683	61	56	18.01	18.95	3.48	—	—	1.28
St. Pancras ..	—	11	—	—	160	5	5	11	48	65	101	43	922	750	842	675	65	63	12.55	13.38	1.18	—	—	1.16
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Shoreditch ..	—	23	—	—	320	—	22	23	132	45	143	102	1,037	860	927	724	84	52	21.29	7.75	—	1.49	0.67	1.49
Southwark ..	—	—	6	—	406	6	31	13	81	96	131	90	1,000	935	888	833	77	66	16.31	10.80	1.21	0.83	1.21	2.09
Stepney ..	5	—	—	—	409	—	19	—	93	28	102	76	967	804	865	695	85	61	19.99	14.54	1.46	0.64	2.93	0.96
Stoke Newington ..	—	—	—	—	79	—	20	—	20	—	119	20	830	777	731	677	61	51	7.22	5.71	—	—	1.40	—
Wandsworth ..	6	3	—	—	98	3	17	12	35	35	64	41	794	725	678	632	58	55	9.50	9.79	1.28	1.28	1.53	1.28
Westminster ..	—	—	—	—	105	—	24	—	81	16	73	40	790	563	693	514	66	73	13.66	10.37	1.65	0.92	1.65	—
Woolwich ..	—	—	—	—	69	7	21	14	89	14	76	89	1,003	929	825	827	64	44	4.50	7.30	0.97	0.47	0.48	0.94
<i>County Boroughs</i>																								
Barnsley ..	4	3	0	—	110	63	23	15	64	54	125	108	914	863	773	741	65	65	6.19	6.75	1.92	1.63	2.39	2.27
Barrow-in-Furness ..	—	—	—	—	645	14	—	42	70	70	98	98	589	660	477	520	64	58	2.19	3.14	0.70	2.25	2.79	0.75
Bath ..	—	—	—	—	77	16	—	16	15	93	247	109	865	946	649	729	98	67	5.67	7.64	2.16	2.08	9.72	5.19
Birkenhead ..	—	—	—	—	29	—	—	—	—	—	15	29	876	601	774	513	45	35	1.36	3.84	—	1.24	1.32	2.47
Birmingham ..	—	7	—	—	60	33	13	7	53	40	180	94	926	736	726	622	60	67	5.53	5.49	1.51	1.12	3.39	3.75
Blackburn ..	6	3	—	—	23	51	13	13	113	65	83	82	801	806	716	719	67	65	8.57	7.99	1.83	1.39	1.40	1.46
Blackpool ..	—	—	33	—	—	68	42	8	42	68	33	203	651	812	567	651	57	63	4.86	2.82	1.99	2.02	2.65	2.70
Bolton ..	9	8	—	—	9	8	9	17	17	8	96	50	725	557	629	524	59	47	2.48	3.21	3.14	2.29	1.57	6.10
Blackpool ..	—	—	—	—	68	40	11	17	11	74	62	29	636	560	533	463	53	65	4.48	4.01	0.85	2.95	2.12	3.79
Bolton ..	—	—	—	—	352	340	26	26	39	78	469	105	1,354	1,163	1,081	1,020	75	92	5.47	5.50	2.33	0.58	0.58	0.58
Bootle ..	—	—	—	—	17	—	9	8	34	8	86	34	574	660	489	525	53	40	1.61	3.06	2.33	—	4.65	2.93
Bournemouth ..	—	—	—	—	54	38	34	24	37	48	150	198	824	688	705	623	62	64	3.24	4.80	1.89	1.69	3.54	0.97
Bradford ..	14	3	—	—	7	—	27	14	20	41	109	54	857	737	721	650	58	56	8.84	10.50	1.00	2.42	1.00	1.45
Brighton ..	14	2	—	—	29	36	2	19	44	—	41	27	862	809	736	725	46	44	2.98	2.80	1.68	1.17	2.51	1.68
Bristol ..	—	—	—	—	—	75	42	—	53	11	191	150	742	795	573	677	70	65	5.41	3.69	3.43	2.63	11.14	2.63
Burnley ..	11	—	—	—	62	—	—	—	41	—	41	83	619	667	475	563	53	62	1.43	1.52	1.40	2.89	—	4.33
Burton-upon-Trent ..	21	17	—	—	183	50	—	—	33	—	166	134	832	635	632	485	84	66	2.71	1.41	7.69	2.66	2.56	3.99
Bury ..	—	—	—	—	—	—	41	—	81	—	41	120	893	598	731	558	38	49	2.90	2.88	—	—	—	—
Canterbury ..	—	—	—	—	51	17	17	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carlisle ..	—	—	—	—	49	370	25	25	25	68	154	102	923	663	752	493	68	73	3.53	5.92	—	1.13	—	—
Chester ..	25	—	—	—	—	—	16	11	22	25	74	69	915	884	769	767	57	46	2.76	2.18	2.27	2.09	0.38	1.74
Coventry ..	11	—	—	—	5	37	16	11	22	16	70	50	648	727	565	611	46	44	2.83	5.17	1.51	2.06	1.82	0.29
Croydon ..	4	—	—	—	58	—	4	40	79	8	104	173	791	850	630	624	60	58	1.84	—	2.62	0.86	1.75	1.71
Darlington ..	—	—	—	—	107	40	67	40	27	93	—	50	702	611	653	526	57	60	5.25	2.42	2.28	0.92	2.74	1.85
Derby ..	—	—	—	—	92	28	—	14	28	36	57	135	702	611	653	526	57	53	1.36	2.63	1.29	1.23	2.58	2.45
Dewsbury ..	19	19	—	—	75	19	19	37	19	19	318	112	711	674	486	562	57	62	0.93	5.01	1.79	2.83	0.89	1.89
Doncaster ..	—	—	—	—	30	15	30	29	15	58	133	102	532	452	370	394	49	62	11.78	4.65	0.93	1.78	1.87	2.67
Dudley ..	17	—	—	—	100	33	50	33	17	—	182	166	879	828	763	728	85	66	3.11	1.68	3.06	—	4.59	—
Eastbourne ..	—	—	—	—	18	—	—	—	36	53	18	—	836	553	800	446	45	34	6.14	3.57	1.48	2.95	—	1.97
East Ham ..	—	7	—	—	109	—	36	7	29	30	328	118	781	709	679	591	48	43	2.94	2.04	0.94	—	1.88	0.98
Exeter ..	—	15	—	—	147	—	—	—	15	—	44	29	737	717	516	615	56	34	2.94	2.04	0.94	—	—	—
Gateshead ..	—	—	—	—	244	25	138	33	106	66	41	17	1,398	1,279	1,098	1,073	87	90	7.50	16.79	1.69	1.75	4.22	3.06

TABLE 10—continued.

Administrative Area	Mortality per Million Population at all Ages.												Mortality per 1,000 Live births.		Mortality per 1,000 Total (live and still) births.									
	Typhoid and paratyphoid fevers.		Smallpox.		Measles.		Scarlet fever.		Whooping cough.		Diphtheria.		Tuberculosis (all forms).		Tuberculosis of respiratory system.		Deaths under One Year.		Diarrhoea and enteritis under Two Years.		The Puerperal state.			
																			Puerperal sepsis.		Others.			
	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.		
Gloucester ..	—	18	—	—	19	18	—	—	38	36	—	—	950	1,041	760	915	52	50	2.43	2.40	—	1.15	2.35	5.73
Great Yarmouth ..	—	—	—	—	268	—	—	54	36	36	143	162	894	975	805	794	42	38	1.27	5.27	2.46	2.55	—	1.28
Grimsby ..	—	11	—	—	277	11	—	—	21	64	21	32	822	799	640	650	49	62	2.88	6.79	1.11	3.51	2.22	4.10
Halifax..	—	—	—	—	82	—	21	21	21	10	206	165	618	566	526	433	77	71	2.63	7.67	3.31	0.81	4.14	5.68
Hastings ..	—	—	—	—	16	31	16	26	31	—	16	16	816	936	706	827	35	55	1.24	—	1.20	3.70	2.41	1.23
Huddersfield ..	—	—	—	—	35	—	17	11	35	—	376	261	838	722	699	574	58	45	2.77	5.67	4.57	—	5.22	3.36
Ipswich..	—	—	—	—	—	11	—	11	89	—	67	22	843	613	743	536	46	31	3.08	—	2.95	0.68	0.74	1.37
Kingston-upon-Hull ..	9	3	—	—	9	87	25	19	44	84	200	103	929	955	804	759	64	72	6.66	11.98	2.62	0.97	2.29	1.62
Leeds ..	2	—	—	—	189	8	31	8	51	103	319	121	950	889	812	735	71	64	9.31	8.04	2.00	1.33	2.53	1.72
Leicester ..	4	4	—	—	62	35	4	4	21	62	83	31	1,004	984	892	890	53	59	6.44	6.44	1.97	2.16	1.97	3.78
Lincoln ..	—	—	—	—	15	—	—	—	77	31	31	—	728	671	604	468	44	42	4.89	1.14	1.19	—	2.37	1.10
Liverpool ..	—	5	—	—	264	181	23	6	203	74	207	173	1,159	1,093	1,010	949	80	84	8.36	11.70	1.37	1.60	1.42	1.66
Manchester ..	3	5	—	—	127	132	19	17	49	67	110	80	1,168	1,080	1,008	954	69	71	9.78	6.50	1.32	1.93	2.65	1.76
Middlesbrough..	—	—	—	—	717	64	43	14	14	171	430	164	1,347	1,321	1,096	1,150	79	86	5.82	5.64	1.73	1.01	1.73	3.36
Newcastle-upon-Tyne ..	3	—	—	—	282	72	80	21	56	79	84	113	1,157	1,038	979	821	84	86	11.29	11.79	1.64	2.67	3.90	2.67
Northampton ..	—	—	—	—	124	—	—	21	—	72	21	31	704	662	580	548	46	51	3.39	0.87	2.45	—	3.27	3.33
Norwich ..	—	—	—	—	95	—	16	8	72	—	56	104	931	690	772	617	46	48	1.12	2.91	2.17	0.56	3.79	1.69
Nottingham ..	4	4	—	—	64	64	18	18	75	18	21	50	887	981	781	842	69	81	6.15	11.60	1.53	0.88	0.87	3.50
Oldham ..	15	—	—	—	148	—	22	8	141	—	185	218	821	810	703	705	72	64	1.18	9.50	3.33	2.25	4.44	3.93
Oxford ..	—	—	—	—	47	—	—	11	34	12	12	—	699	646	606	578	45	31	2.50	1.49	1.61	—	1.61	2.17
Plymouth ..	—	—	—	—	79	29	10	5	88	29	84	113	1,032	727	855	580	54	60	3.43	6.20	1.51	1.88	2.41	2.20
Portsmouth ..	4	4	—	—	112	—	40	24	28	36	117	156	964	843	791	767	44	46	3.04	4.32	1.96	2.87	2.70	1.04
Preston..	—	9	—	—	222	103	17	17	26	43	68	103	844	714	725	594	69	81	2.99	2.87	3.38	1.64	7.89	2.73
Reading ..	—	—	—	—	91	—	10	20	—	—	30	120	776	813	635	723	42	51	2.12	2.71	2.03	1.31	0.68	0.66
Rochdale ..	—	—	—	—	116	32	11	21	95	11	74	64	709	670	635	606	78	85	9.40	9.14	1.62	—	4.04	1.71
Rotherham ..	—	—	—	—	29	29	15	29	15	73	44	146	595	626	479	582	49	68	3.36	5.99	3.24	2.45	4.05	1.64
St. Helens ..	9	9	—	—	93	130	19	19	9	139	167	157	879	685	667	601	65	94	4.36	8.39	1.83	0.94	3.21	1.41
Salford ..	5	10	—	—	243	33	9	5	117	71	126	167	1,090	1,019	940	905	92	76	12.82	5.60	2.67	1.46	2.97	2.91
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Sheffield ..	6	—	—	—	52	19	12	15	67	21	81	142	756	786	644	697	55	52	3.59	2.74	3.31	1.88	2.29	2.38
Smethwick ..	—	—	—	—	24	73	12	36	84	61	48	85	718	654	574	593	57	61	3.80	4.12	1.48	2.37	3.69	0.79
Southampton ..	6	6	—	—	45	17	11	11	90	28	119	209	1,073	897	949	818	54	46	3.58	4.78	1.04	1.42	2.76	4.25
Southend-on-Sea ..	7	—	—	—	112	—	15	22	75	22	90	74	757	771	645	719	49	41	3.99	4.67	0.64	0.64	3.22	2.55
Southport ..	—	—	—	—	114	13	—	—	—	—	13	76	619	479	480	391	47	64	2.33	2.48	1.10	1.18	2.21	2.36
South Shields ..	—	—	—	—	133	143	27	45	89	18	71	107	1,747	1,429	1,268	1,063	84	80	8.45	12.95	0.48	1.50	2.86	3.49
Stockport ..	—	8	—	—	23	15	16	8	31	38	39	69	594	622	500	514	54	57	6.29	4.73	2.71	1.67	1.08	3.90
Stoke-on-Trent ..	—	4	—	—	157	—	36	7	25	131	22	47	1,030	1,047	837	894	85	83	9.61	8.38	3.10	2.50	1.65	2.08
Sunderland ..	16	32	—	—	155	227	96	27	64	270	64	173	1,093	1,005	916	832	82	92	11.74	14.92	2.82	1.57	2.56	3.13
Tynemouth ..	15	—	—	—	243	30	61	15	30	74	91	89	925	1,203	713	1,054	72	63	5.05	6.68	—	0.80	4.04	1.61
Wakefield ..	—	—	—	—	33	17	50	—	—	83	431	166	614	666	564	532	54	64	5.51	6.28	4.21	2.00	5.27	4.00
Wallasey ..	—	—	—	—	10	21	—	10	62	62	278	186	680	756	505	683	53	48	4.63	0.78	2.22	3.02	1.48	2.27
Walsall ..	—	9	—	—	—	132	9	19	170	57	19	47	928	755	824	632	69	67	5.26	6.99	—	1.92	1.51	1.92
Warrington ..	—	—	—	—	161	75	62	12	111	—	494	336	840	946	692	859	74	65	5.00	2.98	0.68	2.85	2.73	7.83
West Bromwich ..	—	—	—	—	—	134	36	12	158	61	24	194	925	765	852	693	66	84	14.78	18.05	3.85	1.85	0.64	2.46
West Ham ..	4	4	—	—	340	18	58	22	54	44	177	144	978	924	873	827	66	45	7.15	4.52	0.89	1.39	1.12	1.85
West Hartlepool ..	—	—	—	—	84	154	42	70	14	84	126	294	936	1,007	671	853	68	88	5.16	9.68	2.13	1.34	3.55	0.67
Wigan ..	—	12	—	—	12	544	12	47	35	59	—	24	1,027	769	814	604	67	98	3.38	5.61	0.64	1.32	3.20	3.29
Wolverhampton ..	—	—	—	—	7	156	29	14	57	21	100	78	898	764	805	658	57	60	6.20	6.15	2.99	1.27	0.85	2.95
Worcester ..	38	—	—	—	—	19	19	19	38	57	171	323	970	797	779	664	60	52	1.31	2.62	2.53	2.51	2.53	3.76
York ..	—	—	—	—	23	—	45	—	23	111	159	44	612	643	487	565	46	50	3.80	6.55	—	0.69	4.40	2.77
Cardiff ..	5	5	—	—	36	126	23	9	63	50	95	86	1,154	1,197	927	976	75	59	9.71	6.52	3.25	2.81	4.06	1.69
Merthyr Tydfil ..	—	—	—	—	58	149	73	—	15	15	626	298	946	952	742	670	76	75	2.95	1.97	0.91	1.85	0.91	4.63
Newport (Mon.) ..	—	—	—	—	11	285	23	—	57	137	103	84	1,050	1,055	879	939	80	70	4.02	7.46	1.92	1.78	1.28	2.97
Swansea ..	—	—	—	—	18	49	12	12	54	18	48	49	791	898	670	807	62	59	2.99	2.67	3.21	0.73	2.85	3.99
<i>Administrative Counties</i>																								
Bedfordshire ..	4	5	0	—	85	19	24	14	44	32	89	75	688	647	566	538	55	53	4.92	4.93	1.96	1.60	2.51	2.36
Berkshire ..	13	—	—	—	22	13	13	13	26	9	209	132	650	690	519	597	45	42	2.44	3.22	3.24	2.54	2.06	1.97
Buckinghamshire ..	9	18	—	—	50	4	41	4	23	4	45	45	538	556	439	497	42	43	1.64	1.27	1.89	2.45	4.40	1.22
Cambridgeshire ..	—	3	—	—	49	—	18	17	32	10	49	35	590	437	498	371	44	35	2.45	0.24	1.19	0.68	2.14	3.18
Cheshire ..	14	—	—	—	7	—	28	—	34	—	—	—	434	526	337	437	50	39	4.62	2.84	0.55	1.65	1.10	1.65
Cornwall ..	3	7	—	—	49	13	6	7	25	43	103	75	545	523	431	409	51	52	2.74	2.60	1.41	1.49	2.72	2.49
Cumberland ..	13	6	—	—	32	6	10	6	25	41	16	6	819	647	682	491	57	46	3.56	1.43	1.81	0.68	4.07	3.87
Derbyshire ..	15	20	—	—	79	20	—	10	84	50	40	95	914	771	682	617	63	61	4.86	3.01	2.62	0.58	2.33	3.48
Devonshire ..	3	3	—	—	45	19	5	10	31	24	49	68	514	535	394	418	53	57	2.77	3.39	1.93	2.23	2.24	2.02
Dorsetshire ..	7	7	—	—	50	20	7	13	20	9	24	31	623	626	496	543	49	43	2.28	1.40	1.51	1.52	2.69	3.55
Durham ..	4	12	—	—	16	8	8	24	58	4	29	49	551	561	415	500	44	38	2.38	1.73	2.00	1.39	3.14	2.50
Ely, Isle of ..	8	10	—	—	141	51	102	42	74	54	166	229	879	819	683	644	78	70	5.77	6.61	1.88	2.28	2.64	3.18
	—	—	—	—	220	12	49	24	73	48	61	24	612	545	490	436	59	46	0.76	2.21	1.47	2.12	3.67	2.12

TABLE 10—continued.

Administrative Area.	Mortality per Million Population at all Ages.										Mortality per 1,000 Live births.		Mortality per 1,000 Total (live and still) births.											
	Typhoid and paratyphoid fevers.		Smallpox.		Measles.		Scarlet fever.		Whooping cough.		Diphtheria.		Tuberculosis (all forms).		Tuberculosis of respiratory system.		Deaths under One Year.		Diarrhoea and enteritis under Two Years.		The Puerperal state.			
																			Puerperal sepsis.		Others.			
	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.	1934.	1935.		
Essex	2	2	—	—	96	6	25	9	28	33	127	77	593	544	505	458	48	44	3·85	3·99	2·79	2·05	2·17	1·90
Gloucestershire ..	3	12	—	—	47	21	15	24	74	12	41	21	683	600	526	472	50	39	2·14	1·25	2·87	1·79	1·43	1·99
Herefordshire ..	9	—	—	—	54	—	9	9	9	54	45	90	713	597	632	443	50	47	1·20	2·39	2·87	3·46	1·72	4·04
Hertfordshire ..	5	7	—	—	28	9	19	7	16	29	61	77	573	568	480	455	38	36	2·02	1·46	1·79	0·79	1·79	1·57
Huntingdonshire ..	18	18	—	—	107	18	18	36	36	18	72	72	698	682	519	467	44	51	2·47	1·21	2·37	1·16	2·37	1·16
Kent	5	3	—	—	38	9	25	8	35	14	55	42	704	660	591	555	48	43	4·95	4·24	1·78	1·12	2·05	1·98
Lancashire	4	2	—	—	68	44	23	19	31	25	88	85	596	573	469	469	61	62	4·51	3·71	2·21	1·80	2·96	2·98
Leicestershire ..	3	7	—	—	29	33	22	27	29	23	42	73	718	650	586	536	41	51	2·96	2·09	1·22	1·56	2·24	2·23
Lincolnshire, Holland ..	11	11	—	—	11	—	11	—	107	11	32	11	533	372	437	266	53	48	3·13	4·19	1·80	1·73	1·80	2·30
" Kesteven ..	—	—	—	—	37	—	9	9	55	18	37	18	522	625	403	516	50	51	3·81	1·98	2·43	1·89	3·04	4·41
" Lindsey ..	7	7	—	—	30	15	15	4	41	15	22	56	701	668	521	496	59	46	2·67	1·64	2·10	2·25	1·87	2·93
London	4	4	0	—	202	5	16	6	69	40	114	65	870	766	763	680	67	58	12·80	11·31	1·29	1·11	1·41	1·39
Middlesex	3	6	—	—	79	4	22	13	35	22	60	59	699	636	600	551	46	48	3·91	9·13	1·69	1·51	1·80	1·68
Norfolk	3	3	—	—	50	3	19	12	53	50	72	40	545	532	427	417	47	42	1·63	2·09	1·58	1·01	2·56	2·42
Northamptonshire ..	5	5	—	—	107	—	14	14	19	46	42	74	690	675	531	550	57	51	1·49	2·08	2·87	2·00	2·87	2·00
Northumberland ..	5	—	—	—	133	42	75	37	68	56	73	108	810	723	604	534	70	71	5·48	5·21	2·26	1·36	3·16	2·12
Nottinghamshire ..	—	4	—	—	62	4	11	11	65	24	27	46	586	662	499	531	54	56	2·84	1·84	2·71	1·63	4·48	1·90
Nottinghamshire ..	—	—	—	—	23	30	30	—	30	23	53	53	503	533	411	411	38	39	3·19	4·13	2·06	1·00	2·06	1·50
Oxfordshire	—	—	—	—	188	—	—	—	56	37	38	19	621	317	452	243	51	59	2·71	1·32	—	—	1·31	—
Peterborough, Soke of ..	—	19	—	—	56	—	—	—	56	—	—	—	393	339	281	282	51	41	4·24	—	—	—	—	—
Rutlandshire	—	—	—	—	58	33	16	4	54	17	37	33	589	624	470	513	57	46	2·99	2·22	2·08	2·65	3·11	1·59
Shropshire	8	—	—	—	25	10	2	7	32	12	25	40	533	528	426	433	45	40	2·55	1·17	1·57	1·68	1·57	1·87
Somersetshire	—	2	—	—	51	12	22	12	33	12	35	54	569	510	451	411	39	40	1·77	2·02	2·11	1·69	2·50	3·38
Southampton	6	4	2	—	50	63	8	22	72	83	50	69	739	717	609	598	58	66	5·36	8·05	2·24	1·57	2·16	2·74
Staffordshire	3	1	—	—	57	—	38	19	43	38	72	34	641	576	521	451	46	37	2·67	1·03	2·26	0·98	1·29	1·31
Suffolk, East	—	14	—	—	38	—	29	—	10	—	19	19	691	635	537	558	38	42	1·46	1·44	0·70	0·69	2·82	0·69
" West	—	—	—	—	51	—	15	10	32	13	54	40	576	526	485	448	43	40	3·12	3·07	1·54	1·12	2·38	2·18
Surrey	3	9	—	—	10	9	17	17	17	31	14	27	563	591	476	505	39	43	2·01	2·95	1·67	1·43	2·79	1·71
Sussex, East	—	7	—	—	10	3	17	17	17	31	14	27	563	591	476	505	39	43	2·01	2·95	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Sussex West ..	4	8	—	—	29	12	17	4	46	12	59	53	571	494	474	429	39	43	2.50	3.62	1.52	1.45	2.42	2.33
Warwickshire	5	5	—	—	22	40	38	8	46	21	93	99	548	543	428	452	48	48	1.14	3.13	2.03	1.06	2.77	2.48
Westmorland..	16	16	—	—	47	31	31	—	31	62	62	47	575	530	404	374	54	50	4.42	—	2.12	4.25	1.06	—
Wight, Isle of	—	—	—	—	58	12	12	12	35	12	12	23	618	641	466	478	41	39	2.04	1.01	4.85	1.93	2.91	0.97
Wiltshire ..	3	—	—	—	7	26	26	16	30	33	115	62	561	514	416	393	48	39	2.08	1.61	1.11	0.67	1.78	1.78
Worcestershire	9	—	—	—	38	19	56	15	47	46	179	176	708	667	567	586	53	51	5.10	3.91	1.63	1.19	3.26	1.78
Yorkshire, East Riding	6	—	—	—	17	34	23	6	6	11	98	80	499	539	390	407	51	52	5.47	2.42	2.62	1.17	4.11	4.29
" North	3	—	—	—	217	18	18	24	12	57	187	114	627	584	455	452	52	69	2.16	2.93	2.43	2.79	3.36	4.84
" West	5	5	—	—	108	24	46	27	29	35	170	136	555	580	437	478	58	58	3.21	3.42	2.20	1.78	3.34	2.56
Anglesey ..	—	—	—	—	—	21	—	21	83	21	—	21	1,335	924	1,210	714	76	85	6.70	4.30	2.54	2.72	2.54	6.79
Brecknockshire	—	—	—	—	36	36	18	—	36	36	18	108	606	812	463	632	53	51	4.80	1.30	1.14	1.22	5.69	4.87
Caernarvonshire	8	8	—	—	17	8	25	—	67	34	25	25	1,189	1,223	1,039	1,013	71	70	6.28	3.63	2.38	2.30	3.57	5.18
Cardiganshire	37	37	—	—	—	—	—	19	56	19	19	—	1,168	1,283	1,001	1,097	44	55	1.52	3.16	1.46	1.49	4.39	1.49
Cardiganshire	—	11	—	—	34	23	6	6	23	73	39	57	761	955	620	786	64	68	4.17	3.93	2.52	1.48	5.75	5.19
Denbighshire..	—	—	—	—	45	13	32	32	51	58	179	147	747	761	574	639	60	66	6.70	4.73	3.39	2.04	2.97	2.44
Flintshire ..	—	—	—	—	52	9	26	52	61	52	113	69	748	681	626	552	61	57	2.34	1.66	0.56	2.59	2.78	2.59
Glamorganshire	3	3	—	—	40	56	29	15	24	39	172	112	970	893	790	721	65	64	3.88	4.53	3.66	2.93	3.96	3.72
Merionethshire	—	—	—	—	—	—	24	—	—	24	24	—	964	944	867	823	42	69	3.50	5.32	1.68	—	10.07	5.03
Monmouthshire	—	3	—	—	56	83	32	18	80	55	218	104	805	825	670	679	57	61	5.01	5.31	2.20	2.32	3.72	4.11
Montgomeryshire	—	—	—	—	107	—	—	—	236	—	—	22	600	584	578	433	73	47	2.87	1.34	4.07	2.56	2.71	1.28
Pembrokeshire	—	—	—	—	12	24	—	12	105	47	210	106	782	1,022	607	764	68	56	4.52	3.71	0.72	1.40	7.87	2.09
Radnorshire ..	—	—	—	—	—	—	—	—	97	—	—	—	485	585	243	390	38	64	—	—	3.21	3.38	—	6.76

TABLE 11.—DEATHS UNDER ONE YEAR OF AGE FROM } England and Wales.
CERTAIN CAUSES, 1925-1935.

Cause of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
All Causes	53,316	48,757	45,610	42,960	47,868	38,908	41,939	39,933	36,960	35,017	34,092
I—Common Infectious Diseases (6-10, 44 : 4)	3,998	2,882	2,537	2,498	3,415	2,028	2,000	2,185	1,479	1,694	1,199
II—Tuberculous Diseases (23-32) ..	896	862	718	710	660	585	665	617	482	413	335
III—Diarrhoea and Enteritis (119) ..	5,307	5,394	3,740	4,099	4,597	3,522	3,284	3,630	3,558	2,890	3,031
IV—Developmental and Wasting Diseases (157-159, 161 : a & b) ..	21,439	20,470	19,440	18,915	19,256	18,366	18,543	17,973	17,491	17,092	16,782
V—Miscellaneous Diseases— (Remainder)	21,676	19,149	19,175	16,738	19,940	14,407	17,447	15,528	13,950	12,928	12,745
Measles (7)	1,099	789	791	914	657	902	720	661	363	676	287
Whooping cough (9)	2,708	1,920	1,584	1,397	2,554	965	1,127	1,410	1,010	902	812
Diphtheria (10)	121	124	105	135	143	126	101	72	70	74	70
Influenza (11)	412	312	808	222	777	130	513	422	519	169	205
Tuberculosis of nervous system (24)	435	444	399	357	325	306	366	341	229	227	182
Tuberculosis of intestines and peritoneum (25)	192	173	114	128	128	86	104	89	81	51	45
Other tuberculous diseases (23, 26-32)	269	245	205	225	207	193	195	187	172	135	108
Syphilis (34)	585	586	505	471	413	360	322	291	232	201	174
Meningitis (79)	434	388	310	298	291	231	257	225	233	213	215
Convulsions (86)	2,824	2,524	1,911	1,624	1,702	1,456	1,412	1,237	1,084	1,076	1,026
Bronchitis (106)	3,655	2,939	2,762	2,309	2,725	1,718	2,305	1,899	1,485	1,253	1,202
Pneumonia (107-109)	8,101	6,980	7,659	6,385	8,477	5,160	7,302	5,987	5,484	4,873	5,018
Other respiratory diseases (104, 105, 110-114)	235	208	158	199	188	189	180	163	123	108	119
Inflammation of the stomach (118 : 1)	508	444	335	302	253	219	247	208	189	153	157
Diarrhoea and enteritis (119) ..	5,307	5,394	3,740	4,099	4,597	3,522	3,284	3,630	3,558	2,890	3,031
Hernia, intestinal obstruction (122)	442	412	384	408	432	399	392	357	340	311	350
Congenital malformations (157) ..	3,253	3,181	3,120	3,249	3,350	3,420	3,494	3,611	3,417	3,619	3,540
Diseases of early infancy (158-161)	19,766	18,846	17,952	17,371	17,764	16,789	16,800	16,232	15,797	15,336	15,086
Congenital debility (158) ..	4,156	3,690	2,768	2,555	2,504	2,198	2,116	1,823	1,810	1,526	1,521
Premature birth (159)	12,534	12,146	12,132	11,671	11,992	11,360	11,565	11,174	10,885	10,518	10,314
Injury at birth (160)	1,057	1,049	1,211	1,253	1,354	1,360	1,334	1,379	1,321	1,391	1,415
With mention of Cæsarean section (160 a)	?	?	?	?	?	?	10	15	12	14	15
Without mention of Cæsarean section (160 b)	?	?	?	?	?	?	1,324	1,364	1,309	1,377	1,400
Other diseases peculiar to early infancy (161)	2,019	1,961	1,841	1,892	1,914	1,871	1,785	1,856	1,781	1,901	1,836
Atelectasis (161 a)	1,099	1,081	1,018	1,049	1,021	1,012	1,042	1,052	1,079	1,099	1,118
Icterus neonatorum (161 b) ..	397	372	402	391	389	376	326	313	300	330	289
Other diseases included under 161 (161 c)	523	508	421	452	504	483	417	491	402	472	429
Disease of the umbilicus (161 c : 1)	139	121	75	79	98	113	90	103	69	83	73
Pemphigus neonatorum (161 c : 2)	173	140	122	119	126	102	84	72	52	69	58
Other diseases under 161 c (161 c : 3)	211	247	224	254	280	268	243	316	281	320	298
Suffocation—in bed or not stated how (182 pt.)	403	396	392	390	364	359	296	300	255	253	230
Inattention at birth (194 : 1) ..	237	302	266	250	223	217	182	226	165	197	155
Other causes	2,330	2,150	2,110	2,227	2,298	2,161	2,340	2,385	2,154	2,300	2,080

TABLE 12.—INFANT MORTALITY (DEATHS UNDER
1 YEAR PER 1,000 LIVE BIRTHS) FROM CERTAIN } England and Wales.
CAUSES, 1925-1935.

Cause of Death.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
All Causes	75·03	70·20	69·72	65·06	74·37	59·97	66·35	65·04	63·68	58·59	56·94
I—Common Infectious Diseases (6-10, 44 : 4)	5·63	4·15	3·88	3·78	5·31	3·13	3·16	3·56	2·55	2·83	2·00
II—Tuberculous Diseases (23-32) ..	1·26	1·24	1·10	1·08	1·03	0·90	1·05	1·00	0·83	0·69	0·56
III—Diarrhœa and Enteritis (119) ..	7·47	7·77	5·72	6·21	7·14	5·43	5·20	5·91	6·13	4·84	5·06
IV—Developmental and Wasting Diseases (157-159, 161 : a & b) ..	30·17	29·47	29·72	28·65	29·92	28·31	29·34	29·27	30·14	28·60	28·03
V—Miscellaneous Diseases— (Remainder)	30·50	27·57	29·31	25·35	30·98	22·21	27·60	25·29	24·03	21·63	21·29
Measles (7)	1·55	1·14	1·21	1·38	1·02	1·39	1·14	1·08	0·63	1·13	0·48
Whooping cough (9)	3·81	2·76	2·42	2·12	3·97	1·49	1·78	2·30	1·74	1·51	1·36
Diphtheria (10)	0·17	0·18	0·16	0·20	0·22	0·19	0·16	0·12	0·12	0·12	0·12
Influenza (11)	0·58	0·45	1·24	0·34	1·21	0·20	0·81	0·69	0·89	0·28	0·34
Tuberculosis of nervous system (24)	0·61	0·64	0·61	0·54	0·50	0·47	0·58	0·56	0·39	0·38	0·30
Tuberculosis of intestines and peritoneum (25)	0·27	0·25	0·17	0·19	0·20	0·13	0·16	0·14	0·14	0·09	0·08
Other tuberculous diseases (23, 26-32)	0·38	0·35	0·31	0·34	0·32	0·30	0·31	0·30	0·30	0·23	0·18
Syphilis (34)	0·82	0·84	0·77	0·71	0·64	0·55	0·51	0·47	0·40	0·34	0·29
Meningitis (79)	0·61	0·56	0·47	0·45	0·45	0·36	0·41	0·37	0·40	0·36	0·36
Convulsions (86)	3·97	3·63	2·92	2·46	2·64	2·24	2·23	2·01	1·87	1·80	1·71
Bronchitis (106)	5·14	4·23	4·22	3·50	4·23	2·65	3·65	3·09	2·56	2·10	2·01
Pneumonia (107-109)	11·40	10·05	11·71	9·67	13·17	7·95	11·55	9·75	9·45	8·15	8·33
Other respiratory diseases (104, 105, 110-114)	0·33	0·30	0·24	0·30	0·29	0·29	0·28	0·27	0·21	0·18	0·20
Inflammation of the stomach (118 : 1)	0·71	0·64	0·51	0·46	0·39	0·34	0·39	0·34	0·33	0·26	0·26
Diarrhœa and enteritis (119) ..	7·47	7·77	5·72	6·21	7·14	5·43	5·20	5·91	6·13	4·84	5·06
Hernia, intestinal obstruction (122)	0·62	0·59	0·59	0·62	0·67	0·61	0·62	0·58	0·59	0·52	0·58
Congenital malformations (157) ..	4·58	4·58	4·77	4·92	5·20	5·27	5·53	5·88	5·89	6·06	5·91
Diseases of early infancy (158-161)	27·82	27·14	27·45	26·31	27·60	25·88	26·58	26·44	27·22	25·66	25·20
Congenital debility (158) ..	5·85	5·31	4·23	3·87	3·89	3·39	3·35	2·97	3·12	2·55	2·54
Premature birth (159)	17·64	17·49	18·55	17·68	18·63	17·51	18·30	18·20	18·75	17·60	17·23
Injury at birth (160)	1·49	1·51	1·85	1·90	2·10	2·10	2·11	2·25	2·28	2·33	2·36
With mention of Cæsarean section (160 a)	?	?	?	?	?	?	0·02	0·02	0·02	0·02	0·03
Without mention of Cæsarean section (160 b)	?	?	?	?	?	?	2·10	2·22	2·26	2·30	2·34
Other diseases peculiar to early infancy (161)	2·84	2·82	2·81	2·87	2·97	2·88	2·82	3·02	3·07	3·18	3·07
Atelectasis (161 a)	1·55	1·56	1·56	1·59	1·59	1·56	1·65	1·71	1·86	1·84	1·87
Icterus neonatorum (161 b) ..	0·56	0·54	0·61	0·59	0·60	0·58	0·52	0·51	0·52	0·55	0·48
Other diseases included under 161 (161 c)	0·74	0·73	0·64	0·68	0·78	0·74	0·66	0·80	0·69	0·79	0·72
Disease of the umbilicus (161 c : 1)	0·20	0·17	0·11	0·12	0·15	0·17	0·14	0·17	0·12	0·14	0·12
Pemphigus neonatorum (161 c : 2)	0·24	0·20	0·19	0·18	0·20	0·16	0·13	0·12	0·09	0·12	0·10
Other diseases under 161 c (161 c : 3)	0·30	0·36	0·34	0·38	0·44	0·41	0·38	0·51	0·48	0·54	0·50
Suffocation—in bed or not stated how (182 pt.)	0·57	0·57	0·60	0·59	0·57	0·55	0·47	0·49	0·44	0·42	0·38
Inattention at birth (194 : 1) ..	0·33	0·43	0·41	0·38	0·35	0·33	0·29	0·37	0·28	0·33	0·26
Other causes	3·28	3·10	3·23	3·37	3·57	3·33	3·70	3·88	3·71	3·85	3·47

TABLE 14.—INFANT MORTALITY (DEATHS UNDER 1 YEAR AND VARIOUS SUB-DIVISIONS OF THE FIRST YEAR PER 1,000 LIVE BIRTHS), 1935.

By Sex, Age, Cause and Legitimacy—England and Wales.

By Age, Cause and Legitimacy—Greater London, Aggregates of County Boroughs, Other Urban Districts and Rural Districts.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
All Causes—																		
England and Wales ..	{ M 63.90 F 49.58 P 56.94	34.11 26.45 30.38	10.52 7.64 9.12	8.56 6.78 7.69	6.04 4.77 5.42	4.67 3.95 4.32	62.30 48.34 55.51	33.31 25.78 29.65	10.10 7.34 8.76	8.29 6.55 7.45	5.95 4.72 5.35	4.65 3.94 4.30	100.74 77.83 89.54	52.43 41.65 47.16	20.10 14.43 17.33	14.73 11.90 13.34	8.18 5.87 7.05	5.30 3.99 4.66
Greater London ..	{ M 51.15 F 66.16 P 55.48	24.74 33.26 31.49	8.85 10.85 8.58	8.64 9.48 6.53	5.40 6.86 4.87	3.53 5.71 4.01	48.37 64.91 54.57	23.54 32.60 30.98	8.12 10.53 8.31	8.04 9.29 6.40	5.25 6.74 4.88	3.44 5.75 4.02	110.81 94.09 78.22	50.46 47.93 44.22	24.56 17.83 15.49	21.52 13.81 9.78	8.76 9.56 4.81	5.52 4.96 3.91
County Boroughs ..	{ M 48.89 F 58.75 P 50.57	29.53 30.57	7.16 9.56	5.31 8.23	3.74 5.80	3.15 4.58	47.77 57.25	28.78 29.84	6.98 9.16	5.17 7.96	3.74 5.72	3.10 4.57	73.72 93.22	46.26 47.37	10.98 18.80	8.45 14.48	3.80 7.81	4.22 4.76
Other Urban Districts ..	{ M 1.91 F 2.10 P 2.00	0.06 0.05 0.06	0.35 0.37 0.36	0.37 0.47 0.42	0.54 0.56 0.55	0.60 0.65 0.62	1.91 2.13 2.01	0.06 0.05 0.06	0.36 0.37 0.37	0.34 0.48 0.41	0.55 0.56 0.56	0.59 0.66 0.63	2.03 1.47 1.75	— — —	0.08 0.24 0.16	1.01 0.24 0.64	0.23 0.65 0.44	0.70 0.33 0.52
Rural Districts ..	{ M 1.48 F 2.81 P 1.88	0.03 0.07 0.07	0.32 0.40 0.32	0.37 0.52 0.37	0.45 0.78 0.55	0.31 1.05 0.56	1.47 2.82 1.88	0.03 0.07 0.07	0.34 0.40 0.33	0.35 0.52 0.36	0.44 0.78 0.55	0.32 1.04 0.57	1.52 2.60 1.65	— — —	— 0.24 0.15	0.95 0.47 0.75	0.57 0.59 0.45	— 1.30 0.30
All Urban Districts ..	{ M 2.16 F 2.16 P 2.16	0.06 0.06 0.06	0.35 0.35 0.35	0.43 0.43 0.43	0.62 0.62 0.62	0.70 0.70 0.70	2.16 2.16 2.16	0.06 0.06 0.06	0.36 0.36 0.36	0.42 0.42 0.42	0.62 0.62 0.62	0.70 0.70 0.70	2.01 (13)	— (14)	0.15 (15)	0.69 (16)	0.54 (17)	0.64 (18)
I. Common Infectious Diseases (6-10, 44 : 4)	{ M 1.91 F 2.10 P 2.00	0.06 0.05 0.06	0.35 0.37 0.36	0.37 0.47 0.42	0.54 0.56 0.55	0.60 0.65 0.62	1.91 2.13 2.01	0.06 0.05 0.06	0.36 0.37 0.37	0.34 0.48 0.41	0.55 0.56 0.56	0.59 0.66 0.63	2.03 1.47 1.75	— — —	0.08 0.24 0.16	1.01 0.24 0.64	0.23 0.65 0.44	0.70 0.33 0.52
England and Wales ..	{ M 1.48 F 2.81 P 1.88	0.03 0.07 0.07	0.32 0.40 0.32	0.37 0.52 0.37	0.45 0.78 0.55	0.31 1.05 0.56	1.47 2.82 1.88	0.03 0.07 0.07	0.34 0.40 0.33	0.35 0.52 0.36	0.44 0.78 0.55	0.32 1.04 0.57	1.52 2.60 1.65	— — —	— 0.24 0.15	0.95 0.47 0.75	0.57 0.59 0.45	— 1.30 0.30
Greater London ..	{ M 2.16 F 2.16 P 2.16	0.06 0.06 0.06	0.35 0.35 0.35	0.43 0.43 0.43	0.62 0.62 0.62	0.70 0.70 0.70	2.16 2.16 2.16	0.06 0.06 0.06	0.36 0.36 0.36	0.42 0.42 0.42	0.62 0.62 0.62	0.70 0.70 0.70	2.01 (13)	— (14)	0.15 (15)	0.69 (16)	0.54 (17)	0.64 (18)
County Boroughs ..	{ M 1.91 F 2.10 P 2.00	0.06 0.05 0.06	0.35 0.37 0.36	0.37 0.47 0.42	0.54 0.56 0.55	0.60 0.65 0.62	1.91 2.13 2.01	0.06 0.05 0.06	0.36 0.37 0.37	0.34 0.48 0.41	0.55 0.56 0.56	0.59 0.66 0.63	2.03 1.47 1.75	— — —	0.08 0.24 0.16	1.01 0.24 0.64	0.23 0.65 0.44	0.70 0.33 0.52
Other Urban Districts ..	{ M 1.48 F 2.81 P 1.88	0.03 0.07 0.07	0.32 0.40 0.32	0.37 0.52 0.37	0.45 0.78 0.55	0.31 1.05 0.56	1.47 2.82 1.88	0.03 0.07 0.07	0.34 0.40 0.33	0.35 0.52 0.36	0.44 0.78 0.55	0.32 1.04 0.57	1.52 2.60 1.65	— — —	— 0.24 0.15	0.95 0.47 0.75	0.57 0.59 0.45	— 1.30 0.30
Rural Districts ..	{ M 2.16 F 2.16 P 2.16	0.06 0.06 0.06	0.35 0.35 0.35	0.43 0.43 0.43	0.62 0.62 0.62	0.70 0.70 0.70	2.16 2.16 2.16	0.06 0.06 0.06	0.36 0.36 0.36	0.42 0.42 0.42	0.62 0.62 0.62	0.70 0.70 0.70	2.01 (13)	— (14)	0.15 (15)	0.69 (16)	0.54 (17)	0.64 (18)
All Urban Districts ..	{ M 2.16 F 2.16 P 2.16	0.06 0.06 0.06	0.35 0.35 0.35	0.43 0.43 0.43	0.62 0.62 0.62	0.70 0.70 0.70	2.16 2.16 2.16	0.06 0.06 0.06	0.36 0.36 0.36	0.42 0.42 0.42	0.62 0.62 0.62	0.70 0.70 0.70	2.01 (13)	— (14)	0.15 (15)	0.69 (16)	0.54 (17)	0.64 (18)

TABLE 14—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
II. Tuberculous Diseases (23-32)																		
England and Wales ..	0.62	0.01	0.04	0.16	0.20	0.22	0.61	0.01	0.03	0.15	0.20	0.22	0.86	—	0.08	0.31	0.31	0.16
{ M ..	0.49	—	0.02	0.13	0.16	0.18	0.50	—	0.02	0.14	0.16	0.18	0.24	—	—	0.08	0.16	—
{ F ..	0.56	0.01	0.03	0.15	0.18	0.20	0.56	0.01	0.03	0.14	0.18	0.20	0.56	—	0.04	0.20	0.24	0.08
{ P ..																		
Greater London ..	0.54	—	0.02	0.18	0.19	0.16	0.54	—	0.02	0.18	0.18	0.17	0.57	—	—	0.19	0.38	—
County Boroughs ..	0.59	0.01	0.02	0.16	0.16	0.24	0.60	0.01	0.02	0.16	0.16	0.24	0.35	—	—	0.12	0.12	0.12
Other Urban Districts ..	0.55	0.01	0.05	0.13	0.20	0.17	0.54	0.01	0.04	0.12	0.20	0.18	0.75	—	0.15	0.30	0.30	—
Rural Districts ..	0.54	—	0.02	0.12	0.19	0.21	0.53	—	0.02	0.11	0.19	0.21	0.63	—	—	0.21	0.21	0.21
All Urban Districts ..	0.56	0.01	0.03	0.15	0.18	0.20	0.57	0.01	0.03	0.15	0.18	0.20	0.54	—	0.05	0.20	0.25	0.05
III. Diarrhoea and Enteritis (119)																		
England and Wales ..	5.88	0.63	1.55	2.05	1.01	0.65	5.61	0.63	1.41	1.94	0.98	0.65	12.00	0.62	4.67	4.44	1.64	0.62
{ M ..	4.20	0.46	1.06	1.43	0.81	0.44	3.94	0.45	0.94	1.33	0.80	0.43	10.02	0.57	3.83	3.83	1.14	0.65
{ F ..	5.06	0.54	1.31	1.75	0.91	0.55	4.80	0.54	1.18	1.64	0.89	0.54	11.03	0.60	4.26	4.14	1.39	0.64
{ P ..																		
Greater London ..	8.23	0.56	2.04	3.00	1.71	0.92	7.38	0.53	1.61	2.69	1.67	0.88	26.47	1.14	11.23	9.71	2.48	1.90
County Boroughs ..	6.29	0.67	1.64	2.25	1.09	0.64	6.12	0.68	1.56	2.16	1.06	0.66	10.03	0.47	3.31	4.13	1.89	0.24
Other Urban Districts ..	3.36	0.52	0.92	1.04	0.55	0.33	3.28	0.51	0.89	1.00	0.54	0.34	5.42	0.60	1.81	2.11	0.75	0.15
Rural Districts ..	2.15	0.34	0.56	0.63	0.30	0.32	2.08	0.34	0.51	0.62	0.30	0.30	3.59	0.21	1.69	0.84	0.21	0.63
All Urban Districts ..	5.72	0.59	1.48	2.00	1.05	0.60	5.41	0.59	1.33	1.87	1.02	0.60	12.76	0.69	4.86	4.91	1.67	0.64
{ M ..	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
IV. Developmental and Wasting Diseases(157-9,161 (a) & (b))																		
England and Wales ..	M 31.26 F 24.62 P 28.03	25.74 20.62 23.25	3.98 2.75 3.38	1.04 0.81 0.93	0.31 0.31 0.31	0.19 0.13 0.16	30.60 24.10 27.44	25.31 20.24 22.84	3.80 2.64 3.23	1.02 0.79 0.91	0.30 0.30 0.30	0.18 0.13 0.16	46.36 36.43 41.51	35.68 29.34 32.58	8.18 5.38 6.81	1.64 1.22 1.43	0.55 0.41 0.48	0.31 0.08 0.20
Greater London ..	22.84	18.68	2.82	0.93	0.29	0.12	22.07	18.11	2.65	0.92	0.27	0.12	39.41	30.85	6.47	1.14	0.76	0.19
County Boroughs ..	30.78	25.24	3.98	1.07	0.31	0.19	30.06	24.79	3.77	1.01	0.31	0.19	46.87	35.18	8.62	2.48	0.35	0.24
Other Urban Districts ..	28.89	24.28	3.22	0.88	0.32	0.19	28.57	24.07	3.11	0.89	0.32	0.19	36.85	29.48	6.02	0.60	0.45	0.30
Rural Districts ..	27.28	22.96	3.17	0.76	0.30	0.10	26.67	22.45	3.08	0.74	0.30	0.10	40.77	34.22	5.07	1.06	0.42	—
All Urban Districts ..	28.20	23.32	3.43	0.97	0.31	0.17	27.61	22.93	3.27	0.95	0.30	0.17	41.68	32.20	7.22	1.52	0.49	0.25
V. Miscellaneous Diseases (remainder)																		
England and Wales ..	M 24.23 F 18.17 P 21.29	7.67 5.32 6.53	4.61 3.44 4.04	4.94 3.94 4.45	3.99 2.92 3.47	3.02 2.55 2.79	23.57 17.67 20.70	7.30 5.04 6.20	4.50 3.37 3.95	4.84 3.82 4.34	3.93 2.90 3.43	3.00 2.54 2.78	39.50 29.67 34.69	16.13 11.74 13.98	7.09 4.97 6.05	7.32 6.52 6.93	5.45 3.50 4.50	3.51 2.93 3.23
Greater London ..	18.06	5.47	3.65	4.15	2.77	2.02	16.90	4.87	3.50	3.90	2.69	1.95	42.84	18.47	6.85	9.52	4.57	3.43
County Boroughs ..	25.69	7.27	4.82	5.49	4.52	3.60	25.30	7.04	4.78	5.44	4.42	3.62	34.23	12.28	5.67	6.61	6.61	3.07
Other Urban Districts ..	20.80	6.61	4.07	4.10	3.25	2.76	20.29	6.31	3.94	4.03	3.27	2.74	33.54	14.14	7.37	6.02	2.86	3.16
Rural Districts ..	17.61	6.19	3.02	3.47	2.69	2.24	17.14	5.94	2.98	3.36	2.67	2.19	28.09	11.83	4.01	5.91	2.96	3.38
All Urban Districts ..	22.11	6.60	4.27	4.67	3.65	2.92	21.50	6.26	4.17	4.56	3.59	2.91	36.23	14.48	6.53	7.17	4.86	3.19
Measles (7)																		
England and Wales ..	M 0.54 F 0.42 P 0.48	0.01 0.02 0.01	0.03 0.02 0.02	0.04 0.04 0.04	0.19 0.12 0.16	0.27 0.22 0.25	0.53 0.43 0.48	0.01 0.02 0.01	0.03 0.02 0.02	0.04 0.04 0.04	0.19 0.13 0.16	0.26 0.23 0.25	0.62 0.08 0.36	— — —	— — —	0.08 — 0.04	0.08 — 0.08	0.47 — 0.24
Greater London ..	0.08	0.01	0.02	0.02	0.02	0.02	0.08	0.01	0.02	0.02	0.02	0.02	—	—	—	—	—	—
County Boroughs ..	0.94	0.03	0.03	0.09	0.28	0.51	0.94	0.03	0.03	0.10	0.28	0.51	0.83	—	—	—	0.24	0.59
Other Urban Districts ..	0.43	0.01	0.02	0.01	0.16	0.22	0.44	0.01	0.02	0.01	0.16	0.23	0.15	—	—	—	—	0.15
Rural Districts ..	0.17	—	0.01	0.02	0.08	0.06	0.17	—	0.01	0.01	0.09	0.07	0.21	—	—	0.21	—	—</

TABLE 14—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Diphtheria (10)																		
	0·14	0·01	0·03	0·02	0·05	0·05	0·14	0·01	0·03	0·01	0·04	0·05	0·16	—	—	0·08	0·08	—
	0·09	0·01	0·01	0·02	0·02	0·03	0·09	0·01	0·01	0·02	0·02	0·03	—	—	—	—	—	—
	0·12	0·01	0·02	0·02	0·03	0·04	0·12	0·01	0·02	0·02	0·03	0·04	0·08	—	—	0·04	0·04	—
Influenza (11)																		
	0·36	0·03	0·07	0·08	0·09	0·09	0·36	0·02	0·07	0·08	0·10	0·08	0·39	0·08	—	—	0·08	0·23
	0·33	0·02	0·08	0·08	0·05	0·10	0·33	0·02	0·08	0·08	0·05	0·10	0·33	—	—	0·24	—	0·08
	0·34	0·02	0·07	0·08	0·07	0·09	0·34	0·02	0·07	0·08	0·07	0·09	0·36	0·04	—	0·12	0·04	0·16
Influenza (11)																		
	0·16	0·01	0·03	0·04	0·03	0·04	0·15	0·01	0·04	0·04	0·04	0·04	0·38	—	—	0·19	—	0·19
	0·39	0·02	0·09	0·10	0·09	0·10	0·40	0·02	0·09	0·10	0·09	0·10	0·12	—	—	—	—	0·12
	0·37	0·05	0·09	0·08	0·05	0·10	0·37	0·05	0·10	0·08	0·05	0·10	0·30	—	—	—	0·15	0·15
	0·42	0·01	0·05	0·10	0·13	0·13	0·40	—	0·06	0·09	0·13	0·12	0·84	0·21	—	0·42	—	0·21
Influenza (11)																		
	0·33	0·03	0·08	0·08	0·06	0·08	0·33	0·03	0·08	0·08	0·06	0·08	0·25	—	—	0·05	0·05	0·15
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

Tuberculosis of nervous system (24)												
<div><div>M</div><div>F</div><div>P</div></div> England and Wales ..												
0.33	0.01	0.01	0.08	0.11	0.12	0.33	0.01	0.01	0.01	0.11	0.13	0.31
0.28	—	0.01	0.07	0.11	0.09	0.28	—	0.01	0.01	0.11	0.09	0.24
0.30	0.00	0.01	0.07	0.11	0.11	0.31	0.00	0.01	0.01	0.11	0.11	0.28
Greater London ..												
0.27	—	—	0.09	0.11	0.07	0.28	—	—	0.09	0.12	0.07	0.19
0.31	0.01	0.01	0.07	0.10	0.13	0.32	0.01	0.01	0.06	0.11	0.13	0.12
<div><div>County Boroughs</div><div>Other Urban Districts</div><div>Rural Districts</div></div> excluding Greater London. ..												
0.33	0.01	0.01	0.07	0.14	0.10	0.33	0.01	0.01	0.07	0.13	0.11	0.45
0.28	—	0.01	0.06	0.09	0.12	0.28	—	0.01	0.07	0.09	0.11	0.42
0.31	0.00	0.01	0.08	0.12	0.10	0.31	0.00	0.01	0.07	0.12	0.11	0.25
All Urban Districts ..												
Tuberculosis of intestines and peritoneum (25)												
<div><div>M</div><div>F</div><div>P</div></div> England and Wales ..												
0.10	0.00	0.02	0.03	0.04	0.02	0.11	0.00	0.02	0.03	0.03	0.02	0.08
0.04	—	—	0.02	0.01	0.02	0.05	—	—	0.02	0.01	0.02	—
0.08	0.00	0.01	0.02	0.02	0.02	0.08	0.00	0.01	0.02	0.02	0.02	0.04
Greater London ..												
0.02	—	—	0.01	0.01	—	0.01	—	—	0.01	—	—	0.19
0.08	0.01	0.01	0.02	0.02	0.03	0.08	0.01	0.01	0.02	0.02	0.03	—
<div><div>County Boroughs</div><div>Other Urban Districts</div><div>Rural Districts</div></div> excluding Greater London. ..												
0.12	—	0.02	0.03	0.03	0.03	0.12	—	0.02	0.04	0.03	0.04	—
0.07	—	0.01	0.02	0.03	0.02	0.08	—	0.01	0.02	0.03	0.02	—
0.08	0.00	0.01	0.02	0.02	0.02	0.08	0.00	0.01	0.02	0.02	0.02	0.05
All Urban Districts ..												
Other tuberculous diseases (23, 26-32)												
<div><div>M</div><div>F</div><div>P</div></div> England and Wales ..												
0.19	—	0.01	0.05	0.06	0.07	0.18	—	0.01	0.04	0.05	0.07	0.47
0.17	—	0.01	0.05	0.04	0.07	0.18	—	0.01	0.05	0.05	0.07	—
0.18	—	0.01	0.05	0.05	0.07	0.18	—	0.01	0.05	0.05	0.07	0.24
Greater London ..												
0.25	—	0.02	0.08	0.07	0.09	0.26	—	0.02	0.08	0.06	0.10	0.19
0.20	—	0.01	0.07	0.04	0.09	0.20	—	0.01	0.07	0.04	0.08	0.24
<div><div>County Boroughs</div><div>Other Urban Districts</div><div>Rural Districts</div></div> excluding Greater London. ..												
0.10	—	0.02	0.02	0.03	0.03	0.10	—	0.01	0.01	0.04	0.04	0.30
0.18	—	—	0.04	0.07	0.07	0.18	—	—	0.03	0.08	0.08	0.21
0.18	—	0.01	0.05	0.04	0.07	0.18	—	0.01	0.05	0.04	0.07	0.25
All Urban Districts ..												
Syphilis (34)												
<div><div>M</div><div>F</div><div>P</div></div> England and Wales ..												
0.33	0.13	0.13	0.05	0.01	0.00	0.30	0.12	0.12	0.05	0.01	0.00	0.93
0.25	0.09	0.08	0.07	0.02	—	0.23	0.09	0.08	0.05	0.01	—	0.81
0.29	0.11	0.11	0.06	0.01	0.00	0.26	0.10	0.10	0.05	0.01	0.00	0.88
Greater London ..												
0.25	0.10	0.09	0.04	0.02	—	0.23	0.09	0.10	0.04	0.01	—	0.76
0.41	0.15	0.16	0.08	0.02	—	0.39	0.15	0.15	0.07	0.01	—	0.94
<div><div>County Boroughs</div><div>Other Urban Districts</div><div>Rural Districts</div></div> excluding Greater London. ..												
0.22	0.10	0.07	0.05	0.01	—	0.21	0.09	0.07	0.04	0.01	—	0.60
0.22	0.08	0.07	0.05	0.01	0.01	0.17	0.07	0.06	0.03	0.01	0.01	1.27
0.31	0.12	0.11	0.06	0.01	—	0.29	0.11	0.11	0.05	0.01	—	0.79
All Urban Districts ..												

TABLE 14—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Meningitis (79)																		
	0.41	0.05	0.07	0.13	0.08	0.07	0.41	0.05	0.07	0.14	0.08	0.07	0.47	0.08	0.16	—	0.08	0.16
	0.30	0.04	0.04	0.06	0.08	0.08	0.29	0.04	0.04	0.06	0.08	0.08	0.49	0.16	0.08	—	0.16	0.08
	0.36	0.05	0.06	0.10	0.08	0.08	0.35	0.04	0.05	0.10	0.08	0.07	0.48	0.12	0.12	—	0.12	0.12
England and Wales ..																		
	0.25	0.04	0.06	0.05	0.06	0.04	0.25	0.04	0.05	0.05	0.06	0.04	0.38	—	0.19	—	—	0.19
	0.50	0.05	0.08	0.15	0.11	0.11	0.49	0.04	0.08	0.15	0.10	0.11	0.59	0.24	—	—	0.24	0.12
	0.29	0.04	0.04	0.09	0.06	0.06	0.29	0.04	0.03	0.09	0.07	0.06	0.30	—	0.30	—	—	—
	0.34	0.05	0.04	0.07	0.09	0.08	0.32	0.05	0.04	0.08	0.09	0.08	0.63	0.21	—	—	0.21	0.21
Greater London ..	0.36	0.04	0.06	0.10	0.08	0.08	0.36	0.04	0.06	0.11	0.08	0.07	0.44	0.10	0.15	—	0.10	0.10
County Boroughs ..																		
Other Urban Districts ..																		
Rural Districts ..																		
All Urban Districts ..																		
Convulsions (86)																		
	2.02	1.14	0.32	0.30	0.17	0.11	2.02	1.15	0.31	0.29	0.17	0.11	2.03	0.78	0.47	0.55	0.16	0.08
	1.39	0.69	0.25	0.23	0.14	0.08	1.35	0.70	0.24	0.22	0.13	0.07	2.20	0.65	0.57	0.49	0.33	0.16
	1.71	0.92	0.29	0.26	0.15	0.09	1.70	0.93	0.28	0.25	0.15	0.09	2.11	0.72	0.52	0.52	0.24	0.12
England and Wales ..																		
	0.41	0.24	0.05	0.06	0.03	0.03	0.39	0.25	0.04	0.05	0.03	0.03	0.76	—	0.38	0.19	0.19	—
	1.91	1.00	0.29	0.31	0.20	0.10	1.92	1.03	0.29	0.30	0.20	0.10	1.65	0.47	0.35	0.59	0.12	0.12
	2.19	1.20	0.39	0.30	0.18	0.12	2.14	1.18	0.36	0.29	0.19	0.12	3.31	1.50	1.20	0.60	—	—
	2.02	1.07	0.36	0.33	0.15	0.11	1.99	1.08	0.38	0.31	0.11	0.10	2.75	0.84	—	0.63	0.84	0.42
Greater London ..	1.64	0.89	0.27	0.25	0.15	0.09	1.63	0.90	0.25	0.24	0.16	0.09	1.96	0.69	0.64	0.49	0.10	0.05
County Boroughs ..																		
Other Urban Districts ..																		
Rural Districts ..																		
All Urban Districts ..																		

Bronchitis (106)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
England and Wales ..	M 2.20 F 1.81 P 2.01	0.31 0.30 0.30	0.71 0.52 0.61	0.54 0.48 0.51	0.40 0.27 0.33	0.24 0.24 0.24	2.17 1.76 1.97	0.31 0.30 0.31	0.71 0.51 0.61	0.53 0.46 0.50	0.39 0.27 0.33	0.23 0.22 0.23	2.88 2.85 2.87	0.23 0.33 0.28	0.70 0.73 0.72	0.86 0.81 0.84	0.62 0.16 0.40	0.47 0.81 0.64
Greater London ..	1.28	0.15	0.35	0.41	0.25	0.13	1.17	0.14	0.35	0.34	0.23	0.12	3.62	0.38	0.38	1.90	0.57	0.38
County Boroughs ..	2.26	0.29	0.77	0.57	0.34	0.28	2.26	0.30	0.79	0.58	0.32	0.26	2.24	0.24	0.35	0.35	0.71	0.59
Other Urban Districts ..	2.33	0.40	0.70	0.55	0.37	0.31	2.29	0.40	0.68	0.54	0.38	0.28	3.46	0.30	1.20	0.75	0.15	1.05
Rural Districts ..	1.83	0.34	0.49	0.45	0.36	0.20	1.81	0.34	0.47	0.44	0.37	0.19	2.32	0.21	1.06	0.63	—	0.42
All Urban Districts ..	2.05	0.30	0.64	0.53	0.33	0.25	2.01	0.30	0.64	0.51	0.32	0.23	2.99	0.29	0.64	0.88	0.49	0.69

Pneumonia (107-109)

England and Wales ..	M 9.38 F 7.32 P 8.38	1.03 0.69 0.87	1.98 1.55 1.77	2.46 2.00 2.23	2.19 1.60 1.90	1.72 1.49 1.61	9.23 7.23 8.26	1.00 0.67 0.84	1.93 1.51 1.73	2.41 1.97 2.19	2.16 1.58 1.88	1.73 1.49 1.61	12.86 9.45 11.19	1.71 1.06 1.39	3.04 2.36 2.71	3.58 2.61 3.11	2.88 2.04 2.47	1.64 1.39 1.51
Greater London ..	7.86	1.06	1.87	2.21	1.54	1.17	7.58	1.05	1.77	2.13	1.48	1.15	13.71	1.33	4.19	3.81	2.86	1.52
County Boroughs ..	11.14	1.16	2.26	2.88	2.66	2.13	11.02	1.12	2.23	2.85	2.61	2.20	13.81	2.01	2.83	3.54	3.66	1.77
Other Urban Districts ..	7.56	0.63	1.65	2.03	1.71	1.54	7.49	0.61	1.63	1.99	1.71	1.55	9.18	1.05	2.11	3.01	1.65	1.35
Rural Districts ..	5.29	0.50	0.98	1.41	1.24	1.16	5.23	0.49	0.95	1.40	1.25	1.15	6.55	0.84	1.69	1.69	1.06	1.27
All Urban Districts ..	9.07	0.95	1.95	2.42	2.05	1.71	8.94	0.92	1.90	2.37	2.02	1.72	12.27	1.52	2.95	3.44	2.80	1.57

Other respiratory diseases (104, 105, 110-114)

England and Wales ..	M 0.24 F 0.15 P 0.20	0.07 0.04 0.06	0.07 0.04 0.05	0.04 0.03 0.04	0.04 0.01 0.02	0.03 0.02 0.03	0.24 0.15 0.20	0.07 0.04 0.06	0.07 0.04 0.05	0.04 0.03 0.03	0.03 0.01 0.02	0.03 0.03 0.03	0.31 0.24 0.28	0.16 — 0.08	— 0.08 0.04	0.08 0.16 0.12	0.08 — 0.04	— — —
Greater London ..	0.14	0.05	0.04	0.02	—	0.03	0.12	0.04	0.04	0.02	—	0.03	0.38	0.38	—	—	—	—
County Boroughs ..	0.20	0.07	0.03	0.04	0.03	0.04	0.20	0.07	0.03	0.03	0.03	0.04	0.24	—	0.12	0.12	—	—
Other Urban Districts ..	0.24	0.06	0.07	0.05	0.04	0.02	0.24	0.07	0.08	0.04	0.04	0.02	0.30	—	—	0.15	0.15	—
Rural Districts ..	0.19	0.03	0.07	0.05	0.01	0.03	0.19	0.03	0.08	0.05	0.01	0.03	0.21	—	—	0.21	—	—
All Urban Districts ..	0.20	0.06	0.05	0.03	0.03	0.03	0.20	0.06	0.05	0.03	0.03	0.03	0.29	0.10	0.05	0.10	0.05	—

Inflammation of the stomach (118:1)

England and Wales ..	M 0.30 F 0.23 P 0.26	0.04 0.03 0.04	0.12 0.08 0.10	0.07 0.08 0.07	0.05 0.03 0.04	0.03 0.01 0.02	0.30 0.22 0.26	0.04 0.04 0.04	0.12 0.08 0.10	0.07 0.07 0.07	0.05 0.03 0.04	0.03 0.01 0.02	0.16 0.33 0.24	— — —	0.16 — 0.08	— 0.24 0.12	— 0.08 0.04	— — —
Greater London ..	0.23	0.03	0.07	0.09	0.04	—	0.23	0.03	0.07	0.10	0.04	—	0.19	—	—	—	0.19	—
County Boroughs ..	0.26	0.03	0.10	0.06	0.06	0.03	0.28	0.03	0.10	0.06	0.06	0.03	—	—	—	—	—	—
Other Urban Districts ..	0.28	0.05	0.11	0.07	0.02	0.03	0.28	0.05	0.11	0.07	0.02	0.03	0.30	—	—	0.15	—	—
Rural Districts ..	0.27	0.03	0.12	0.07	0.04	0.02	0.26	0.03	0.11	0.06	0.04	0.02	0.63	—	—	0.21	—	—
All Urban Districts ..	0.26	0.04	0.09	0.07	0.04	0.02	0.26	0.04	0.10	0.07	0.04	0.02	0.15	—	0.05	0.05	0.05	—

TABLE 14—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Diarrhoea and enteritis (119)																		
England and Wales ..	5.88	0.63	1.55	2.05	1.01	0.65	5.61	0.63	1.41	1.94	0.98	0.65	12.00	0.62	4.67	4.44	1.64	0.62
	4.20	0.46	1.06	1.43	0.81	0.44	3.94	0.45	0.94	1.33	0.80	0.43	10.02	0.57	3.83	3.83	1.14	0.65
	5.06	0.54	1.31	1.75	0.91	0.55	4.80	0.54	1.18	1.64	0.89	0.54	11.03	0.60	4.26	4.14	1.39	0.64
Greater London ..	8.23	0.56	2.04	3.00	1.71	0.92	7.38	0.53	1.61	2.69	1.67	0.88	26.47	1.14	11.23	9.71	2.48	1.90
County Boroughs ..	6.29	0.67	1.64	2.25	1.09	0.64	6.12	0.68	1.56	2.16	1.06	0.66	10.03	0.47	3.31	4.13	1.89	0.24
Other Urban Districts ..	3.36	0.52	0.92	1.04	0.55	0.33	3.28	0.51	0.89	1.00	0.54	0.34	5.42	0.60	1.81	2.11	0.75	0.15
Rural Districts ..	2.15	0.34	0.56	0.63	0.30	0.32	2.08	0.34	0.51	0.62	0.30	0.30	3.59	0.21	1.69	0.84	0.21	0.63
All Urban Districts ..	5.72	0.59	1.48	2.00	1.05	0.60	5.41	0.59	1.33	1.87	1.02	0.60	12.76	0.69	4.86	4.91	1.67	0.64
Hernia, intestinal obstruction (122)																		
England and Wales ..	0.79	0.10	0.15	0.26	0.16	0.12	0.80	0.11	0.15	0.25	0.16	0.12	0.70	—	0.16	0.31	0.08	0.16
	0.36	0.04	0.02	0.13	0.12	0.05	0.38	0.05	0.03	0.13	0.12	0.05	—	—	—	—	—	—
	0.58	0.08	0.09	0.19	0.14	0.09	0.59	0.08	0.09	0.20	0.14	0.09	0.36	—	0.08	0.16	0.04	0.08
Greater London ..	0.61	0.08	0.11	0.21	0.11	0.09	0.62	0.09	0.12	0.20	0.12	0.10	0.38	—	—	0.38	—	—
County Boroughs ..	0.58	0.07	0.07	0.22	0.13	0.10	0.60	0.07	0.07	0.22	0.13	0.10	0.24	—	—	0.12	0.12	—
Other Urban Districts ..	0.59	0.07	0.09	0.17	0.16	0.10	0.59	0.08	0.08	0.17	0.16	0.10	0.60	—	0.30	0.15	—	0.15
Rural Districts ..	0.55	0.07	0.11	0.16	0.15	0.05	0.56	0.08	0.11	0.17	0.15	0.05	0.21	—	—	—	—	0.21
All Urban Districts ..	0.59	0.08	0.09	0.20	0.13	0.10	0.60	0.08	0.09	0.20	0.14	0.10	0.39	—	0.10	0.20	0.05	0.05
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

Congenital malformations (157)

England and Wales ..	{ M F P	6·39 5·41 5·91	3·70 3·50 3·60	1·74 1·11 1·43	0·56 0·45 0·51	0·25 0·25 0·25	0·15 0·10 0·13	6·38 5·41 5·91	3·71 3·50 3·61	1·71 1·11 1·42	0·57 0·46 0·51	0·24 0·24 0·24	0·15 0·10 0·13	6·62 5·38 6·01	3·51 3·42 3·47	2·26 1·22 1·75	0·39 0·33 0·36	0·31 0·33 0·32	0·16 0·08 0·12
Greater London	5·28	3·25	1·22	0·52	0·21	0·08	5·18	3·18	1·17	0·54	0·20	0·09	7·62	4·76	2·28	—	0·57	—
County Boroughs ..	{ excluding Greater London.	6·02	3·68	1·44	0·51	0·23	0·15	6·06	3·73	1·44	0·50	0·24	0·15	4·96	2·48	1·65	0·71	—	0·12
Other Urban Districts	6·21	3·86	1·46	0·49	0·26	0·14	6·20	3·85	1·45	0·51	0·26	0·14	6·47	4·06	1·65	—	0·45	0·30
Rural Districts	5·93	3·43	1·60	0·51	0·28	0·10	5·95	3·45	1·61	0·50	0·28	0·10	5·49	2·96	1·48	0·63	0·42	—
All Urban Districts	5·91	3·64	1·39	0·51	0·24	0·13	5·90	3·64	1·38	0·51	0·24	0·13	6·14	3·58	1·82	0·29	0·29	0·15

Congenital debility (158)

England and Wales ..	{ M F P	2·98 2·08 2·54	1·75 1·25 1·50	0·78 0·49 0·64	0·35 0·26 0·31	0·05 0·05 0·05	0·04 0·03 0·03	2·85 2·02 2·45	1·73 1·23 1·48	0·72 0·47 0·60	0·33 0·25 0·29	0·05 0·05 0·05	0·03 0·03 0·03	5·92 3·34 4·66	2·26 1·71 1·99	2·34 1·06 1·71	1·01 0·49 0·76	0·16 0·08 0·12	0·16 — 0·08
Greater London	1·71	0·75	0·55	0·31	0·05	0·03	1·65	0·76	0·51	0·30	0·04	0·03	2·86	0·57	1·33	0·57	0·19	0·19
County Boroughs ..	{ excluding Greater London.	2·94	1·53	0·87	0·44	0·07	0·04	2·79	1·50	0·80	0·40	0·06	0·04	6·37	2·24	2·48	1·30	0·24	0·12
Other Urban Districts	2·79	1·90	0·55	0·24	0·06	0·05	2·75	1·90	0·51	0·23	0·06	0·05	3·76	1·96	1·35	0·45	—	—
Rural Districts	2·31	1·64	0·48	0·17	0·02	—	2·20	1·57	0·45	0·16	0·02	—	4·86	3·17	1·27	0·42	—	—
All Urban Districts	2·59	1·47	0·68	0·34	0·06	0·04	2·50	1·46	0·63	0·32	0·06	0·04	4·61	1·72	1·82	0·83	0·15	0·10

Premature birth (159)

England and Wales ..	{ M F P	19·08 15·27 17·23	17·61 14·10 15·90	1·33 1·06 1·20	0·13 0·10 0·12	0·01 0·01 0·01	— — —	18·55 14·79 16·72	17·18 13·72 15·50	1·24 0·97 1·11	0·13 0·09 0·11	0·00 0·01 0·01	— — —	31·24 26·16 28·76	27·58 22·66 25·17	3·35 3·10 3·23	0·23 0·41 0·32	0·08 — 0·04	— — —
Greater London	13·75	12·70	0·92	0·10	0·03	—	13·20	12·25	0·84	0·08	0·03	—	25·51	22·28	2·67	0·57	—	—
County Boroughs ..	{ excluding Greater London.	19·21	17·52	1·56	0·12	0·01	—	18·59	17·05	1·43	0·11	0·01	—	33·05	27·98	4·49	0·47	0·12	—
Other Urban Districts	17·54	16·25	1·14	0·15	—	—	17·23	16·01	1·07	0·15	—	—	25·42	22·41	2·86	0·15	—	—
Rural Districts	16·89	15·89	0·93	0·07	—	—	16·33	15·38	0·88	0·08	—	—	29·36	27·25	2·11	—	—	—
All Urban Districts	17·30	15·91	1·26	0·13	0·01	—	16·81	15·52	1·16	0·12	0·01	—	28·62	24·69	3·49	0·39	0·05	—

Injury at birth (160)

England and Wales ..	{ M F P	2·88 1·82 2·36	2·80 1·77 2·30	0·07 0·04 0·05	0·01 0·01 0·01	0·00 — 0·00	— — —	2·89 1·84 2·38	2·81 1·80 2·32	0·06 0·04 0·05	0·01 0·01 0·01	0·00 — 0·00	— — —	2·65 1·30 1·99	2·57 1·22 1·91	0·08 0·08 0·08	— — —	— — —	— — —
Greater London	2·05	2·01	0·03	0·01	—	—	2·07	2·03	0·03	0·01	—	—	1·71	1·52	0·19	—	—	—
County Boroughs ..	{ excluding Greater London.	2·59	2·52	0·06	0·01	—	—	2·62	2·55	0·05	0·01	—	—	2·01	1·89	0·12	—	—	—
Other Urban Districts	2·32	2·26	0·06	0·01	—	—	2·32	2·26	0·06	0·01	—	—	2·26	2·26	—	—	—	—
Rural Districts	2·36	2·29	0·05	0·01	0·01	—	2·38	2·30	0·06	0·01	0·01	—	1·90	1·90	—	—	—	—
All Urban Districts	2·36	2·30	0·05	0·01	—	—	2·38	2·32	0·05	0·01	—	—	2·01	1·91	0·10	—	—	—

TABLE 14—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Atelectasis (161a)	2.18	2.11	0.07	—	—	—	2.19	2.12	0.07	—	—	—	1.95	1.79	0.16	—	—	—
	1.54	1.49	0.05	—	—	—	1.55	1.49	0.05	—	—	—	1.39	1.39	—	—	—	—
	1.87	1.81	0.06	—	—	—	1.88	1.81	0.06	—	—	—	1.67	1.59	0.08	—	—	—
	1.69	1.62	0.07	—	—	—	1.62	1.56	0.06	—	—	—	3.05	2.86	0.19	—	—	—
	2.12	2.05	0.07	—	—	—	2.13	2.06	0.07	—	—	—	1.89	1.89	—	—	—	—
England and Wales ..																		
Greater London ..																		
County Boroughs ..																		
Other Urban Districts ..																		
Rural Districts ..																		
All Urban Districts ..																		
Icterus neonatorum (161b)	0.63	0.57	0.06	—	—	—	0.63	0.57	0.06	—	—	—	0.62	0.55	0.08	—	—	—
	0.32	0.29	0.03	—	—	—	0.33	0.30	0.03	—	—	—	0.16	0.16	—	—	—	—
	0.48	0.44	0.05	—	—	—	0.49	0.44	0.05	—	—	—	0.40	0.36	0.04	—	—	—
	0.42	0.36	0.06	—	—	—	0.42	0.36	0.06	—	—	—	0.38	0.38	—	—	—	—
	0.49	0.46	0.04	—	—	—	0.49	0.45	0.04	—	—	—	0.59	0.59	—	—	—	—
England and Wales ..																		
Greater London ..																		
County Boroughs ..																		
Other Urban Districts ..																		
Rural Districts ..																		
All Urban Districts ..																		

Diseases of the umbilicus (161c : 1)																	(13)	(14)	(15)	(16)	(17)	(18)
																	(13)	(14)	(15)	(16)	(17)	(18)
England and Wales ..	{ M F P	0.14	0.11	0.04	—	—	—	0.15	0.11	0.03	—	—	—	—	—	—	0.08	—	0.08	—	—	—
		0.10	0.08	0.02	—	—	—	0.10	0.08	0.03	—	—	—	—	—	—	0.08	0.08	—	—	—	—
		0.12	0.09	0.03	—	—	—	0.12	0.09	0.03	—	—	—	—	—	—	0.08	0.04	0.04	—	—	—
Greater London ..	{ excluding Greater London.	0.08	0.07	0.01	—	—	—	0.08	0.07	0.01	—	—	—	—	—	—	—	—	—	—	—	—
		0.15	0.11	0.04	—	—	—	0.15	0.11	0.04	—	—	—	—	—	—	0.12	0.12	—	—	—	—
		0.13	0.10	0.03	—	—	—	0.13	0.10	0.03	—	—	—	—	—	—	0.15	—	0.15	—	—	—
		0.11	0.07	0.04	—	—	—	0.11	0.08	0.04	—	—	—	—	—	—	—	—	—	—	—	—
All Urban Districts ..		0.12	0.10	0.03	—	—	—	0.13	0.10	0.03	—	—	—	—	—	0.10	0.05	0.05	—	—	—	
Pemphigus neonatorum and other diseases under 161c (161c : 2 and 3)																						
England and Wales ..	{ M F P	0.61	0.56	0.05	—	—	—	0.59	0.54	0.05	—	—	—	—	—	—	1.01	0.93	0.08	—	—	—
		0.58	0.56	0.02	—	—	—	0.59	0.56	0.03	—	—	—	—	—	—	0.41	0.41	—	—	—	—
		0.59	0.56	0.04	—	—	—	0.59	0.55	0.04	—	—	—	—	—	—	0.72	0.68	0.04	—	—	—
Greater London ..	{ excluding Greater London.	0.35	0.33	0.02	—	—	—	0.33	0.31	0.02	—	—	—	—	—	—	0.76	0.76	—	—	—	—
		0.67	0.62	0.06	—	—	—	0.66	0.60	0.05	—	—	—	—	—	—	1.06	0.94	0.12	—	—	—
		0.58	0.55	0.03	—	—	—	0.59	0.56	0.03	—	—	—	—	—	—	0.30	0.30	—	—	—	—
		0.74	0.70	0.04	—	—	—	0.74	0.70	0.04	—	—	—	—	—	—	0.63	0.63	—	—	—	—
All Urban Districts ..		0.56	0.53	0.04	—	—	—	0.55	0.52	0.04	—	—	—	—	—	0.74	0.69	0.05	—	—	—	
Suffocation—in bed or not stated how (182 pt.)																						
England and Wales ..	{ M F P	0.42	0.12	0.15	0.09	0.06	0.01	0.41	0.11	0.15	0.08	0.05	0.01	0.01	0.01	0.01	0.70	0.31	0.08	0.16	0.08	0.08
		0.34	0.10	0.11	0.09	0.04	0.00	0.33	0.09	0.11	0.09	0.04	0.00	0.00	0.00	0.00	0.73	0.33	0.24	0.16	—	—
		0.38	0.11	0.13	0.09	0.05	0.01	0.37	0.10	0.13	0.09	0.05	0.01	0.01	0.01	0.01	0.72	0.32	0.16	0.16	0.04	0.04
Greater London ..	{ excluding Greater London.	0.31	0.06	0.11	0.08	0.04	0.02	0.30	0.06	0.11	0.09	0.04	0.01	0.01	0.01	0.01	0.57	—	0.19	—	0.19	0.19
		0.41	0.12	0.13	0.09	0.07	—	0.41	0.12	0.13	0.08	0.07	—	—	—	—	0.35	—	0.12	0.24	—	—
		0.41	0.13	0.16	0.09	0.03	—	0.38	0.10	0.16	0.09	0.03	—	—	—	—	1.20	0.75	0.30	0.15	—	—
		0.38	0.12	0.10	0.09	0.05	0.03	0.36	0.10	0.10	0.09	0.05	0.03	0.03	0.03	0.03	0.84	0.63	—	0.21	—	—
All Urban Districts ..		0.38	0.11	0.14	0.09	0.05	0.00	0.37	0.10	0.13	0.09	0.05	0.00	0.00	0.00	0.69	0.25	0.20	0.15	0.05	0.05	
Other causes																						
England and Wales ..	{ M F P	4.19	1.19	0.70	0.93	0.76	0.61	3.75	0.86	0.66	0.90	0.74	0.60	0.60	0.60	0.60	14.41	8.80	1.71	1.71	1.40	0.78
		3.25	0.86	0.60	0.70	0.59	0.50	2.93	0.57	0.59	0.67	0.59	0.50	0.50	0.50	0.50	10.51	7.33	0.73	1.39	0.65	0.41
		3.73	1.03	0.65	0.82	0.68	0.55	3.35	0.72	0.63	0.79	0.66	0.55	0.55	0.55	0.55	12.51	8.09	1.23	1.55	1.04	0.60
Greater London ..	{ excluding Greater London.	4.11	1.24	0.80	0.93	0.64	0.49	3.40	0.66	0.77	0.84	0.66	0.47	0.47	0.47	0.47	19.23	13.71	1.33	2.86	0.38	0.95
		4.28	1.04	0.70	0.99	0.85	0.69	3.98	0.82	0.67	0.97	0.81	0.71	0.71	0.71	0.71	10.86	6.14	1.30	1.42	1.65	0.35
		3.36	0.98	0.59	0.64	0.64	0.51	3.03	0.72	0.56	0.63	0.63	0.50	0.50	0.50	0.50	11.58	7.67	1.50	0.90	0.90	0.60
		2.94	0.84	0.50	0.67	0.48	0.45	2.66	0.61	0.49	0.65	0.47	0.44	0.44	0.44	0.44	9.29	5.91	0.63	1.27	0.84	0.63
All Urban Districts ..		3.91	1.07	0.69	0.85	0.72	0.58	3.50	0.74	0.66	0.82	0.71	0.58	0.58	0.58	13.25	8.59	1.37	1.62	1.08	0.59	

TABLE 15. INFANT MORTALITY FROM CERTAIN CAUSES, 1935. (Deaths under 1 year and various sub-divisions of the first year per 1,000 live births.)

England and Wales, Geographical Regions. (See note on first page of Table 17.)

Area.	All Causes.						I.—Common Infectious Diseases (6-10, 44 : 4).						II.—Tuberculous Diseases (23-32).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	56.94	30.38	9.12	7.69	5.42	4.32	2.00	0.06	0.36	0.42	0.55	0.62	0.56	0.01	0.03	0.15	0.18	0.20
South East ..	47.45	24.66	7.88	7.16	4.62	3.13	1.30	0.04	0.26	0.34	0.36	0.29	0.53	0.01	0.01	0.16	0.17	0.18
Greater London	51.15	24.74	8.85	8.64	5.40	3.53	1.48	0.03	0.32	0.37	0.45	0.31	0.54	—	0.02	0.18	0.19	0.16
Remainder of South East ..	41.81	24.55	6.41	4.92	3.43	2.51	1.02	0.06	0.17	0.28	0.23	0.27	0.52	0.01	—	0.13	0.16	0.23
North ..	67.60	35.09	10.95	9.24	6.75	5.57	2.84	0.06	0.44	0.59	0.84	0.92	0.55	0.00	0.02	0.11	0.19	0.23
North I ..	75.75	39.85	10.76	10.66	7.80	6.68	3.56	0.05	0.44	0.78	1.09	1.20	0.68	—	0.03	0.16	0.10	0.39
North II ..	68.38	34.21	11.81	9.47	6.91	5.97	3.08	0.05	0.65	0.56	1.07	0.75	0.75	—	0.09	0.14	0.23	0.23
North III ..	58.35	33.70	8.68	7.19	4.96	3.82	2.16	0.10	0.41	0.61	0.57	0.47	0.49	—	0.02	0.10	0.22	0.16
North IV ..	69.16	34.06	12.11	9.73	7.26	5.99	2.87	0.04	0.39	0.50	0.82	1.11	0.49	0.01	—	0.10	0.20	0.19
Midland ..	58.57	32.13	9.04	7.25	5.40	4.75	2.03	0.08	0.34	0.33	0.54	0.74	0.64	—	0.03	0.20	0.21	0.20
Midland I ..	58.46	31.63	8.77	7.39	5.46	5.22	2.23	0.10	0.36	0.31	0.58	0.88	0.71	—	0.04	0.22	0.24	0.20
Midland II ..	58.79	33.14	9.60	6.96	5.28	3.82	1.63	0.06	0.31	0.36	0.45	0.45	0.51	—	—	0.14	0.17	0.20
East ..	44.19	25.86	6.31	4.79	3.95	3.28	1.00	—	0.30	0.26	0.15	0.30	0.63	—	0.11	0.07	0.22	0.20
South West ..	43.08	27.15	5.97	4.60	2.90	2.46	1.09	0.07	0.33	0.11	0.14	0.43	0.36	—	0.04	0.14	0.11	0.00
Wales ..	63.26	35.22	10.18	7.76	5.49	4.62	2.45	0.08	0.54	0.48	0.61	0.74	0.59	0.03	0.08	0.15	0.15	0.10
Wales I ..	63.41	34.81	10.13	7.62	5.53	5.32	2.85	0.07	0.51	0.58	0.72	0.96	0.51	—	0.10	0.14	0.07	0.20
Wales II ..	62.82	36.38	10.34	8.15	5.37	2.58	1.29	0.10	0.60	0.20	0.30	0.10	0.80	0.10	—	0.20	0.40	0.10
	III.—Diarrhoea and Enteritis (119).						IV.—Developmental and Wasting Diseases (157-9, 161a & b).						V.—Miscellaneous Diseases (Remainder).					
England and Wales	5.06	0.54	1.31	1.75	0.91	0.55	28.03	23.25	3.38	0.93	0.31	0.16	21.29	6.53	4.04	4.45	3.47	2.70
South East ..	6.10	0.44	1.50	2.18	1.29	0.68	22.89	18.83	2.80	0.86	0.29	0.12	16.63	5.35	3.30	3.62	2.51	1.80
Greater London	8.23	0.56	2.04	3.00	1.71	0.92	22.84	18.68	2.82	0.93	0.29	0.12	18.06	5.47	3.65	4.15	2.77	2.00
Remainder of South East ..	2.85	0.26	0.69	0.93	0.66	0.31	22.97	19.05	2.77	0.75	0.28	0.12	14.45	5.16	2.78	2.82	2.10	1.50
North ..	5.47	0.74	1.48	1.84	0.87	0.53	32.10	26.45	4.06	1.09	0.33	0.16	26.64	7.83	4.96	5.60	4.52	3.70
North I ..	7.56	1.27	1.72	2.55	1.25	0.78	34.49	29.76	3.33	0.70	0.44	0.26	29.45	8.76	5.25	6.47	4.91	4.00
North II ..	5.32	0.79	1.45	1.63	1.03	0.42	32.53	25.76	4.62	1.59	0.47	0.09	26.70	7.61	4.99	5.55	4.11	4.40
North III ..	3.90	0.53	1.12	1.43	0.47	0.35	29.94	25.75	3.12	0.78	0.22	0.08	21.87	7.33	4.02	4.27	3.49	2.70
North IV ..	5.50	0.61	1.60	1.83	0.90	0.56	32.19	25.62	4.76	1.31	0.32	0.19	28.10	7.78	5.36	5.98	5.03	3.90
Midland ..	4.51	0.47	1.13	1.65	0.75	0.52	29.86	25.09	3.55	0.81	0.24	0.18	21.53	6.49	4.00	4.27	3.65	3.10
Midland I ..	5.09	0.56	1.20	1.87	0.88	0.60	28.92	24.37	3.30	0.85	0.22	0.18	21.51	6.60	3.87	4.15	3.54	3.30
Midland II ..	3.34	0.28	0.98	1.21	0.51	0.36	31.74	26.52	4.04	0.73	0.28	0.17	21.58	6.29	4.27	4.52	3.87	2.60
East ..	1.73	0.22	0.55	0.41	0.30	0.26	24.45	20.88	2.51	0.55	0.37	0.15	16.38	4.76	2.84	3.50	2.91	2.30
South West ..	1.88	0.33	0.47	0.62	0.29	0.18	25.16	21.32	2.50	0.80	0.29	0.25	14.59	5.43	2.64	2.93	2.06	1.50
Wales ..	3.85	0.66	1.10	1.10	0.54	0.46	32.08	26.72	3.57	1.12	0.43	0.23	24.29	7.73	4.90	4.90	3.75	3.00
Wales I ..	4.09	0.72	1.03	1.27	0.55	0.51	31.79	26.78	3.30	1.10	0.38	0.24	24.17	7.24	5.18	4.53	3.81	3.40
Wales II ..	3.18	0.50	1.29	0.60	0.50	0.30	32.90	26.54	4.37	1.19	0.60	0.20	24.65	9.15	4.08	5.96	3.58	1.80
	Measles (7).						Whooping cough (9).						Syphilis (34).					
England and Wales	0.48	0.01	0.02	0.04	0.16	0.25	1.36	0.04	0.31	0.35	0.35	0.31	0.29	0.11	0.11	0.06	0.01	0.00
South East ..	0.08	0.01	0.01	0.02	0.02	0.02	1.07	0.03	0.22	0.29	0.31	0.23	0.22	0.09	0.07	0.05	0.02	—
Greater London	0.08	0.01	0.02	0.02	0.02	0.02	1.22	0.02	0.25	0.31	0.40	0.25	0.25	0.10	0.09	0.04	0.02	—
Remainder of South East ..	0.08	0.01	—	0.01	0.03	0.03	0.83	0.04	0.17	0.26	0.17	0.19	0.17	0.08	0.03	0.05	0.01	—
North ..	0.90	0.02	0.03	0.06	0.29	0.48	1.75	0.03	0.38	0.49	0.46	0.38	0.40	0.15	0.16	0.08	0.00	—
North I ..	1.04	0.03	0.05	0.10	0.29	0.57	2.21	—	0.34	0.62	0.73	0.52	0.47	0.23	0.08	0.16	—	—
North II ..	0.79	—	0.05	0.09	0.28	0.37	2.10	0.05	0.61	0.47	0.61	0.37	0.51	0.14	0.28	0.09	—	—
North III ..	0.39	—	0.04	—	0.20	0.16	1.59	0.08	0.37	0.55	0.31	0.27	0.29	0.14	0.12	0.04	—	—
North IV ..	1.14	0.03	0.02	0.08	0.35	0.66	1.56	0.01	0.35	0.41	0.41	0.38	0.41	0.13	0.20	0.07	0.01	—
Midland ..	0.50	0.01	0.03	0.04	0.17	0.26	1.40	0.07	0.30	0.29	0.36	0.39	0.26	0.10	0.11	0.03	0.02	—
Midland I ..	0.54	—	0.01	0.01	0.14	0.38	1.50	0.08	0.32	0.29	0.43	0.38	0.24	0.07	0.13	0.03	0.01	—
Midland II ..	0.42	0.03	0.06	0.08	0.22	0.03	1.21	0.03	0.25	0.28	0.22	0.42	0.31	0.17	0.08	0.03	0.03	—
East ..	0.11	—	—	—	0.04	0.07	0.85	—	0.30	0.26	0.07	0.22	0.44	0.22	0.07	0.07	0.04	0.00
South West ..	0.18	—	0.04	—	0.04	0.11	0.62	0.04	0.18	0.11	0.07	0.22	0.18	0.04	0.07	0.04	0.04	—
Wales ..	0.74	0.03	—	0.10	0.26	0.36	1.53	0.05	0.54	0.33	0.31	0.31	0.13	0.03	0.03	0.08	—	—
Wales I ..	1.00	0.03	—	0.14	0.34	0.48	1.65	0.03	0.51	0.38	0.34	0.38	0.10	0.03	0.03	0.03	—	—
Wales II ..	—	—	—	—	—	—	1.19	0.10	0.60	0.20	0.20	0.10	0.20	—	—	0.20	—	—

TABLE 15—continued.

Area.	Meningitis (79).						Convulsions (36).						Bronchitis (106).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	0.36	0.05	0.06	0.10	0.08	0.08	1.71	0.92	0.29	0.26	0.15	0.09	2.01	0.30	0.61	0.51	0.33	0.24
South East ..	0.29	0.05	0.05	0.08	0.06	0.05	0.57	0.29	0.11	0.09	0.06	0.03	1.17	0.15	0.32	0.37	0.19	0.13
Greater London	0.25	0.04	0.06	0.05	0.06	0.04	0.41	0.24	0.05	0.06	0.03	0.03	1.28	0.15	0.35	0.41	0.25	0.13
Remainder of South East ..	0.34	0.05	0.04	0.13	0.05	0.06	0.82	0.36	0.19	0.13	0.09	0.04	1.00	0.14	0.28	0.31	0.12	0.14
North ..	0.45	0.04	0.09	0.10	0.11	0.10	2.52	1.43	0.38	0.39	0.19	0.13	2.84	0.44	0.87	0.71	0.48	0.35
North I ..	0.42	0.08	0.08	0.10	0.08	0.08	3.80	2.11	0.57	0.55	0.39	0.18	4.52	0.62	1.30	1.09	0.88	0.62
North II ..	0.56	0.05	0.05	0.09	0.14	0.23	2.33	1.54	0.28	0.28	0.14	0.09	2.71	0.42	0.75	0.84	0.23	0.47
North III ..	0.25	—	0.10	0.02	0.10	0.04	1.76	1.25	0.24	0.12	0.12	0.04	2.16	0.41	0.71	0.57	0.25	0.22
North IV ..	0.55	0.04	0.10	0.15	0.13	0.12	2.45	1.23	0.41	0.49	0.16	0.16	2.55	0.37	0.80	0.60	0.49	0.28
Midland ..	0.36	0.04	0.03	0.13	0.10	0.07	1.49	0.75	0.24	0.23	0.15	0.11	1.87	0.33	0.63	0.35	0.32	0.23
Midland I ..	0.32	0.04	—	0.13	0.10	0.06	1.18	0.58	0.19	0.19	0.13	0.08	1.82	0.32	0.58	0.36	0.28	0.28
Midland II ..	0.45	0.03	0.08	0.14	0.11	0.08	2.10	1.09	0.34	0.31	0.20	0.17	1.96	0.36	0.73	0.34	0.39	0.14
East ..	0.52	0.15	0.07	0.11	0.11	0.07	1.11	0.30	0.30	0.26	0.22	0.04	1.40	0.15	0.41	0.41	0.22	0.22
South West ..	0.25	0.04	—	0.07	—	0.14	1.77	0.91	0.29	0.25	0.22	0.11	1.09	0.14	0.36	0.36	0.11	0.11
Wales ..	0.20	0.05	0.03	0.05	0.03	0.05	4.24	2.35	0.79	0.59	0.33	0.18	3.32	0.54	1.05	0.79	0.56	0.38
Wales I ..	0.17	0.07	0.03	0.03	—	0.03	4.12	2.33	0.79	0.45	0.38	0.17	3.64	0.58	1.20	0.79	0.58	0.48
Wales II ..	0.30	—	—	0.10	0.10	0.10	4.57	2.39	0.80	0.99	0.20	0.20	2.39	0.40	0.60	0.80	0.50	0.10
Area.	Pneumonia (107-109).						Congenital malformations (157).						Congenital debility (158).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	8.38	0.87	1.77	2.23	1.90	1.61	5.91	3.60	1.43	0.51	0.25	0.13	2.54	1.50	0.64	0.31	0.05	0.03
South East ..	6.74	0.92	1.62	1.82	1.33	1.04	5.20	3.19	1.22	0.48	0.23	0.09	1.84	0.92	0.56	0.29	0.04	0.03
Greater London	7.86	1.06	1.87	2.21	1.54	1.17	5.28	3.25	1.22	0.52	0.21	0.08	1.71	0.75	0.55	0.31	0.05	0.03
Remainder of South East ..	5.03	0.71	1.23	1.24	1.01	0.84	5.07	3.09	1.22	0.41	0.25	0.10	2.04	1.18	0.57	0.26	0.03	0.01
North ..	10.83	0.94	2.16	2.93	2.56	2.25	6.45	4.06	1.48	0.52	0.26	0.13	3.42	2.02	0.88	0.42	0.07	0.03
North I ..	10.24	0.73	1.87	2.99	2.44	2.21	6.11	4.00	1.20	0.36	0.36	0.18	4.13	3.25	0.52	0.23	0.05	0.08
North II ..	11.67	0.65	2.29	3.31	2.47	2.94	6.35	3.55	1.54	0.79	0.37	0.09	3.13	1.45	1.03	0.56	0.09	—
North III ..	8.68	0.84	1.67	2.27	2.14	1.76	5.82	4.02	1.23	0.29	0.20	0.08	2.55	1.65	0.53	0.35	0.02	—
North IV ..	12.09	1.16	2.52	3.18	2.86	2.37	6.97	4.22	1.72	0.66	0.22	0.15	3.68	1.85	1.19	0.50	0.10	0.03
Midland ..	8.58	0.89	1.73	2.16	2.04	1.76	6.13	3.70	1.56	0.50	0.20	0.16	2.17	1.42	0.49	0.20	0.04	0.02
Midland I ..	8.44	0.95	1.66	2.05	1.98	1.81	5.87	3.63	1.34	0.53	0.21	0.17	1.89	1.17	0.47	0.22	0.01	0.01
Midland II ..	8.87	0.79	1.88	2.39	2.16	1.66	6.65	3.84	2.02	0.45	0.20	0.14	2.72	1.94	0.53	0.14	0.08	0.03
East ..	5.64	0.55	1.25	1.36	1.29	1.18	5.09	2.95	1.29	0.37	0.37	0.11	2.29	1.92	0.22	0.11	—	0.04
South West ..	4.24	0.47	0.83	1.23	0.94	0.76	5.79	3.19	1.59	0.62	0.25	0.14	1.85	1.27	0.36	0.07	0.04	0.11
Wales ..	8.19	0.59	1.66	2.19	2.09	1.66	6.74	3.78	1.89	0.59	0.33	0.15	3.16	1.84	0.74	0.41	0.10	0.08
Wales I ..	8.51	0.51	1.72	2.16	2.16	1.96	6.21	3.64	1.72	0.48	0.24	0.14	3.47	2.06	0.69	0.48	0.14	0.10
Wales II ..	7.26	0.80	1.49	2.29	1.89	0.80	8.25	4.17	2.39	0.89	0.60	0.20	2.29	1.19	0.89	0.20	—	—
Area.	Premature birth (159).						Injury at birth (160).						Suffocation—in bed or not stated how (182 pt.).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	17.23	15.90	1.20	0.12	0.01	—	2.36	2.30	0.05	0.01	0.00	—	0.38	0.11	0.13	0.09	0.05	0.01
South East ..	13.85	12.80	0.93	0.09	0.02	—	2.11	2.06	0.04	0.01	—	—	0.32	0.07	0.12	0.08	0.04	0.01
Greater London	13.75	12.70	0.92	0.10	0.03	—	2.05	2.01	0.03	0.01	—	—	0.31	0.06	0.11	0.08	0.04	0.02
Remainder of South East ..	13.99	12.97	0.93	0.08	0.01	—	2.19	2.15	0.04	—	—	—	0.34	0.09	0.14	0.08	0.03	—
North ..	19.61	17.88	1.58	0.15	0.00	—	2.54	2.48	0.05	0.01	—	—	0.45	0.13	0.15	0.10	0.05	—
North I ..	21.18	19.55	1.51	0.10	0.03	—	2.34	2.29	0.05	—	—	—	0.44	0.18	0.16	0.08	0.03	—
North II ..	20.02	17.83	1.96	0.23	—	—	2.24	2.19	0.05	—	—	—	0.51	—	0.19	0.28	0.05	—
North III ..	19.08	17.73	1.21	0.14	—	—	2.43	2.37	0.06	—	—	—	0.51	0.24	0.10	0.14	0.04	—
North IV ..	19.15	17.27	1.73	0.15	—	—	2.76	2.70	0.04	0.02	—	—	0.39	0.09	0.18	0.05	0.08	—
Midland ..	19.02	17.59	1.32	0.11	—	—	2.61	2.53	0.08	—	—	—	0.37	0.13	0.08	0.11	0.04	0.01
Midland I ..	18.47	17.00	1.33	0.10	—	—	2.81	2.73	0.08	—	—	—	0.36	0.13	0.08	0.11	0.03	0.01
Midland II ..	20.12	18.77	1.21	0.14	—	—	2.22	2.13	0.08	—	—	—	0.39	0.14	0.08	0.11	0.06	—
East ..	14.97	13.94	0.96	0.07	—	—	1.81	1.66	0.07	0.04	0.04	—	0.41	0.07	0.11	0.15	0.04	0.04
South West ..	15.53	14.95	0.47	0.11	—	—	2.39	2.35	0.04	—	—	—	0.47	0.07	0.25	0.04	0.07	0.04
Wales ..	19.57	18.55	0.89	0.13	—	—	2.40	2.32	0.05	0.03	—	—	0.33	0.15	0.10	—	0.08	—
Wales I ..	19.54	18.54	0.86	0.14	—	—	2.16	2.09	0.03	0.03	—	—	0.34	0.10	0.14	—	0.10	—
Wales II ..	19.68	18.59	0.99	0.10	—	—	3.08	2.98	0.10	—	—	—	0.30	0.30	—	—	—	—

TABLE 16.—INFANT MORTALITY (ALL INFANTS AND ILLEGITIMATE INFANTS).
NUMBERS AND DEATH-RATES PER 1,000 LIVE BIRTHS, 1935.

England and Wales, Geographical Regions.*
London and Metropolitan Boroughs, County Boroughs.
Aggregates of Urban and of Rural Districts in each Administrative County.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.								Deaths per 1,000 Live Births.		Area.	Deaths per 1,000 Live Births.		DEATHS.							
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
6438	6745	5009	5460	4606	3248	2586	34092	30	57	England and Wales..	47	90	530	363	291	435	335	177	117	2248
1890	1723	1200	1538	1398	902	610	9261	25	47	SOUTH-EAST ..	47	95	223	108	85	186	142	54	38	836
1166	1004	746	1043	1018	637	416	6030	25	51	Greater London ..	50	111	154	58	53	129	113	46	29	582
724	719	454	495	380	265	194	3231	25	42	Remainder of S.E.	43	72	69	50	32	57	29	8	9	254
638	609	480	516	409	251	177	3100	24	44	Midland Section ..	41	90	56	20	31	60	37	14	15	233
1252	1114	720	1022	989	651	411	6161	25	50	Southern Section..	50	97	167	88	54	126	105	40	23	603
2348	2617	2130	2215	1868	1364	1127	13669	35	68	NORTH ..	48	91	163	121	116	131	113	65	44	753
439	517	577	414	410	300	257	2914	40	76	North I ..	48	84	15	19	33	12	15	9	13	116
243	276	214	253	203	148	128	1465	34	68	North II ..	41	77	18	19	12	21	13	5	3	91
621	674	425	443	367	253	195	2978	34	58	North III ..	57	84	49	41	29	24	20	2	10	175
1045	1150	914	1105	888	663	547	6312	34	69	North IV ..	46	103	81	42	42	74	65	49	18	371
1213	1317	923	972	779	580	511	6295	32	59	MIDLAND ..	43	85	64	61	43	64	46	33	17	328
798	848	626	630	531	392	375	4200	32	58	Midland I ..	42	77	32	40	30	35	22	17	14	190
415	469	297	342	248	188	136	2095	33	59	Midland II ..	47	98	32	21	13	29	24	16	3	138
251	268	182	171	130	107	89	1198	26	44	EAST ..	44	75	23	22	15	22	8	9	4	103
260	302	188	165	127	80	68	1190	27	43	SOUTH-WEST ..	53	79	30	21	12	10	10	6	6	95
476	518	386	399	304	215	181	2479	35	63	WALES ..	48	83	27	30	20	22	16	10	8	133
361	370	283	295	222	161	155	1847	35	63	Wales I ..	53	82	20	19	14	15	7	4	3	82
115	148	103	104	82	54	26	632	36	63	Wales II ..	40	84	7	11	6	7	9	6	5	51
										Summary of Areas Outside Greater London.										
2236	2372	1954	2140	1871	1353	1127	13053	33	66	County Boroughs ..	48	94	167	126	114	151	117	81	42	798
1869	2101	1501	1491	1134	847	697	9640	31	55	Other Urban Districts	44	78	117	106	71	103	65	32	26	520
1167	1268	808	786	583	411	346	5369	30	49	Rural Districts ..	46	74	92	73	53	52	40	18	20	348
596	461	319	581	617	407	248	3229	25	58	LONDON Ad. Co. . .	52	114	98	36	25	69	72	30	20	350
5	1	—	1	1	—	—	8	83	111	City of London ..	600	600	3	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	Inner and Middle Temples.	—	—	—	—	—	—	—	—	—	—
38	26	9	21	23	12	8	137	35	65	Battersea ..	103	161	7	2	—	2	3	—	—	14
15	7	24	16	19	14	8	103	31	69	Bermondsey ..	50	175	1	—	1	2	1	2	—	7
17	9	7	16	15	5	5	74	23	51	Bethnal Green ..	122	195	3	1	1	1	1	—	1	8
22	35	19	39	38	27	11	191	24	61	Camberwell ..	50	106	3	3	1	3	3	2	—	13
10	3	2	5	10	5	—	35	26	60	Chelsea ..	73	164	3	1	—	—	4	1	—	9
10	9	8	11	13	9	14	74	19	52	Deptford ..	—	57	—	—	—	—	2	—	—	2
13	2	5	9	15	4	7	55	21	59	Finsbury ..	48	71	2	—	—	—	—	1	—	3
16	19	7	18	19	14	8	101	21	51	Fulham ..	10	87	—	1	—	3	3	—	2	9
19	9	6	13	14	11	8	80	25	60	Greenwich ..	22	89	1	—	—	1	—	2	—	4
27	18	21	38	12	14	11	141	22	48	Hackney ..	88	186	6	1	2	6	—	2	2	19
23	20	9	28	26	18	7	131	28	70	Hammersmith ..	50	115	3	3	1	7	2	—	—	10
8	10	6	9	6	5	5	49	24	49	Hampstead ..	91	182	3	2	3	5	1	2	—	10
5	6	2	4	6	—	1	24	48	89	Holborn ..	71	143	2	—	1	1	2	—	—	10
48	34	19	34	51	37	19	242	22	53	Islington ..	58	116	9	2	1	2	4	4	2	24
21	23	12	35	45	25	14	175	25	79	Kensington ..	38	119	5	4	—	7	7	2	3	22
44	34	26	28	46	27	20	225	27	59	Lambeth ..	35	75	3	4	2	3	5	—	2	15
31	21	9	26	9	14	9	119	22	43	Lewisham ..	49	127	4	1	—	4	1	2	1	13
24	20	6	23	33	26	8	140	25	71	Paddington ..	40	111	9	1	—	4	6	5	3	28
28	12	12	16	16	15	4	103	23	47	Poplar ..	34	102	2	—	—	2	2	—	—	2
11	5	6	9	8	7	4	50	25	56	St. Marylebone ..	52	96	5	—	1	3	2	—	—	1
29	16	15	26	40	22	7	155	24	63	St. Pancras ..	50	95	6	1	4	4	6	—	—	23
8	15	7	14	8	7	8	67	23	52	Shoreditch ..	—	23	—	—	—	—	1	—	—	—
25	8	19	22	35	27	16	152	22	66	Southwark ..	67	122	3	1	2	2	2	—	1	13
24	26	19	35	41	22	19	186	23	61	Stepney ..	47	121	3	1	1	1	3	4	—	13
7	8	4	5	7	3	2	36	27	51	Stoke Newington ..	—	—	—	—	—	—	—	—	—	—
33	40	22	45	34	17	17	208	25	55	Wandsworth..	34	84	2	3	1	2	5	—	2	14
19	14	6	11	8	13	6	77	37	73	Westminster..	94	145	7	3	3	1	4	1	1	20
16	11	12	24	19	7	2	91	19	44	Woolwich ..	63	141	3	1	—	3	2	—	—	9

* The counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 16—continued.

ALL INFANTS.										ILLEGITIMATE INFANTS.												
DEATHS.									Deaths per 1,000 Live Births.	Area.	DEATHS.											
1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.			Total under 1 year.	Deaths per 1,000 Live Births.	Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
COUNTY BOROUGH.																						
										ENGLAND (exclud- ing Monmouth).												
11	13	15	9	13	8	5	74	31	58	Barnsley	96	135	3	2	—	1	—	—	1	7		
10	16	7	12	7	4	5	61	36	67	Barrow-in-Furness ..	51	128	1	1	—	2	1	—	—	5		
8	6	3	2	4	—	4	27	22	35	Bath	23	47	1	—	—	—	1	—	—	2		
28	34	20	26	27	23	14	172	32	67	Birkenhead	65	120	2	4	—	3	1	—	—	11		
10	186	140	160	133	92	105	1026	34	65	Birmingham	49	91	11	10	5	11	7	2	2	48		
11	18	16	16	11	9	9	90	32	63	Blackburn	36	89	1	—	1	—	2	1	—	5		
14	14	9	10	5	5	1	58	30	47	Blackpool	36	54	—	4	—	1	1	—	—	6		
19	40	16	24	14	21	11	145	33	65	Bolton	47	94	2	2	—	3	1	—	—	8		
24	30	19	23	20	24	10	150	45	92	Bootle	148	204	3	3	2	1	—	1	1	11		
15	11	7	9	3	3	4	52	25	40	Bournemouth	11	23	—	—	1	1	—	—	—	2		
58	54	24	44	28	26	19	253	34	64	Bradford	41	64	4	4	1	1	3	1	—	14		
12	24	17	23	18	15	3	112	27	56	Brighton	55	86	2	4	3	4	—	1	—	14		
59	60	43	33	18	25	16	254	28	44	Bristol	22	102	1	1	2	6	4	4	1	19		
14	12	15	11	7	7	5	71	38	65	Burnley	52	86	1	—	2	—	—	1	1	5		
8	12	6	7	3	—	5	41	40	62	Burton-on-Trent ..	33	67	—	1	—	—	—	—	1	2		
4	11	10	8	6	6	2	47	35	66	Bury	—	61	—	—	—	1	—	1	—	2		
6	2	1	4	3	—	1	17	26	49	Canterbury	—	77	—	—	—	—	1	—	—	1		
14	15	7	11	5	5	5	62	43	73	Carlisle	19	94	—	—	1	2	1	1	—	5		
4	6	10	8	7	2	6	43	35	76	Chester	—	114	—	—	—	1	2	—	1	4		
26	39	18	16	10	12	7	128	30	46	Coventry	57	80	—	3	2	2	—	—	—	7		
36	31	17	26	20	8	8	146	26	44	Croydon	69	145	6	2	2	7	3	1	—	21		
11	18	12	8	6	7	3	65	37	58	Darlington	42	63	—	—	2	—	1	—	—	3		
41	20	17	19	10	11	5	123	38	60	Derby	81	122	6	—	—	—	1	1	1	9		
10	11	8	3	6	—	2	40	38	53	Dewsbury	161	161	4	1	—	—	—	—	—	5		
10	12	14	10	7	5	4	62	36	62	Doncaster	111	133	1	1	3	1	—	—	—	6		
12	17	13	9	10	7	3	71	39	66	Dudley	80	80	—	1	1	—	—	—	—	2		
4	2	—	3	4	6	1	20	10	34	Eastbourne	—	29	—	—	—	1	—	—	—	1		
19	20	9	15	9	7	6	85	24	43	East Ham	47	70	2	—	—	1	—	—	—	3		
9	8	8	3	1	1	3	33	25	34	Exeter	50	50	3	—	—	—	—	—	—	3		
15	34	59	24	37	21	8	198	49	90	Gateshead	74	111	—	2	2	—	1	1	—	6		
5	9	6	8	6	6	2	42	24	50	Gloucester	172	172	2	2	1	—	—	—	—	5		
2	6	5	11	1	2	2	29	17	38	Gt. Yarmouth	30	30	—	—	1	—	—	—	—	1		
14	16	11	12	19	14	14	100	25	62	Grimsby	46	130	—	2	3	3	1	4	1	14		
14	20	21	12	7	7	2	83	47	71	Halifax	18	73	—	—	1	2	1	—	—	4		
12	8	8	6	3	3	3	43	36	55	Hastings	17	85	1	—	—	3	1	—	—	5		
14	19	8	9	9	2	2	63	29	45	Huddersfield	36	54	—	2	—	—	—	—	1	3		
11	8	10	7	3	2	3	44	21	31	Ipswich	57	57	3	—	1	—	—	—	—	4		
54	58	61	78	78	49	50	428	29	72	Kingston-upon-Hull ..	47	94	6	6	1	7	4	1	1	26		
90	89	59	87	63	41	32	461	33	64	Leeds	74	110	17	3	7	3	7	1	2	40		
41	45	30	36	25	21	14	212	32	59	Leicester	57	120	5	2	4	6	3	3	—	23		
12	7	5	5	5	2	1	37	27	42	Lincoln	18	36	—	—	1	—	—	—	1	2		
93	170	171	269	293	198	155	1449	31	84	Liverpool	41	137	14	5	12	21	25	23	3	103		
20	130	131	163	118	76	71	809	33	71	Manchester	43	97	11	6	6	16	6	6	1	52		
24	39	38	40	36	36	32	245	36	86	Middlesbrough	64	114	3	4	2	4	2	1	—	16		
61	50	113	46	62	35	34	401	48	86	Newcastle-upon-Tyne ..	56	106	4	—	7	—	4	2	4	21		
14	20	3	6	8	5	3	59	32	51	Northampton	34	34	—	2	—	—	—	—	—	2		
20	15	10	16	8	11	3	83	26	48	Norwich	11	66	1	—	—	3	1	1	—	6		
55	63	39	59	65	47	29	357	36	81	Nottingham	39	121	5	2	3	8	8	5	—	31		
22	21	16	18	12	13	6	108	35	64	Oldham	11	45	1	—	—	1	—	2	—	4		
9	14	3	8	2	4	1	41	19	31	Oxford	—	—	—	—	—	—	—	—	—	—		
33	38	31	32	21	15	14	184	33	60	Plymouth	56	99	3	3	3	—	2	2	3	16		
32	39	21	26	28	15	10	171	25	46	Portsmouth	63	90	4	8	2	2	2	2	—	20		
23	34	19	24	14	15	12	141	44	81	Preston	35	118	2	—	1	1	1	3	2	10		
15	16	19	9	7	3	6	75	34	51	Reading	54	81	—	1	3	2	—	—	—	6		
10	25	23	17	9	2	7	93	53	85	Rochdale	36	71	1	1	—	1	1	—	—	4		
21	18	9	10	9	5	8	80	41	68	Rotherham	49	49	2	—	—	—	—	—	—	2		
31	31	29	28	32	22	18	191	45	94	St. Helens	22	111	1	—	—	—	3	—	1	5		
49	33	39	38	38	21	26	244	38	76	Salford	83	124	6	1	3	1	2	2	—	15		
87	93	63	50	46	33	30	402	32	52	Sheffield	71	114	5	7	6	4	2	—	5	29		
7	17	9	18	9	7	7	74	27	61	Smethwick	31	63	1	—	—	—	—	—	1	2		
36	31	10	17	16	11	5	126	28	46	Southampton	96	120	5	7	—	2	1	—	—	15		
20	10	10	7	6	6	2	61	27	41	Southend-on-Sea	41	82	3	—	—	3	—	—	—	6		
15	13	9	7	2	5	1	52	46	64	Southport	—	—	—	—	—	—	—	—	—	—		
14	21	29	28	21	21	20	154	33	80	South Shields	53	107	1	2	1	1	2	—	1	8		
28	16	11	12	16	8	5	96	32	57	Stockport	13	38	1	—	—	—	2	—	—	3		
55	65	46	66	64	41	39	376	37	83	Stoke-on-Trent	47	101	2	3	2	4	2	2	—	15		

TABLE 16—continued.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.									Deaths per 1,000 Live Births.	Area.	Deaths per 1,000 Live Births.	DEATHS.								
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.				Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
COUNTY BOROUGH—continued.																				
37	47	49	57	55	50	45	340	36	92	Sunderland ..	31	69	—	2	2	—	1	2		
7	15	16	8	15	8	6	75	32	63	Tynemouth ..	21	21	—	—	1	—	—	—		
15	9	5	15	6	6	5	61	30	64	Wakefield ..	26	51	—	—	1	—	—	—		
11	18	9	11	5	3	4	61	30	48	Wallasey ..	32	65	1	1	1	1	—	—		
23	25	25	24	13	11	14	135	36	67	Walsall ..	60	120	1	—	2	1	—	—		
15	18	16	17	8	7	6	87	37	65	Warrington ..	—	25	—	—	—	1	—	—		
14	15	17	17	27	21	20	131	30	84	West Bromwich ..	27	135	—	—	1	—	2	—		
34	36	19	30	36	21	15	191	21	45	West Ham ..	36	89	2	—	2	1	—	—		
11	29	19	25	20	13	10	127	41	88	West Hartlepool ..	49	73	1	—	1	—	—	—		
17	24	21	20	23	18	16	139	44	98	Wigan ..	91	152	1	1	1	—	1	—		
29	24	23	19	18	14	10	137	33	60	Wolverhampton ..	35	35	—	1	2	—	—	—		
9	6	7	10	3	1	4	40	29	52	Worcester ..	48	95	1	1	—	1	—	—		
15	13	10	8	11	5	7	69	28	50	York ..	13	13	—	1	—	—	—	—		
WALES AND MONMOUTH.																				
56	38	26	27	21	14	17	199	36	59	Cardiff ..	31	38	2	1	1	1	—	—		
11	16	10	15	14	4	6	76	36	75	Merthyr Tydfil ..	206	235	3	4	—	1	—	—		
16	13	11	23	20	19	11	113	25	70	Newport, Mon. ..	23	93	1	—	1	1	—	—		
20	30	31	24	28	10	11	154	31	59	Swansea ..	60	90	—	2	2	1	1	—		

ADMINISTRATIVE COUNTIES.

NOTE.—The following figures relate to the aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.

										ENGLAND (excluding Monmouth).									
22	19	21	27	9	4	4	106	26	45	Bedford .. U.D.	57	95	1	4	1	4	—	—	1
3	8	12	8	1	2	5	39	22	37	.. R.D.	42	83	—	—	2	1	—	—	1
9	6	11	8	5	4	1	44	25	42	Berks... .. U.D.	15	74	—	—	1	2	1	—	—
21	29	15	10	8	7	2	92	31	44	.. R.D.	80	110	5	2	1	—	3	—	1
17	9	16	12	10	4	5	73	19	33	Bucks .. U.D.	—	36	—	—	—	2	—	—	—
20	17	12	11	11	2	4	77	24	37	.. R.D.	14	41	—	—	1	—	—	2	—
5	7	5	8	2	6	2	35	20	42	Cambs .. U.D.	—	79	—	—	—	1	—	2	—
7	6	3	6	2	7	2	33	17	36	.. R.D.	26	26	1	—	—	—	—	—	—
65	83	59	70	48	33	25	383	30	55	Cheshire .. U.D.	61	114	7	5	2	4	3	3	2
23	23	20	18	11	14	7	116	25	44	.. R.D.	83	107	5	1	1	—	1	1	—
19	25	16	20	17	9	6	112	28	52	Cornwall .. U.D.	52	72	2	2	1	1	1	—	—
23	20	12	15	7	3	2	82	27	41	.. R.D.	122	146	5	4	1	2	—	—	—
15	17	9	20	14	4	8	87	28	60	Cumberland .. U.D.	27	68	1	1	—	2	1	—	—
25	23	16	19	14	10	8	115	34	62	.. R.D.	42	63	2	2	2	2	—	1	—
63	78	35	42	31	25	20	294	36	60	Derby .. U.D.	71	128	6	3	2	3	3	3	2
50	49	39	36	31	23	12	240	31	53	.. R.D.	56	106	4	2	2	2	1	3	1
24	26	18	23	14	5	5	115	26	44	Devon .. U.D.	80	106	5	2	2	2	1	—	1
28	30	25	17	11	12	8	131	27	43	.. R.D.	48	65	3	2	1	—	1	—	—
17	32	17	7	7	5	2	87	31	41	Dorset .. U.D.	31	52	1	2	—	1	—	—	1
11	13	3	8	7	2	1	45	21	34	.. R.D.	50	83	—	2	1	—	1	1	—
104	128	112	86	80	75	64	649	38	72	Durham .. U.D.	61	86	4	7	8	4	—	2	2
104	94	73	62	54	36	35	458	40	67	.. R.D.	36	64	3	3	2	1	2	2	1
5	9	4	10	3	3	5	39	21	46	Ely, Isle of .. U.D.	22	111	—	1	—	3	—	—	—
7	1	6	2	3	4	1	24	27	47	.. R.D.	—	—	—	—	—	—	—	—	—
153	131	95	119	90	67	46	701	24	44	Essex... .. U.D.	39	65	13	1	4	4	5	1	2
27	31	13	18	14	9	7	119	24	39	.. R.D.	29	72	2	1	1	4	2	—	—
12	18	7	8	7	3	3	58	26	41	Gloucester .. U.D.	48	48	1	2	—	—	—	—	—
37	27	18	12	9	16	9	128	24	38	.. R.D.	15	22	1	1	—	—	—	—	1
5	8	4	4	2	1	1	25	28	41	Hereford .. U.D.	25	25	1	—	—	—	—	—	—
11	16	10	5	5	3	3	53	35	50	.. R.D.	28	28	1	—	1	—	—	—	—
34	30	24	26	17	12	12	155	20	34	Hertford .. U.D.	23	63	2	1	1	3	2	1	1
16	15	7	8	7	5	6	64	23	38	.. R.D.	19	19	1	—	—	—	—	—	—
—	2	4	1	2	2	—	11	16	30	Huntingdon .. U.D.	91	91	—	—	1	—	—	—	—
6	15	3	—	4	2	1	31	53	68	.. R.D.	—	—	—	—	—	—	—	—	—
138	141	89	112	85	58	39	662	24	44	Kent .. U.D.	36	76	10	9	3	16	5	2	2
40	38	20	16	23	16	7	160	24	39	.. R.D.	48	96	5	1	2	2	3	2	1
253	292	195	222	144	117	108	1331	35	63	Lancs... .. U.D.	49	94	19	4	11	14	10	4	4
42	38	24	33	11	10	17	175	34	57	.. R.D.	50	88	1	3	—	2	1	—	—
18	23	10	15	6	10	8	90	30	53	Leicester .. U.D.	48	71	1	1	—	1	—	—	—
27	25	21	27	15	9	7	131	28	51	.. R.D.	49	110	4	—	—	2	2	1	—
7	4	5	3	6	6	4	35	26	57	Lincs, Holland U.D.	—	—	—	—	—	—	—	—	—
8	7	10	10	4	2	4	45	24	43	.. R.D.	22	65	1	—	—	2	—	—	—
6	7	4	4	4	3	2	30	28	50	Lincs, Kesteven U.D.	121	182	1	2	1	1	1	—	—
9	16	4	5	9	3	2	48	32	52	.. R.D.	71	107	—	1	1	—	—	—	—
23	28	18	14	13	8	7	111	32	52	Lincs, Lindsey U.D.	51	85	1	4	1	2	1	—	1
22	22	17	6	5	6	6	84	29	39	.. R.D.	104	132	6	2	3	1	1	—	1
251	252	228	216	191	101	74	1313	26	48	Middlesex .. U.D.	55	125	29	12	18	35	25	9	7
10	9	6	7	4	1	3	40	28	45	Norfolk .. U.D.	19	57	1	—	—	1	1	—	—
39	43	16	24	12	13	16	163	25	42	.. R.D.	59	74	5	5	2	2	—	—	1

TABLE 16—continued.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.							Deaths per 1,000 Live Births.			Area.	Deaths per 1,000 Live Births.			DEATHS.						
1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.			Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
ADMINISTRATIVE COUNTIES—continued.																				
22	6	8	5	2	5	66	36	51	Northants ..	U.D.	55	109	—	3	—	—	3	—	—	—
20	14	19	3	4	2	80	33	50		R.D.	—	—	—	—	—	—	—	—	—	—
63	77	63	52	31	28	369	39	74	North'berland	U.D.	44	100	—	3	5	3	4	1	2	18
18	18	7	8	3	4	78	41	57		R.D.	51	76	2	—	2	1	1	—	—	6
61	48	49	37	21	24	292	34	61	Notts..	U.D.	33	83	—	4	2	6	2	—	1	15
26	24	17	9	7	6	106	29	46		R.D.	23	46	1	1	—	1	1	—	—	4
5	5	4	2	1	1	20	22	36	Oxford ..	U.D.	—	130	—	—	—	2	1	—	—	3
12	6	7	4	6	9	55	21	40		R.D.	45	60	1	1	1	—	—	—	—	4
14	9	8	2	3	1	38	38	61	Peterborough, Soke of	U.D.	29	29	—	1	—	—	—	—	1	4
3	2	1	1	—	—	7	38	53		R.D.	—	—	—	—	—	—	—	—	—	1
—	—	—	—	—	—	—	—	—	Rutland ..	U.D.	—	—	—	—	—	—	—	—	—	—
2	3	—	2	1	—	10	34	48		R.D.	—	—	—	—	—	—	—	—	—	—
13	9	10	5	4	7	65	22	37	Salop..	U.D.	40	80	1	1	2	1	2	—	1	8
34	14	11	7	3	6	100	39	54		R.D.	26	61	—	2	1	2	1	—	—	7
19	19	11	7	7	4	90	29	43	Somerset ..	U.D.	60	90	2	1	1	1	1	—	—	6
29	17	12	13	12	7	115	23	38		R.D.	39	78	2	1	1	1	1	2	—	8
40	27	19	14	20	8	164	24	39	Southampton	U.D.	40	68	2	2	3	3	2	—	—	12
35	17	18	16	8	11	130	24	41		R.D.	36	36	4	—	1	—	—	—	—	5
108	110	96	106	76	61	658	34	69	Staffs..	U.D.	39	79	3	2	3	1	3	1	3	16
32	17	25	20	10	16	150	29	56		R.D.	19	46	—	2	—	1	—	—	2	5
10	10	7	5	2	5	49	24	39	Suffolk, East	U.D.	—	19	—	—	—	—	1	—	—	1
12	13	6	9	4	3	58	22	35		R.D.	60	71	2	3	—	1	—	—	—	6
6	6	2	3	—	2	21	28	42	Suffolk, West	U.D.	43	43	—	1	—	—	—	—	—	1
10	4	5	2	3	1	38	30	42		R.D.	44	89	1	1	—	2	—	—	—	4
109	73	75	67	44	34	532	24	41	Surrey ..	U.D.	50	75	18	4	5	7	6	1	—	41
11	7	8	7	7	4	60	21	38		R.D.	35	70	1	1	—	1	1	—	—	4
16	12	14	16	3	3	80	27	50	Sussex, East..	U.D.	48	60	2	2	—	—	1	—	—	5
20	8	13	8	3	4	66	21	37		R.D.	54	108	1	3	—	2	2	—	—	8
14	10	8	7	4	3	66	26	39	Sussex, West	U.D.	47	70	1	2	1	2	—	—	—	6
19	7	14	10	6	2	76	27	47		R.D.	55	68	2	2	—	—	1	—	—	5
32	30	15	20	13	17	149	26	45	Warwick ..	U.D.	29	58	1	2	—	1	1	1	—	6
27	17	23	11	5	5	110	31	52		R.D.	68	68	1	2	2	—	—	—	—	5
3	2	2	2	1	—	16	29	43	Westmorland	U.D.	—	—	—	—	—	—	—	—	—	—
9	4	5	1	—	1	29	42	56		R.D.	57	57	1	2	—	—	—	—	—	3
10	4	3	3	—	6	32	26	41	Wight, Isle of	U.D.	50	50	—	2	—	—	—	—	—	2
1	1	—	1	—	—	6	24	29		R.D.	83	83	—	—	1	—	—	—	—	1
34	7	6	7	4	6	82	30	41	Wilts..	U.D.	37	49	1	2	—	—	—	1	—	4
22	12	9	11	5	6	87	24	37		R.D.	28	65	2	—	1	2	1	—	—	7
43	29	27	19	18	13	195	33	55	Worcester ..	U.D.	53	116	1	3	1	3	—	3	—	11
15	8	7	6	3	2	54	28	42		R.D.	62	77	2	—	2	1	—	—	—	5
10	9	5	6	5	3	48	27	44	Yorks, E.R. ..	U.D.	18	91	—	1	—	1	1	1	1	5
18	17	16	7	7	5	81	33	58		R.D.	31	42	—	—	3	—	1	—	—	4
52	32	32	27	24	12	222	43	75	Yorks, N.R. ..	U.D.	44	63	3	2	2	—	2	1	—	10
32	19	25	13	7	4	132	38	61		R.D.	43	70	2	1	2	2	1	—	—	8
222	133	128	112	81	53	913	34	58	Yorks, W.R. ..	U.D.	50	75	9	13	6	7	6	—	1	42
101	56	58	50	34	26	417	34	56		R.D.	53	71	4	7	4	4	1	—	—	20
WALES AND MONMOUTH.																				
9	2	6	3	2	—	28	62	102	Anglesey ..	U.D.	67	67	—	1	—	—	—	—	—	1
4	4	8	5	3	3	31	28	73		R.D.	49	122	1	1	—	1	2	—	—	5
2	—	1	1	—	1	7	20	36	Brecon ..	U.D.	—	—	—	—	—	—	—	—	—	—
3	3	5	3	3	3	32	31	56		R.D.	182	182	4	—	—	—	—	—	—	4
16	10	1	9	2	2	52	44	60	Caernarvon ..	U.D.	16	66	—	1	—	1	1	—	1	4
13	16	8	9	8	2	63	46	81		R.D.	40	100	—	—	2	—	1	2	—	5
2	1	—	1	1	—	7	31	44	Cardigan ..	U.D.	—	—	—	—	—	—	—	—	—	—
6	7	5	4	1	2	28	34	59		R.D.	23	47	—	—	1	—	—	1	—	2
18	8	12	8	3	3	70	44	70	Carmarthen ..	U.D.	—	37	—	—	—	1	—	—	—	1
26	14	19	8	7	6	104	42	67		R.D.	42	83	—	2	1	2	—	—	1	6
12	11	13	6	6	3	68	46	78	Denbigh ..	U.D.	75	75	2	—	1	—	—	—	—	3
22	12	13	15	11	2	85	30	58		R.D.	26	79	1	1	—	2	2	—	—	6
8	8	15	5	2	1	49	28	52	Flint ..	U.D.	24	48	1	—	—	—	—	—	1	2
15	6	10	7	3	4	54	34	62		R.D.	47	140	—	2	—	1	1	—	—	6
127	92	99	70	60	51	610	36	66	Glamorgan	U.D.	59	94	6	8	6	5	3	3	1	32
34	24	24	20	11	17	158	32	58		R.D.	51	89	—	1	3	1	1	1	—	7
7	2	4	1	2	1	24	62	93	Merioneth ..	U.D.	111	111	1	—	—	—	—	—	—	1
2	2	2	4	—	2	15	23	49		R.D.	91	91	—	1	1	—	—	—	—	2
52	59	43	27	28	23	288	36	61	Monmouth ..	U.D.	27	47	3	1	—	2	1	—	—	7
11	5	3	2	2	6	36	39	61		R.D.	77	77	1	1	—	—	—	—	—	2
4	3	2	—	2	—	14	38	53	Montgomery..	U.D.	—	91	—	—	—	1	—	—	—	1
5	6	3	2	2	1	21	27	43		R.D.	24	73	—	—	1	1	1	—	—	3
6	7	7	4	3	1	35	29	50	Pembroke ..	U.D.	26	79	—	1	—	—	—	2	—	3
10	5	5	6	4	1	40	37	61		R.D.	47	93	1	1	—	—	1	—	1	4
2	—	1	—	—	—	5	58	72	Radnor ..	U.D.	—	—	—	—	—	—	—	—	—	—
5	1	1	1	2	1	13	38	61		R.D.	133	200	—	2	—	—	—	1	—	3

TABLE 17. POPULATION, BIRTHS, DEATHS } { England and Wales, Regions
AND INFANT MORTALITY, 1935. } Counties, Boroughs, Urban Dis-
tricts and Rural Districts.

NOTES.

Column 2: The estimates of *resident* populations have been derived from the 1931 Census returns after allowances for (a) the difference between resident and enumerated populations and (b) the changes due to births, deaths and migration which have occurred between the date of the Census and the middle of the current year. (See note on the next page re changes in boundaries.)

Columns 3-7: Live births are those *registered* during the calendar year and are classified according to the area of residence of the mother. The average time lag between occurrence and registration is usually about a month.

Columns 9-11: Deaths are those *registered* during the calendar year and are classified according to the area of residence of the deceased. The time lag between occurrence and registration is usually only a day or two.

Columns 13-14: Mortality comparisons yielded by the crude death rates (col. 12) alone are vitiated by reason of the fact that the areal populations on which they are based may be of widely differing age constitutions. With a view to eliminating this element of variation, an areal comparability factor (A.C.F.) is provided in column 13 for each area and this, when multiplied by the crude death rate of the area, produces an adjusted death rate which may be regarded as comparable from a mortality point of view with the contemporaneous adjusted rate for any other area or with the crude death rate for England and Wales as a whole (where the comparability factor is unity). A guide to the relative incidence of mortality in different areas is provided by column 14 which expresses each local adjusted rate as a ratio of the contemporaneous national rate. See italic note on standardization below.

Columns 17-19: (Shewn only for the Regional Summary on page 70B): The rates of increase and decrease are in respect of the areas as constituted after all changes of boundaries which occurred during the year.

Regions: The constitution of the Regions shewn in the summary on page 70B is as follows:—

<p><i>Greater London.</i> The area coincident with the City of London and Metropolitan Police Districts — approximately 15 miles radius from Charing Cross.</p> <p><i>South East.</i> Bedfordshire Berkshire. Buckinghamshire. Essex. Hertfordshire. Kent. London. Middlesex. Oxfordshire. Southampton. Surrey. Sussex, East. " West. Wight, Isle of.</p>	<p><i>North I.</i> Durham. Northumberland.</p> <p><i>North II.</i> Cumberland. Westmorland. Yorkshire, East Riding. " North Riding.</p> <p><i>North III.</i> Yorkshire, West Riding York C.B.</p> <p><i>North IV.</i> Cheshire. Lancashire.</p> <p><i>Midland I.</i> Gloucestershire. Herefordshire. Shropshire. Staffordshire. Warwickshire. Worcestershire.</p>	<p><i>Midland II.</i> Derbyshire. Leicestershire. Northamptonshire. Nottinghamshire. Peterborough, Soke of.</p> <p><i>East.</i> Cambridgeshire. Ely, Isle of. Huntingdonshire. Lincolnshire— Parts of Holland. " Kesteven. " Lindsey. Norfolk. Rutlandshire. Suffolk, East. " West.</p> <p><i>South West.</i> Cornwall. Devonshire. Dorsetshire. Somersetshire. Wiltshire.</p>	<p><i>Wales I.</i> Brecknockshire. Carmarthenshire. Glamorganshire. Monmouthshire</p> <p><i>Wales II.</i> Anglesey. Caernarvonshire. Cardiganshire. Denbighshire. Flintshire. Merionethshire. Montgomeryshire. Pembrokeshire. Radnorshire.</p>
---	---	--	--

With a view to maintaining continuity with the Divisions in use prior to 1931, two supplementary sub-divisions of the current South-East region are shewn in the Table. The former Midland division corresponds to the aggregate of the current Midland and East and Midland section of the South-East Region; the former South (including London) corresponds to the current South-West and the Southern section of the South-East Region; North and Wales are identical in the two arrangements.

Changes in boundaries. Areas marked $\left\{ \begin{array}{l} * \text{ have been altered} \\ \dagger \text{ „ „ created} \\ \ddagger \text{ „ „ abolished} \end{array} \right\}$ during the year. Unless

otherwise indicated, statistics of areas created or abolished refer only to the portion of the year of their existence, while statistics of areas whose boundaries have been altered are composite figures combining the “before change” and “after change” position for the respective periods involved. The population of each area as constituted after change will be found in Appendix B, the population shown in column 2 of this Table being a constructed figure appropriate for use with the partial or mixed records of births and deaths of the current year.

Standardization of Local Death Rates.—The A.C.F. shewn for each area in col. 13, the use of which is explained in the above note on cols. 13–14, may be regarded as an index of the relationship of the sex-age distribution of the local population to that of the total national population as disclosed by the 1931 census. Strictly it applies only to the year 1931, but it may, in practice, be used for adjacent years on either side and will continue to be so used in the absence of any better index—until fresh factors are available from the next census, on the assumption that age changes known to be taking place from time to time in the national population are more or less paralleled by corresponding types of change in most local areas, in which event the relationship between them expressed by the A.C.F. will be subject to little alteration from year to year. The current A.C.F. is only reviewed and revised, if necessary, upon a change in boundary.

While the use of the A.C.F. alone suffices to standardize, for the purpose of valid comparison, the mortalities of different areas in the same period of time it does not suffice for the comparison of mortalities at different periods of time, either of the same or of different areas. For the latter purpose, an analogous time comparability factor (T.C.F.) must be introduced, so constructed as to eliminate the effect of sex-age changes in population taking place from time to time. For the country as a whole, such T.C.F.s are available from the ratios of standardized to crude death rates set out in Table 3, and for recent years are as follows:—1929, .853; 1930, .838; 1931, .820; 1932, .808; 1933, .796; 1934, .790; 1935, .768. Upon the assumption of a similarity of temporal age trends in national and local populations, the national T.C.F.s for successive years can be used in conjunction with the A.C.F.s of local areas, the product of an A.C.F. and a T.C.F. yielding a combined comparability factor (C.C.F.) which, when multiplied by the crude death rate to which it applies, may be regarded as producing a standardized death rate comparable with the correspondingly treated crude death rate of any other place and time or with the national standardized rates shewn in Table 3.

It is to be observed that the A.C.F.s and T.C.F.s now provided apply only to total mortalities from all causes. They are not appropriate for use with selected diseases or causes.

For a fuller description of the standardizing processes, reference should be made to the Text portion of the Statistical Review for 1934.

AREA.	Col. 1	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Increase or Decrease (—) of Population per cent. Census 1931— Mid. 1935.			
			Legitimate.		Illegitimate.		Total.	Crude Rate per 1,000 Total Population.	M.	F.	Total.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 Live Births.	Total.	By Births and Deaths.	By Migration.	
			M.	F.	M.	F.														
																				3
ENGLAND AND WALES		40,645,000	294,717	278,934	12,835	12,270	598,756	14.7	243,458	233,943	477,401	11.7	1.00	1.00	34,092	57	1.73	1.23	0.50	
REGIONAL SUMMARY:																				
South East ...		14,008,500	95,809	90,548	4,408	4,395	195,160	13.9	75,306	75,214	150,520	10.7	0.97	0.89	9,261	47	3.93	1.19	2.74	
Greater London ...		8,474,900	57,944	54,686	2,619	2,633	117,882	13.9	44,122	43,426	87,548	10.3	1.04	0.92	6,030	51	3.02	1.32	1.70	
Remainder of South East		5,533,600	37,865	35,862	1,789	1,762	77,278	14.0	31,184	31,788	62,972	11.4	0.88	0.86	3,231	42	5.36	0.98	4.38	
North		13,147,200	99,531	94,410	4,295	3,965	202,201	15.4	85,689	80,957	166,646	12.7	1.08	1.17	13,669	68	0.34	1.22	—0.88	
North I ...		2,239,800	18,922	18,163	719	667	38,471	17.2	14,599	12,824	27,423	12.2	1.12	1.17	2,914	76	—0.33	2.30	—2.63	
*North II ...		1,291,900	10,455	9,786	617	567	21,425	16.6	8,492	7,924	16,416	12.7	0.98	1.06	1,465	68	1.15	1.66	—0.51	
North III ...		3,459,800	25,216	23,743	1,091	988	51,038	14.8	21,851	21,013	42,864	12.4	1.07	1.13	2,978	58	0.24	1.00	—0.76	
*North IV ...		6,155,700	44,938	42,718	1,868	1,743	91,267	14.8	40,747	39,196	79,943	13.0	1.08	1.20	6,312	69	0.48	0.85	—0.37	
Midland		7,045,600	53,084	50,520	1,958	1,912	107,474	15.3	41,447	38,822	80,269	11.4	1.02	0.99	6,295	59	1.99	1.63	0.36	
*Midland I ...		4,629,300	35,476	33,909	1,255	1,201	71,841	15.5	27,367	25,644	53,011	11.5	1.02	1.00	4,200	58	1.97	1.65	0.32	
*Midland II ...		2,416,300	17,608	16,611	703	711	35,633	14.7	14,080	13,178	27,258	11.3	1.02	0.99	2,095	59	2.04	1.57	0.47	
East ...		1,838,000	13,218	12,524	711	659	27,112	14.8	11,122	10,768	21,890	11.9	0.86	0.87	1,198	44	0.96	1.17	—0.21	
South West ...		2,068,000	13,638	12,787	653	544	27,622	13.4	12,755	13,083	25,838	12.5	0.83	0.89	1,190	43	0.81	0.35	0.46	
Wales ...		2,537,700	19,437	18,145	810	795	39,187	15.4	17,139	15,099	32,238	12.7	1.05	1.14	2,479	63	—2.08	1.23	—3.31	
Wales I ...		1,851,400	14,506	13,621	515	485	29,127	15.7	12,172	10,223	22,395	12.1	1.12	1.16	1,847	63	—2.60	1.60	—4.20	
Wales II ...		686,300	4,931	4,524	295	310	10,060	14.7	4,967	4,876	9,843	14.3	0.89	1.09	632	63	—0.66	0.20	—0.86	
DENSITY SUMMARY OF ALL AREAS OUTSIDE GREATER LONDON:																				
*County Boroughs ...		12,771,700	96,690	92,134	4,375	4,096	197,295	15.4	81,966	77,899	159,865	12.5	1.06	1.13	13,053	66	0.03	1.25	—1.22	
*Urban Districts ...		11,977,700	86,188	80,926	3,436	3,212	173,762	14.5	72,388	70,332	142,720	11.9	0.99	1.01	9,640	55	1.70	1.04	0.66	
*Rural Districts ...		7,420,700	53,895	51,188	2,405	2,329	109,817	14.8	44,982	42,286	87,268	11.8	0.90	0.91	5,369	49	3.35	1.42	1.93	
SUPPLEMENTARY SUB-DIVISIONS OF SOUTH EAST REGION:																				
Midland Section ...		4,909,800	35,234	33,358	1,307	1,272	71,171	14.5	24,046	24,143	48,189	9.8	1.01	0.85	3,100	44	9.05	1.85	7.20	
Southern Section ...		9,098,700	60,575	57,190	3,101	3,123	123,989	13.6	51,260	51,071	102,331	11.2	0.85	0.81	6,161	50	1.36	0.86	0.50	

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ENGLAND (exclud- ing Monmouth)															
EDFORDSHIRE :															
ADMINISTRATIVE	234,700	1,629	1,639	78	75	3,421	14.6	1,263	1,345	2,608	11.1	0.91	0.86	145	42
COUNTY.															
URBAN DISTRICTS	158,900	1,147	1,110	55	50	2,362	14.9	853	882	1,735	10.9	0.96	0.89	106	45
Ampthill ..	2,280	9	15	—	3	27	11.8	14	13	27	11.8	0.69	0.70	2	74
Bedford M.B. ..	43,380	287	246	19	6	558	12.9	222	256	478	11.0	0.88	0.83	25	45
Biggleswade ..	5,977	36	54	2	2	94	15.7	31	30	61	10.2	0.84	0.73	7	74
Dunstable M.B.	11,330	94	72	—	7	173	15.3	66	69	135	11.9	0.94	0.96	8	46
Kempston ..	5,690	40	46	3	3	92	16.2	40	27	67	11.8	0.95	0.96	3	33
Leighton Buzzard	7,005	45	37	3	4	89	12.7	40	41	81	11.6	0.85	0.84	7	79
Luton M.B. ..	80,020	611	618	28	25	1,282	16.0	421	424	845	10.6	1.06	0.96	53	41
Sandy	3,218	25	22	—	—	47	14.6	19	22	41	12.7	0.82	0.89	1	21
RURAL DISTRICTS	75,800	482	529	23	25	1,059	14.0	410	463	873	11.5	0.83	0.82	39	37
Ampthill ..	17,710	102	116	3	4	225	12.7	114	131	245	13.8	0.78	0.92	11	49
Bedford ..	22,960	145	159	5	8	317	13.8	125	135	260	11.3	0.79	0.76	12	38
Biggleswade ..	21,230	139	156	5	7	307	14.5	99	108	207	9.8	0.87	0.73	6	20
Luton	13,900	96	98	10	6	210	15.1	72	89	161	11.6	0.90	0.89	10	48
BERKSHIRE ..	322,800	2,257	2,117	113	129	4,616	14.3	1,801	1,886	3,687	11.4	0.85	0.83	211	46
COUNTY BORO' :															
Reading ..	99,600	752	649	33	41	1,475	14.8	583	640	1,223	12.3	0.89	0.94	75	51
ADMINISTRATIVE	223,200	1,505	1,468	80	88	3,141	14.1	1,218	1,246	2,464	11.0	0.84	0.79	136	43
COUNTY.															
URBAN DISTRICTS	79,900	489	489	33	35	1,046	13.1	450	486	936	11.7	0.83	0.83	44	42
Abingdon M.B.	7,954	47	42	1	2	92	11.6	46	40	86	10.8	0.85	0.78	5	54
Maidenhead M.B.	23,110	146	158	14	14	332	14.4	118	133	251	10.9	0.88	0.82	19	57
Newbury M.B...	14,470	97	91	7	5	200	13.8	97	101	198	13.7	0.79	0.93	2	10
New Windsor	19,510	117	119	5	10	251	12.9	99	115	214	11.0	0.90	0.85	12	48
M.B.															
Wallingford M.B.	3,016	13	12	1	3	29	9.6	25	21	46	15.3	0.76	0.99	1	34
Wantage ..	4,195	22	32	2	—	56	13.3	25	31	56	13.3	0.85	0.97	2	36
Wokingham M.B.	7,645	47	35	3	1	86	11.2	40	45	85	11.1	0.72	0.68	3	35
RURAL DISTRICTS	143,300	1,016	979	47	53	2,095	14.6	768	760	1,528	10.7	0.84	0.77	92	44
Abingdon ..	13,590	124	109	5	4	242	17.8	61	80	141	10.4	0.92	0.82	6	25
Bradfield ..	15,000	95	102	3	4	204	13.6	85	84	169	11.3	0.83	0.80	10	49
Cookham ..	10,290	74	64	4	5	147	14.3	67	57	124	12.1	0.88	0.91	9	61
Easthampstead	19,080	124	110	6	6	246	12.9	96	110	206	10.8	0.87	0.80	10	41
Faringdon (part of).	9,382	67	75	7	4	153	16.3	51	51	102	10.9	0.81	0.75	7	46
Hungerford ..	8,748	73	55	1	—	129	14.7	53	48	101	11.5	0.79	0.78	5	39
Newbury ..	11,470	84	71	—	3	158	13.8	72	57	129	11.2	0.81	0.78	5	32
Wallingford ..	11,100	82	91	7	4	184	16.6	47	43	90	8.1	0.91	0.63	10	54
Wantage ..	11,410	73	63	2	5	143	12.5	79	51	130	11.4	0.81	0.79	8	56
Windsor ..	9,620	56	65	2	5	128	13.3	47	54	101	10.5	0.84	0.75	4	31
Wokingham ..	23,610	164	174	10	13	361	15.3	110	125	235	10.0	0.84	0.72	18	50

a The remainder of Faringdon R.D. is in Gloucestershire.

TABLE 17—continued.

(See notes on first page of Table

AREA.	Estimated Resident Population (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BUCKINGHAMSHIRE :															
ADMINISTRATIVE COUNTY.	288,100	2,138	1,948	85	73	4,244	14.7	1,488	1,549	3,037	10.5	0.91	0.82	150	35
URBAN DISTRICTS.	141,800	1,082	1,022	42	42	2,188	15.4	710	692	1,402	9.9	0.96	0.81	73	33
Aylesbury M.B.	13,640	106	97	—	1	204	15.0	64	75	139	10.2	0.92	0.80	6	29
Beaconsfield ..	5,400	38	31	2	1	72	13.3	16	24	40	7.4	1.04	0.66	2	28
Bletchley ..	6,968	46	50	2	3	101	14.5	33	27	60	8.6	0.89	0.65	2	20
Buckingham M.B.	3,269	21	20	—	1	42	12.8	12	22	34	10.4	0.78	0.69	4	95
Chepping Wycombe M.B.	32,030	255	238	5	7	505	15.8	142	152	294	9.2	1.04	0.82	13	26
Chesham ..	10,270	63	66	3	2	134	13.0	43	46	89	8.7	0.91	0.68	5	37
Eton ..	4,347	16	21	1	—	38	8.7	17	16	33	7.6	1.26	0.82	—	—
Linslade ..	2,569	18	21	—	—	39	15.2	22	14	36	14.0	0.80	0.96	1	26
Marlow ..	5,286	49	36	1	—	86	16.3	41	36	77	14.6	0.91	1.14	4	47
Newport Pagnell	3,971	19	27	3	2	51	12.8	42	20	62	15.6	0.75	1.00	2	39
Slough ..	41,100	366	354	21	24	765	18.6	194	185	379	9.2	1.08	0.85	25	33
Wolverton ..	12,950	85	61	4	1	151	11.7	84	75	159	12.3	0.85	0.89	9	60
RURAL DISTRICTS.	146,300	1,056	926	43	31	2,056	14.1	778	857	1,635	11.2	0.87	0.83	77	37
Amersham ..	30,760	208	221	6	3	438	14.2	138	156	294	9.6	0.95	0.78	13	30
Aylesbury ..	23,580	152	150	3	3	308	13.1	131	153	284	12.0	0.88	0.90	11	36
Buckingham ..	7,335	51	37	4	2	94	12.8	45	51	96	13.1	0.76	0.85	3	32
Eton ..	29,780	225	185	14	13	437	14.7	146	149	295	9.9	0.97	0.82	17	39
Newport Pagnell	12,650	86	70	3	4	163	12.9	74	79	153	12.1	0.75	0.78	7	43
Wing ..	6,866	45	38	3	—	86	12.5	47	50	97	14.1	0.75	0.90	4	47
Winslow ..	6,589	44	26	2	—	72	10.9	56	53	109	16.5	0.71	1.00	6	83
Wycombe ..	28,740	245	199	8	6	458	15.9	141	166	307	10.7	0.89	0.81	16	35
CAMBRIDGESHIRE :															
ADMINISTRATIVE COUNTY.	146,400	881	804	44	32	1,761	12.0	816	827	1,643	11.2	0.84	0.80	68	39
URBAN DISTRICT : Cambridge M.B.	75,400	430	373	21	17	841	11.2	362	395	757	10.0	0.93	0.79	35	42
RURAL DISTRICTS :	71,000	451	431	23	15	920	13.0	454	432	886	12.5	0.76	0.81	33	36
Chesterton ..	30,770	191	183	9	5	388	12.6	180	178	358	11.6	0.78	0.77	12	31
Newmarket ..	18,920	124	144	6	5	279	14.7	118	106	224	11.8	0.81	0.82	13	47
South Cambridgeshire	21,310	136	104	8	5	253	11.9	156	148	304	14.3	0.70	0.86	8	32
CHESHIRE :															
*COUNTY BORO'S	416,800	3,010	2,810	140	129	6,089	14.6	2,652	2,569	5,221	12.5	1.05	1.12	372	61
Birkenhead ..	149,400	1,269	1,188	48	44	2,549	17.1	988	878	1,866	12.5	1.09	1.16	172	67
Chester ..	40,500	287	245	18	17	567	14.0	265	287	552	13.6	1.05	1.22	43	76
*Stockport ..	130,300	863	750	36	44	1,693	13.0	795	772	1,567	12.0	1.05	1.08	96	57
Wallasey ..	96,600	591	627	38	24	1,280	13.3	604	632	1,236	12.8	0.98	1.07	61	48

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CHESHIRE—contd.															
ADMINISTRATIVE COUNTY.	702,200	4,789	4,515	166	147	9,617	13.7	4,065	4,027	8,092	11.5	1.01	0.99	499	52
URBAN DISTRICTS	512,100	3,507	3,263	120	109	6,999	13.7	2,968	3,035	6,003	11.7	1.02	1.02	383	55
Alderley Edge..	2,934	17	21	1	—	39	13.3	11	20	31	10.6	0.99	0.90	2	51
Alsager ..	2,950	18	15	—	1	34	11.5	17	19	36	12.2	0.89	0.93	1	29
Altrincham ..	20,860	144	153	6	7	310	14.9	115	116	231	11.1	1.07	1.02	15	48
Bebington ..	36,340	313	265	4	7	589	16.2	180	169	349	9.6	1.11	0.91	37	63
Bollington ..	4,944	26	28	1	—	55	11.1	31	37	68	13.8	0.96	1.13	6	109
Bowdon ..	3,182	16	8	1	1	26	8.2	14	16	30	9.4	0.89	0.72	1	38
Bredbury and Romiley.	12,380	77	95	3	2	177	14.3	74	78	152	12.3	1.01	1.06	9	51
Buglawton ..	1,652	12	7	—	—	19	11.5	11	10	21	12.7	1.04	1.13	1	53
Cheadle and Gatley.	22,460	155	144	4	4	307	13.7	115	99	214	9.5	1.04	0.84	11	36
Compstall ..	794	8	2	1	—	11	13.9	4	7	11	13.9	1.07	1.27	—	—
Congleton M.B.	13,200	93	95	4	3	195	14.8	97	77	174	13.2	1.01	1.14	16	82
Crewe M.B. ..	44,710	325	269	12	18	624	14.0	324	297	621	13.9	1.03	1.22	37	59
Dukinfield M.B.	18,940	132	111	5	5	253	13.4	109	119	228	12.0	1.15	1.18	13	51
Ellesmere Port..	24,840	246	215	5	4	470	18.9	127	102	229	9.2	1.26	0.99	21	45
Hale ..	11,140	52	43	3	1	99	8.9	53	59	112	10.1	0.99	0.85	5	51
Handforth ..	1,478	12	12	—	—	24	16.2	8	7	15	10.1	0.90	0.78	—	—
*Hazel Grove and Bramhall.	14,510	92	93	2	2	189	13.0	94	67	161	11.1	0.99	0.94	9	48
Hollingsworth ..	2,139	16	14	—	—	30	14.0	8	13	21	9.8	0.96	0.80	—	—
Hoole ..	6,107	43	36	6	2	87	14.2	33	36	69	11.3	0.91	0.88	5	57
Hoylake ..	21,000	117	98	5	4	224	10.7	113	143	256	12.2	0.92	0.96	9	40
Hyde M.B. ..	31,600	182	178	3	3	366	11.6	214	221	435	13.8	1.03	1.21	23	63
Knutsford ..	5,681	28	27	3	3	61	10.7	33	26	59	10.4	0.86	0.76	2	33
Lymm ..	5,812	38	37	—	—	75	12.9	27	30	57	9.8	0.99	0.83	4	53
Macclesfield M.B.	35,260	206	208	9	11	434	12.3	193	255	448	12.7	0.95	1.03	28	65
Marple ..	7,621	54	38	3	—	95	12.5	59	37	96	12.6	0.93	1.00	6	63
Middlewich ..	5,478	46	39	1	1	87	15.9	40	36	76	13.9	1.06	1.26	6	69
Mottram-in-Longdendale.	2,550	14	16	—	1	31	12.2	14	15	29	11.4	0.89	0.87	1	32
Nantwich ..	7,126	38	44	2	1	85	11.9	35	46	81	11.4	0.97	0.95	8	94
Neston ..	8,460	56	67	4	2	129	15.2	34	51	85	10.0	1.03	0.88	6	47
Northwich ..	18,200	135	111	6	3	255	14.0	105	89	194	10.7	1.04	0.95	17	67
Runcorn ..	18,200	121	118	5	6	250	13.7	99	101	200	11.0	1.09	1.02	9	36
Sale M.B. ..	32,320	227	227	4	4	462	14.3	174	173	347	10.7	1.04	0.95	17	37
Sandbach ..	6,492	41	48	1	1	91	14.0	43	50	93	14.3	0.98	1.20	7	77
Stalybridge M.B.	24,000	156	155	5	3	319	13.3	142	168	310	12.9	1.07	1.18	16	50
Tarporley ..	2,349	10	13	2	2	27	11.5	21	16	37	15.8	0.83	1.12	2	74
Wilmslow ..	10,940	63	59	1	—	123	11.2	46	64	110	10.1	0.92	0.79	4	33
Winsford ..	10,750	70	66	3	2	141	13.1	71	74	145	13.5	1.00	1.15	16	113
Wirral ..	10,920	92	76	4	4	176	16.1	74	78	152	13.9	1.01	1.20	12	68
Yeardsley-cum-Whaley.	1,781	16	12	1	1	30	16.8	6	14	20	11.2	0.94	0.90	1	33

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CHESHIRE—cont.															
RURAL DISTRICTS	190,100	1,282	1,252	46	38	2,618	13.8	1,097	992	2,089	11.0	0.97	0.91	116	44
Bucklow ..	26,170	183	163	7	1	354	13.5	144	126	270	10.3	1.01	0.89	11	31
Chester ..	18,680	107	117	6	3	233	12.5	90	76	166	8.9	0.95	0.72	9	39
Congleton ..	13,780	104	100	2	2	208	15.1	76	74	150	10.9	0.96	0.89	11	53
Disley ..	3,350	20	19	—	—	39	11.6	16	24	40	11.9	0.98	1.00	2	51
Macclesfield ..	20,040	100	117	3	7	227	11.3	96	98	194	9.7	1.00	0.83	6	26
Malpas ..	4,284	34	33	1	3	71	16.6	31	36	67	15.6	0.89	1.19	3	42
Nantwich ..	26,780	181	175	16	1	373	13.9	167	141	308	11.5	0.93	0.91	16	43
Northwich ..	27,980	208	213	6	5	432	15.4	169	157	326	11.7	1.01	1.01	27	63
Runcorn ..	34,140	223	208	4	11	446	13.1	211	162	373	10.9	1.01	0.94	16	36
Tarvin ..	12,970	112	96	1	5	214	16.5	86	85	171	13.2	0.92	1.04	15	70
Tintwistle ..	1,926	10	11	—	—	21	10.9	11	13	24	12.5	0.88	0.94	—	—
CORNWALL:															
ADMINISTRATIVE COUNTY.	313,700	2,084	1,920	94	85	4,183	13.3	2,018	2,248	4,266	13.6	0.80	0.93	194	46
URBAN DISTRICTS.	172,300	1,087	987	50	47	2,171	12.6	1,100	1,258	2,358	13.7	0.80	0.94	112	52
Bodmin M.B. ..	5,547	31	30	1	—	62	11.2	22	33	55	9.9	0.72	0.61	1	16
Bude—Stratton Camborne—	4,470	30	28	2	1	61	13.6	25	30	55	12.3	0.79	0.83	3	49
Redruth ...	35,500	239	215	10	10	474	13.4	240	287	527	14.8	0.84	1.06	34	72
Falmouth M.B.	15,420	105	93	5	6	209	13.6	75	112	187	12.1	0.87	0.90	12	57
Fowey M.B. ..	2,339	13	11	—	1	25	10.7	25	12	37	15.8	0.80	1.08	1	40
Helston M.B. ..	5,050	29	26	—	—	55	10.9	31	39	70	13.9	0.72	0.86	5	91
Launceston M.B.	4,203	29	22	2	1	54	12.8	34	30	64	15.2	0.75	0.97	3	56
Liskeard M.B. ..	4,119	26	18	2	—	46	11.2	24	31	55	13.4	0.72	0.82	—	—
Looe ..	3,097	17	25	—	2	44	14.2	11	17	28	9.0	0.73	0.56	—	—
Lostwithiel M.B.	1,936	7	13	2	—	22	11.4	22	25	47	24.3	0.72	1.50	1	45
Newquay ..	7,598	37	34	2	12	75	9.9	43	41	84	11.1	0.81	0.77	2	27
Padstow ..	2,262	14	14	—	1	29	12.8	14	18	32	14.1	0.82	0.99	2	69
Penryn M.B. ..	3,916	25	29	1	1	56	14.3	23	37	60	15.3	0.89	1.16	5	89
Penzance M.B.	19,420	106	108	7	5	226	11.6	131	145	276	14.2	0.77	0.93	11	49
St. Austell ..	22,510	166	124	10	6	306	13.6	149	179	328	14.6	0.83	1.04	12	39
St. Ives M.B. ..	8,028	43	44	—	3	90	11.2	66	55	121	15.1	0.70	0.90	3	33
St. Just ..	4,230	27	27	1	1	56	13.2	32	31	63	14.9	0.84	1.07	3	54
Saltash M.B. ..	6,455	37	37	—	1	75	11.6	53	35	88	13.6	0.79	0.92	5	67
Torpoint ..	3,860	24	15	—	1	40	10.4	23	25	48	12.4	0.87	0.92	3	75
Truro M.B. ..	12,340	82	74	5	5	166	13.5	57	76	133	10.8	0.84	0.78	6	36
RURAL DISTRICTS.	141,400	997	933	44	38	2,012	14.2	918	990	1,908	13.5	0.80	0.92	82	41
Camelford ..	7,270	49	36	3	3	91	12.5	47	54	101	13.9	0.81	0.96	6	66

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CORNWALL—cont.															
RURAL DISTRICTS—cont.															
Kerrier ..	18,420	130	135	8	2	275	14.9	130	131	261	14.2	0.78	0.95	9	33
Launceston ..	6,600	39	41	3	3	86	13.0	38	44	82	12.4	0.80	0.85	6	70
Liskeard ..	13,760	89	80	4	1	174	12.6	67	77	144	10.5	0.78	0.70	4	23
St. Austell ..	19,450	156	133	7	9	305	15.7	117	114	231	11.9	0.88	0.90	14	46
St. Germans ..	16,010	98	91	5	4	198	12.4	102	121	223	13.9	0.80	0.95	4	20
Scilly, Isles of ..	1,610	11	7	—	—	18	11.2	6	18	24	14.9	0.82	1.04	1	56
Stratton ..	4,690	44	39	1	1	85	18.1	29	27	56	11.9	0.90	0.92	5	59
Truro ..	24,120	156	166	5	3	330	13.7	179	188	367	15.2	0.74	0.96	14	42
Wadebridge ..	12,570	84	86	—	8	178	14.2	89	84	173	13.8	0.80	0.94	10	56
West Penwith ..	16,900	141	119	8	4	272	16.1	114	132	246	14.6	0.77	0.96	9	33
*CUMBERLAND: ..	259,800	2,014	1,879	138	132	4,163	16.0	1,705	1,679	3,384	13.0	0.96	1.07	264	63
COUNTY BORO':															
Carlisle ..	58,800	396	396	30	23	845	14.4	361	352	713	12.1	1.03	1.07	62	73
*ADMINISTRATIVE COUNTY.	201,000	1,618	1,483	108	109	3,318	16.5	1,344	1,327	2,671	13.3	0.94	1.07	202	61
*URBAN DISTRICTS	81,618	741	647	38	36	1,462	17.9	526	567	1,093	13.4	1.01	1.16	87	60
Cockermouth ..	5,007	40	30	3	2	75	15.0	34	36	70	14.0	0.84	1.01	3	40
*Keswick ..	4,475	23	22	3	—	48	10.7	31	43	74	16.5	0.80	1.13	2	42
Maryport ..	11,920	121	87	7	5	220	18.5	76	94	170	14.3	0.99	1.21	12	55
Penrith ..	9,296	77	64	8	3	152	16.4	52	65	117	12.6	0.87	0.94	7	46
Whitehaven M.B.	23,060	250	217	9	12	488	21.2	145	153	298	12.9	1.12	1.23	33	68
Workington M.B.	27,860	230	227	8	14	479	17.2	188	176	364	13.1	1.07	1.20	30	63
*RURAL DISTRICTS	119,382	877	836	70	73	1,856	15.5	818	760	1,578	13.2	0.91	1.03	115	62
Alston with Garrigill.	2,490	13	19	2	—	34	13.7	15	19	34	13.7	0.90	1.05	—	—
Border ..	26,000	179	189	18	21	407	15.7	179	174	353	13.6	0.82	0.95	22	54
*Cockermouth ..	18,212	138	113	17	9	277	15.2	119	109	228	12.5	0.96	1.03	12	43
Ennerdale ..	28,000	230	209	14	13	466	16.6	187	167	354	12.6	1.05	1.13	35	75
*Millom ..	12,000	87	83	5	2	177	14.8	93	83	176	14.7	0.87	1.09	10	56
*Penrith ..	11,605	67	68	4	12	151	13.0	77	56	133	11.5	0.89	0.87	10	66
*Wigton ..	21,075	163	155	10	16	344	16.3	148	152	300	14.2	0.84	1.02	26	76

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DERBYSHIRE:	759,800	5,650	5,468	186	186	11,490	15.1	4,470	3,997	8,467	11.1	1.07	1.02	657	57
COUNTY BOROS:															
Derby ..	140,800	990	999	38	36	2,063	14.7	837	805	1,642	11.7	1.04	1.04	123	60
ADMINISTRATIVE COUNTY.	619,000	4,660	4,469	148	150	9,427	15.2	3,633	3,192	6,825	11.0	1.08	1.02	534	57
*URBAN DISTRICTS	331,348	2,444	2,333	79	77	4,933	14.9	2,010	1,752	3,762	11.4	1.10	1.07	294	60
Alfreton ..	22,220	149	163	4	5	321	14.4	132	111	243	10.9	1.13	1.05	23	72
Ashbourne ..	4,740	41	38	1	—	80	16.9	31	25	56	11.8	0.93	0.94	4	50
Bakewell ..	3,089	26	15	—	—	41	13.3	18	12	30	9.7	0.89	0.74	4	98
Belper ..	14,680	113	104	3	1	221	15.1	94	55	149	10.1	1.00	0.86	9	41
*Bolsover ..	10,373	90	107	2	3	202	19.5	68	54	122	11.8	1.21	1.22	16	79
*Brampton and Walton.	615	3	3	—	—	6	9.8	3	3	6	9.8	1.00	0.84	—	—
Buxton M.B. ..	16,770	120	96	7	4	227	13.5	94	122	216	12.9	0.99	1.09	13	57
Chesterfield M.B.	64,720	504	478	17	19	1,018	15.7	417	334	751	11.6	1.14	1.13	74	73
*Clay Cross ..	8,385	59	59	1	2	121	14.4	57	52	109	13.0	1.15	1.28	6	50
*Dronfield ..	5,967	37	44	1	3	85	14.2	41	33	74	12.4	1.09	1.16	4	47
Glossop M.B. ..	19,030	114	94	2	5	215	11.3	129	125	254	13.3	0.98	1.11	9	42
Heanor ..	22,550	177	160	9	5	351	15.6	114	108	222	9.8	1.17	0.98	19	54
Ilkeston M.B. ..	32,880	284	243	8	6	541	16.5	218	163	381	11.6	1.19	1.18	34	63
Long Eaton ..	24,700	169	164	3	6	342	13.8	143	131	274	11.1	1.08	1.02	14	41
Matlock ..	16,500	106	137	3	3	249	15.1	91	105	196	11.9	0.91	0.93	11	44
New Mills ..	8,292	43	52	4	1	100	12.1	57	45	102	12.3	0.99	1.04	9	90
Ripley ..	17,520	131	131	4	1	267	15.2	94	80	174	9.9	1.13	0.96	16	60
†Staveley ..	13,125	90	87	1	2	180	13.7	58	52	110	8.4	1.27	0.91	5	28
Swadlincote District.	20,460	151	131	7	8	297	14.5	109	100	209	10.2	1.13	0.99	15	51
Wirksworth ..	4,732	37	27	2	3	69	14.6	42	42	84	17.8	0.94	1.43	9	130
*RURAL DISTRICTS	287,652	2,216	2,136	69	73	4,494	15.6	1,623	1,440	3,063	10.6	1.06	0.96	240	53
Ashbourne ..	11,360	76	97	4	7	184	16.2	70	63	133	11.7	0.91	0.91	7	38
Bakewell ..	19,060	118	138	2	7	265	13.9	112	122	234	12.3	0.92	0.97	14	53
Belper ..	24,930	190	156	1	4	351	14.1	142	128	270	10.8	1.01	0.93	17	48
*Blackwell ..	43,337	356	350	15	9	730	16.8	227	192	419	9.7	1.28	1.06	49	67
Chapel-en-le- Frith.	24,140	145	137	4	9	295	12.2	147	137	284	11.8	0.96	0.97	11	37
*Chesterfield ..	69,755	596	561	23	16	1,196	17.1	396	341	737	10.6	1.12	1.01	71	59
Clowne ..	17,830	155	144	2	3	304	17.0	109	83	192	10.8	1.15	1.06	13	43
*Repton ..	27,650	192	181	7	6	386	14.0	141	133	274	9.9	1.01	0.85	18	47
Shardlow ..	49,590	388	372	11	12	783	15.8	279	241	520	10.5	1.02	0.92	40	51

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DEVONSHIRE:	730,500	4,799	4,486	248	211	9,744	13·3	4,720	4,685	9,405	12·9	0·84	0·93	463	48
COUNTY BORO'S	271,900	1,993	1,832	125	97	4,047	14·9	1,683	1,680	3,363	12·4	0·95	1·01	217	54
Exeter ..	68,300	471	451	33	27	982	14·4	414	401	815	11·9	0·87	0·88	33	34
Plymouth ..	203,600	1,522	1,381	92	70	3,065	15·1	1,269	1,279	2,548	12·5	0·98	1·05	184	60
ADMINISTRATIVE COUNTY.	458,600	2,806	2,654	123	114	5,697	12·4	3,037	3,005	6,042	13·2	0·78	0·88	246	43
*URBAN DISTRICTS	231,970	1,337	1,169	56	57	2,619	11·3	1,588	1,641	3,229	13·9	0·75	0·89	115	44
*Ashburton ..	2,459	19	17	—	1	37	15·0	20	9	29	11·8	0·79	0·80	1	27
Axminster ..	2,341	14	14	—	—	28	12·0	12	14	26	11·1	0·81	0·77	—	—
†Bampton ..	359	5	3	—	—	8	22·3	2	1	3	8·4	0·79	0·57	—	—
Barnstaple M.B.	14,630	83	103	2	3	191	13·1	119	98	217	14·8	0·80	1·01	15	79
*Bideford M.B. ..	9,416	64	45	2	2	113	12·0	41	78	119	12·6	0·77	0·83	8	71
Brixham ..	8,240	40	39	2	1	82	10·0	63	55	118	14·3	0·80	0·98	—	—
Buckfastleigh ..	2,486	13	9	—	—	22	8·8	12	15	27	10·9	0·79	0·74	2	91
Budleigh ..	3,333	13	15	1	1	30	9·0	21	21	42	12·6	0·71	0·76	—	—
Salterton ..	3,739	21	18	2	1	42	11·2	22	33	55	14·7	0·69	0·87	2	48
Crediton ..	6,119	44	27	—	—	71	11·6	61	42	103	16·8	0·90	1·29	2	28
*Dawlish ..	5,033	26	22	—	2	50	9·9	37	34	71	14·1	0·71	0·86	3	60
Exmouth ..	15,210	75	58	—	5	138	9·1	97	116	213	14·0	0·67	0·80	9	65
Great Torrington M.B.	2,846	19	14	2	—	35	12·3	14	21	35	12·3	0·77	0·81	1	29
Holsworthy ..	1,286	12	4	—	—	16	12·4	12	11	23	17·9	0·82	1·25	1	63
*Honiton M.B. ..	3,284	19	21	—	—	40	12·2	12	10	22	6·7	0·79	0·45	1	25
Ilfracombe ..	8,627	57	41	—	2	102	11·8	72	71	143	16·6	0·69	0·98	5	49
†Ivybridge ..	400	5	—	1	—	6	15·0	6	6	12	30·0	0·78	2·00	—	—
*Kingsbridge ..	3,176	23	19	1	1	44	13·9	15	19	34	10·7	0·72	0·66	—	—
*Lynton ..	1,861	11	5	1	—	17	9·1	12	7	19	10·2	0·84	0·73	—	—
Newton Abbot ..	14,810	78	72	5	1	156	10·5	101	99	200	13·5	0·76	0·88	5	32
*Northam ..	5,410	29	26	—	—	55	10·2	39	31	70	12·9	0·81	0·89	4	73
*Okehampton ..	3,519	24	24	—	—	48	13·6	25	31	56	15·9	0·84	1·14	1	21
M.B.															
Ottery St. Mary	3,646	18	17	1	1	37	10·1	23	21	44	12·1	0·77	0·80	—	—
Paignton ..	20,550	118	105	5	9	237	11·5	140	132	272	13·2	0·74	0·83	17	72
Salcombe ..	2,296	9	13	—	—	22	9·6	19	11	30	13·1	0·70	0·78	—	—
Seaton ..	2,466	16	6	—	—	22	8·9	24	32	56	22·7	0·68	1·32	1	45
*Sidmouth ..	7,382	51	25	—	1	77	10·4	54	54	108	14·6	0·74	0·92	3	39
South Molton ..	2,833	18	19	2	2	41	14·5	18	31	49	17·3	0·76	1·12	1	24
M.B.															
*Tavistock ..	5,275	20	25	—	1	46	8·7	39	39	78	14·8	0·71	0·90	1	22
*Teignmouth ..	10,025	48	39	2	2	91	9·1	69	96	165	16·5	0·68	0·96	7	77
Tiverton M.B. ..	9,831	55	54	2	1	112	11·4	67	48	115	11·7	0·79	0·79	2	18
*Torquay M.B. ..	44,632	257	239	23	16	535	12·0	294	317	611	13·7	0·76	0·89	21	39
Totnes M.B. ..	4,450	33	31	—	4	68	15·3	26	38	64	14·4	0·76	0·94	2	29

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DEVONSHIRE—cont.															
*RURAL DISTRICTS	226,630	1,469	1,485	67	57	3,078	13·6	1,449	1,364	2,813	12·4	0·81	0·86	131	43
*Axminster ..	10,180	65	66	1	3	135	13·3	81	74	155	15·2	0·77	1·00	4	30
*Barnstaple ..	18,950	121	117	7	2	247	13·0	116	106	222	11·7	0·77	0·77	8	32
*Bideford ..	5,187	44	42	1	3	90	17·4	31	17	48	9·3	0·81	0·64	4	44
Broadwood Widger.	2,034	16	17	—	1	34	16·7	9	13	22	10·8	0·91	0·84	—	—
Crediton ..	9,710	73	67	4	4	148	15·2	61	57	118	12·2	0·78	0·81	10	68
†Culmstock ..	781	5	4	1	—	10	12·8	7	5	12	15·4	0·77	1·01	1	100
Holsworthy ..	6,350	48	41	3	4	96	15·1	44	35	79	12·4	0·82	0·87	5	52
*Honiton ..	7,540	41	48	—	4	93	12·3	53	38	91	12·1	0·79	0·82	3	32
*Kingsbridge ..	10,778	49	58	5	3	115	10·7	83	79	162	15·0	0·77	0·99	7	61
*Newton Abbot..	21,517	147	159	7	6	319	14·8	156	127	283	13·2	0·81	0·91	7	22
*Okehampton ..	12,273	77	65	3	2	147	12·0	88	86	174	14·2	0·81	0·98	2	14
*Plympton St Mary.	30,780	211	214	8	7	440	14·3	174	179	353	11·5	0·88	0·86	19	43
*St. Thomas ..	28,862	188	174	3	5	370	12·8	180	166	346	12·0	0·80	0·82	24	65
South Molton ..	9,262	57	74	2	2	135	14·6	48	56	104	11·2	0·83	0·79	5	37
*Tavistock ..	14,255	93	82	7	5	187	13·1	103	91	194	13·6	0·83	0·96	11	59
*Tiverton ..	18,111	113	114	5	2	234	12·9	88	114	202	11·2	0·82	0·78	11	47
Torrington ..	7,650	46	50	5	2	103	13·5	40	39	79	10·3	0·80	0·70	4	39
Totnes ..	12,410	75	93	5	2	175	14·1	87	82	169	13·6	0·78	0·91	6	34
DORSETSHIRE :															
ADMINISTRATIVE COUNTY.	246,200	1,720	1,582	87	70	3,459	14·0	1,471	1,500	2,971	12·1	0·84	0·87	132	38
URBAN DISTRICTS	152,500	1,070	981	52	45	2,148	14·1	871	945	1,816	11·9	0·87	0·88	87	41
Blandford Forum M.B.	3,513	23	34	2	2	61	17·4	16	35	51	14·5	0·77	0·95	1	16
Bridport M.B.	5,906	29	35	2	—	66	11·2	37	55	92	15·6	0·78	1·04	3	45
Dorchester M.B.	10,270	65	76	2	5	148	14·4	57	45	102	9·9	0·86	0·73	10	68
Lyme Regis M.B.	2,619	23	14	—	—	37	14·1	21	22	43	16·4	0·70	0·98	1	27
Poole M.B. ..	65,600	493	452	27	21	993	15·1	388	376	764	11·6	0·89	0·88	45	45
Portland ..	11,400	80	60	2	2	144	12·6	56	44	100	8·8	1·14	0·86	5	35
Shaftesbury M.B.	3,093	13	19	2	—	34	11·0	17	23	40	12·9	0·69	0·76	3	88
Sherborne ..	6,520	30	25	1	—	56	8·6	37	46	83	12·7	0·93	1·01	4	71
Swanage ..	6,050	27	31	1	2	61	10·1	26	46	72	11·9	0·82	0·83	1	16
Wareham M.B.	2,461	21	17	3	—	41	16·7	20	24	44	17·9	0·83	1·27	1	24
Weymouth and Melcombe Regis M.B.	31,020	247	193	9	11	460	14·8	170	196	366	11·8	0·84	0·85	13	28
Wimborne Min- ster.	4,048	19	25	1	2	47	11·6	26	33	59	14·6	0·73	0·91	—	—
RURAL DISTRICTS	93,700	650	601	35	25	1,311	14·0	600	555	1,155	12·3	0·81	0·85	45	34
Beaminster ..	7,787	48	46	7	2	103	13·2	45	44	89	11·4	0·81	0·79	3	29
Blandford ..	7,339	49	44	3	3	99	13·5	65	56	121	16·5	0·77	1·09	5	51

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DORSETSHIRE —cont.															
RURAL DISTRICTS —cont.															
Bridport ..	6,985	39	32	1	3	75	10·7	47	47	94	13·5	0·74	0·85	3	40
Dorchester ..	15,960	99	103	5	9	216	13·5	102	79	181	11·3	0·82	0·79	6	28
Shaftesbury ..	8,404	61	58	2	4	125	14·9	52	50	102	12·1	0·77	0·80	5	40
Sherborne ..	5,186	36	37	3	—	76	14·7	28	43	71	13·7	0·80	0·94	3	39
Sturminster ..	8,209	70	44	2	1	117	14·3	60	63	123	15·0	0·73	0·94	4	34
Wareham and Purbeck.	16,190	112	111	3	1	227	14·0	89	67	156	9·6	0·97	0·80	4	18
Wimborne and Cranborne	17,640	136	126	9	2	273	15·5	112	106	218	12·4	0·77	0·82	12	44
DURHAM ..	1,473,400	12,901	12,487	440	442	26,270	17·8	9,658	8,504	18,162	12·3	1·14	1·20	1,991	76
COUNTY BORO'S ..	565,100	5,086	4,952	173	175	10,386	18·4	3,810	3,472	7,282	12·9	1·11	1·22	884	85
Darlington ..	75,300	535	535	17	31	1,118	14·8	460	452	912	12·1	1·05	1·09	65	58
Gateshead ..	121,200	1,091	1,059	26	28	2,204	18·2	833	778	1,611	13·3	1·13	1·28	198	90
South Shields ..	112,000	941	914	43	32	1,930	17·2	740	669	1,409	12·6	1·13	1·22	154	80
Sunderland ..	185,100	1,801	1,756	60	70	3,687	19·9	1,252	1,165	2,417	13·1	1·12	1·25	340	92
West Hartlepool	71,500	718	688	27	14	1,447	20·2	525	408	933	13·0	1·11	1·23	127	88
ADMINISTRATIVE COUNTY.	908,300	7,815	7,535	267	267	15,884	17·5	5,848	5,032	10,880	12·0	1·15	1·18	1,107	70
*URBAN DISTRICTS	512,450	4,422	4,291	158	156	9,027	17·6	3,392	2,897	6,289	12·3	1·15	1·21	649	72
Annfield Plain..	15,700	123	144	6	7	280	17·8	115	94	209	13·3	1·17	1·33	22	79
Barnard Castle..	3,978	13	30	3	3	49	12·3	30	31	61	15·3	0·81	1·06	3	61
Benfieldside ..	9,144	75	72	2	2	151	16·5	56	52	108	11·8	1·16	1·17	7	46
Billingham ..	19,220	216	178	4	7	405	21·1	79	71	150	7·8	1·43	0·95	16	40
Bishop Auckland	11,900	89	88	8	3	188	15·8	90	90	180	15·1	0·99	1·28	17	90
Blaydon ..	31,630	275	244	13	3	535	16·9	200	188	388	12·3	1·18	1·24	40	75
*Brandon and Byshottles.	16,200	136	127	4	5	272	16·8	102	79	181	11·2	1·17	1·12	17	63
Chester-le-Street	16,980	147	134	4	4	289	17·0	111	83	194	11·4	1·12	1·09	26	90
Consett ..	12,360	125	127	—	4	256	20·7	89	74	163	13·2	1·17	1·32	18	70
Crook ..	10,950	89	72	2	6	169	15·4	54	51	105	9·6	1·16	0·95	6	36
*Durham M.B. ...	18,460	125	128	7	7	267	14·5	113	103	216	11·7	1·01	1·01	15	56
Felling ..	26,120	205	202	9	3	419	16·0	177	161	338	12·9	1·17	1·29	41	98
Hartlepool M.B.	18,930	190	164	3	—	357	18·9	146	123	269	14·2	1·15	1·40	31	87
Hebburn ..	23,350	175	216	6	7	404	17·3	163	141	304	13·0	1·22	1·36	35	87
Hetton ..	17,880	176	175	7	9	367	20·5	137	108	245	13·7	1·19	1·39	28	76
Houghton-le- Spring.	10,930	100	81	2	4	187	17·1	79	56	135	12·4	1·15	1·22	15	80
Jarrow M.B. ..	30,000	264	249	9	13	535	17·8	240	208	448	14·9	1·14	1·45	61	114
Leadgate ..	6,208	59	57	3	1	120	19·3	44	32	76	12·2	1·20	1·25	7	58
Ryton ..	13,940	87	88	7	4	186	13·3	83	67	150	10·8	1·17	1·08	11	59
Seaham Harbour	19,660	204	202	4	9	419	21·3	109	83	192	9·8	1·23	1·03	32	76
Shildon ..	12,060	91	102	5	3	201	16·7	67	62	129	10·7	1·07	0·98	14	70
Spennymoor ..	15,760	152	136	3	2	293	18·6	113	81	194	12·3	1·18	1·24	17	58
Stanhope ..	1,601	15	12	—	1	28	17·5	8	12	20	12·5	0·95	1·01	2	71
Stanley ..	23,530	186	175	7	9	377	16·0	145	123	268	11·4	1·22	1·19	23	61
Stockton-on- Tees M.B.	67,050	615	616	28	26	1,285	19·2	432	388	820	12·2	1·11	1·16	72	56

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DURHAM—cont.															
URBAN DISTRICTS															
—cont.															
Tanfield ..	9,167	58	70	2	2	132	14.4	68	51	119	13.0	1.10	1.22	7	53
Tow Law ..	3,433	27	21	—	2	50	14.6	21	23	44	12.8	1.06	1.16	1	20
Washington ..	17,130	172	157	5	5	339	19.8	126	96	222	13.0	1.22	1.36	37	109
Whickham ..	20,420	168	161	4	4	337	16.5	151	113	264	12.9	1.16	1.28	22	65
Willington ..	8,759	65	63	1	1	130	14.8	44	53	97	11.1	1.11	1.05	6	46
*RURAL DISTRICTS	395,850	3,393	3,244	109	111	6,857	17.3	2,456	2,135	4,591	11.6	1.16	1.15	458	67
Auckland ..	50,260	408	355	18	19	800	15.9	352	305	657	13.1	1.11	1.24	53	66
Barnard Castle	10,000	61	58	2	5	126	12.6	77	62	139	13.9	0.96	1.14	6	48
Chester-le-Street	49,360	382	408	10	11	811	16.4	304	274	578	11.7	1.19	1.19	51	63
Darlington ..	8,842	68	46	5	2	121	13.7	50	49	99	11.2	1.00	0.96	2	17
*Durham ..	28,820	225	218	15	12	470	16.3	190	154	344	11.9	1.14	1.16	36	77
Easington ..	91,290	954	902	23	21	1,900	20.8	530	438	968	10.6	1.24	1.12	143	75
Hartlepool ..	2,493	25	21	1	1	48	19.3	11	17	28	11.2	1.12	1.07	1	21
Houghton-le-Spring.	27,410	253	224	11	7	495	18.1	166	156	322	11.7	1.18	1.18	42	85
Lanchester ..	32,680	286	249	8	10	553	16.9	175	179	354	10.8	1.17	1.08	26	47
Sedgefield ..	36,560	287	307	9	8	611	16.7	229	194	423	11.6	1.17	1.16	43	70
South Shields ..	21,990	170	147	—	3	320	14.6	147	104	251	11.4	1.13	1.10	21	66
Stockton ..	6,608	46	53	1	3	103	15.6	46	43	89	13.5	1.03	1.19	5	49
Sunderland ..	21,390	171	193	3	6	373	17.4	121	111	232	10.8	1.19	1.10	23	62
Weardale ..	8,147	57	63	3	3	126	15.5	58	49	107	13.1	0.98	1.10	6	48
ELY, ISLE OF:															
ADMINISTRATIVE COUNTY.	82,500	652	630	46	27	1,355	16.4	486	456	942	11.4	0.89	0.87	63	46
URBAN DISTRICTS	49,800	405	395	25	20	845	17.0	286	251	537	10.8	0.87	0.80	39	46
Chatteris ..	5,126	29	46	1	2	78	15.2	33	23	56	10.9	0.85	0.79	—	—
Ely ..	8,390	80	47	2	2	131	15.6	52	38	90	10.7	0.84	0.77	13	99
March ..	12,210	98	83	6	2	189	15.5	62	63	125	10.2	0.93	0.81	9	48
Whittlesey ..	8,213	78	76	2	4	160	19.5	57	41	98	11.9	0.89	0.91	11	69
Wisbech M.B...	15,861	120	143	14	10	287	18.1	82	86	168	10.6	0.84	0.76	6	21
RURAL DISTRICTS	32,700	247	235	21	7	510	15.6	200	205	405	12.4	0.91	0.96	24	47
Ely ..	13,310	94	86	7	3	190	14.3	82	102	184	13.8	0.83	0.98	10	53
North Witchford	5,117	44	36	2	—	82	16.0	39	23	62	12.1	0.90	0.93	2	24
Thorney ..	2,356	23	16	2	—	41	17.4	12	8	20	8.5	1.12	0.81	—	—
Wisbech ..	11,917	86	97	10	4	197	16.5	67	72	139	11.7	0.98	0.98	12	61
ESSEX	1,858,900	13,188	12,449	395	434	26,466	14.2	9,407	9,056	18,463	9.9	1.02	0.86	1,157	44
COUNTY BORO'S:	541,000	3,760	3,671	113	115	7,659	14.2	3,039	2,893	5,932	11.0	1.07	1.01	337	44
East Ham ..	135,400	986	931	24	19	1,960	14.5	719	669	1,388	10.3	1.10	0.97	85	43
Southend-on-Sea	134,900	729	697	38	35	1,499	11.1	769	861	1,630	12.1	0.91	0.94	61	41
West Ham ..	270,700	2,045	2,043	51	61	4,200	15.5	1,551	1,363	2,914	10.8	1.15	1.06	191	45
ADMINISTRATIVE COUNTY.	1,317,900	9,428	8,778	282	319	18,807	14.3	6,368	6,163	12,531	9.5	1.00	0.81	820	44
URBAN DISTRICTS	1,101,300	7,920	7,406	222	240	15,788	14.3	5,085	4,913	9,998	9.1	1.05	0.82	701	44
Barking M.B. ..	72,650	634	580	7	5	1,226	16.9	288	275	563	7.7	1.25	0.82	64	52
Benfleet ..	14,160	77	79	4	5	165	11.7	97	73	170	12.0	0.83	0.85	5	30
Billericay ..	28,910	203	204	19	16	442	15.3	172	150	322	11.1	0.88	0.83	28	63
Braintree and Bocking ..	14,080	101	74	3	2	180	12.8	82	89	171	12.1	0.90	0.93	13	27

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ESSEX—cont.															
URBAN DISTRICTS—cont.															
Brentwood ..	25,880	137	124	7	8	276	10·7	124	124	248	9·6	0·93	0·76	10	36
Brightlingsea ..	4,142	27	23	1	—	51	12·3	31	41	72	17·4	0·66	0·98	1	20
Burnham-on-Crouch.	3,487	20	21	1	—	42	12·0	28	37	65	18·6	0·75	1·19	3	71
Canvey Island ..	5,584	29	29	1	2	61	10·9	33	41	74	13·3	0·91	1·03	3	49
Chelmsford M.B.	28,940	219	174	6	9	408	14·1	145	147	292	10·1	1·00	0·86	13	32
Chigwell ..	19,460	125	132	4	5	266	13·7	86	93	179	9·2	0·96	0·75	2	8
Chingford ..	29,690	262	235	3	5	505	17·0	98	115	213	7·2	1·16	0·71	12	24
Clacton ..	21,030	114	117	3	7	241	11·5	117	132	249	11·8	0·84	0·85	13	54
Colchester M.B.	51,390	389	327	13	16	745	14·5	249	246	495	9·6	0·94	0·77	29	39
Dagenham ..	100,300	901	921	19	24	1,865	18·6	291	274	565	5·6	1·53	0·73	103	55
Epping ..	5,446	46	39	3	1	89	16·3	22	26	48	8·8	0·75	0·56	5	56
Frinton and Walton	7,088	42	32	5	1	80	11·3	52	29	81	11·4	0·83	0·81	1	13
Grays Thurrock	19,130	129	124	5	4	262	13·7	111	92	203	10·6	1·08	0·98	12	46
Halstead ..	5,855	36	47	1	—	84	14·3	47	38	85	14·5	0·81	1·00	6	71
Harwich M.B. ..	12,810	107	97	2	3	209	16·3	78	52	130	10·1	1·04	0·90	10	48
Hornchurch ..	59,910	510	487	14	12	1,023	17·1	255	252	507	8·5	1·11	0·81	50	49
Ilford M.B. ..	151,390	1,036	966	19	29	2,050	13·5	596	616	1,212	8·0	1·10	0·75	88	43
Leyton M.B. ..	121,690	796	652	21	24	1,493	12·3	655	570	1,225	10·1	0·97	0·84	60	40
Maldon M.B. ..	8,910	58	54	—	1	113	12·7	46	45	91	10·2	0·83	0·72	1	9
Purfleet ..	8,842	85	78	1	1	165	18·7	59	30	89	10·1	1·05	0·91	7	42
Rayleigh ..	7,232	45	49	2	1	97	13·4	52	33	85	11·8	0·89	0·90	3	31
Romford ..	47,930	355	394	9	20	778	16·2	200	193	393	8·2	1·08	0·76	42	54
Saffron Walden M.B.	6,229	25	34	—	1	60	9·6	35	39	74	11·9	0·71	0·72	1	17
Tilbury ..	16,170	137	157	8	5	307	19·0	94	71	165	10·2	1·35	1·18	20	65
Waltham Holy Cross.	6,969	57	33	2	4	96	13·8	43	31	74	10·6	0·97	0·88	9	94
Walthamstow M.B.	134,490	833	793	24	20	1,670	12·4	614	622	1,236	9·2	1·11	0·87	62	37
Wanstead and Woodford	50,010	303	280	14	8	605	12·1	228	260	488	9·8	0·97	0·81	22	36
West Mersea ..	2,289	12	7	1	—	20	8·7	14	15	29	12·7	0·68	0·74	—	—
Witham ..	7,025	57	36	—	—	93	13·2	32	41	73	10·4	1·01	0·90	3	32
Wivenhoe ..	2,182	13	7	—	1	21	9·6	11	21	32	14·7	0·73	0·92	—	—
RURAL DISTRICTS															
Braintree ..	15,790	108	90	6	4	208	13·2	98	111	209	13·2	0·77	0·87	9	43
Chelmsford ..	30,480	229	174	4	5	412	13·5	151	165	316	10·4	0·85	0·76	13	32
Dunmow ..	16,170	110	110	1	3	224	13·9	105	106	211	13·0	0·79	0·88	9	40
Epping ..	14,510	84	81	6	5	176	12·1	65	84	149	10·3	0·89	0·78	6	34
Halstead ..	15,790	94	86	—	7	187	11·8	122	106	228	14·4	0·73	0·90	5	27
Lexden and Winstree.	19,820	143	119	5	4	271	13·7	128	119	247	12·5	0·77	0·82	12	44
Maldon ..	13,640	103	82	4	6	195	14·3	101	101	202	14·8	0·75	0·95	10	51
Ongar ..	12,690	107	90	3	6	206	16·2	66	59	125	9·9	0·90	0·76	10	49
Orsett ..	24,190	197	188	5	8	398	16·5	121	91	212	8·8	1·00	0·75	13	33
Rochford ..	15,770	112	83	7	4	206	13·1	89	79	168	10·7	0·79	0·72	7	34
Saffron Walden	15,400	69	89	7	8	173	11·2	99	107	206	13·4	0·74	0·85	5	29
Tendring ..	22,350	152	180	12	19	363	16·2	138	122	260	11·6	0·81	0·80	20	55

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
*GLOUCESTERSHIRE:	803,125	5,640	5,315	223	190	11,368	14.2	4,640	4,716	9,356	11.6	0.91	0.90	482	42
*COUNTY BORO'S:	468,350	3,273	3,062	117	98	6,550	14.0	2,585	2,633	5,218	11.1	0.97	0.92	296	45
*Bristol	412,625	2,846	2,683	101	85	5,715	13.9	2,214	2,291	4,505	10.9	0.98	0.91	254	44
*Gloucester ..	55,725	427	379	16	13	835	15.0	371	342	713	12.8	0.92	1.01	42	50
*ADMINISTRATIVE COUNTY.	334,775	2,367	2,253	106	92	4,818	14.4	2,055	2,083	4,138	12.4	0.83	0.88	186	39
*URBAN DISTRICTS	108,607	672	686	29	33	1,420	13.1	667	735	1,402	12.9	0.80	0.88	58	41
†Awre	255	—	2	1	—	3	11.8	1	3	4	15.7	0.72	0.97	—	—
*Charlton Kings	4,834	24	40	—	3	67	13.9	32	35	67	13.9	0.78	0.93	6	90
*Cheltenham M.B.	50,903	297	300	17	22	636	12.5	314	367	681	13.4	0.74	0.85	22	35
*Cirencester ..	7,767	54	40	1	1	96	12.4	47	56	103	13.3	0.78	0.89	2	21
†Coleford	723	9	7	—	1	17	23.5	3	1	4	5.5	0.91	0.43	—	—
Kingswood	13,930	91	98	1	—	190	13.6	82	79	161	11.6	1.04	1.03	11	58
*Mangotsfield ..	12,517	89	86	4	3	182	14.5	83	66	149	11.9	0.98	1.00	8	44
*Nailsworth	3,226	19	26	3	—	48	14.9	30	19	49	15.2	0.78	1.01	1	21
†Newnham	272	1	1	—	—	2	7.4	1	—	1	3.7	0.83	0.26	—	—
†Stow-on-the- Wold.	318	2	2	—	1	5	15.7	5	1	6	18.9	0.81	1.31	1	200
Stroud	8,490	55	51	2	1	109	12.8	39	65	104	12.2	0.76	0.79	6	55
†Tetbury	548	3	5	—	—	8	14.6	5	6	11	20.1	0.74	1.27	1	125
*Tewkesbury M.B.	4,402	25	25	—	—	50	11.4	22	34	56	12.7	0.83	0.90	—	—
†Westbury-on- Severn.	422	3	3	—	1	7	16.6	3	3	6	14.2	0.67	0.81	—	—
*RURAL DISTRICTS	226,168	1,695	1,567	77	59	3,398	15.0	1,388	1,348	2,736	12.1	0.85	0.88	128	38
†Campden	2,056	12	14	1	—	27	13.1	8	16	24	11.7	0.79	0.79	5	185
*Cheltenham	13,153	90	84	4	1	179	13.6	94	71	165	12.5	0.79	0.84	7	39
cChipping Sodbury	11,853	84	76	6	5	171	14.4	68	67	135	11.4	0.82	0.80	4	23
*Cirencester	13,558	106	95	4	—	205	15.1	79	89	168	12.4	0.84	0.89	7	34
*Dursley	19,360	150	166	5	12	333	17.2	131	108	239	12.3	0.92	0.97	20	60
a*East Dean	242	1	1	—	—	2	08.3	2	2	4	16.5	0.74	1.04	—	—
b†Faringdon (part of).	20,721	154	137	10	5	306	14.8	142	99	241	11.6	0.78	0.77	13	42
*Gloucester	10,540	90	68	1	3	162	15.4	40	55	95	9.0	1.02	0.78	4	25
*Lydney	7,280	51	46	5	3	105	14.4	49	49	98	13.5	0.78	0.90	5	48
Newent	11,584	107	82	3	5	197	17.0	65	72	137	11.8	0.81	0.82	6	30
†North Cotswold	7,381	53	53	1	2	109	14.8	41	35	76	10.3	0.81	0.71	3	28
*Northleach	25,293	204	178	4	2	388	15.3	146	148	294	11.6	0.89	0.88	7	18
c*Sodbury	1,515	12	12	1	—	25	16.5	15	10	25	16.5	0.83	1.17	1	40
†Stow-on-the Wold.	27,165	166	168	7	7	348	12.8	170	218	388	14.3	0.76	0.93	12	34
*Stroud	5,415	40	26	4	3	73	13.5	28	21	49	9.0	0.91	0.70	1	14
*Tetbury	1,036	7	5	—	1	13	12.5	13	11	24	23.2	0.76	1.51	—	—
†Tewkesbury	18,555	143	127	7	5	282	15.2	107	123	230	12.4	0.85	0.90	11	39
*Thornbury	8,967	56	63	2	1	122	13.6	57	46	103	11.5	0.96	0.94	3	25
*Warmley	16,979	150	146	11	4	311	18.3	106	86	192	11.3	0.98	0.95	16	51
*West Dean	1,507	10	14	—	—	24	15.9	11	7	18	11.9	0.81	0.82	—	—
†Wheatenhurst ..	2,008	9	6	1	—	16	8.0	16	15	31	15.4	0.80	1.05	3	188
†Winchcomb															

a East Dean and United Parishes R.D. renamed East Dean R.D. from 1st April, 1935.

b The remainder of Faringdon R.D. is in Berkshire.

c Chipping Sodbury R.D. renamed Sodbury R.D. from 1st April, 1935.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
HEREFORDSHIRE : ADMINISTRATIVE COUNTY.	110,600	793	771	55	56	1,675	15·1	767	725	1,492	13·5	0·80	0·92	78	47
URBAN DISTRICTS	42,100	279	297	18	22	616	14·6	275	289	564	13·4	0·83	0·95	25	41
Bromyard ..	1,567	11	10	1	2	24	15·3	11	16	27	17·2	0·83	1·22	—	—
Hereford M.B. . .	24,990	159	194	8	11	372	14·9	147	158	305	12·2	0·87	0·91	11	30
Kington ..	1,788	13	13	1	1	28	15·7	14	10	24	13·4	0·76	0·87	2	71
Ledbury ..	3,425	22	21	2	2	47	13·7	27	19	46	13·4	0·75	0·86	1	21
Leominster M.B.	5,647	40	35	4	5	84	14·9	38	43	81	14·3	0·79	0·97	8	95
Ross-on-Wye ..	4,683	34	24	2	1	61	13·0	38	43	81	17·3	0·77	1·14	3	49
RURAL DISTRICTS	68,500	514	474	37	34	1,059	15·5	492	436	928	13·5	0·78	0·90	53	50
Bromyard ..	7,150	55	45	7	1	108	15·1	53	32	85	11·9	0·80	0·81	8	74
Dore and Bredwardine	7,467	62	63	4	6	135	18·1	64	49	113	15·1	0·77	0·99	7	52
Hereford ..	13,240	94	82	7	5	188	14·2	83	79	162	12·2	0·80	0·83	8	43
Kington ..	4,691	34	25	2	1	62	13·2	39	34	73	15·6	0·77	1·03	3	48
Ledbury ..	8,561	70	64	1	6	141	16·5	57	56	113	13·2	0·79	0·89	3	21
Leominster and Wigmore.	10,180	83	65	4	7	159	15·6	78	66	144	14·1	0·75	0·90	9	57
Ross and Whit- church.	11,380	75	76	4	8	163	14·3	72	85	157	13·8	0·80	0·94	7	43
Weobley ..	5,831	41	54	8	—	103	17·7	46	35	81	13·9	0·80	0·95	8	78
HERTFORDSHIRE : ADMINISTRATIVE COUNTY.	441,700	3,065	2,873	116	110	6,164	14·0	2,136	2,215	4,351	9·9	0·94	0·80	219	36
*URBAN DISTRICTS	321,616	2,238	2,085	92	82	4,497	14·0	1,539	1,604	3,143	9·8	0·96	0·80	155	34
Baldock ..	3,556	31	29	—	—	60	16·9	18	20	38	10·7	0·94	0·86	—	—
*Barnet ..	18,280	117	112	4	2	235	12·9	113	77	190	10·4	0·89	0·79	8	34
*Bishop's Stortford	10,537	74	57	5	2	138	13·1	48	59	107	10·2	0·85	0·74	4	29
*Bushey ..	12,185	77	59	4	2	142	11·7	60	57	117	9·6	1·10	0·90	12	85
*Cheshunt ..	15,760	122	119	2	5	248	15·7	94	76	170	10·8	0·98	0·90	12	48
Chorleywood ..	3,496	12	8	1	—	21	6·0	7	20	27	7·7	0·94	0·62	1	48
a East Barnet ..	23,950	180	175	2	5	362	15·1	93	110	203	8·5	1·01	0·73	10	28
*Great Berkham- stead.	9,277	59	39	5	3	106	11·4	47	63	110	11·9	0·89	0·91	3	28
*Harpenden ..	10,437	54	61	6	3	124	11·9	41	45	86	8·2	0·96	0·67	2	16
*Hemel Hemp- stead M.B.	17,150	134	115	9	7	265	15·5	75	95	170	9·9	0·94	0·80	10	38
*Hertford M.B. . .	13,045	78	54	2	4	138	10·6	74	56	130	10·0	0·95	0·81	10	72
*Hitchin. . .	15,510	101	120	5	1	227	14·6	66	84	150	9·7	0·90	0·75	9	40
*Hoddesdon ..	10,680	57	86	3	2	148	13·9	49	56	105	9·8	0·94	0·79	7	47
*Letchworth ..	14,745	100	77	2	1	180	12·2	49	64	113	7·7	1·09	0·72	3	17
*Rickmansworth	13,175	96	120	5	3	224	17·0	81	53	134	10·2	1·01	0·88	6	27
*Royston ..	3,813	18	15	1	—	34	8·9	21	21	42	11·0	0·69	0·65	—	—
*St. Albans M.B.	33,838	240	201	11	17	469	13·9	184	212	396	11·7	0·91	0·91	15	32
Sawbridgeworth	2,846	17	12	1	1	31	10·9	24	8	32	11·2	0·83	0·79	1	32
*Stevenage ..	5,718	37	23	—	1	61	10·7	25	38	63	11·0	0·88	0·83	—	—
*Tring ..	4,469	42	35	—	3	80	17·9	21	27	48	10·7	0·75	0·69	3	38
*Ware ..	7,226	57	50	2	—	109	15·1	42	30	72	10·0	0·85	0·73	2	18
*Watford M.B. . .	61,920	437	427	18	14	896	14·5	272	308	580	9·4	1·01	0·81	30	33
*Welwyn Garden City.	10,003	98	91	4	6	199	19·9	35	25	60	6·0	1·26	0·65	7	35

a East Barnet Valley U.D. renamed East Barnet U.D. from 1st April, 1935.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
HERTFORDSHIRE —cont.															
*RURAL DISTRICTS:	120,084	827	788	24	28	1,667	13.9	597	611	1,208	10.1	0.91	0.79	64	38
‡Ashwell.. ..	880	5	2	—	—	7	8.0	4	9	13	14.8	0.67	0.85	—	—
*Barnet	6,659	50	59	1	1	111	16.7	32	26	58	8.7	1.13	0.84	5	45
*Berkhamstead ..	4,488	26	34	—	4	64	14.3	18	23	41	9.1	0.85	0.66	2	31
‡Braughing	6,767	39	40	—	1	80	11.8	37	37	74	10.9	0.75	0.70	4	50
‡Buntingford .. .	1,152	11	7	—	1	19	16.5	12	11	23	20.0	0.72	1.23	1	53
‡Hadham	1,357	10	6	—	—	16	11.8	14	7	21	15.5	0.78	1.03	—	—
*Hatfield	13,535	99	98	1	3	201	14.9	66	73	139	10.3	0.99	0.87	7	35
*Hemel Hempstead.	8,466	65	48	5	2	120	14.2	49	63	112	13.2	0.92	1.04	8	67
*Hertford	7,027	33	59	2	1	95	13.5	32	49	81	11.5	0.88	0.86	4	42
*Hitchin.. ..	17,720	126	123	4	1	254	14.3	109	107	216	12.2	0.84	0.88	13	51
*St. Albans .. .	19,483	136	133	3	4	276	14.2	69	58	127	6.5	0.93	0.52	3	11
*Ware	10,510	69	53	2	3	127	12.1	70	46	116	11.0	0.83	0.78	6	47
*Watford	17,970	124	95	6	7	232	12.9	64	78	142	7.9	1.05	0.71	11	47
*Welwyn	4,070	34	31	—	—	65	16.0	21	24	45	11.1	0.99	0.94	—	—
HUNTINGDONSHIRE :															
ADMINISTRATIVE COUNTY.	55,700	411	382	18	18	829	14.9	336	361	697	12.5	0.83	0.89	42	51
*URBAN DISTRICTS	26,067	187	174	5	6	372	14.3	141	162	303	11.6	0.89	0.88	11	30
Godmanchester M.B.	2,038	14	17	2	—	33	16.2	14	13	27	13.2	0.79	0.89	—	—
*Huntingdon M.B.	4,466	23	28	—	—	51	11.4	15	32	47	10.5	0.81	0.73	1	20
Old Fletton .. .	7,495	63	48	—	3	114	15.2	37	36	73	9.7	1.08	0.90	6	53
*Ramsey	5,120	41	40	2	3	86	16.8	38	32	70	13.7	0.95	1.11	4	47
St. Ives M.B. .. .	2,694	20	13	—	—	33	12.2	18	21	39	14.5	0.77	0.95	—	—
St. Neots	4,254	26	28	1	—	55	12.9	19	28	47	11.0	0.79	0.74	—	—
*RURAL DISTRICTS	29,633	224	208	13	12	457	15.4	195	199	394	13.3	0.79	0.90	31	68
*Huntingdon .. .	6,647	61	35	3	3	102	15.3	39	45	84	12.6	0.78	0.84	8	78
*Norman Cross ..	6,560	57	54	4	5	120	18.3	41	44	85	13.0	0.89	0.99	9	75
^a ‡Oundle (part of)	234	1	1	—	—	2	8.5	2	1	3	12.8	0.78	0.85	—	—
*St. Ives.. ..	9,272	63	76	5	2	146	15.7	70	67	137	14.8	0.75	0.95	9	62
*St. Neots	6,628	41	41	1	2	85	12.8	43	41	84	12.7	0.75	0.81	5	59
^a ‡Thrapston (part of).	180	1	1	—	—	2	11.1	—	1	1	5.6	0.79	0.38	—	—
‡Civil Parish of Sibson cum Stibbington, administered by R.D.C. of Barnack (Soke of Peterborough.)	112	—	—	—	—	—	—	—	—	—	—	0.84	—	—	—
KENT :	1,328,700	9,582	9,056	389	407	19,434	14.6	7,498	7,187	14,685	11.1	0.90	0.85	839	43
COUNTY BORO' :															
Canterbury .. .	25,100	181	153	6	7	347	13.8	163	172	335	13.3	0.83	0.94	17	49
ADMINISTRATIVE COUNTY.	1,303,600	9,401	8,903	383	400	19,087	14.6	7,335	7,015	14,350	11.0	0.91	0.86	822	43

^a The remainder of Oundle and Thrapston Rural Districts are in Northamptonshire.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
KENT—cont.															
*URBAN DISTRICTS	1,023,725	7,409	6,996	303	314	15,022	14.7	5,641	5,523	11,164	10.9	0.92	0.86	662	44
Ashford.. ..	22,260	144	125	8	4	281	12.6	128	131	259	11.6	0.85	0.84	9	32
Beckenham ..	66,370	430	415	13	11	869	13.1	285	281	566	8.5	0.98	0.71	28	32
Bexley	59,970	573	494	12	14	1,093	18.2	280	223	503	8.4	1.07	0.77	48	44
*Broadstairs and St. Peters.	13,217	61	61	3	3	128	9.7	70	97	167	12.6	0.83	0.89	5	39
Bromley M.B. ..	56,200	374	347	17	20	758	13.5	274	274	548	9.8	0.97	0.81	21	28
Chatham M.B. ..	43,960	355	319	20	22	716	16.3	279	214	493	11.2	0.98	0.94	36	50
Chislehurst and Sidcup	47,690	405	373	13	17	808	16.9	226	193	419	8.8	0.95	0.71	35	43
Crayford	21,050	186	157	8	6	357	17.0	92	94	186	8.8	1.20	0.90	21	59
Dartford M.B. ..	31,870	223	237	9	4	473	14.8	147	127	274	8.6	0.99	0.73	20	42
*Deal M.B. .. .	21,287	211	189	8	4	412	19.4	131	134	265	12.4	0.83	0.88	23	56
Dover M.B. .. .	41,510	316	314	20	18	668	16.1	259	262	521	12.6	0.92	0.99	37	55
Erith	35,760	263	244	6	12	525	14.7	194	166	360	10.1	1.07	0.92	21	40
*Faversham M.B.	11,873	65	77	5	3	150	12.6	87	71	158	13.3	0.78	0.89	2	13
Folkestone M.B.	46,540	306	301	24	16	647	13.9	257	289	546	11.7	0.89	0.89	30	46
Gillingham M.B.	62,490	490	425	12	13	940	15.0	382	328	710	11.4	1.04	1.01	40	43
*Gravesend M.B.	38,130	282	289	7	10	588	15.4	185	197	382	10.0	1.00	0.85	27	46
Herne Bay .. .	15,080	75	82	2	4	163	10.8	114	106	220	14.6	0.74	0.92	7	43
Hythe M.B. .. .	8,709	51	47	6	4	108	12.4	51	54	105	12.1	0.81	0.84	3	28
Lydd M.B. .. .	2,711	17	16	1	2	36	13.3	13	14	27	10.0	1.02	0.87	2	56
Maidstone M.B.	46,650	329	307	8	11	655	14.0	232	248	480	10.3	0.92	0.81	26	40
*Margate M.B. ..	36,970	183	193	18	13	407	11.0	189	214	403	10.9	0.90	0.84	21	52
New Romney M.B.	1,843	7	10	—	2	19	10.3	12	12	24	13.0	0.90	1.00	—	—
*Northfleet .. .	17,660	143	140	4	4	291	16.5	127	90	217	12.3	1.02	1.07	10	34
Orpington .. .	36,620	316	321	10	21	668	18.2	180	169	349	9.5	0.92	0.75	32	48
Penge	26,010	194	171	13	11	389	15.0	163	170	333	12.8	0.92	1.01	27	69
Queenborough M.B.	2,995	30	22	2	1	55	18.4	15	20	35	11.7	1.18	1.18	3	55
*Ramsgate M.B.	34,132	231	217	10	15	473	13.9	208	253	461	13.5	0.85	0.98	19	40
Rochester M.B.	34,480	259	243	11	8	521	15.1	208	182	390	11.3	0.93	0.90	34	65
Royal Tunbridge Wells M.B.	33,490	185	195	3	8	391	11.7	206	305	511	15.3	0.73	0.95	14	36
*Sandwich M.B.	3,686	20	24	1	—	45	12.2	19	15	34	9.2	0.82	0.64	2	44
Sevenoaks .. .	12,230	67	77	1	3	148	12.1	70	57	127	10.4	0.87	0.77	6	41
Sheerness .. .	16,110	122	103	6	6	237	14.7	105	87	192	11.9	1.01	1.03	13	55
Sittingbourne and Milton.	20,700	182	150	3	5	340	16.4	131	106	237	11.4	0.93	0.91	11	32
Southborough ..	7,636	55	42	6	3	106	13.9	48	62	110	14.4	0.73	0.90	3	28
Swanscombe .. .	8,403	46	59	5	1	111	13.2	53	39	92	10.9	1.04	0.97	6	54
Tenterden M.B.	3,385	18	18	—	4	40	11.8	25	26	51	15.1	0.76	0.98	2	50
Tonbridge .. .	17,500	116	114	4	7	241	13.8	97	109	206	11.8	0.90	0.91	15	62
‡Walmer	1,408	9	5	—	1	15	10.7	9	8	17	12.1	0.89	0.92	—	—
Whitstable .. .	15,140	70	73	4	3	150	9.9	90	96	186	12.3	0.72	0.76	3	20
*RURAL DISTRICTS	279,875	1,992	1,907	80	86	4,065	14.5	1,694	1,492	3,186	11.4	0.85	0.83	160	39
Bridge-Blean ..	16,020	147	125	5	9	28	17.9	98	78	176	11.0	0.80	0.75	10	35
Cranbrook .. .	13,650	78	95	4	—	177	13.0	74	86	160	11.7	0.78	0.78	6	34
Dartford	31,710	223	208	2	9	442	13.9	155	154	309	9.7	1.03	0.85	12	27

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
KENT—cont.															
RURAL DISTRICTS—cont.															
Dover ..	9,251	65	61	2	4	132	14.3	71	54	125	13.5	0.87	1.00	6	45
*East Ashford ..	9,046	56	59	2	1	118	13.0	61	50	111	12.3	0.77	0.81	5	42
*Eastry ..	21,292	168	141	10	7	326	15.3	121	126	247	11.6	0.87	0.86	19	58
Elham ..	8,609	60	61	2	4	127	14.8	47	52	99	11.5	0.71	0.70	6	47
†Faversham ..	3,330	27	26	3	1	57	17.1	21	26	47	14.1	0.82	0.99	5	88
Hollingbourne ..	13,940	101	76	11	5	193	13.8	98	84	182	13.1	0.83	0.93	8	41
†Hoo ..	1,105	5	10	—	—	15	13.6	10	8	18	16.3	1.00	1.39	1	67
†Isle of Thanet ..	3,575	17	28	1	1	47	13.1	20	18	38	10.6	0.82	0.74	4	85
Maidstone ..	15,300	101	117	8	7	233	15.2	100	80	180	11.8	0.79	0.80	9	39
Malling ..	30,320	237	218	11	14	480	15.8	186	171	357	11.8	0.88	0.89	16	33
†Milton ..	1,808	17	17	—	1	35	19.4	10	12	22	12.2	0.86	0.90	—	—
†Romney Marsh ..	3,243	22	18	1	—	41	12.6	22	17	39	12.0	0.84	0.86	2	49
Sevenoaks ..	27,050	184	179	3	5	371	13.7	157	146	303	11.2	0.85	0.81	13	35
Sheppey ..	6,751	52	40	2	—	94	13.9	38	32	70	10.4	0.88	0.78	1	11
*Strood ..	16,913	114	125	3	6	248	14.7	92	68	160	9.5	0.92	0.75	11	44
†Swale ..	13,440	99	86	3	2	190	14.1	74	60	134	10.0	0.85	0.73	6	32
Tenterden ..	6,382	45	48	—	3	96	15.0	44	37	81	12.7	0.74	0.80	3	31
Tonbridge ..	18,620	121	116	5	3	245	13.2	117	95	212	11.4	0.81	0.79	13	53
*West Ashford ..	8,520	53	53	2	4	112	13.1	78	38	116	13.6	0.76	0.88	4	36
*LANCASHIRE :															
COUNTY BORO'S	5,036,700	37,139	35,393	1,562	1,467	75,561	15.0	34,030	32,600	66,630	13.2	1.09	1.23	5,441	72
Barrow-in-Furness ..	64,500	466	411	23	16	916	14.2	452	391	843	13.1	1.09	1.22	61	67
Blackburn ..	118,200	724	639	29	27	1,419	12.0	890	838	1,728	14.6	1.03	1.29	90	63
Blackpool ..	120,200	584	552	56	55	1,247	10.4	789	888	1,677	14.0	0.91	1.09	58	47
Bolton ..	174,900	1,116	1,043	51	34	2,244	12.8	1,194	1,165	2,359	13.5	1.09	1.26	145	65
Bootle ..	76,500	807	775	28	26	1,636	21.4	526	453	979	12.8	1.18	1.29	150	92
Burnley ..	93,100	502	525	28	30	1,085	11.7	692	672	1,364	14.7	1.08	1.36	71	65
Bury ..	59,800	325	352	19	14	710	11.9	465	432	897	15.0	1.01	1.29	47	66
Liverpool ..	854,500	8,488	8,105	393	361	17,347	20.3	5,973	5,495	11,468	13.4	1.15	1.32	1,449	84
Manchester ..	748,100	5,434	5,408	281	256	11,379	15.2	5,283	4,837	10,120	13.5	1.14	1.32	809	71
Oldham ..	133,300	802	794	43	45	1,684	12.6	1,027	931	1,958	14.7	1.12	1.41	108	64
Preston ..	116,200	856	801	40	45	1,742	15.0	783	795	1,578	13.6	1.11	1.29	141	81
Rochdale ..	94,100	533	505	22	34	1,094	11.6	642	669	1,311	13.9	1.05	1.25	93	85
St. Helens ..	108,100	1,005	976	22	23	2,026	18.7	705	610	1,315	12.2	1.23	1.28	191	94
Salford ..	210,000	1,608	1,488	69	52	3,215	15.3	1,457	1,277	2,734	13.0	1.18	1.31	244	76
Southport ..	79,300	399	355	27	27	808	10.2	502	659	1,161	14.6	0.83	1.04	52	64
Warrington ..	80,300	661	540	19	21	1,341	16.7	508	458	966	12.0	1.20	1.23	87	65
Wigan ..	84,500	732	660	17	16	1,425	16.9	602	575	1,177	13.9	1.20	1.43	139	98
*ADMINISTRATIVE COUNTY.															
	1,821,100	12,097	11,366	395	385	24,243	13.3	11,540	11,455	22,995	12.6	1.06	1.14	1,506	62
*URBAN DISTRICTS															
	1,591,182	10,582	9,892	357	343	21,174	13.3	10,198	10,143	20,341	12.8	1.07	1.17	1,331	63
Abram ..	6,576	65	42	2	—	109	16.6	47	29	76	11.6	1.23	1.22	11	101
Accrington M.B. ..	40,960	231	221	4	7	463	11.3	293	298	591	14.4	1.00	1.23	19	41
Adlington ..	4,117	27	34	—	—	61	14.8	34	15	49	11.9	1.11	1.13	1	16
Ashton-in-Makerfield ..	20,040	141	149	4	7	301	15.0	146	131	277	13.8	1.19	1.40	22	73
*Ashton-under-Lyne M.B. ..	50,070	308	272	18	22	620	12.4	374	331	705	14.1	1.07	1.29	41	66
Aspull ..	6,739	63	55	2	1	121	18.0	52	46	98	14.5	1.21	1.50	18	149
Atherton ..	20,520	140	126	4	3	273	13.3	139	121	260	12.7	1.14	1.24	20	73

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LANCASHIRE—cont.															
URBAN DISTRICTS —cont.															
Audenshaw ..	10,380	68	66	3	1	138	13·3	60	59	119	11·5	1·09	1·07	7	51
Bacup M.B. ..	20,040	143	115	6	5	269	13·4	144	165	309	15·4	1·08	1·42	16	59
Barrowford ..	5,050	21	18	1	—	40	7·9	44	35	79	15·6	0·99	1·32	3	75
Billinge and Winstanley.	5,311	30	41	1	3	75	14·1	35	26	61	11·5	1·01	0·99	6	80
Blackrod ..	3,417	32	24	—	—	56	16·4	20	16	36	10·5	1·05	0·94	2	36
Brierfield ..	7,520	20	33	1	3	57	7·6	43	57	100	13·3	1·06	1·20	1	18
Carnforth ..	3,193	22	18	1	—	41	12·8	27	24	51	16·0	0·94	1·29	2	49
Chadderton ..	27,690	153	158	4	2	317	11·4	201	177	378	13·7	1·20	1·41	20	63
Chorley M.B. ..	29,910	197	181	2	2	382	12·8	198	199	397	13·3	1·12	1·27	38	99
Church ..	5,814	34	30	—	1	65	11·2	59	50	109	18·7	1·09	1·74	8	123
Clayton-le-Moors	7,499	53	43	3	3	102	13·6	48	49	97	12·9	1·10	1·21	10	98
Clitheroe M.B. .	11,580	54	61	3	1	119	10·3	73	68	141	12·2	1·00	1·04	6	50
*Colne M.B. ..	23,060	111	125	6	5	247	10·7	158	138	296	12·8	1·06	1·16	13	53
Crompton ..	14,060	71	78	4	4	157	11·2	102	111	213	15·1	1·15	1·48	8	51
*Dalton-in- Furness.	10,230	79	62	4	7	152	14·9	85	67	152	14·9	0·95	1·21	9	59
Darwen M.B. ..	33,670	187	166	12	6	371	11·0	245	269	514	15·3	1·02	1·33	18	49
Denton ..	18,770	156	115	3	3	277	14·8	121	107	228	12·1	1·03	1·07	17	61
Droylsden ..	17,100	131	105	2	6	244	14·3	88	98	186	10·9	1·13	1·05	17	70
Eccles M.B. ..	42,900	268	266	10	9	553	12·9	245	253	498	11·6	1·08	1·07	23	42
Falsworth ..	16,740	120	121	3	1	245	14·6	86	119	205	12·2	1·21	1·26	11	45
Farnworth ..	28,170	189	165	5	6	365	13·0	169	175	344	12·2	1·08	1·13	25	68
*Fleetwood M.B.	24,030	203	200	7	6	416	17·3	146	144	290	12·1	1·21	1·25	35	84
Formby ..	8,584	43	56	3	2	104	12·1	51	40	91	10·6	0·94	0·85	5	48
Fulwood ..	10,010	45	41	—	1	87	8·7	72	62	134	13·4	0·87	1·00	5	57
Golborne ..	14,100	113	92	1	5	211	15·0	76	107	183	13·0	1·14	1·27	8	38
Grange ..	2,347	12	9	—	1	22	9·4	16	24	40	17·0	0·68	0·99	—	—
Great Crosby ..	24,100	157	138	3	1	299	12·4	113	120	233	9·7	1·05	0·87	13	43
Great Harwood	11,750	87	51	3	3	144	12·3	89	85	174	14·8	1·07	1·35	7	49
Haslingden M.B.	15,920	95	79	2	4	180	11·3	109	132	241	15·1	1·00	1·29	12	67
Haydock ..	10,470	99	95	3	1	198	18·9	69	61	130	12·4	1·24	1·31	19	96
Heywood M.B.	26,010	168	139	6	6	319	12·3	168	168	336	12·9	1·08	1·19	22	69
Hindley ..	20,810	156	133	2	1	292	14·0	153	120	273	13·1	1·17	1·31	25	86
Horwich ..	15,100	89	77	5	4	175	11·6	87	92	179	11·9	1·08	1·10	11	63
Huyton with Roby.	9,390	102	108	1	2	213	22·7	57	53	110	11·7	1·07	1·07	22	103
Ince in Maker- field.	21,920	209	179	7	7	402	18·3	126	135	261	11·9	1·25	1·27	29	72
Irlam ..	14,000	102	102	2	2	208	14·9	55	72	127	9·1	1·32	1·03	10	48
Kearsley ..	10,990	86	69	3	2	160	14·6	64	68	132	12·0	1·10	1·13	8	50
*Kirkham ..	4,151	31	33	3	—	67	16·1	32	32	64	15·4	1·03	1·36	3	45
*Lancaster M.B.	46,475	349	337	14	12	712	15·3	293	267	560	12·0	0·99	1·02	41	58
Lees ..	4,453	25	26	1	—	52	11·7	35	28	63	14·1	1·07	1·29	2	38
Leigh M.B. ..	45,240	314	291	7	7	619	13·7	318	266	584	12·9	1·19	1·31	50	81
Leyland ..	11,160	75	88	2	1	166	14·9	63	49	112	10·0	1·13	0·97	12	72
Litherland ..	17,100	181	152	2	9	344	20·1	114	83	197	11·5	1·24	1·22	27	78
Littleborough ..	11,640	65	73	1	2	141	12·1	78	82	160	13·7	1·06	1·24	7	50
Little Lever ..	4,879	26	27	—	4	57	11·7	26	30	56	11·5	1·14	1·12	—	—

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LANCASHIRE—cont.															
URBAN DISTRICTS—cont.															
Longridge ..	4,069	28	24	1	—	53	13.0	20	29	49	12.0	1.04	1.07	4	75
Lytham ..	25,120	105	103	4	3	215	8.6	168	235	403	16.0	0.80	1.09	5	23
St. Anne's M.B.															
Middleton M.B.	29,040	178	184	2	6	370	12.7	204	209	413	14.2	1.07	1.30	13	35
Milnrow ..	8,406	52	45	1	—	98	11.7	52	69	121	14.4	1.01	1.24	8	82
*Morecambe and Heysham M.B.	27,980	127	122	12	6	267	9.5	238	243	481	17.2	0.75	1.10	18	67
Mossley M.B. ..	11,450	65	54	1	1	121	10.6	68	87	155	13.5	1.08	1.25	12	99
*Nelson M.B. ..	37,095	157	175	15	6	353	9.5	231	229	460	12.4	1.07	1.13	27	76
Newton-in- Makerfield.	20,640	165	161	3	3	332	16.1	142	106	248	12.0	1.12	1.15	16	48
Ormskirk ..	17,860	123	117	5	2	247	13.8	110	117	227	12.7	0.97	1.05	16	65
Orrell ..	7,664	51	57	1	1	110	14.4	58	44	102	13.3	1.15	1.31	8	73
Oswaldtwistle ..	13,350	75	68	3	3	149	11.2	89	86	175	13.1	1.06	1.19	6	40
*Padiham ..	11,120	64	58	4	1	127	11.4	84	87	171	15.4	1.02	1.34	12	94
Poulton le Fylde	5,670	24	28	—	—	52	9.2	37	39	76	13.4	0.90	1.03	5	96
Preesall..	2,092	14	10	—	—	24	11.5	14	14	28	13.4	0.88	1.01	2	83
Prescot ..	11,410	92	86	3	5	186	16.3	68	58	126	11.0	1.16	1.09	8	43
Prestwich ..	29,120	172	150	4	7	333	11.4	136	147	283	9.7	1.04	0.86	18	54
Radcliffe ..	26,910	157	144	5	3	309	11.5	184	188	372	13.8	1.11	1.31	17	55
Rainford ..	3,600	31	32	—	—	63	17.5	21	18	39	10.8	1.12	1.03	2	32
Ramsbottom ..	15,220	95	76	1	1	173	11.4	96	97	193	12.7	1.02	1.11	8	46
Rawtenstall M.B.	27,940	140	123	5	7	275	9.8	178	191	369	13.2	1.01	1.14	14	51
Rishton ..	6,194	43	37	1	1	82	13.2	37	48	85	13.7	1.06	1.24	5	61
Royton ..	16,330	93	87	5	12	197	12.1	116	111	227	13.9	1.16	1.38	19	96
Skelmersdale ..	6,051	49	44	2	—	95	15.7	34	39	73	12.1	1.19	1.23	5	53
Standish with Langtree.	7,779	61	45	—	1	107	13.8	47	43	90	11.6	1.20	1.19	10	93
Stretford M.B. . .	59,250	351	385	18	18	772	13.0	330	338	668	11.3	1.10	1.06	47	61
Swinton and Pen- dlebury M.B.	38,740	293	239	7	6	545	14.1	190	229	419	10.8	1.20	1.11	32	59
*Thornton Cleveleys.	11,570	71	57	3	8	139	12.0	59	72	131	11.3	0.95	0.92	7	50
Tottington ..	6,187	34	31	2	1	68	11.0	33	47	80	12.9	1.02	1.12	6	88
Trawden ..	2,429	9	6	—	—	15	6.2	15	18	33	13.6	1.10	1.28	—	—
Turton ..	11,510	62	57	4	—	123	10.7	76	85	161	14.0	0.99	1.18	6	49
Tyldesley ..	18,870	147	126	1	2	276	14.6	126	129	255	13.5	1.20	1.38	25	91
Ulverston ..	9,249	54	58	2	3	117	12.7	58	57	115	12.4	0.89	0.94	9	77
Upholland ..	5,921	50	49	2	—	101	17.1	47	30	77	13.0	1.22	1.36	8	79
Urmston ..	27,980	226	215	8	5	454	16.2	149	131	280	10.0	1.09	0.93	15	33
Walton le Dale	13,160	91	78	3	2	174	13.2	74	72	146	11.1	1.06	1.01	11	63
Wardle ..	4,387	19	16	5	5	45	10.3	34	30	64	14.6	0.76	0.95	5	111
Waterloo with Seaforth.	30,930	251	265	11	11	538	17.4	204	197	401	13.0	1.02	1.13	33	61
Westhoughton..	15,570	113	94	3	1	211	13.6	84	89	173	11.1	1.15	1.09	6	28
Whitefield ..	11,110	84	73	3	3	163	14.7	65	57	122	11.0	1.10	1.03	6	37
Whitworth ..	8,023	60	54	3	2	119	14.8	60	66	126	15.7	1.06	1.42	9	76
Widnes M.B. ..	42,100	400	424	14	11	849	20.2	272	247	519	12.3	1.20	1.26	60	71
Withnell ..	2,908	11	9	1	—	21	7.2	19	12	31	10.7	1.12	1.02	1	48
Worsley ..	23,423	149	141	3	5	298	12.7	125	150	275	11.7	1.08	1.08	22	74

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LANCASHIRE—cont.															
*RURAL DISTRICTS	229,918	1,515	1,474	38	42	3,069	13·3	1,342	1,312	2,654	11·5	0·99	0·97	175	57
Blackburn ..	11,620	72	67	—	—	139	12·0	78	75	153	13·2	1·02	1·15	12	86
*Burnley ..	17,905	86	96	2	5	189	10·6	116	124	240	13·4	1·05	1·20	15	79
Chorley ..	24,030	141	161	2	2	306	12·7	142	126	268	11·2	1·06	1·01	13	42
Clitheroe ..	8,880	49	28	1	—	78	8·8	29	37	66	7·4	1·29	0·82	2	26
*Fylde ..	9,684	75	78	5	4	162	16·7	68	59	127	13·1	0·99	1·11	8	49
Garstang ..	11,760	71	89	1	2	163	13·9	77	83	160	13·6	0·96	1·12	8	49
*Lancaster ..	9,597	68	65	2	2	137	14·3	64	72	136	14·2	0·86	1·04	8	58
*Limehurst ..	8,150	54	42	2	—	98	12·0	54	46	100	12·3	1·09	1·15	7	71
Lunesdale ..	6,506	42	39	1	1	83	12·8	40	42	82	12·6	0·89	0·96	4	48
Preston ..	31,440	220	222	4	7	453	14·4	161	163	324	10·3	0·96	0·85	22	49
*Ulverston ..	16,240	123	98	5	4	230	14·2	106	107	213	13·1	0·83	0·93	14	61
Warrington ..	16,570	105	103	4	4	216	13·0	101	81	182	11·0	1·02	0·96	13	60
West Lancashire	28,700	194	214	2	7	417	14·5	149	148	297	10·3	1·02	0·90	28	67
Whiston ..	22,090	163	126	3	3	295	13·4	116	109	225	10·2	0·96	0·84	13	44
Wigan ..	6,746	52	46	4	1	103	15·3	41	40	81	12·0	1·06	1·09	8	78
*LEICESTERSHIRE:	556,300	3,929	3,624	153	163	7,869	14·1	3,163	3,062	6,225	11·2	1·00	0·96	433	55
COUNTY BORO':															
*Leicester ..	256,100	1,786	1,593	100	92	3,571	13·9	1,500	1,474	2,974	11·6	1·02	1·01	212	59
*ADMINISTRATIVE COUNTY.	300,200	2,143	2,031	53	71	4,298	14·3	1,663	1,588	3,251	10·8	0·99	0·91	221	51
*URBAN DISTRICTS	119,810	873	791	15	27	1,706	14·2	648	617	1,265	10·6	1·04	0·94	90	53
Ashby de la Zouch.	5,200	40	34	—	1	75	14·4	29	29	58	11·2	0·88	0·84	3	40
Ashby Woulds..	3,232	31	15	1	1	48	14·9	21	16	37	11·4	1·15	1·12	3	63
Coalville ..	21,890	168	140	1	2	311	14·2	125	104	229	10·5	1·12	1·01	24	77
*Hinckley ..	17,448	136	144	1	7	288	16·5	96	97	193	11·1	1·11	1·05	19	66
*Loughborough M.B.	27,288	177	155	7	3	342	12·5	142	138	280	10·3	1·03	0·91	19	56
*Market Harborough	9,480	56	55	1	2	114	12·0	49	52	101	10·7	0·92	0·84	—	—
*Melfort Mowbray	10,788	59	90	2	3	154	14·3	48	58	106	9·8	0·96	0·80	6	39
Oadby ..	5,086	39	28	—	—	67	13·2	20	19	39	7·7	1·02	0·67	2	30
†Quorndon ..	653	5	3	—	—	8	12·3	3	4	7	10·7	0·88	0·80	—	—
Shepshed ..	5,840	35	39	1	1	76	13·0	39	31	70	12·0	0·99	1·02	5	66
†Thurmaston ..	980	14	3	—	—	17	17·3	5	4	9	9·2	1·08	0·85	—	—
a*Wigston ..	11,925	113	85	1	7	206	17·3	71	65	136	11·4	1·02	0·99	9	44
*RURAL DISTRICTS	180,390	1,270	1,240	38	44	2,592	14·4	1,015	971	1,986	11·0	0·96	0·90	131	51
*Ashby de la Zouch.	17,650	128	148	1	3	280	15·9	89	79	168	9·5	1·08	0·88	19	68
*Barrow upon Soar.	36,327	261	251	12	7	531	14·6	176	194	370	10·2	0·97	0·85	21	40
†Belvoir ..	721	2	6	1	—	9	12·5	4	10	14	19·4	0·73	1·21	2	222
*Billesdon ..	7,440	51	58	2	1	112	15·1	32	55	87	11·7	0·87	0·87	6	54
*Blaby ..	29,590	203	206	8	2	419	14·2	149	148	297	10·0	0·96	0·82	17	41
Castle Donington	6,550	40	41	1	1	83	12·7	40	30	70	10·7	0·93	0·85	—	—
†Hallaton ..	390	2	4	—	—	6	15·4	4	5	9	23·1	0·69	1·36	2	333
*Hinckley ..	18,125	121	117	4	9	251	13·8	109	91	200	11·0	1·08	1·02	11	44

a Wigston Magna U.D. renamed Wigston U.D. from 1st April, 1935.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
*LEICESTERSHIRE —cont.															
*RURAL DISTRICTS —cont.															
*Loughborough..	3,990	30	30	1	—	61	15.3	25	17	42	10.5	0.92	0.83	4	66
*Lutterworth ..	10,717	69	63	2	3	137	12.8	77	72	149	13.9	0.83	0.99	10	73
*Market Bosworth	24,008	188	177	3	7	375	15.6	146	120	266	11.1	1.05	1.00	25	67
*Market Harboro'	8,338	57	48	—	3	108	13.0	56	68	124	14.9	0.85	1.08	6	56
^a *Melton and Belvoir	16,544	118	91	3	8	220	13.3	108	82	190	11.5	0.82	0.81	8	36
LINCOLNSHIRE : PARTS OF HOLLAND.															
*ADMINISTRATIVE COUNTY.	94,155	828	769	41	31	1,669	17.7	571	479	1,050	11.2	0.90	0.86	80	48
URBAN DISTRICTS	35,700	285	300	14	12	611	17.1	231	200	431	12.1	0.87	0.90	35	57
Boston M.B. ..	22,850	187	200	9	7	403	17.6	137	133	270	11.8	0.86	0.87	22	55
Spalding ..	12,850	98	100	5	5	208	16.2	94	67	161	12.5	0.87	0.93	13	63
*RURAL DISTRICTS	58,455	543	469	27	19	1,058	18.1	340	279	619	10.6	0.92	0.83	45	43
*Boston ..	18,525	184	163	6	10	363	19.6	111	90	201	10.9	0.91	0.85	12	33
East Elloe ..	22,370	207	170	12	4	393	17.6	114	93	207	9.3	0.93	0.74	22	56
Spalding ..	17,560	152	136	9	5	302	17.2	115	96	211	12.0	0.93	0.95	11	36
LINCOLNSHIRE : PARTS OF KESTEVEN.															
*ADMINISTRATIVE COUNTY.	110,360	760	694	34	27	1,515	13.7	690	658	1,348	12.2	0.86	0.90	78	51
URBAN DISTRICTS	41,800	294	271	20	13	598	14.3	286	241	527	12.6	0.87	0.94	30	50
Bourne ..	4,732	47	32	2	3	84	17.8	35	31	66	13.9	0.79	0.94	7	83
Grantham M.B.	20,000	135	140	10	7	292	14.6	149	119	268	13.4	0.9	1.02	9	31
Sleaford ..	7,048	48	35	3	2	88	12.5	37	40	77	10.9	0.83	0.77	8	91
Stamford M.B..	10,020	64	64	5	1	134	13.4	65	51	116	11.6	0.93	0.92	6	45
*RURAL DISTRICTS	68,560	466	423	14	14	917	13.4	404	417	821	12.0	0.84	0.86	48	52
*East Kesteven..	18,950	150	131	7	6	294	15.5	109	117	226	11.9	0.95	0.97	17	58
North Kesteven	19,890	123	111	3	3	240	12.1	116	115	231	11.6	0.80	0.79	10	42
South Kesteven	13,970	86	86	2	4	178	12.7	86	89	175	12.5	0.80	0.85	12	67
West Kesteven	15,750	107	95	2	1	205	13.0	93	96	189	12.0	0.84	0.86	9	44
*LINCOLNSHIRE : PARTS OF LINDSEY	425,885	3,269	3,109	203	185	6,766	15.9	2,564	2,416	4,980	11.7	0.94	0.94	332	49
COUNTY BORO'S.	158,000	1,189	1,145	87	77	2,498	15.8	990	896	1,886	11.9	1.02	1.04	137	55
Grimsby ..	93,900	782	731	63	45	1,621	17.3	604	510	1,114	11.9	1.07	1.09	100	62
Lincoln ..	64,100	407	414	24	32	877	13.7	386	386	772	12.0	0.97	0.99	37	42
*ADMINISTRATIVE COUNTY.	267,885	2,080	1,964	116	108	4,268	15.9	1,574	1,520	3,094	11.5	0.90	0.88	195	46

^a Melton Mowbray R.D. renamed Melton and Belvoir R.D. from 1st April, 1935.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
COLNSHIRE —cont.															
TS. OF LINDSEY —cont.															
AN DISTRICTS	132,400	1,051	960	58	60	2,129	16·1	772	728	1,500	11·3	0·98	0·95	111	52
lford	2,290	14	14	1	1	30	13·1	14	13	27	11·8	0·65	0·66	2	67
arton-upon- Humber.	6,230	51	35	2	4	92	14·8	49	37	86	13·8	0·95	1·12	5	54
trigg	3,970	42	39	1	—	82	20·7	17	17	34	8·6	0·88	0·65	5	61
leethorpes ..	29,320	223	208	8	12	451	15·4	141	149	290	9·9	1·08	0·91	25	55
rowle	2,967	37	20	3	3	63	21·2	17	23	40	13·5	0·89	1·03	4	63
ainsborough ..	17,610	113	111	4	5	233	13·2	130	106	236	13·4	0·94	1·08	8	34
orncastle ..	3,461	23	24	3	1	51	14·7	27	31	58	16·8	0·68	0·98	2	39
outh M.B. ..	9,580	52	46	6	5	109	11·4	72	79	151	15·8	0·75	1·01	4	37
ablethorpe and Sutton.	4,162	27	16	3	2	48	11·5	25	25	50	12·0	0·76	0·78	2	42
arket Rasen ..	2,064	17	12	—	1	30	14·5	9	23	32	15·5	0·68	0·90	4	133
orby-cum- Risby.	500	8	5	—	—	13	26·0	4	5	9	18·0	1·02	1·57	2	154
unthorpe and Frodingham.	37,170	368	343	19	20	750	20·2	194	146	340	9·1	1·28	1·00	38	51
egness	9,370	56	60	4	5	125	13·3	55	47	102	10·9	0·97	0·90	9	72
interton	2,282	15	23	4	1	43	18·8	10	17	27	11·8	0·92	0·93	1	23
oodhall Spa ..	1,424	5	4	—	—	9	6·3	8	10	18	12·6	0·62	0·67	—	—
RAL DISTRICTS	135,485	1,029	1,004	58	48	2,139	15·8	802	792	1,594	11·8	0·84	0·85	84	39
aistor	12,460	82	85	6	7	180	14·4	79	78	157	12·6	0·79	0·85	7	39
ainsborough ..	13,850	110	111	6	5	232	16·8	99	94	193	13·9	0·81	0·96	9	39
anford Brigg	28,250	251	218	8	12	489	17·3	142	153	295	10·4	0·93	0·83	20	41
rimby	11,510	83	75	4	3	165	14·3	55	56	111	9·6	1·00	0·82	5	30
orncastle ..	11,492	83	85	8	3	179	15·6	81	55	136	11·8	0·77	0·78	5	28
le of Axholme	6,540	56	51	3	5	115	17·6	46	43	89	13·6	0·90	1·05	4	35
outh	16,510	111	120	10	4	245	14·8	111	107	218	13·2	0·78	0·88	7	29
bsey	3,043	27	21	3	1	52	17·1	14	8	22	7·2	0·89	0·55	7	135
pilsby	20,290	146	168	9	6	329	16·2	110	129	239	11·8	0·77	0·78	13	40
elton	11,540	80	70	1	2	153	13·3	65	69	134	11·6	0·83	0·82	7	46
DON:	4,185,200	27,072	25,642	1,511	1,555	55,780	13·3	24,336	23,511	47,847	11·4	1·02	0·99	3,229	58
ty of London aner and Middle Temples.	9,360 400	38 —	29 —	2 —	3 —	72 —	7·7 —	63 5	40 1	103 6	11·0 15·0	1·11 0·83	1·04 1·06	8 —	111 —
ROPOLITAN BOROUGHs:															
attersea	148,200	1,012	1,005	36	51	2,104	14·2	917	867	1,784	12·0	0·99	1·02	137	65
ermondsey ..	102,700	753	695	18	22	1,488	14·5	666	533	1,199	11·7	1·14	1·14	103	69
ethnal Green ..	99,910	712	685	19	22	1,438	14·4	548	479	1,027	10·3	1·13	0·99	74	51
amberwell ..	234,400	1,582	1,433	77	64	3,156	13·5	1,410	1,359	2,769	11·8	1·00	1·01	191	61
helsea	57,320	253	279	27	28	587	10·2	346	376	722	12·6	0·85	0·92	35	60

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 th
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LONDON—cont.															
METROPOLITAN BORO'S—cont.															
Deptford ..	99,500	702	695	20	15	1,432	14.4	597	509	1,106	11.1	1.04	0.99	74	52
Finsbury ..	63,100	473	417	22	20	932	14.8	435	359	794	12.6	1.09	1.17	55	59
Fulham ..	143,600	982	904	49	54	1,989	13.9	833	832	1,665	11.6	1.01	1.00	101	51
Greenwich ..	96,600	666	626	17	28	1,337	13.8	531	512	1,043	10.8	1.02	0.94	80	60
Hackney ..	210,600	1,510	1,348	49	53	2,960	14.1	1,110	1,124	2,234	10.6	1.05	0.95	141	48
Hammersmith ..	128,100	887	852	75	64	1,878	14.7	786	738	1,524	11.9	1.03	1.05	131	70
Hampstead ..	90,600	475	436	49	39	999	11.0	449	569	1,018	11.2	0.94	0.90	49	49
Holborn ..	35,400	125	104	20	22	271	7.7	255	165	420	11.9	1.07	1.09	24	86
Islington ..	304,100	2,176	2,141	97	110	4,524	14.9	1,695	1,739	3,434	11.3	1.01	0.98	242	53
Kensington ..	178,300	998	994	121	114	2,227	12.5	953	1,201	2,154	12.1	0.94	0.97	175	79
Lambeth ..	279,900	1,833	1,737	120	134	3,824	13.7	1,729	1,673	3,402	12.2	0.99	1.03	225	59
Lewisham ..	223,000	1,354	1,337	53	49	2,793	12.5	1,070	1,144	2,214	9.9	1.01	0.85	119	43
Paddington ..	138,600	852	859	125	128	1,964	14.2	775	900	1,675	12.1	0.99	1.02	140	71
Poplar ..	143,700	1,075	1,081	37	22	2,215	15.4	887	701	1,588	11.1	1.11	1.05	103	47
St. Marylebone	92,200	374	408	53	62	897	9.7	533	561	1,094	11.9	0.99	1.01	50	56
St. Pancras ..	185,300	1,142	1,103	102	120	2,467	13.3	1,205	1,042	2,247	12.1	1.02	1.05	155	66
Shoreditch ..	88,400	650	597	22	21	1,290	14.6	551	450	1,001	11.3	1.10	1.06	67	54
Southwark ..	156,100	1,144	1,081	49	41	2,315	14.8	1,082	855	1,937	12.4	1.07	1.13	152	66
Stepney ..	211,500	1,505	1,415	53	54	3,027	14.3	1,290	1,103	2,393	11.3	1.17	1.13	186	61
Stoke Newington	50,210	363	305	16	17	701	14.0	268	289	557	11.1	0.96	0.91	36	51
Wandsworth ..	343,300	1,896	1,703	82	97	3,778	11.0	1,802	1,984	3,786	11.0	0.93	0.87	208	51
Westminster ..	124,400	492	431	70	68	1,061	8.5	754	697	1,451	11.7	1.03	1.03	77	73
Woolwich ..	146,400	1,048	942	31	33	2,054	14.0	791	709	1,500	10.2	1.06	0.92	91	41
MIDDLESEX :															
ADMINISTRATIVE COUNTY.	1,866,800	13,623	12,892	559	520	27,594	14.8	8,544	8,710	17,254	9.2	1.07	0.84	1,313	41
URBAN DISTRICTS	1,866,800	13,623	12,892	559	520	27,594	14.8	8,544	8,710	17,254	9.2	1.07	0.84	1,313	41
Acton M.B. ..	68,960	436	387	25	20	868	12.6	331	371	702	10.2	1.08	0.94	51	59
Brentford and Chiswick M.B.	62,490	397	393	19	30	839	13.4	312	320	632	10.1	1.02	0.88	34	41
Ealing M.B. ..	137,550	900	938	38	31	1,907	13.9	666	691	1,357	9.9	1.01	0.85	91	41
Edmonton ..	96,320	790	765	26	29	1,610	16.7	447	422	869	9.0	1.07	0.82	85	51
Enfield ..	76,960	584	599	23	14	1,220	15.9	386	372	758	9.8	1.02	0.85	61	59
Feltham ..	23,560	279	249	8	8	544	23.1	108	107	215	9.1	1.14	0.89	28	51
Finchley M.B. ..	62,660	407	365	24	11	807	12.9	291	365	656	10.5	0.98	0.88	39	41
Friern Barnet ..	24,750	206	135	5	7	353	14.3	81	86	167	6.7	0.98	0.56	13	31
Hampton ..	13,770	81	90	5	2	178	12.9	74	70	144	10.5	0.96	0.86	5	21
Hampton Wick	2,940	16	10	2	3	31	10.5	15	18	33	11.2	0.95	0.91	1	31
Harrow ..	144,280	1,301	1,140	38	44	2,523	17.5	547	561	1,108	7.7	1.17	0.77	106	41
Hayes and Harlington.	31,560	274	281	13	14	582	18.4	116	88	204	6.5	1.36	0.76	22	31
Hendon M.B. ..	134,160	845	792	44	43	1,724	12.9	568	578	1,146	8.5	1.18	0.86	87	51
Heston and Isleworth M.B.	90,970	725	673	19	30	1,447	15.9	390	388	778	8.6	1.05	0.77	59	41
Hornsey M.B. ..	95,330	570	510	33	15	1,128	11.8	466	568	1,034	10.8	0.91	0.84	55	41
Potters Bar ..	9,390	75	85	4	—	164	17.5	33	27	60	6.4	1.05	0.57	6	31
Ruislip Northwood.	24,930	213	183	3	9	408	16.4	99	101	200	8.0	1.10	0.75	13	31
Southall Norwood	48,270	406	380	9	14	809	16.8	212	186	398	8.2	1.14	0.80	38	41
Southgate M.B.	62,180	352	316	9	4	681	11.0	267	294	561	9.0	0.98	0.75	30	41
Staines ..	26,360	209	203	12	11	435	16.5	122	124	246	9.3	0.95	0.76	20	41

§ The 39 deaths under 1 year include 11 which occurred in a home for destitute children and which necessarily have to be assigned to the area where death occurred, although the births presumably occurred elsewhere.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
MIDDLESEX—cont.															
URBAN DISTRICTS —cont.															
Sunbury-on- Thames.	15,050	138	113	4	5	260	17.3	70	59	129	8.6	1.00	0.74	5	19
Teddington ..	23,140	139	146	8	5	298	12.9	135	143	278	12.0	0.98	1.01	16	54
Tottenham M.B.	150,310	949	943	36	41	1,969	13.1	767	693	1,460	9.7	1.13	0.94	107	54
Twickenham M.B.	46,710	325	335	19	14	693	14.8	237	230	467	10.0	1.02	0.87	29	42
Uxbridge ..	38,140	324	332	10	9	675	17.7	191	176	367	9.6	1.08	0.89	29	43
*Wembley ..	99,120	807	752	25	21	1,605	16.2	336	342	678	6.8	1.26	0.73	55	34
*Willesden M.B.	188,440	1,444	1,371	79	69	2,963	15.7	956	992	1,948	10.3	1.09	0.96	190	64
Wood Green M.B.	53,470	274	274	14	8	570	10.7	249	281	530	9.9	1.01	0.85	27	47
Yiewsley and West Drayton.	15,030	157	132	5	9	303	20.2	72	57	129	8.6	1.17	0.86	11	36
*NORFOLK ..	501,500	3,574	3,309	188	193	7,264	14.5	3,048	3,063	6,111	12.2	0.82	0.86	315	43
*COUNTY BORO'S:	180,100	1,264	1,092	63	61	2,480	13.8	1,039	1,079	2,118	11.8	0.90	0.91	112	45
Great Yarmouth	55,400	396	330	14	19	759	13.7	336	363	699	12.6	0.87	0.94	29	38
*Norwich ..	124,700	868	762	49	42	1,721	13.8	703	716	1,419	11.4	0.92	0.90	83	48
ADMINISTRATIVE COUNTY.	321,400	2,310	2,217	125	132	4,784	14.9	2,009	1,984	3,993	12.4	0.78	0.83	203	42
URBAN DISTRICTS	62,990	435	399	25	28	887	14.1	419	428	847	13.4	0.80	0.92	40	45
Cromer.. ..	4,014	27	20	3	3	53	13.2	28	16	44	11.0	0.88	0.83	1	19
Diss	3,380	20	23	4	2	49	14.5	30	24	54	16.0	0.75	1.03	2	41
Downham Market	2,450	12	13	2	—	27	11.0	24	19	43	17.6	0.71	1.07	2	74
East Dereham ..	5,807	32	41	3	4	80	13.8	41	43	84	14.5	0.80	0.99	3	38
*Kings Lynn M.B.	23,067	195	168	7	12	382	16.6	131	143	274	11.9	0.88	0.90	21	55
New Hunstanton	2,819	13	12	—	1	26	9.2	19	26	45	16.0	0.77	1.05	1	38
North Walsham	4,283	32	22	2	1	57	13.3	33	26	59	13.8	0.74	0.87	5	88
*Sheringham ..	4,171	26	26	1	—	53	12.7	23	33	56	13.4	0.74	0.85	3	57
Swaffham ..	2,642	12	12	—	—	24	9.1	25	15	40	15.1	0.68	0.88	1	42
Thetford M.B. . .	3,953	24	24	1	3	52	13.2	30	44	74	18.7	0.75	1.20	—	—
Wells	2,493	17	16	1	—	34	13.6	17	16	33	13.2	0.69	0.78	—	—
†Wymondham ..	3,911	25	22	1	2	50	12.8	18	23	41	10.5	0.84	0.75	1	20
RURAL DISTRICTS	258,410	1,875	1,818	100	104	3,897	15.1	1,590	1,556	3,146	12.2	0.77	0.80	163	42
†Aylsham	3,968	29	25	3	3	60	15.1	32	31	63	15.9	0.74	1.01	6	100
†Blofield.. ..															
Blofield and Flegg	26,480	182	213	7	10	412	15.6	130	132	262	9.9	0.79	0.67	12	29
Depwade	17,350	103	129	6	7	245	14.1	128	131	259	14.9	0.73	0.93	6	24
Docking	16,260	112	106	7	6	231	14.2	99	94	193	11.9	0.74	0.75	12	52
*Downham	18,498	127	134	7	7	275	14.9	115	111	226	12.2	0.80	0.83	12	44
†East and West Flegg.															
*Erpingham ..	17,330	120	106	4	7	237	13.7	97	111	208	12.0	0.78	0.80	8	34
*Forehoe	3,420	36	24	—	3	63	18.4	21	12	33	9.6	0.80	0.66	2	32
†Forehoe and Henstead.	14,636	126	120	7	5	258	17.6	87	64	151	10.3	0.78	0.69	11	43
*Freebridge Lynn	10,668	78	65	3	3	149	14.0	69	77	146	13.7	0.73	0.85	7	47
†Henstead	2,763	14	12	4	1	31	11.2	14	12	26	9.4	0.78	0.63	1	32

a Abolished 1st April, 1935. Figures included in those of Blofield and Flegg R.D. from 1st January, 1935.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
NORFOLK—cont.															
RURAL DISTRICTS															
<i>—cont.</i>															
†Kings Lynn ..	278	2	1	—	—	3	10·8	1	—	1	3·6	0·89	0·27	—	—
<i>a</i> *Loddon ..	11,630	91	92	7	4	194	16·7	75	69	144	12·4	0·76	0·81	13	67
*Marshland ..	15,308	135	126	4	8	273	17·8	85	82	167	10·9	0·88	0·82	8	29
Mitford and Launditch.	16,620	118	112	11	6	247	14·9	143	130	273	16·4	0·75	1·05	18	73
<i>b</i> *St. Faiths and Aylsham.	25,435	201	178	7	10	396	15·6	121	135	256	10·1	0·81	0·70	10	25
*Smallburgh ..	15,523	102	108	9	9	228	14·7	72	96	168	10·8	0·76	0·70	9	39
*Swaffham ..	7,376	54	44	1	4	103	14·0	53	40	93	12·6	0·79	0·85	1	10
†Thetford ..	2,255	17	17	1	—	35	15·5	31	21	52	23·1	0·79	1·56	2	57
*Walsingham ..	16,992	124	99	5	5	233	13·7	126	103	229	13·5	0·77	0·89	9	39
*Wayland ..	15,620	104	107	7	6	224	14·5	91	105	196	12·5	0·73	0·78	16	71
NORTHAMPTON- SHIRE :															
COUNTY BORO' :	312,900	2,015	1,859	82	80	4,036	12·9	1,964	1,809	3,773	12·1	0·90	0·93	205	51
Northampton ..	96,700	579	518	29	29	1,155	11·9	545	521	1,066	11·0	0·96	0·90	59	51
ADMINISTRATIVE COUNTY.	216,200	1,436	1,341	53	51	2,881	13·3	1,419	1,288	2,707	12·5	0·87	0·93	146	51
*URBAN DISTRICTS	105,735	652	584	30	25	1,291	12·2	650	561	1,211	11·5	0·95	0·93	66	51
*Brackley M.B. ...	2,290	12	12	1	2	27	11·8	20	12	32	14·0	0·70	0·84	1	37
Burton Latimer	3,412	15	20	1	—	36	10·6	9	25	34	10·0	1·01	0·86	1	28
Daventry M.B.	3,591	19	25	4	2	50	13·9	14	22	36	10·0	0·78	0·67	—	—
Desborough ..	4,419	28	23	1	2	54	12·2	24	16	40	9·1	1·04	0·81	4	74
†Finedon ..	1,040	9	5	—	—	14	13·5	9	7	16	15·4	0·98	1·29	1	71
Higham Ferrers M.B.	2,987	16	11	—	2	29	9·7	20	17	37	12·4	0·94	1·00	—	—
*Irthlingborough	4,547	28	27	—	—	55	12·1	26	20	46	10·1	1·02	0·88	3	55
*Kettering ..	32,297	234	183	11	7	435	13·5	213	158	371	11·5	0·99	0·97	18	41
Oundle ..	2,776	12	11	—	—	23	8·3	12	12	24	8·6	0·87	0·64	1	43
*Raunds..	4,227	23	22	—	—	45	10·6	20	20	40	9·5	0·91	0·74	1	22
Rothwell ..	4,558	23	25	1	1	50	11·0	26	32	58	12·7	0·96	1·04	2	40
Rushden ..	14,550	81	88	4	3	176	12·1	83	72	155	10·7	0·99	0·91	15	85
*Wellingborough	25,041	152	132	7	6	297	11·9	174	148	322	12·9	0·92	1·01	19	64
*RURAL DISTRICTS	110,465	784	757	23	26	1,590	14·4	769	727	1,496	13·5	0·81	0·93	80	50
*Brackley ..	7,708	57	46	—	2	105	13·6	57	65	122	15·8	0·77	1·04	6	57
*Brixworth ..	14,036	109	79	2	3	193	13·8	99	93	192	13·7	0·80	0·94	15	78
<i>c</i> †Crick
*Daventry ..	15,388	93	94	3	7	197	12·8	123	102	225	14·6	0·82	1·02	9	46
†Easton-on-the- Hill.	356	4	—	—	—	4	11·2	3	3	6	16·9	0·81	1·17	—	—
†Gretton..	352	3	2	—	—	5	14·2	2	3	5	14·2	0·78	0·95	—	—
†Hardingstone ..	1,826	15	12	1	—	28	15·3	19	22	41	22·5	0·80	1·54	3	107
*Kettering ..	13,390	111	124	2	5	242	18·1	97	76	173	12·9	0·89	0·98	11	45
†Middleton Cheney	564	2	5	—	1	8	14·2	3	3	6	10·6	0·85	0·77	—	—
*Northampton ..	13,600	95	99	5	—	199	14·6	81	84	165	12·1	0·83	0·86	6	30
<i>d</i> †Oundle (part of)	1,476	7	11	—	2	20	13·6	10	11	21	14·2	0·73	0·89	1	50
†Oundle and Thrapston.	12,544	88	87	4	2	181	14·4	82	87	169	13·5	0·78	0·90	12	66
†Oxendon ..	1,030	5	8	—	—	13	12·6	7	9	16	15·5	0·80	1·06	1	77
†Potterspury ..	1,175	5	5	—	—	10	8·5	10	9	19	16·2	0·78	1·08	—	—
<i>d</i> †Thrapston (part of)	2,425	20	19	—	1	40	16·5	19	17	36	14·8	0·82	1·04	1	25
*Towcester ..	12,145	79	86	4	1	170	14·0	84	78	162	13·3	0·77	0·88	7	41
Wellingborough	12,451	91	80	2	2	175	14·1	73	65	138	11·1	0·87	0·83	8	46

a Loddon and Clavering renamed Loddon R.D. from 1st April, 1935.*b* St. Faiths R.D. renamed St. Faiths and Aylsham R.D. from 1st April, 1935.*c* Abolished 1st April, 1935. Figures included in those of Daventry R.D. from 1st January, 1935.*d* The remainders of Oundle and Thrapston Rural Districts are in Huntingdonshire.

TABLE 17—continued.

(See notes on first page of Table

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
NORTHUMBERLAND :	766,400	6,021	5,676	279	225	12,201	15.9	4,941	4,320	9,261	12.1	1.09	1.13	923	76
*COUNTY BORO'S.	358,375	2,884	2,735	133	112	5,864	16.4	2,397	2,122	4,519	12.6	1.12	1.21	476	81
*Newcastle-upon- Tyne.	291,025	2,282	2,186	111	87	4,666	16.0	1,958	1,745	3,703	12.7	1.13	1.23	401	86
*Tynemouth ..	67,350	602	549	22	25	1,198	17.8	439	377	816	12.1	1.11	1.15	75	63
*ADMINISTRATIVE COUNTY.	408,025	3,137	2,941	146	113	6,337	15.5	2,544	2,198	4,742	11.6	1.06	1.05	447	71
*URBAN DISTRICTS	310,317	2,489	2,306	105	75	4,975	16.0	1,930	1,646	3,576	11.5	1.10	1.08	369	74
Alnwick ..	6,950	61	40	4	3	108	15.5	47	55	102	14.7	0.87	1.09	3	28
Amble ..	4,377	39	33	—	—	72	16.5	39	30	69	15.8	1.01	1.36	5	69
*Ashington ..	29,903	279	255	10	5	549	18.4	182	160	342	11.4	1.23	1.20	57	104
Bedlingtonshire	27,570	247	232	9	6	494	17.9	172	138	310	11.2	1.16	1.11	32	65
*Berwick-upon- Tweed M.B.	12,045	74	97	7	3	181	15.0	84	91	175	14.5	0.87	1.08	12	66
*Blyth M.B. ..	34,087	321	299	13	9	642	18.8	233	199	432	12.7	1.13	1.23	51	79
†Cramlington ..	2,038	18	14	2	—	34	16.7	11	11	22	10.8	1.11	1.02	1	29
†Earsdon ..	3,293	29	28	—	3	60	18.2	17	16	33	10.0	1.16	0.99	3	50
*Gosforth ..	18,992	125	88	1	3	217	11.4	104	83	187	9.8	1.03	0.86	16	74
*Hexham ..	9,037	64	55	4	1	124	13.7	55	57	112	12.4	0.92	0.98	10	81
*Longbenton ..	20,107	176	155	4	8	343	17.1	135	85	220	10.9	1.07	1.00	25	73
*Morpeth M.B. ..	8,915	77	58	7	3	145	16.3	58	43	101	11.3	0.94	0.91	10	69
*Newbiggin by the Sea.	8,339	47	69	2	2	120	14.4	44	43	87	10.4	1.18	1.05	8	67
*Newburn ..	19,328	158	171	8	5	342	17.7	110	88	198	10.2	1.15	1.00	24	70
Prudhoe ..	8,930	78	59	4	3	144	16.1	53	30	83	9.3	1.21	0.96	11	76
†Rothbury ..	337	2	2	—	—	4	11.9	3	—	3	8.9	0.83	0.63	—	—
†Seaton Delaval	1,838	18	9	—	—	27	14.7	11	8	19	10.3	1.07	0.94	2	74
†Seaton Valley..	21,310	159	184	6	4	353	16.6	128	114	242	11.4	1.13	1.10	29	82
†Seghill ..	683	5	9	—	—	14	20.5	3	2	5	7.3	1.11	0.69	—	—
†Wallsend M.B..	43,660	361	325	14	11	711	16.3	280	230	510	11.7	1.21	1.21	47	66
†Weetslade ..	1,983	23	16	1	—	40	20.2	14	8	22	11.1	1.14	1.08	5	125
*Whitley and Monkseaton.	26,595	128	108	9	6	251	9.4	147	155	302	11.4	0.97	0.95	18	72
*RURAL DISTRICTS	97,708	648	635	41	38	1,362	13.9	614	552	1,166	11.9	0.95	0.97	78	57
*Alnwick ..	12,090	78	81	1	4	164	13.6	82	65	147	12.2	0.95	0.99	9	55
Belford ..	4,555	29	29	3	2	63	13.8	35	34	69	15.1	0.87	1.12	4	63
Bellingham ..	5,180	23	25	4	5	57	11.0	35	28	63	12.2	0.87	0.91	1	18
*Castle Ward ..	13,185	70	91	5	2	168	12.7	70	58	128	9.7	1.06	0.88	5	30
Glendale ..	7,720	75	44	3	2	124	16.1	39	52	91	11.8	0.88	0.89	10	81
Haltwhistle ..	8,180	54	44	3	2	103	12.6	49	46	95	11.6	0.98	0.97	3	29
*Hexham ..	20,423	133	132	10	9	284	13.9	129	120	249	12.2	0.91	0.95	15	53
*Morpeth ..	16,205	132	133	5	5	275	17.0	96	80	176	10.9	1.09	1.02	19	69
Newcastle-upon- Tyne (Moot Hall and precincts)	5	—	—	—	—	—	—	—	—	—	—	2.69	—	—	—
*Norham and Islandshires	4,810	21	32	6	2	61	12.7	33	32	65	13.5	0.82	0.95	5	82
*Rothbury ..	5,355	33	24	1	5	63	11.8	46	37	83	15.5	0.88	1.17	7	111
NOTTINGHAMSHIRE :	733,700	5,651	5,303	262	262	11,478	15.6	4,175	4,030	8,205	11.2	1.06	1.01	755	66
COUNTY BORO'S:															
Nottingham ..	280,200	2,143	1,995	137	120	4,395	15.7	1,783	1,721	3,504	12.5	1.03	1.10	357	81
ADMINISTRATIVE COUNTY.	453,500	3,508	3,308	125	142	7,083	15.6	2,392	2,309	4,701	10.4	1.08	0.96	398	56

TABLE 17—continued.

(See notes on first page of Table

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
NOTTINGHAMSHIRE —cont.															
*URBAN DISTRICTS:	306,166	2,394	2,199	83	97	4,773	15·6	1,601	1,550	3,151	10·3	1·12	0·99	292	61
Arnold	16,230	140	99	3	4	246	15·2	69	73	142	8·7	1·04	0·77	14	57
*Beeston & Stapleford	27,895	233	205	5	3	446	16·0	143	157	300	10·8	1·05	0·97	22	49
*Carlton	26,900	215	180	7	7	409	15·2	131	141	272	10·1	1·10	0·95	17	42
East Retford M.B.	14,780	92	91	7	7	197	13·3	95	73	168	11·4	0·94	0·92	8	41
*Eastwood ..	8,368	65	62	—	2	129	15·4	31	40	71	8·5	1·10	0·80	8	62
*Hucknall ..	18,137	146	127	6	5	284	15·7	108	98	206	11·4	1·12	1·09	26	92
†Huthwaite ..	1,285	13	10	—	1	24	18·7	11	6	17	13·2	1·16	1·31	3	125
*Kirkby-in-Ashfield.	18,657	158	152	3	6	319	17·1	102	98	200	10·7	1·23	1·12	31	97
*Mansfield M.B.	46,623	329	314	12	15	670	14·4	246	222	468	10·0	1·19	1·02	46	60
Mansfield Woodhouse.	14,330	132	103	3	6	244	17·0	69	77	146	10·2	1·29	1·12	21	86
*Newark M.B.	19,417	152	148	4	7	311	16·0	113	116	229	11·8	1·00	1·01	11	33
*Sutton-in-Ashfield.	35,485	289	301	16	9	615	17·3	178	170	348	9·8	1·22	1·02	39	63
*Warsop	11,049	103	97	6	6	212	19·2	51	41	92	8·3	1·43	1·01	13	61
*West Bridgford Worksop M.B...	19,720	96	95	4	3	198	10·0	104	113	217	11·0	0·92	0·86	10	53
	27,290	231	215	7	16	469	17·2	150	125	275	10·1	1·14	0·98	23	49
*RURAL DISTRICTS	147,334	1,114	1,109	42	45	2,310	15·7	791	759	1,550	10·5	1·00	0·90	106	40
*Basford	43,203	319	333	10	7	669	15·5	256	238	494	11·4	1·04	1·01	28	43
*Bingham	15,770	112	85	5	6	208	13·2	93	98	191	12·1	0·82	0·85	12	51
*East Retford ..	19,420	117	124	8	6	255	13·1	117	106	223	11·5	0·88	0·87	18	71
†Leake	1,142	5	15	—	—	20	17·5	7	2	9	7·9	0·86	0·58	2	100
b†Misterton ..															
*Newark	9,357	68	63	2	4	137	14·6	47	58	105	11·2	0·88	0·84	4	21
Nottingham (Shire Hall)	4	—	—	—	—	—	—	—	—	—	—	2·44	—	—	—
†Skegby	3,622	42	30	1	4	77	21·3	19	19	38	10·5	1·32	1·18	1	111
*Southwell ..	36,381	269	290	13	11	583	16·0	172	162	334	9·2	1·09	0·86	21	31
†Stapleford ..	3,595	29	25	—	1	55	15·3	21	11	32	8·9	1·07	0·81	1	111
Worksop	14,840	153	144	3	6	306	20·6	59	65	124	8·4	1·33	0·95	19	61
OXFORDSHIRE:	219,600	1,591	1,557	74	60	3,282	14·9	1,208	1,268	2,476	11·3	0·86	0·83	116	31
COUNTY BORO'															
Oxford	88,200	639	661	22	22	1,344	15·2	417	476	893	10·1	0·96	0·83	41	31
ADMINISTRATIVE COUNTY.	131,400	952	896	52	38	1,938	14·7	791	792	1,583	12·0	0·81	0·83	75	31
URBAN DISTRICTS:	38,200	288	247	13	10	558	14·6	223	206	429	11·2	0·83	0·79	20	31
Banbury M.B...	14,430	105	95	5	4	209	14·5	81	67	148	10·3	0·90	0·79	8	31
Bicester	3,201	26	30	1	1	58	18·1	27	14	41	12·8	0·76	0·83	4	61
Chipping Norton M.B.	3,483	24	14	1	1	40	11·5	18	25	43	12·3	0·72	0·76	—	—

a Beeston U.D. renamed Beeston and Stapleford U.D. from 1st April, 1935.

b Abolished 1st April, 1935. Figures included in those of East Retford R.D. from 1st January, 1935.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
OXFORDSHIRE —cont.															
URBAN DISTRICTS —cont.															
Henley-on- Thames M.B.	7,158	43	45	1	2	91	12.7	47	44	91	12.7	0.82	0.89	5	55
Thame	3,154	18	16	3	—	37	11.7	17	17	34	10.8	0.70	0.65	1	27
Witney	5,254	60	34	2	2	98	18.7	23	27	50	9.5	0.92	0.75	2	20
Woodstock M.B.	1,520	12	13	—	—	25	16.4	10	12	22	14.5	0.68	0.84	—	—
RURAL DISTRICTS:	93,200	664	649	39	28	1,380	14.8	568	586	1,154	12.4	0.81	0.86	55	40
Banbury	12,870	81	79	6	4	170	13.2	93	88	181	14.1	0.74	0.89	8	47
Bullington ..	22,900	178	168	8	6	360	15.7	132	146	278	12.1	0.82	0.85	12	33
Chipping Norton	14,230	95	90	5	8	198	13.9	74	97	171	12.0	0.82	0.84	10	51
Henley	14,230	90	85	3	3	181	12.7	75	74	149	10.5	0.85	0.76	4	22
Ploughley ..	13,240	119	115	5	4	243	18.4	91	84	175	13.2	0.82	0.93	8	33
Witney	15,730	101	112	12	3	228	14.5	103	97	200	12.7	0.79	0.86	13	57
PETERBOROUGH, SOKE OF: ADMINISTRATIVE COUNTY.	53,600	363	357	20	20	760	14.2	308	280	588	11.0	0.89	0.84	45	59
URBAN DISTRICT: Peterborough M.B.	45,100	307	285	18	17	627	13.9	265	232	497	11.0	0.90	0.85	38	61
RURAL DISTRICTS:	8,500	56	72	2	3	133	15.6	43	48	91	10.7	0.86	0.79	7	53
Barnack	2,405	14	16	2	—	32	13.3	10	20	30	12.5	0.90	0.96	2	63
Peterborough ..	6,095	42	56	—	3	101	16.6	33	28	61	10.0	0.84	0.72	5	50
RUTLANDSHIRE: ADMINISTRATIVE COUNTY.	17,700	107	127	2	7	243	13.7	107	96	203	11.5	0.78	0.77	10	41
URBAN DISTRICT: Oakham	3,270	14	17	1	3	35	10.7	20	14	34	10.4	0.77	0.68	—	—
RURAL DISTRICTS:	14,430	93	110	1	4	208	14.4	87	82	169	11.7	0.78	0.78	10	48
Ketton	2,668	18	22	—	3	43	16.1	15	12	27	10.1	0.87	0.75	1	23
Oakham	5,967	39	50	1	—	90	15.1	37	31	68	11.4	0.83	0.81	4	44
Uppingham ..	5,795	36	38	—	1	75	12.9	35	39	74	12.8	0.77	0.84	5	67
SHROPSHIRE: ADMINISTRATIVE COUNTY.	241,900	1,754	1,641	123	92	3,610	14.9	1,547	1,469	3,016	12.5	0.88	0.94	165	46
URBAN DISTRICTS:	122,900	858	786	52	48	1,744	14.2	716	732	1,448	11.8	0.89	0.90	65	37
Bishops Castle M.B.	1,375	8	11	—	2	21	15.3	7	12	19	13.8	0.74	0.87	1	48
Bridgnorth M.B.	5,343	41	39	1	4	85	15.9	33	33	66	12.4	0.80	0.85	3	35
Church Stretton	2,235	6	12	1	2	21	9.4	14	18	32	14.3	0.73	0.89	1	48
Dawley	7,696	64	55	3	2	124	16.1	38	45	83	10.8	0.93	0.86	4	32
Ellesmere ..	1,934	18	11	—	4	33	17.1	9	9	18	9.3	0.81	0.64	1	30

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SHROPSHIRE—cont.															
URBAN DISTRICTS —cont.															
Ludlow M.B. ..	5,805	44	33	6	2	85	14·6	42	38	80	13·8	0·77	0·91	2	24
Market Drayton	4,795	26	23	3	1	53	11·1	35	35	70	14·6	0·83	1·04	6	113
Newport ..	3,357	25	25	5	1	56	16·7	20	23	43	12·8	0·84	0·92	—	—
Oakengates ..	10,970	70	75	1	1	147	13·4	66	60	126	11·5	0·99	0·97	7	48
Oswestry M.B. . .	9,961	53	64	2	6	125	12·5	63	65	128	12·9	0·87	0·96	3	24
Shrewsbury M.B.	37,500	269	222	15	13	519	13·8	196	193	389	10·4	0·95	0·84	16	31
Wellington ..	9,626	65	51	1	1	118	12·3	45	56	101	10·5	0·94	0·84	3	25
Wem ..	2,275	14	9	2	1	26	11·4	16	15	31	13·6	0·75	0·87	3	115
Wenlock M.B. . .	13,780	114	107	6	6	233	16·9	98	90	188	13·6	0·87	1·01	14	60
Whitchurch ..	6,248	41	49	6	2	98	15·7	34	40	74	11·8	0·87	0·88	1	10
RURAL DISTRICTS:	119,000	896	855	71	44	1,866	15·7	831	737	1,568	13·2	0·86	0·97	100	54
Atcham. . .	18,800	127	121	16	8	272	14·5	141	130	271	14·4	0·84	1·03	11	40
Bridgnorth ..	12,100	101	93	7	3	204	16·9	80	61	141	11·7	0·90	0·90	11	54
Clun ..	10,330	74	74	6	4	158	15·3	83	61	144	13·9	0·83	0·99	10	63
Drayton ..	7,592	51	43	4	2	100	13·2	47	54	101	13·3	0·83	0·94	6	60
Ellesmere ..	6,844	60	69	3	4	136	19·9	40	27	67	9·8	0·87	0·73	9	66
Ludlow ..	14,030	111	96	9	3	219	15·6	95	96	191	13·6	0·87	1·01	6	27
Newport ..	5,286	41	30	1	3	75	14·2	42	29	71	13·4	0·86	0·98	7	93
Oswestry ..	15,940	113	113	11	7	244	15·3	111	106	217	13·6	0·90	1·05	16	66
Shifnal ..	7,489	65	54	1	2	122	16·3	50	44	94	12·6	0·84	0·90	9	74
Wellington ..	10,660	77	99	6	5	187	17·5	76	72	148	13·9	0·88	1·05	9	48
Wem ..	9,929	76	63	7	3	149	15·0	66	57	123	12·4	0·86	0·91	6	40
SOMERSETSHIRE:	471,900	2,884	2,803	122	91	5,900	12·5	2,808	3,049	5,857	12·4	0·81	0·86	232	39
COUNTY BORO':															
Bath ..	68,200	366	372	23	20	781	11·5	395	566	961	14·1	0·73	0·88	27	35
ADMINISTRATIVE COUNTY.	403,700	2,518	2,431	99	71	5,119	12·7	2,413	2,483	4,896	12·1	0·82	0·85	205	40
URBAN DISTRICTS	181,100	1,048	977	40	27	2,092	11·6	1,084	1,185	2,269	12·5	0·82	0·88	90	43
Bridgwater M.B.	17,840	137	108	4	3	252	14·1	118	117	235	13·2	0·88	0·99	10	40
Burnham-on-Sea	7,848	48	38	2	2	90	11·5	48	53	101	12·9	0·71	0·78	3	33
Chard M.B. ..	4,427	26	21	1	—	48	10·8	38	31	69	15·6	0·77	1·03	3	63
Clevedon ..	7,628	45	22	4	2	73	9·6	43	72	115	15·1	0·63	0·81	6	82
Crewkerne ..	3,535	19	18	1	—	38	10·7	21	24	45	12·7	0·83	0·90	1	26
Frome ..	10,350	61	48	2	2	113	10·9	63	73	136	13·1	0·79	0·88	4	35
Glastonbury M.B.	4,550	30	23	2	1	56	12·3	27	36	63	13·8	0·88	1·04	2	36
Ilminster ..	2,282	6	15	—	—	21	9·2	11	15	26	11·4	0·85	0·83	—	—
Minehead ..	6,139	30	35	3	—	68	11·1	41	53	94	15·3	0·77	1·01	4	59
Norton-Radstock	11,150	84	61	1	1	147	13·2	55	50	105	9·4	0·95	0·76	4	27
Portishead ..	3,854	28	18	—	2	48	12·5	27	22	49	12·7	0·81	0·88	1	21

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SOMERSETSHIRE —cont.															
URBAN DISTRICTS —cont.															
Shepton Mallet Street ..	4,324 4,454	28 21	28 20	1 —	2 1	59 42	13·6 9·4	28 27	16 23	44 50	10·2 11·2	0·83 0·89	0·72 0·85	2 2	34 48
Taunton M.B. ..	26,790	157	173	8	6	344	12·8	150	179	329	12·3	0·87	0·91	16	47
Watchet ..	2,114	11	13	2	—	26	12·3	14	19	33	15·6	0·79	1·05	1	38
Wellington ..	6,757	39	45	—	—	84	12·4	38	52	90	13·3	0·75	0·85	6	71
Wells M.B. ..	5,408	26	25	—	—	51	9·4	43	28	71	13·1	0·75	0·84	4	78
Weston-super- Mare.	32,490	156	142	7	4	309	9·5	180	217	397	12·2	0·76	0·79	14	45
Yeovil M.B. ..	19,160	96	124	2	1	223	11·6	112	105	217	11·3	1·03	0·99	7	31
RURAL DISTRICTS :	222,600	1,470	1,454	59	44	3,027	13·6	1,329	1,298	2,627	11·8	0·82	0·83	115	38
Axbridge ..	22,430	164	156	9	2	331	14·8	134	104	238	10·6	0·78	0·71	8	24
Bathavon ..	22,820	144	149	12	3	308	13·5	120	138	258	11·3	0·84	0·81	17	55
Bridgwater ..	16,520	107	106	6	3	222	13·4	107	93	200	12·1	0·77	0·80	11	50
Chard ..	11,200	71	68	1	2	142	12·7	51	93	144	12·9	0·82	0·90	4	28
Clutton ..	15,760	115	121	2	2	240	15·2	95	91	186	11·8	0·86	0·87	12	50
Dulverton ..	4,484	31	29	2	1	63	14·0	31	20	51	11·4	0·86	0·84	5	79
Frome ..	9,575	74	54	1	1	130	13·6	53	49	102	10·7	0·83	0·76	9	69
Langport ..	12,350	64	92	1	5	162	13·1	82	109	191	15·5	0·77	1·02	3	19
Long Ashton ..	19,590	130	119	2	2	253	12·9	100	95	195	10·0	0·88	0·75	10	40
Shepton Mallet	9,968	60	78	3	1	142	14·2	62	54	116	11·6	0·82	0·81	5	35
Taunton ..	16,770	105	84	4	3	196	11·7	99	83	182	10·9	0·79	0·74	9	46
Wellington ..	7,335	51	52	2	2	107	14·6	40	44	84	11·5	0·79	0·78	4	37
Wells ..	9,428	61	74	2	3	140	14·8	71	45	116	12·3	0·81	0·85	4	29
Williton ..	11,980	77	80	4	1	162	13·5	93	77	170	14·2	0·78	0·95	4	25
Wincanton ..	15,870	111	92	5	6	214	13·5	108	97	205	12·9	0·83	0·92	7	33
Yeovil ..	16,520	105	100	3	7	215	13·0	83	106	189	11·4	0·85	0·83	3	14
SOUTHAMPTON	1,041,900	7,378	7,026	390	360	15,154	14·5	5,976	5,822	11,798	11·3	0·92	0·89	643	42
COUNTY BORO'S.	545,600	3,739	3,560	233	202	7,734	14·2	3,294	3,274	6,568	12·0	0·93	0·95	349	45
Bournemouth ..	118,200	617	603	47	40	1,307	11·1	690	880	1,570	13·3	0·75	0·85	52	40
Portsmouth ..	250,200	1,791	1,693	121	102	3,707	14·8	1,489	1,470	2,959	11·8	0·99	1·00	171	46
Southampton ..	177,200	1,331	1,264	65	60	2,720	15·3	1,115	924	2,039	11·5	0·99	0·97	126	46
ADMINISTRATIVE COUNTY.	496,300	3,639	3,466	157	158	7,420	15·0	2,682	2,548	5,230	10·5	0·92	0·83	294	40
URBAN DISTRICTS :	278,700	2,052	1,999	98	79	4,228	15·2	1,513	1,435	2,948	10·6	0·96	0·87	164	39
Aldershot M.B.	35,730	313	322	13	11	659	18·4	146	128	274	7·7	1·38	0·91	20	30
Alton ..	7,397	60	46	1	3	110	14·9	64	47	111	15·0	0·83	1·06	4	36
Andover M.B. ..	11,490	104	99	4	4	211	18·4	72	49	121	10·5	0·93	0·83	5	24
Basingstoke M.B.	14,260	102	94	4	5	205	14·4	77	78	155	10·9	1·00	0·93	4	20
Christchurch M.B.	12,820	80	101	6	5	192	15·0	70	77	147	11·5	0·80	0·79	8	42
Eastleigh ..	24,510	173	169	5	2	349	14·2	132	105	237	9·7	1·00	0·83	16	46
Fareham ..	24,560	204	187	9	6	406	16·5	136	150	286	11·6	0·88	0·87	12	30
Farnborough ..	21,100	149	167	9	1	326	15·5	83	78	161	7·6	1·28	0·83	14	43

TABLE 17—continued.

See notes on first page of Table

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SOUTHAMPTON —cont.															
URBAN DISTRICTS —cont.															
Fleet	7,951	50	63	2	2	117	14.7	37	35	72	9.1	0.86	0.67	5	43
Gosport M.B. ..	41,910	343	328	19	15	705	16.8	225	189	414	9.9	1.02	0.86	35	50
Havant and Waterloo.	23,860	133	138	9	5	285	11.9	128	146	274	11.5	0.80	0.79	12	42
Lymington M.B.	16,880	103	86	5	8	202	12.0	103	111	214	12.7	0.80	0.87	13	64
Petersfield ..	5,836	49	31	1	—	81	13.9	43	35	78	13.4	0.77	0.88	1	12
Romsey M.B. ..	5,736	36	40	3	6	85	14.8	34	42	76	13.2	0.82	0.93	4	47
Winchester M.B.	24,660	153	128	8	6	295	12.0	163	165	328	13.3	0.83	0.94	11	37
RURAL DISTRICTS:															
Alton	21,200	169	173	6	8	356	16.8	115	102	217	10.2	0.98	0.85	14	39
Andover	14,220	113	110	3	3	229	16.1	54	77	131	9.2	1.09	0.86	11	48
Basingstoke ..	14,320	85	88	—	6	179	12.5	86	53	139	9.7	0.82	0.68	8	45
Droxford	18,060	120	106	5	4	235	13.0	99	99	198	11.0	0.78	0.73	8	34
Hartley Wintney	16,180	102	110	3	10	225	13.9	88	86	174	10.8	0.84	0.78	3	13
Kingsclere and Whitchurch.	15,130	94	89	4	6	193	12.8	81	80	161	10.6	0.81	0.73	9	47
New Forest ..	34,110	279	229	16	14	538	15.8	161	148	309	9.1	0.90	0.70	23	43
Petersfield ..	15,470	127	99	4	6	236	15.3	76	83	159	10.3	0.84	0.74	9	38
Ringwood and Fordingbridge.	18,500	115	111	7	11	244	13.2	121	104	225	12.2	0.77	0.80	8	33
Romsey and Stockbridge.	18,330	147	117	5	4	273	14.9	104	114	218	11.9	0.86	0.87	11	40
Winchester ..	32,080	236	235	6	7	484	15.1	184	167	351	10.9	0.89	0.83	26	54
STAFFORDSHIRE:															
COUNTY BORO'S:															
Burton - upon - Trent.	48,000	339	289	12	18	658	13.7	349	263	612	12.8	0.98	1.07	41	61
Smethwick ..	82,600	585	597	15	17	1,214	14.7	484	433	917	11.1	1.14	1.08	74	61
Stoke-on-Trent	274,100	2,239	2,149	85	64	4,537	16.6	1,780	1,615	3,395	12.4	1.22	1.29	376	81
Walsall	106,000	963	991	21	29	2,004	18.9	633	557	1,190	11.2	1.12	1.07	135	61
West Bromwich	82,300	774	740	15	22	1,551	18.8	525	480	1,005	12.2	1.14	1.19	131	81
Wolverhampton	141,400	1,145	1,047	39	46	2,277	16.1	840	748	1,588	11.2	1.08	1.03	137	61
ADMINISTRATIVE COUNTY.															
	725,500	6,052	5,811	150	161	12,174	16.8	4,284	3,802	8,086	11.1	1.08	1.02	808	61

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
STAFFORDSHIRE—															
<i>—cont.</i>															
URBAN DISTRICTS:	548,500	4,782	4,505	102	101	9,490	17·3	3,268	2,900	6,168	11·2	1·12	1·07	658	69
Aldridge ..	15,860	130	135	4	4	273	17·2	83	75	158	10·0	1·14	0·97	16	59
Amblecote ..	3,017	23	20	3	—	46	15·2	15	29	44	14·6	0·97	1·21	3	65
Biddulph ..	9,341	87	86	1	3	177	18·9	51	60	111	11·9	1·13	1·15	16	90
Bilston M.B. ..	31,670	289	294	7	4	594	18·8	209	173	382	12·1	1·22	1·26	40	67
Brierley Hill ..	45,190	392	341	4	6	743	16·4	240	251	491	10·9	1·10	1·02	48	65
Brownhills ..	18,970	170	152	5	3	330	17·4	115	87	202	10·6	1·16	1·05	24	73
Cannock ..	35,990	290	252	10	12	564	15·7	217	157	374	10·4	1·11	0·99	50	89
Coseley ..	26,420	260	253	—	—	513	19·4	158	129	287	10·9	1·16	1·08	35	68
Darlaston ..	20,110	215	175	4	5	399	19·8	125	103	228	11·3	1·24	1·20	22	55
Kids Grove ..	14,720	117	104	2	6	229	15·6	82	71	153	10·4	1·15	1·02	13	57
Leek ..	19,530	119	130	4	6	259	13·3	108	122	230	11·8	1·04	1·05	19	73
Lichfield M.B. ..	8,690	76	94	5	4	179	20·6	55	69	124	14·3	0·87	1·06	12	67
Newcastle-under- Lyme M.B.	60,110	491	473	16	13	993	16·5	380	349	729	12·1	1·12	1·16	85	86
Rowley Regis M.B.	42,420	354	339	4	4	701	16·5	250	199	449	10·6	1·19	1·08	43	61
Rugeley ..	7,568	65	60	—	1	126	16·6	44	45	89	11·8	1·02	1·03	11	87
Sedgley ..	19,980	171	181	4	2	358	17·9	126	91	217	10·9	1·08	1·01	23	64
Newcastle M.B. ..	30,970	214	208	4	3	429	13·9	162	150	312	10·1	1·03	0·89	16	37
Stone ..	6,310	42	45	3	2	92	14·6	25	43	68	10·8	0·90	0·83	3	33
Tamworth M.B.	12,170	91	96	2	4	193	15·9	77	47	124	10·2	0·98	0·85	9	47
Tettenhall ..	6,532	31	36	1	1	69	10·6	35	44	79	12·1	0·91	0·94	1	14
Tipton ..	36,410	408	371	4	5	788	21·6	260	210	470	12·9	1·18	1·30	50	63
Uttoxeter ..	6,612	48	51	1	3	103	15·6	38	31	69	10·4	1·00	0·89	7	68
Wednesbury M.B.	32,420	329	286	7	6	628	19·4	197	183	380	11·7	1·15	1·15	64	102
Wednesfield ..	10,270	109	83	3	1	196	19·1	54	50	104	10·1	1·17	1·01	10	51
Willenhall ..	27,220	261	240	4	3	508	18·7	162	132	294	10·8	1·19	1·10	38	75
RURAL DISTRICTS	177,000	1,270	1,306	48	60	2,684	15·2	1,016	902	1,918	10·8	0·98	0·90	150	56
Cannock ..	21,200	173	195	4	7	379	17·9	118	100	218	10·3	1·07	0·94	22	58
Cheadle ..	30,120	201	214	5	13	433	14·4	157	132	289	9·6	1·05	0·86	25	58
Leek ..	15,640	111	118	3	3	235	15·0	84	78	162	10·4	0·99	0·88	13	55
Lichfield ..	32,540	240	250	11	7	508	15·6	160	144	304	9·3	1·04	0·83	29	57
Newcastle-under- Lyme.	16,580	107	111	5	6	229	13·8	120	103	223	13·4	0·99	1·13	10	44
Seisdon ..	15,020	115	106	3	3	227	15·1	75	76	151	10·1	0·88	0·76	9	40
Stafford ..	13,090	99	80	6	7	192	14·7	80	85	165	12·6	0·88	0·95	14	73
Stone ..	12,000	73	77	2	5	157	13·1	76	62	138	11·5	0·92	0·90	6	38

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle) 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
STAFFORDSHIRE —cont.															
RURAL DISTRICTS —cont.															
Tutbury ..	11,290	88	85	5	7	185	16.4	83	65	148	13.1	0.89	1.00	13	70
Uttoxeter ..	9,520	63	70	4	2	139	14.6	63	57	120	12.6	0.88	0.95	9	65
SUFFOLK EAST:	299,900	2,069	2,043	99	107	4,318	14.4	1,823	1,736	3,559	11.9	0.86	0.87	151	35
COUNTY BORO':															
Ipswich.. ..	91,400	672	664	33	37	1,406	15.4	485	493	978	10.7	0.94	0.86	44	31
ADMINISTRATIVE COUNTY.	208,500	1,397	1,379	66	70	2,912	14.0	1,338	1,243	2,581	12.4	0.83	0.88	107	37
URBAN DISTRICTS	92,800	594	604	26	26	1,250	13.5	561	557	1,118	12.0	0.89	0.91	49	39
Aldeburgh M.B.	2,473	7	14	—	1	22	8.9	19	14	33	13.3	0.80	0.91	2	91
Beccles M.B. ..	6,594	47	43	1	2	93	14.1	42	47	89	13.5	0.79	0.91	2	22
Bungay.. ..	3,125	26	20	1	—	47	15.0	18	20	38	12.2	0.80	0.83	—	—
Eye M.B. ..	1,693	13	12	—	—	25	14.8	21	13	34	20.1	0.66	1.13	—	—
Felixstowe ..	12,455	61	68	3	6	138	11.1	69	97	166	13.3	0.89	1.01	10	72
Halesworth ..	2,202	15	16	1	—	32	14.5	16	14	30	13.6	0.77	0.90	1	31
Leiston cum Sizewell.	4,053	28	20	2	—	50	12.3	31	25	56	13.8	0.86	1.01	6	120
Lowestoft M.B.	44,830	318	307	11	9	645	14.4	248	227	475	10.6	0.97	0.88	22	34
Saxmundham ..	1,377	12	9	—	—	21	15.3	10	12	22	16.0	0.77	1.05	1	48
Southwold M.B.	2,816	8	10	1	1	20	7.1	12	20	32	11.4	0.70	0.68	—	—
Stowmarket ..	6,319	41	46	2	5	94	14.9	31	35	66	10.4	0.94	0.84	2	21
Woodbridge ..	4,863	18	39	4	2	63	13.0	44	33	77	15.8	0.77	1.04	3	48
RURAL DISTRICTS:	115,700	803	775	40	44	1,662	14.4	777	686	1,463	12.6	0.79	0.85	58	35
Blyth	18,940	129	121	6	13	269	14.2	131	111	242	12.8	0.74	0.81	7	26
Deben	24,260	149	161	5	7	322	13.3	144	132	276	11.4	0.80	0.78	8	25
Gipping	18,690	147	121	6	8	282	15.1	129	120	249	13.3	0.83	0.94	13	46
Hartismere ..	17,920	150	115	11	11	287	16.0	136	118	254	14.2	0.78	0.95	8	28
Lothingland ..	14,670	115	109	4	4	232	15.8	91	79	170	11.6	0.78	0.77	7	30
Samford	14,790	71	97	4	—	172	11.6	109	79	188	12.7	0.85	0.92	8	47
Wainford	6,430	42	51	4	1	98	15.2	37	47	84	13.1	0.77	0.86	7	71

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SUFFOLK WEST:															
ADMINISTRATIVE COUNTY.	103,900	667	657	36	32	1,392	13.4	681	676	1,357	13.1	0.77	0.86	59	42
*URBAN DISTRICTS:	40,163	241	233	10	13	497	12.4	253	265	518	12.9	0.81	0.89	21	42
*Bury St. Edmunds M.B.	16,940	111	111	4	4	230	13.6	83	115	198	11.7	0.85	0.85	8	35
†Glensford ..	312	1	3	—	—	4	12.8	3	7	10	32.1	0.65	1.78	—	—
†Hadleigh ..	2,934	21	17	1	1	40	13.6	24	16	40	13.6	0.82	0.95	2	50
Haverhill ..	3,733	17	22	—	2	41	11.0	28	26	54	14.5	0.76	0.94	3	73
Newmarket ..	9,430	51	46	1	4	102	10.8	61	48	109	11.6	0.88	0.87	2	20
*Sudbury M.B. ..	6,814	40	34	4	2	80	11.7	54	53	107	15.7	0.70	0.94	6	75
*RURAL DISTRICTS:	63,737	426	424	26	19	895	14.0	428	411	839	13.2	0.75	0.85	38	42
†Brandon ..	1,370	12	6	3	—	21	15.3	12	10	22	16.1	0.80	1.10	1	48
*Clare ..	7,977	41	56	2	4	103	12.9	63	63	126	15.8	0.68	0.92	4	39
*Cosford ..	9,198	69	64	3	5	141	15.3	68	49	117	12.7	0.74	0.80	6	43
*Melford ..	11,457	70	67	4	2	143	12.5	96	71	167	14.6	0.71	0.89	8	56
*Mildenhall ..	11,104	85	72	4	1	162	14.6	79	64	143	12.9	0.82	0.90	7	43
†Moulton ..	472	3	4	—	—	7	14.8	5	3	8	16.9	0.85	1.23	1	143
Thedwastre ..	7,749	48	51	3	4	106	13.7	36	52	88	11.4	0.74	0.72	2	19
*Thingoe ..	14,410	98	104	7	3	212	14.7	69	99	168	11.7	0.77	0.77	9	42
SURREY:	1,330,500	8,941	8,258	387	359	17,945	13.5	6,100	6,494	12,594	9.5	0.96	0.78	738	41
COUNTY BORO':															
Croydon ..	242,100	1,654	1,489	82	63	3,288	13.6	1,160	1,285	2,445	10.1	0.96	0.83	146	44
ADMINISTRATIVE COUNTY.	1,088,400	7,287	6,769	305	296	14,657	13.5	4,940	5,209	10,149	9.3	0.96	0.76	592	40
URBAN DISTRICTS:	972,200	6,468	6,059	275	269	13,071	13.4	4,310	4,633	8,943	9.2	0.97	0.76	532	41
aBanstead ..	24,800	165	154	7	4	330	13.3	84	80	164	6.6	0.97	0.55	8	24
Barnes, M.B. ..	42,030	197	173	10	13	393	9.4	183	208	391	9.3	1.00	0.79	19	48
Beddington and Wallington.	29,090	173	172	5	4	354	12.2	145	130	275	9.5	0.98	0.80	14	40
Carshalton ..	51,000	414	371	10	8	803	15.7	160	180	340	6.7	1.11	0.64	37	46
Caterham and Warlingham.	25,100	199	187	7	11	404	16.1	94	98	192	7.6	1.05	0.68	4	10
Chertsey ..	18,520	130	138	7	8	283	15.3	91	100	191	10.3	0.93	0.82	12	42
Coulston and Purley.	48,570	290	278	11	14	593	12.2	195	193	388	8.0	0.98	0.67	19	32
Dorking ..	16,350	134	116	6	8	264	16.1	80	100	180	11.0	0.84	0.79	13	49
Egham ..	17,610	140	131	5	7	283	16.1	88	74	162	9.2	0.91	0.72	8	28
aEpsom & Ewell	46,320	297	251	12	16	576	12.4	162	161	323	7.0	0.86	0.51	15	26
Esher ..	38,350	250	247	14	9	520	13.6	178	201	379	9.9	0.97	0.82	26	50
Farnham ..	19,950	121	141	6	8	276	13.8	102	119	221	11.1	0.84	0.80	16	58
Frimley and Camberley.	17,850	128	114	8	7	257	14.4	65	76	141	7.9	1.09	0.74	9	35
Godalming M.B.	12,710	85	72	4	2	163	12.8	74	69	143	11.3	0.88	0.85	7	43
Guildford M.B.	38,020	274	261	12	17	564	14.8	162	172	334	8.8	0.89	0.67	17	30
Haslemere ..	9,340	34	47	4	2	87	9.3	50	69	119	12.7	0.85	0.92	3	34
Kingston - on-Thames M.B.	39,030	238	236	15	21	510	13.1	227	245	472	12.1	0.88	0.91	29	57
Leatherhead ..	19,460	132	123	6	4	265	13.6	92	90	182	9.4	0.94	0.76	8	30
Merton and Morden.	57,440	366	330	12	13	721	12.6	225	208	433	7.5	1.21	0.78	28	39

a A considerable proportion of the population of this area was enumerated in Mental Hospitals, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SURREY—cont.															
URBAN DISTRICTS—cont.															
Mitcham M.B. . .	62,070	472	464	25	8	969	15.6	238	247	485	7.8	1.22	0.81	48	50
Reigate M.B. . .	35,720	208	191	9	14	422	11.8	197	210	407	11.4	0.83	0.81	22	52
Richmond M.B. .	38,450	179	158	11	12	360	9.4	224	286	510	13.3	0.86	0.98	14	39
Surbiton . . .	40,020	365	317	9	8	699	17.5	178	210	388	9.7	0.98	0.81	26	37
Sutton and Cheam M.B. . .	69,050	498	500	18	16	1,032	14.9	273	332	605	8.8	1.05	0.79	47	46
The Maldens and Coombe. . .	32,280	244	201	7	4	456	14.1	125	118	243	7.5	1.06	0.68	15	33
Walton and Weybridge . .	26,800	191	177	12	7	387	14.4	128	128	256	9.6	0.91	0.75	12	31
Wimbledon M.B.	58,270	281	290	14	15	600	10.3	309	356	665	11.4	0.90	0.88	33	55
Woking . . .	38,000	263	219	9	9	500	13.2	181	173	354	9.3	0.95	0.76	23	46
RURAL DISTRICTS:	116,200	819	710	30	27	1,586	13.6	630	576	1,206	10.4	0.89	0.79	60	38
Bagshot . . .	11,680	106	78	—	3	187	16.0	64	53	117	10.0	0.92	0.79	8	43
Dorking and Horley. . .	19,900	148	121	9	4	282	14.2	120	105	225	11.3	0.88	0.85	9	32
Godstone . . .	26,300	144	139	3	5	291	11.1	142	132	274	10.4	0.87	0.77	18	62
Guildford . . .	32,900	256	249	10	9	524	15.9	173	149	322	9.8	0.93	0.78	15	29
Hambledon . .	25,420	165	123	8	6	302	11.9	131	137	268	10.5	0.84	0.75	10	33
SUSSEX EAST:	559,100	3,272	3,077	203	210	6,762	12.1	3,541	4,040	7,581	13.6	0.78	0.91	321	47
COUNTY BORO'S:	268,000	1,605	1,510	121	135	3,371	12.6	1,733	2,064	3,797	14.2	0.78	0.95	175	52
Brighton . . .	147,800	959	878	80	83	2,000	13.5	986	1,070	2,056	13.9	0.82	0.97	112	56
Eastbourne . .	56,100	288	272	16	18	594	10.6	326	392	718	12.8	0.80	0.88	20	34
Hastings . . .	64,100	358	360	25	34	777	12.1	421	602	1,023	16.0	0.67	0.92	43	55
ADMINISTRATIVE COUNTY.	291,100	1,667	1,567	82	75	3,391	11.6	1,808	1,976	3,784	13.0	0.79	0.88	146	43
URBAN DISTRICTS:	151,200	769	755	46	37	1,607	10.6	950	1,125	2,075	13.7	0.76	0.89	80	50
Bexhill M.B. . .	22,120	116	94	7	2	219	9.9	146	177	323	14.6	0.77	0.96	11	50
Burgess Hill . .	6,730	34	41	1	5	81	12.0	43	44	87	12.9	0.77	0.85	3	37
Cuckfield . . .	12,830	73	66	3	4	146	11.4	81	81	162	12.6	0.74	0.80	7	48
East Grinstead .	9,340	55	57	2	1	115	12.3	59	50	109	11.7	0.80	0.80	4	35
Hove M.B. . . .	58,520	253	246	23	19	541	9.2	379	533	912	15.6	0.70	0.93	35	65
Lewes M.B. . .	11,850	51	76	3	2	132	11.1	61	73	134	11.3	0.80	0.77	7	53
Newhaven . . .	6,989	39	53	1	3	96	13.7	53	34	87	12.4	0.92	0.98	1	10
Portslade-by-Sea	10,290	75	58	2	1	136	13.2	65	59	124	12.1	0.99	1.02	9	66
Rye M.B. . . .	4,064	37	32	2	—	71	17.5	22	23	45	11.1	0.75	0.71	2	28
Seaford . . .	8,467	36	32	2	—	70	8.3	41	51	92	10.9	0.98	0.91	1	14
RURAL DISTRICTS:	139,900	898	812	36	38	1,784	12.8	858	851	1,709	12.2	0.81	0.84	66	37
Battle	29,080	181	188	13	11	393	13.5	176	182	358	12.3	0.76	0.80	13	33
Chailey	16,650	109	80	5	5	199	12.0	115	96	211	12.7	0.81	0.88	13	65
Cuckfield . . .	23,620	150	134	7	5	296	12.5	127	135	262	11.1	0.84	0.80	6	20

TABLE 17—continued.

(See notes on first page of Table

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SUSSEX EAST —cont.															
RURAL DISTRICTS —cont.															
Hailsham ..	32,390	227	196	6	12	441	13.6	186	188	374	11.5	0.83	0.82	20	45
Uckfield ..	38,160	231	214	5	5	455	11.9	254	250	504	13.2	0.81	0.91	14	31
SUSSEX WEST :															
ADMINISTRATIVE COUNTY.	244,700	1,577	1,576	82	77	3,312	13.5	1,472	1,564	3,036	12.4	0.79	0.84	142	43
URBAN DISTRICTS	133,600	816	784	46	40	1,686	12.6	756	949	1,705	12.8	0.76	0.83	66	39
Arundel M.B. ..	2,500	18	16	1	1	36	14.4	9	14	23	9.2	0.73	0.57	1	28
Bognor Regis ..	18,440	106	103	8	9	226	12.3	93	131	224	12.1	0.83	0.86	9	40
Chichester M.B.	15,770	116	99	6	2	223	14.1	95	98	193	12.2	0.81	0.84	11	49
Horsham ..	14,300	95	112	3	3	213	14.9	96	108	204	14.3	0.80	0.98	3	14
Littlehampton..	10,810	78	55	8	2	143	13.2	52	79	131	12.1	0.85	0.88	9	63
Shoreham-by-Sea	10,070	73	61	5	5	144	14.3	50	48	98	9.7	0.86	0.71	4	28
Southwick ..	7,780	58	46	—	—	104	13.4	32	56	88	11.3	0.83	0.80	4	38
Worthing M.B.	53,930	272	292	15	18	597	11.1	329	415	744	13.8	0.69	0.81	25	42
RURAL DISTRICTS	111,100	761	792	36	37	1,626	14.6	716	615	1,331	12.0	0.82	0.84	76	47
Chancetonbury	16,470	132	113	4	6	255	15.5	107	108	215	13.1	0.79	0.88	11	43
Chichester ..	31,260	219	220	12	12	463	14.8	214	146	360	11.5	0.84	0.83	17	37
Horsham ..	22,130	148	143	6	5	302	13.6	130	131	261	11.8	0.82	0.83	15	50
Midhurst ..	14,420	91	108	3	3	205	14.2	110	73	183	12.7	0.79	0.86	13	63
Petworth ..	8,270	49	49	5	4	107	12.9	53	46	99	12.0	0.79	0.81	2	19
Worthing ..	18,550	122	159	6	7	294	15.8	102	111	213	11.5	0.84	0.83	18	61
*WARWICKSHIRE..	1,576,675	11,869	11,413	393	403	24,078	15.3	8,901	8,258	17,159	10.9	1.08	1.01	1,413	59
COUNTY BORO'S.	1,202,700	9,189	8,848	304	314	18,655	15.5	6,774	6,291	13,065	10.9	1.12	1.04	1,154	62
Birmingham ..	1,013,700	7,793	7,574	259	271	15,897	15.7	5,804	5,419	11,223	11.1	1.10	1.04	1,026	65
Coventry ..	189,000	1,396	1,274	45	43	2,758	14.6	970	872	1,842	9.7	1.21	1.00	128	46
*ADMINISTRATIVE COUNTY.	373,975	2,680	2,565	89	89	5,423	14.5	2,127	1,967	4,094	10.9	0.97	0.90	259	48
*URBAN DISTRICTS	233,955	1,637	1,553	46	58	3,294	14.1	1,309	1,242	2,551	10.9	0.99	0.92	149	45
Bedworth ..	17,850	159	155	2	4	320	17.9	103	84	187	10.5	1.27	1.14	20	63
Kenilworth ..	8,250	48	45	1	4	98	11.9	49	43	92	11.2	1.02	0.98	4	41
*Nuneaton M.B.	47,695	396	354	8	13	771	16.2	270	212	482	10.1	1.18	1.02	50	65
Royal Leaming- ton Spa M.B.	29,880	179	163	9	11	362	12.1	218	259	477	16.0	0.78	1.07	18	50
Rugby M.B. ..	35,680	205	186	7	2	400	11.2	218	188	406	11.4	1.00	0.97	11	28
Solihull ..	36,040	292	272	5	3	572	15.9	143	148	291	8.1	0.98	0.68	19	33
Stratford-on- Avon M.B.	11,920	74	68	4	6	152	12.8	66	76	142	11.9	0.81	0.82	2	13

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
WARWICKSHIRE —cont.															
URBAN DISTRICTS —cont.															
Sutton Coldfield	33,110	206	225	3	8	442	13·3	162	159	321	9·7	0·98	0·81	18	41
M.B.															
Warwick M.B...	13,530	78	85	7	7	177	13·1	80	73	153	11·3	0·91	0·88	7	40
*RURAL DISTRICTS															
Alcester ..	11,780	77	84	1	—	162	13·8	73	83	156	13·2	0·84	0·95	10	62
*Atherstone ..	21,955	182	193	5	5	385	17·5	122	83	205	9·3	1·12	0·89	25	65
Meriden ..	26,680	228	200	9	6	443	16·6	145	126	271	10·2	1·02	0·89	19	43
*Rugby ..	18,173	129	134	5	4	272	15·0	97	77	174	9·6	1·01	0·83	15	55
Shipston-on-	7,600	36	42	2	2	82	10·8	54	52	106	13·9	0·73	0·87	1	12
Stour.															
Southam ..	11,130	79	72	6	2	159	14·3	83	72	155	13·9	0·80	0·95	8	50
*Stratford-on-	14,785	114	104	5	4	227	15·4	97	89	186	12·6	0·80	0·86	9	40
Avon.															
*Tamworth ..	13,867	112	97	8	3	220	15·9	74	75	149	10·7	1·08	0·99	17	77
Warwick ..	14,050	86	86	2	5	179	12·7	73	68	141	10·0	0·90	0·77	6	34
WESTMORLAND:															
ADMINISTRATIVE COUNTY.															
*URBAN DISTRICTS:	29,942	181	176	10	8	375	12·5	204	225	429	14·3	0·87	1·06	16	43
‡Ambleside ..	581	4	6	—	1	11	18·9	4	8	12	20·7	0·83	1·47	1	91
Appleby M.B. ..	1,605	14	7	—	—	21	13·1	8	14	22	13·7	0·83	0·97	2	95
‡Grasmere ..	188	3	1	—	—	4	21·3	—	—	—	—	0·76	—	—	—
*Kendal M.B. ..	17,075	114	113	9	5	241	14·1	117	126	243	14·2	0·93	1·13	8	33
‡Kirkby Lonsdale	358	2	2	—	—	4	11·2	2	1	3	8·4	0·83	0·60	1	250
‡Shap ..	292	2	3	1	—	6	20·5	1	2	3	10·3	0·93	0·82	—	—
‡The Lakes ..	4,030	13	8	—	1	22	5·5	41	32	73	18·1	0·82	1·27	1	45
*Windermere ..	5,813	29	36	—	1	66	11·4	31	42	73	12·6	0·80	0·86	3	45
*RURAL DISTRICTS															
‡East															
Westmorland	2,600	15	13	1	1	30	11·5	20	22	42	16·2	0·84	1·16	1	33
‡North															
Westmorland	12,855	100	103	12	21	236	18·4	71	84	155	12·1	0·88	0·91	12	51
*South															
Westmorland	17,216	120	101	4	13	238	13·8	123	116	239	13·9	0·88	1·05	15	63
‡West Ward ..	1,587	8	8	—	1	17	10·7	20	12	32	20·2	0·93	1·61	1	59
WIGHT, ISLE OF:															
ADMINISTRATIVE COUNTY.															
URBAN DISTRICTS:	70,100	387	354	21	19	781	11·1	429	467	896	12·8	0·75	0·82	32	41
Cowes ..	15,210	91	77	3	4	175	11·5	95	88	183	12·0	0·79	0·81	6	34
Newport M.B. ..	20,040	110	127	7	7	251	12·5	103	103	206	10·3	0·81	0·71	9	36

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude rate per 1,000 Total Population.	Comparability of Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
WIGHT, ISLE OF —cont.															
URBAN DISTRICTS —cont.															
Ryde M.B. ..	17,680	83	78	8	3	172	9.7	125	160	285	16.1	0.69	0.95	8	47
Sandown- Shanklin	10,970	73	46	3	4	126	11.5	64	75	139	12.7	0.73	0.79	5	40
Ventnor ..	6,200	30	26	—	1	57	9.2	42	41	83	13.4	0.71	0.81	4	70
RURAL DISTRICT:															
Isle of Wight ..	15,700	109	84	5	7	205	13.1	107	100	207	13.2	0.73	0.82	6	29
WILTSHIRE:															
ADMINISTRATIVE COUNTY.	305,700	2,151	1,996	102	87	4,336	14.2	1,738	1,601	3,339	10.9	0.87	0.81	169	39
URBAN DISTRICTS:	150,000	993	924	41	40	1,998	13.3	850	793	1,643	11.0	0.90	0.85	82	41
Bradford-on-Avon	4,821	37	22	2	—	61	12.7	34	25	59	12.2	0.84	0.88	3	49
Calne M.B. ..	4,673	31	26	1	1	59	12.6	25	25	50	10.7	0.80	0.73	—	—
Chippenham M.B.	9,040	74	54	3	2	133	14.7	49	49	98	10.8	0.82	0.76	4	30
Devizes M.B. ..	7,002	51	49	3	2	105	15.0	36	45	81	11.6	0.78	0.77	2	19
Malmesbury M.B.	2,293	14	14	1	1	30	13.1	14	9	23	10.0	0.71	0.61	1	33
Marlborough M.B.	4,908	27	26	1	2	56	11.4	32	20	52	10.6	0.96	0.87	2	36
Melksham ..	4,913	38	39	1	2	80	16.3	31	25	56	11.4	0.93	0.91	4	50
Salisbury M.B.	27,970	210	187	7	10	414	14.8	157	144	301	10.8	0.87	0.80	17	41
Swindon M.B. ..	60,400	363	353	16	12	744	12.3	340	294	634	10.5	1.01	0.91	35	47
Trowbridge ..	12,310	90	82	—	5	177	14.4	69	82	151	12.3	0.81	0.85	8	45
Warminster ..	5,172	22	33	—	2	57	11.0	26	35	61	11.8	0.80	0.81	2	35
Westbury ..	4,188	22	24	—	1	47	11.2	23	21	44	10.5	0.87	0.78	4	85
Wilton M.B. ..	2,310	14	15	6	—	35	15.2	14	19	33	14.3	0.77	0.94	—	—
RURAL DISTRICTS	155,700	1,158	1,072	61	47	2,338	15.0	888	808	1,696	10.9	0.85	0.79	87	37
Amesbury ..	17,620	167	131	8	5	311	17.7	75	51	126	7.2	1.29	0.79	12	39
Bradford and Melksham	8,544	58	55	5	4	122	14.3	41	48	89	10.4	0.81	0.72	4	33
Calne and Chippenham	17,990	131	107	4	2	244	13.6	97	102	199	11.1	0.79	0.75	8	33
Cricklade and Wootton Bas- sett.	11,240	73	83	1	3	160	14.2	64	62	126	11.2	0.84	0.80	2	13
Devizes ..	12,340	86	78	3	3	170	13.8	81	67	148	12.0	0.75	0.77	7	41
Highworth ..	16,550	128	113	3	4	248	15.0	92	82	174	10.5	0.88	0.79	14	56
Malmesbury ..	8,172	54	63	11	3	131	16.0	54	42	96	11.7	0.76	0.76	5	38
Marlborough & Ramsbury	9,834	64	77	6	2	149	15.2	60	70	130	13.2	0.81	0.91	2	13
Mere and Tisbury	10,710	55	81	5	2	143	13.4	74	58	132	12.3	0.75	0.79	—	—
Pewsey ..	14,850	146	113	9	10	278	18.7	90	56	146	9.8	0.97	0.81	20	72
Salisbury and Wilton	15,790	110	109	5	6	230	14.6	90	77	167	10.6	0.81	0.73	7	30

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
WILTSHIRE—cont.															
RURAL DISTRICTS—cont.															
Warminster and Westbury	12,060	86	62	1	3	152	12.6	70	93	163	13.5	0.76	0.88	6	39
WORCESTERSHIRE	437,100	3,323	3,145	124	103	6,695	15.3	2,617	2,578	5,195	11.9	0.95	0.97	360	54
COUNTY BORO'S.	113,100	893	877	37	30	1,837	16.2	703	685	1,388	12.3	1.02	1.07	111	60
Dudley	60,400	525	525	11	14	1,075	17.8	368	299	667	11.0	1.16	1.09	71	66
Worcester	52,700	368	352	26	16	762	14.5	335	386	721	13.7	0.89	1.04	40	52
ADMINISTRATIVE COUNTY.	324,000	2,430	2,268	87	73	4,858	15.0	1,914	1,893	3,807	11.8	0.93	0.94	249	51
URBAN DISTRICTS	231,300	1,781	1,700	56	39	3,576	15.5	1,295	1,319	2,614	11.3	0.99	0.96	195	55
Bewdley M.B. ..	4,285	37	35	1	1	74	17.3	19	28	47	11.0	0.92	0.86	4	54
Bromsgrove	22,360	197	169	4	3	373	16.7	146	124	270	12.1	0.96	0.99	18	48
Droitwich M.B.	4,463	28	35	1	2	66	14.8	33	34	67	15.0	0.76	0.97	3	45
Evesham M.B.	11,120	84	82	4	6	176	15.8	62	65	127	11.4	0.96	0.94	10	57
Halesowen	33,670	275	275	4	3	557	16.5	157	150	307	9.1	1.16	0.90	31	56
Kidderminster M.B.	31,450	226	215	10	8	459	14.6	212	208	420	13.4	0.91	1.04	28	61
Malvern	17,590	80	86	5	2	173	9.8	94	131	225	12.8	0.70	0.77	11	64
Oldbury M.B. ..	41,900	412	364	10	6	792	18.9	207	200	407	9.7	1.22	1.01	52	66
Redditch	22,100	141	131	9	2	283	12.8	147	136	283	12.8	0.99	1.08	11	39
Stourbridge M.B.	34,820	224	246	7	5	482	13.8	170	211	381	10.9	1.04	0.97	18	37
Stourport-on-Severn	7,542	77	62	1	1	141	18.7	48	32	80	10.6	0.96	0.87	9	64
RURAL DISTRICTS	92,700	649	568	31	34	1,282	13.8	619	574	1,193	12.9	0.82	0.90	54	42
Bromsgrove	18,270	124	121	4	3	252	13.8	103	104	207	11.3	0.90	0.87	11	44
Droitwich	10,670	84	68	2	4	158	14.8	70	59	129	12.1	0.80	0.83	9	57
Evesham	14,090	85	85	3	3	176	12.5	93	86	179	12.7	0.86	0.93	4	23
Kidderminster ..	7,794	47	43	4	5	99	12.7	58	53	111	14.2	0.83	1.01	3	30
Martley	10,630	73	75	6	5	159	15.0	73	57	130	12.2	0.82	0.86	5	31
Pershore	13,290	96	85	7	5	193	14.5	93	90	183	13.8	0.82	0.97	5	26
Tenbury	5,406	45	35	1	3	84	15.5	49	44	93	17.2	0.78	1.15	6	71
Upton on Severn	12,550	95	56	4	6	161	12.8	80	81	161	12.8	0.70	0.77	11	68

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ORKSHIRE, EAST RIDING.	495,800	4,111	3,863	223	205	8,402	16.9	3,167	2,835	6,002	12.1	1.00	1.03	557	66
COUNTY BORO :															
*Kingston-upon- Hull.	321,325	2,945	2,705	144	133	5,927	18.4	2,093	1,819	3,912	12.2	1.10	1.15	428	72
ADMINISTRATIVE COUNTY.	174,475	1,166	1,158	79	72	2,475	14.2	1,074	1,016	2,090	12.0	0.86	0.88	129	52
URBAN DISTRICTS :	78,845	509	519	26	29	1,083	13.7	485	490	975	12.4	0.84	0.89	48	44
Beverley M.B. . .	14,110	101	112	3	9	225	15.9	92	80	172	12.2	0.85	0.89	9	40
*Bridlington M.B.	20,885	121	145	11	8	285	13.6	145	172	317	15.2	0.80	1.04	14	49
†Cottingham . .	2,480	22	16	2	—	40	16.1	8	5	13	5.2	0.97	0.43	3	75
‡Driffield . . .	5,927	39	34	4	3	80	13.5	37	31	68	11.5	0.77	0.76	6	75
*Filey	3,995	20	27	2	—	49	12.3	24	30	54	13.5	0.83	0.96	—	—
‡Great Driffield . .															
†Haltemprice . . .	14,850	106	97	—	3	206	13.9	73	64	137	9.2	0.90	0.71	9	44
*Hedon M.B. . .	1,651	17	13	1	—	31	18.8	7	11	18	10.9	0.80	0.75	1	32
†Hessle	1,698	11	7	—	—	18	10.6	13	6	19	11.2	0.90	0.86	2	111
‡Hornsea	4,518	19	14	—	2	35	7.7	26	24	50	11.1	0.85	0.81	1	29
Norton	4,107	35	30	3	3	71	17.3	29	21	50	12.2	0.91	0.95	2	28
†Pocklington . . .	661	1	3	—	—	4	6.1	5	9	14	21.2	0.79	1.43	—	—
Withernsea . . .	3,963	17	21	—	1	39	9.8	26	37	63	15.9	0.83	1.13	1	26
RURAL DISTRICTS :	95,630	657	639	53	43	1,392	14.6	589	526	1,115	11.7	0.87	0.87	81	58
*Beverley	14,952	106	99	9	7	221	14.8	74	82	156	10.4	0.93	0.83	12	54
*Bridlington . . .	8,063	53	43	9	3	108	13.4	51	45	96	11.9	0.87	0.88	12	111
†Derwent	8,752	60	52	1	2	115	13.1	39	35	74	8.5	0.94	0.68	6	52
*Driffield	10,113	67	70	11	3	151	14.9	57	52	109	10.8	0.84	0.78	6	40
†Escrick	1,500	5	6	—	—	11	7.3	10	6	16	10.7	0.89	0.81	1	91
†Holderness . . .	12,593	80	87	5	7	179	14.2	86	66	152	12.1	0.85	0.88	9	50
*Howden	11,635	87	80	4	7	178	15.3	90	65	155	13.3	0.85	0.97	13	73
*Norton	7,031	41	52	2	5	100	14.2	46	46	92	13.1	0.89	1.00	7	70
†Patrington . . .	1,885	16	7	—	1	24	12.7	14	10	24	12.7	0.80	0.87	—	—
*Pocklington . . .	12,403	91	89	8	5	193	15.6	86	84	170	13.7	0.82	0.96	11	57
†Riccall	1,267	9	10	1	1	21	16.6	6	6	12	9.5	1.01	0.82	1	48
†Sculcoates . . .	2,975	20	20	—	2	42	14.1	13	12	25	8.4	0.91	0.65	1	24
†Sherburn	529	4	5	—	—	9	17.0	5	3	8	15.1	0.90	1.16	—	—
†Skirlaugh	1,932	18	19	3	—	40	20.7	12	14	26	13.5	0.89	1.03	2	50
ORKSHIRE, NORTH RIDING.	472,100	3,906	3,643	229	186	7,964	16.9	3,182	2,951	6,133	13.0	1.00	1.11	599	75
COUNTY BORO' : Middlesbrough . .	140,000	1,376	1,320	81	159	2,836	20.3	1,013	839	1,852	13.2	1.18	1.33	245	86
ADMINISTRATIVE COUNTY.	332,100	2,530	2,323	148	27	5,128	15.4	2,169	2,112	4,281	12.9	0.94	1.04	354	69
URBAN DISTRICTS :	184,900	1,460	1,348	90	70	2,968	16.1	1,264	1,245	2,509	13.6	0.97	1.13	222	75
Eston	30,620	303	263	13	4	583	19.0	230	139	369	12.1	1.21	1.25	57	98
Guisborough . . .	7,949	55	68	5	5	133	16.7	51	69	120	15.1	0.95	1.23	11	83
Loftus	7,861	57	52	4	3	116	14.8	52	48	100	12.7	1.10	1.19	10	86
Malton	4,237	23	25	8	3	59	13.9	27	38	65	15.3	0.81	1.06	4	68
Northallerton . .	4,972	44	49	1	2	96	19.3	34	32	66	13.3	0.95	1.08	4	42
Pickering	3,777	33	20	—	1	54	14.3	23	25	48	12.7	0.80	0.87	2	37
Redcar M.B. . . .	22,010	159	142	9	11	321	14.6	104	133	237	10.8	1.09	1.01	22	69

a Great Driffield U.D. renamed Driffield U.D. from 1st April, 1935.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
YORKSHIRE, NORTH RIDING—cont.															
URBAN DISTRICTS —cont.															
Richmond M.B.	5,434	52	63	3	2	120	22.1	26	39	65	12.0	1.03	1.06	7	58
Saltburn and Marske by the Sea.	6,770	51	36	4	1	92	13.6	47	51	98	14.5	0.89	1.10	4	43
Scalby	3,530	24	19	1	1	45	12.7	20	19	39	11.0	0.74	0.70	3	67
Scarborough M.B.	41,700	239	235	22	24	520	12.5	307	324	631	15.1	0.80	1.03	39	75
Skelton and Brotton.	13,020	101	107	11	8	227	17.4	107	88	195	15.0	1.02	1.31	22	97
Thornaby-on- Tees M.B.	21,330	214	188	5	1	408	19.1	149	134	283	13.3	1.17	1.33	27	66
Whitby.. ..	11,690	105	81	4	4	194	16.6	87	106	193	16.5	0.84	1.18	10	52
RURAL DISTRICTS:	147,200	1,070	975	58	57	2,160	14.7	905	867	1,772	12.0	0.90	0.92	132	61
Aysgarth ..	3,919	23	23	2	2	50	12.8	28	31	59	15.1	0.80	1.03	3	60
Bedale	6,580	51	43	3	2	99	15.0	44	45	89	13.5	0.79	0.91	4	40
Croft	2,117	10	11	1	1	23	10.9	10	9	19	9.0	0.94	0.72	1	43
Easingwold ..	9,531	73	56	7	1	137	14.4	73	50	123	12.9	0.81	0.89	7	51
Flaxton.. ..	12,480	88	97	1	5	191	15.3	52	55	107	8.6	0.97	0.71	11	58
Helmsley ..	5,088	27	34	2	3	66	13.0	27	36	63	12.4	0.94	1.00	1	15
Kirkby Moorside	4,904	40	33	1	2	76	15.5	30	40	70	14.3	0.86	1.05	6	79
Leyburn ..	6,938	56	48	2	3	109	15.7	52	47	99	14.3	0.92	1.12	8	73
Malton	5,749	45	31	2	1	79	13.7	48	41	89	15.5	0.83	1.10	12	152
Masham	1,925	18	6	—	—	24	12.5	12	20	32	16.6	0.86	1.22	—	—
Northallerton ..	7,608	58	52	4	5	119	15.6	44	48	92	12.1	0.88	0.91	5	42
Pickering ..	5,520	40	42	4	5	91	16.5	32	37	69	12.5	0.78	0.83	10	110
Reeth	2,215	15	9	—	3	27	12.2	19	22	41	18.5	0.77	1.22	2	74
Richmond ..	20,717	163	145	6	4	318	15.3	67	52	119	5.7	1.42	0.69	20	63
Scarborough ..	6,535	47	46	2	4	99	15.1	41	35	76	11.6	0.82	0.81	5	51
Startforth ..	4,162	22	25	1	2	50	12.0	26	27	53	12.7	0.89	0.97	3	60
Stokesley ..	15,190	112	110	9	5	236	15.5	96	92	188	12.4	0.90	0.95	9	38
Thirsk	12,160	73	88	7	6	174	14.3	92	89	181	14.9	0.83	1.06	13	75
Wath	2,022	13	10	—	—	23	11.4	12	15	27	13.4	0.90	1.03	—	—
Whitby.. ..	11,840	96	66	4	3	169	14.3	100	76	176	14.9	0.80	1.02	12	71
YORKSHIRE, WEST RIDING.	3,369,600	24,532	23,130	1,048	954	49,664	14.7	21,310	20,524	41,834	12.4	1.07	1.13	2,909	59
COUNTY BORO'S:	1,834,000	12,960	12,470	599	558	26,587	14.5	11,976	11,595	23,571	12.9	1.07	1.18	1,579	59
Barnsley ..	71,200	628	593	25	27	1,273	17.9	424	385	809	11.4	1.16	1.13	74	58
Bradford ..	292,200	1,913	1,827	118	101	3,959	13.5	2,073	2,100	4,173	14.3	1.00	1.22	253	64
Dewsbury ..	53,400	382	348	13	18	761	14.3	354	337	691	12.9	1.03	1.14	40	53
Doncaster ..	68,600	489	465	24	21	999	14.6	363	340	703	10.2	1.08	0.94	62	62
Halifax.. ..	97,100	545	573	26	29	1,173	12.1	685	739	1,424	14.7	0.98	1.23	83	71
Huddersfield ..	115,000	700	656	27	29	1,412	12.3	809	795	1,604	13.9	1.03	1.22	63	45
Leeds	487,200	3,508	3,337	192	173	7,210	14.8	3,263	3,167	6,430	13.2	1.07	1.21	461	64
Rotherham ..	68,700	557	571	22	19	1,169	17.0	398	390	788	11.5	1.15	1.13	80	68
Sheffield ..	520,500	3,763	3,658	131	123	7,675	14.7	3,192	3,005	6,197	11.9	1.13	1.15	402	52
Wakefield ..	60,100	475	442	21	18	956	15.9	415	337	752	12.5	1.08	1.15	61	64
ADMINISTRATIVE COUNTY.	1,535,600	11,572	10,660	449	396	23,077	15.0	9,334	8,929	18,263	11.9	1.07	1.09	1,330	58

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,00 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
YORKSHIRE, WEST RIDING—cont.															
URBAN DISTRICTS:	1,084,000	7,860	7,228	302	261	15,651	14.4	6,907	6,683	13,590	12.5	1.06	1.13	913	58
Adwick-le-Street	19,650	191	176	7	10	384	19.5	90	81	171	8.7	1.49	1.11	31	81
Altofts ..	4,734	29	34	—	—	63	13.3	31	15	46	9.7	1.11	0.92	—	—
Ardsley East and West.	9,485	73	76	3	4	156	16.4	65	43	108	11.4	1.18	1.15	4	26
Baildon ..	9,675	70	54	2	3	129	13.3	59	67	126	13.0	1.00	1.11	7	54
Barkisland ..	1,413	2	9	—	—	11	7.8	10	14	24	17.0	0.99	1.44	1	91
Barnoldswick ..	11,070	46	58	—	4	108	9.8	80	81	161	14.5	1.03	1.28	8	74
Batley M.B. ..	33,610	238	193	6	4	441	13.1	229	225	454	13.5	1.07	1.23	22	50
Bentley with Arksey.	16,860	141	121	9	8	279	16.5	80	80	160	9.5	1.39	1.13	18	65
Bingley ..	21,660	142	141	6	8	297	13.7	149	147	296	13.7	0.95	1.11	16	54
Birkenshaw ..	3,165	29	17	—	1	47	14.8	23	27	50	15.8	1.01	1.36	5	106
Birstal ..	7,051	51	33	3	2	89	12.6	46	58	104	14.7	1.06	1.33	4	45
Bolton-upon- Deane.	13,670	111	115	11	4	241	17.6	77	67	144	10.5	1.35	1.21	11	46
Brighouse M.B.	19,510	118	114	4	1	237	12.1	116	131	247	12.7	1.00	1.09	9	38
Burley in- Wharfedale.	4,011	16	25	—	1	42	10.5	17	26	43	10.7	0.88	0.80	1	24
Calverley ..	4,020	20	23	1	1	45	11.2	25	24	49	12.2	0.93	0.97	3	67
Castleford ..	20,670	186	139	5	9	339	16.4	144	122	266	12.9	1.17	1.29	17	50
Clayton West ..	1,766	11	8	—	—	19	10.8	7	17	24	13.6	1.04	1.21	2	105
Conisbrough ..	17,620	180	180	10	5	375	21.3	101	77	178	10.1	1.31	1.13	27	72
Cudworth ..	9,361	90	82	4	5	181	19.3	36	59	95	10.1	1.34	1.16	17	94
Darfield ..	5,369	45	40	—	1	86	16.0	27	30	57	10.6	1.16	1.05	5	58
Darton ..	13,330	122	125	5	4	256	19.2	90	78	168	12.6	1.24	1.34	26	102
Denby and Cumberworth.	3,349	31	12	—	—	43	12.8	26	14	40	11.9	1.02	1.04	4	93
Denholme ..	2,547	17	10	1	—	28	11.0	13	23	36	14.1	0.86	1.04	1	36
Dodworth ..	4,192	39	42	2	2	85	20.3	22	17	39	9.3	1.25	0.99	2	24
Drighlington ..	4,115	34	34	1	—	69	16.8	22	26	48	11.7	0.99	0.99	3	43
Earby ..	5,053	40	29	—	—	69	13.7	36	29	65	12.9	1.10	1.21	2	29
Elland ..	10,430	62	66	—	—	128	12.3	68	87	155	14.9	0.99	1.26	5	39
Emley ..	1,550	4	6	—	—	10	6.5	6	12	18	11.6	1.10	1.09	—	—
Farsley ..	6,566	46	33	3	1	83	12.6	54	49	103	15.7	0.98	1.32	12	145
Featherstone ..	14,440	147	119	3	5	274	19.0	102	85	187	13.0	1.21	1.34	17	62
Flockton ..	1,470	7	4	—	1	12	8.2	10	5	15	10.2	1.24	1.08	1	83
Garforth ..	3,650	26	30	1	1	58	15.9	15	24	39	10.7	1.03	0.94	2	34
Gildersome ..	3,178	31	31	2	1	65	20.5	25	21	46	14.5	1.03	1.28	3	46
Golcar ..	9,604	58	53	2	2	115	12.0	65	56	121	12.6	1.04	1.12	10	87
Goole M.B. ..	20,060	154	144	14	9	321	16.0	130	109	239	11.9	1.07	1.09	17	53
Greasbrough	3,733	24	28	—	1	53	14.2	23	20	43	11.5	1.10	1.08	4	75
Greetland ..	4,349	22	24	1	1	48	11.0	35	34	69	15.9	0.96	1.30	1	21
Guiseley ..	5,782	38	31	1	4	74	12.8	39	39	78	13.5	1.04	1.20	10	135
Gunthwaite and Ingbirchworth.	309	2	—	—	—	2	6.5	3	3	6	19.4	1.08	1.79	—	—
Harrogate M.B.	39,270	220	204	17	16	457	11.6	251	293	544	13.9	0.84	1.00	28	61
Haworth ..	5,626	32	25	—	2	59	10.5	31	41	72	12.8	0.92	1.01	4	68
Hebden Bridge	6,122	29	28	—	—	57	9.3	30	39	69	11.3	0.93	0.90	3	53

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
YORKSHIRE WEST RIDING—cont.															
URBAN DISTRICTS—cont.															
Heckmondwike	8,948	62	54	3	2	121	13.5	64	64	128	14.3	1.00	1.22	5	41
Hemsworth ..	13,070	121	110	7	8	246	18.8	74	62	136	10.4	1.21	1.08	17	69
Hipperholme ..	5,437	35	36	—	—	71	13.1	38	50	88	16.2	0.91	1.26	4	56
Holme ..	344	—	1	—	—	1	2.9	2	3	5	14.5	0.81	1.00	—	—
Holmfirth ..	9,939	66	57	1	1	125	12.6	48	74	122	12.3	0.98	1.03	4	32
Honley ..	4,499	30	22	1	1	54	12.0	35	34	69	15.3	1.02	1.33	3	56
Horbury ..	7,825	53	54	—	1	108	13.8	58	53	111	14.2	1.05	1.27	5	46
Horsforth ..	12,160	91	72	1	3	167	13.7	64	80	144	11.8	1.00	1.01	5	30
Hoyland Nether	14,830	118	100	5	7	230	15.5	101	73	174	11.7	1.16	1.16	11	48
Hoyland Swaine	735	4	2	—	2	8	10.9	4	4	8	10.9	1.04	0.97	1	125
Hunsworth ..	2,133	23	18	1	—	42	19.7	16	11	27	12.7	0.98	1.06	3	71
Ilkley ..	9,404	39	54	1	—	94	10.0	66	76	142	15.1	0.86	1.11	7	74
Keighley M.B. .	40,000	244	245	10	10	509	12.7	272	307	579	14.5	1.02	1.26	41	81
Kirkburton ..	3,120	18	20	—	—	38	12.2	18	19	37	11.9	0.98	1.00	1	26
Kirkheaton ..	2,603	17	12	1	—	30	11.5	24	16	40	15.4	1.04	1.37	2	67
Knaresborough	5,991	44	48	3	2	97	16.2	45	37	82	13.7	0.81	0.95	2	21
Knottingley ..	7,106	85	57	6	3	151	21.2	47	35	82	11.5	1.16	1.14	10	66
Lepton ..	3,144	23	21	1	—	45	14.3	17	26	43	13.7	1.03	1.21	2	44
Linthwaite ..	9,340	48	40	—	2	90	9.6	73	67	140	15.0	1.11	1.42	7	78
Luddenden Foot	2,782	21	18	—	—	39	14.0	23	27	50	18.0	0.96	1.48	1	26
Maltby ..	10,800	121	116	9	1	247	22.9	49	47	96	8.9	1.48	1.13	24	97
Marsden ..	5,407	34	28	1	—	63	11.7	41	34	75	13.9	1.10	1.31	2	32
Meltham ..	4,774	23	28	1	2	54	11.3	26	37	63	13.2	0.95	1.07	2	37
Methley ..	4,482	36	27	—	1	64	14.3	24	26	50	11.2	1.14	1.09	2	31
Mexborough ..	15,930	134	107	6	3	250	15.7	85	74	159	10.0	1.19	1.02	11	44
Midgley ..	1,764	15	10	—	—	25	14.2	11	17	28	15.9	0.96	1.30	2	80
Mirfield ..	11,770	92	72	3	2	169	14.4	72	77	149	12.7	1.01	1.10	7	41
Morley M.B. .	22,430	148	121	5	1	275	12.3	154	158	312	13.9	1.04	1.24	16	58
Mytholmroyd ..	4,476	23	26	1	—	50	11.2	30	33	63	14.1	0.88	1.06	—	—
New Mill ..	4,222	18	15	—	—	33	7.8	21	27	48	11.4	1.14	1.11	5	152
Normanton ..	15,090	116	105	4	1	226	15.0	88	66	154	10.2	1.19	1.04	12	53
Oakworth ..	3,855	22	16	1	2	41	10.6	23	22	45	11.7	0.98	0.98	2	49
Ossett M.B. .	14,080	116	112	8	—	236	16.8	109	101	210	14.9	1.08	1.38	13	55
Otley ..	10,950	86	66	7	4	163	14.9	70	58	128	11.7	1.01	1.01	8	49
Oxenhope ..	2,162	16	10	—	—	26	12.0	14	17	31	14.3	0.95	1.16	1	38
Penistone ..	3,115	19	25	1	2	47	15.1	26	15	41	13.2	1.02	1.15	2	43
Pontefract M.B.	19,500	169	149	9	10	337	17.3	119	107	226	11.6	1.10	1.09	17	50
Pudsey M.B. .	15,340	96	100	3	1	200	13.0	106	109	215	14.0	1.00	1.20	11	55
Queensbury ..	5,780	44	25	1	1	71	12.3	41	45	86	14.9	0.95	1.21	3	42
Rawdon ..	4,844	27	39	—	—	66	13.6	21	23	44	9.1	0.98	0.76	2	30
Rawmarsh ..	18,100	137	154	2	3	296	16.4	112	82	194	10.7	1.17	1.07	15	51
Ripon M.B. .	8,452	56	69	8	4	137	16.2	50	52	102	12.1	0.84	0.87	6	44
Rishworth ..	863	5	5	—	—	10	11.6	5	6	11	12.7	1.16	1.26	—	—
Rothwell ..	15,400	111	115	4	3	233	15.1	83	81	164	10.6	1.06	0.96	9	39
Royston ..	7,717	64	76	2	—	142	18.4	33	36	69	8.9	1.23	0.94	8	56
Saddleworth ..	12,383	68	54	5	1	128	10.3	90	86	176	14.2	0.96	1.17	6	47
Scammonden	339	2	3	1	—	6	17.7	5	4	9	26.5	0.95	2.15	—	—
Selby ..	10,233	80	91	—	—	171	16.7	61	54	115	11.2	1.02	0.98	10	58

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ORKSHIRE, WEST RIDING—cont.															
URBAN DISTRICTS—cont.															
Shelf	2,883	23	14	2	2	41	14.2	17	20	37	12.8	0.91	1.00	1	24
Shelley	1,492	6	5	—	—	11	7.4	10	12	22	14.7	0.99	1.24	1	91
Shepley	1,600	9	9	—	—	18	11.3	14	9	23	14.4	0.99	1.22	1	56
Shipley	30,670	187	165	8	7	367	12.0	195	219	414	13.5	1.04	1.20	26	71
Silsden	4,919	32	27	—	1	60	12.2	29	35	64	13.0	0.99	1.10	7	117
Skelmanthorpe	3,545	21	9	1	—	31	8.7	25	21	46	13.0	1.14	1.27	2	65
Skipton	12,919	85	82	3	3	173	13.4	83	63	146	11.3	1.02	0.99	11	64
Slaithwaite ..	4,893	27	23	—	2	52	10.6	37	39	76	15.5	1.00	1.32	2	38
South Crosland	2,929	26	17	—	1	44	15.0	31	23	54	18.4	0.98	1.54	3	68
Southowram ..	2,606	24	19	—	1	44	16.9	14	18	32	12.3	1.18	1.24	1	23
Sowerby	14,518	80	68	—	2	150	10.3	103	113	216	14.9	0.99	1.26	4	27
Soyland	3,016	16	15	—	—	31	10.3	27	24	51	16.9	0.86	1.24	—	—
Spenborough ..	30,000	198	172	6	2	378	12.6	195	174	369	12.3	1.02	1.07	15	40
Springhead ..	4,841	25	28	—	—	53	10.9	30	37	67	13.8	1.11	1.31	3	57
Stainland	4,065	30	20	—	1	51	12.5	30	34	64	15.7	0.98	1.32	4	78
Stanley	14,230	99	95	2	3	199	14.0	78	82	160	11.2	1.14	1.09	6	30
Stocksbridge ..	9,448	69	71	1	—	141	14.9	50	45	95	10.1	1.20	1.04	11	78
Swinton	13,610	102	90	3	2	197	14.5	94	73	167	12.3	1.15	1.21	11	56
Thurlstone ..	2,455	18	16	—	2	36	14.7	22	12	34	13.8	1.00	1.18	3	83
Thurnscoe ..	10,740	103	118	10	8	239	22.3	54	46	100	9.3	1.47	1.17	19	79
Thurstonland and Farnley Tyas	3,843	4	10	—	—	14	3.6	17	17	34	8.8	0.89	0.67	—	—
Tickhill	2,303	17	21	2	2	42	18.2	12	21	33	14.3	0.92	1.12	—	—
Todmorden M.B.	21,210	116	102	2	1	221	10.4	179	166	345	16.3	0.95	1.32	22	100
Wath-upon- Dearne.	13,570	127	125	6	6	264	19.5	88	58	146	10.8	1.22	1.13	19	72
Whitley Upper	833	3	—	—	—	3	3.6	4	3	7	8.4	1.12	0.80	—	—
Whitwood	7,012	72	65	1	—	138	19.7	52	40	92	13.1	1.35	1.51	11	80
Wombwell	17,960	158	160	5	3	326	18.2	109	61	170	9.5	1.24	1.01	16	49
Worsborough ..	13,110	145	110	3	5	263	20.1	76	59	135	10.3	1.22	1.07	14	53
Yeadon	8,017	44	51	—	2	97	12.1	66	52	118	14.7	1.03	1.29	10	103
RURAL DISTRICTS	451,600	3,712	3,432	147	135	7,426	16.4	2,427	2,246	4,673	10.3	1.10	0.97	417	56
Barnsley	4,939	47	42	1	3	93	18.8	32	22	54	10.9	1.15	1.07	6	65
Bishopthorpe ..	3,389	22	22	1	1	46	13.6	17	18	35	10.3	0.94	0.83	1	22
Bowland	5,130	26	27	1	2	56	10.9	36	29	65	12.7	0.99	1.07	4	71
Doncaster	51,090	462	406	14	18	900	17.6	228	179	407	8.0	1.33	0.91	53	59
Goole	8,769	65	59	3	2	129	14.7	44	45	89	10.1	0.97	0.84	6	47
Great Ouseburn	14,560	104	90	7	8	209	14.4	77	68	145	10.0	0.90	0.77	15	72
Halifax	5,869	50	40	1	1	92	15.7	36	44	80	13.6	1.01	1.17	4	43
Hemsworth ..	48,490	516	462	19	20	1,017	21.0	258	198	456	9.4	1.30	1.04	60	59
Hunslet	4,219	30	30	2	—	62	14.7	16	18	34	8.1	1.20	0.83	3	48
Keighley	9,294	74	69	2	1	146	15.7	55	59	114	12.3	0.98	1.03	6	41
Kiveton Park ..	16,570	144	103	1	4	252	15.2	69	72	141	8.5	1.20	0.87	15	60
Knaresborough	10,170	65	58	3	5	131	12.9	55	58	113	11.1	0.89	0.84	5	38
Pateley Bridge	6,315	49	41	1	1	92	14.6	46	54	100	15.8	0.87	1.17	4	43
Penistone	5,239	34	25	3	1	63	12.0	32	24	56	10.7	1.05	0.96	2	32
Pontefract ..	24,880	226	220	8	9	463	18.6	133	124	257	10.3	1.18	1.04	36	78
Ripon	5,050	23	29	—	2	54	10.7	36	36	72	14.3	0.81	0.99	4	74
Rotherham ..	42,300	421	402	13	12	848	20.0	228	179	407	9.6	1.24	1.02	54	64
Sedbergh	4,019	22	29	1	1	53	13.2	25	27	52	12.9	0.84	0.93	1	19

a A considerable proportion of the population of this area was enumerated in a Mental Hospital, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
YORKSHIRE;															
WEST RIDING— <i>cont.</i>															
RURAL DISTRICTS — <i>cont.</i>															
Selby	5,813	43	41	2	2	88	15.1	44	32	76	13.1	0.87	0.97	2	23
Settle	14,330	100	98	3	2	203	14.2	76	83	159	11.1	0.91	0.86	7	34
Skipton	18,400	101	92	5	3	201	10.9	104	134	238	12.9	0.92	1.01	5	25
Tadcaster	30,220	227	193	13	4	437	14.5	200	163	363	12.0	1.06	1.09	21	48
Thorne	31,950	342	326	18	17	703	22.0	156	144	300	9.4	1.33	1.07	59	84
Todmorden	4,525	29	28	—	4	61	13.5	36	48	84	18.6	0.91	1.45	2	33
Wakefield	18,340	142	159	5	5	311	17.0	77	91	168	9.2	1.19	0.94	16	51
Wetherby	16,830	102	100	10	3	215	12.8	105	110	215	12.8	0.88	0.96	8	37
Wharfedale	11,040	68	52	3	—	123	11.1	50	41	91	8.2	0.95	0.67	2	16
Wortley	29,860	178	189	7	4	378	12.7	156	146	302	10.1	1.06	0.92	16	42
COUNTY BORO': York	90,200	684	613	43	34	1,374	15.2	541	489	1,030	11.4	1.01	0.98	69	50
WALES AND MONMOUTH															
ANGLESEY: ADMINISTRATIVE COUNTY.															
URBAN DISTRICTS	17,900	129	130	8	7	274	15.3	142	147	289	16.1	0.86	1.18	28	102
Amlwch	2,578	20	19	2	2	43	16.7	22	30	52	20.2	0.78	1.35	8	186
Beaumaris M.B.	1,632	13	12	1	—	26	15.9	14	19	33	20.2	0.69	1.19	4	154
Holyhead	10,220	72	75	5	4	156	15.3	80	75	155	15.2	0.94	1.22	13	83
Llangefni	1,770	15	14	—	1	30	16.9	16	13	29	16.4	0.89	1.25	2	67
Menai Bridge	1,700	9	10	—	—	19	11.2	10	10	20	11.8	0.77	0.78	1	53
RURAL DISTRICTS	29,700	214	169	24	17	424	14.3	238	253	491	16.5	0.77	1.09	31	73
Aethwy	10,400	70	63	9	7	149	14.3	84	96	180	17.3	0.76	1.12	14	94
Twrcelyn	8,580	57	46	8	5	116	13.5	64	68	132	15.4	0.75	0.99	6	52
Valley	10,720	87	60	7	5	159	14.8	90	89	179	16.7	0.80	1.14	11	69
BRECKNOCKSHIRE: ADMINISTRATIVE COUNTY.															
URBAN DISTRICTS	16,000	92	94	5	6	197	12.3	115	99	214	13.4	0.95	1.09	7	36
Brecknock M.B.	5,345	19	31	2	2	54	10.1	32	32	64	12.0	0.92	0.94	2	37
Brynmawr	6,976	48	44	3	3	98	14.0	55	36	91	13.0	1.11	1.23	4	41
Builth Wells	1,585	10	13	—	—	23	14.5	15	12	27	17.0	0.84	1.22	—	—
Hay	1,401	10	4	—	1	15	10.7	10	10	20	14.3	0.75	0.92	—	—
Llanwrtyd	693	5	2	—	—	7	10.1	3	9	12	17.3	0.75	1.11	1	143
RURAL DISTRICTS	39,400	273	280	9	13	575	14.6	278	213	491	12.5	0.97	1.04	32	56
Brecknock:— Defynnock & Llangorse Div.	5,829	37	40	1	1	79	13.6	46	34	80	13.7	0.84	0.98	3	38
Merthyr Cynog Div.	1,963	13	21	—	—	34	17.3	17	8	25	12.7	0.92	1.00	2	59
Builth	3,941	26	36	2	2	66	16.7	30	22	52	13.2	0.85	0.96	3	45
Crickhowell	6,870	50	40	2	2	94	13.7	40	47	87	12.7	0.87	0.94	4	43
Hay	3,600	19	24	—	2	45	12.5	27	19	46	12.8	0.89	0.97	3	67
Vaynor and Penderyn.	5,477	36	38	1	3	78	14.2	45	33	78	14.2	1.02	1.24	4	51

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DECKNOCKSHIRE —cont.															
RURAL DISTRICTS —cont.															
Ystradgynlais ..	11,720	92	81	3	3	179	15.3	73	50	123	10.5	1.27	1.14	13	73
CERNARVONSHIRE: ADMINISTRATIVE COUNTY.	119,400	760	780	52	59	1,651	13.8	886	964	1,850	15.5	0.86	1.14	115	70
URBAN DISTRICTS:	66,000	399	409	30	31	869	13.2	436	502	938	14.2	0.90	1.09	52	60
Bangor M.B. ..	12,180	77	78	6	7	163	13.8	66	81	147	12.1	0.96	0.99	6	36
Bethesda ..	4,521	38	20	1	3	62	13.7	28	43	71	15.7	0.84	1.13	5	81
Bettws y Coed ..	784	1	3	—	—	4	5.1	5	3	8	10.2	0.79	0.69	—	—
Caernarvon M.B.	8,494	69	54	5	4	132	15.5	67	70	137	16.1	0.89	1.22	12	91
Conway M.B. ..	8,790	57	65	2	2	126	14.3	57	65	122	13.9	0.96	1.14	5	40
Criccieth ..	1,464	8	11	—	1	20	13.7	17	13	30	20.5	0.69	1.21	—	—
Llandudno ..	14,960	63	93	9	4	169	11.3	86	114	200	13.4	0.92	1.05	13	77
Llanfairfechan ..	3,149	21	15	2	2	40	12.7	30	21	51	16.2	0.88	1.22	3	75
Penmaenmawr ..	4,008	14	23	2	2	41	10.2	20	26	46	11.5	0.87	0.86	1	24
Portmadoc ..	4,085	26	23	1	3	53	13.0	33	33	66	16.2	0.83	1.15	4	75
Pwllheli M.B. ..	3,565	25	24	2	3	54	15.1	27	33	60	16.8	0.82	1.18	3	56
RURAL DISTRICTS:	53,400	361	371	22	28	782	14.6	450	462	912	17.1	0.82	1.20	63	81
Gwyrfaï ..	24,390	177	179	10	14	380	15.6	220	239	459	18.8	0.84	1.35	35	92
Lleyn ..	17,470	117	112	7	7	243	13.9	134	141	275	15.7	0.79	1.06	20	82
Nant Conway ..	6,410	36	51	3	3	93	14.5	51	44	95	14.8	0.85	1.08	2	22
Ogwen ..	5,130	31	29	2	4	66	12.9	45	38	83	16.2	0.84	1.16	6	91
CARDIGANSHIRE: ADMINISTRATIVE COUNTY.	53,800	306	274	25	28	633	11.8	436	434	870	16.2	0.77	1.07	35	55
URBAN DISTRICTS:	17,500	73	77	4	6	160	9.1	117	132	249	14.2	0.83	1.01	7	44
Aberayron ..	1,182	3	2	—	1	6	5.1	9	14	23	19.5	0.64	1.07	1	167
Aberystwyth M.B.	9,719	36	40	3	4	83	8.5	56	67	123	12.7	0.90	0.98	3	36
Cardigan M.B. ..	3,346	21	20	—	1	42	12.6	24	30	54	16.1	0.82	1.13	1	24
Lampeter M.B.	2,176	10	10	—	—	20	9.2	18	12	30	13.8	0.82	0.97	1	50
New Quay ..	1,077	3	5	1	—	9	8.4	10	9	19	17.6	0.63	0.95	1	111
RURAL DISTRICTS:	36,300	233	197	21	22	473	13.0	319	302	621	17.1	0.75	1.10	28	59
Aberayron ..	9,360	60	51	7	8	126	13.5	68	66	134	14.3	0.73	0.89	8	63
Aberystwyth															
North ..	6,700	37	25	3	5	70	10.4	54	59	113	16.9	0.75	1.08	5	71
South ..	4,400	33	31	2	3	69	15.7	55	43	98	22.3	0.72	1.37	2	29

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CARDIGANSHIRE —cont.															
RURAL DISTRICTS —cont.															
Teifside ..	10,220	59	58	4	6	127	12.4	86	86	172	16.8	0.79	1.13	8	63
Tregaron ..	5,620	44	32	5	—	81	14.4	56	48	104	18.5	0.73	1.15	5	62
CARMARTHENSHIRE: ADMINISTRATIVE COUNTY.	176,900	1,270	1,176	40	59	2,545	14.4	1,142	1,073	2,215	12.5	1.06	1.13	174	68
*URBAN DISTRICTS	74,322	523	454	8	19	1,004	13.5	470	438	908	12.2	1.09	1.14	70	70
Ammanford ..	7,130	43	46	1	3	93	13.0	49	35	84	11.8	1.20	1.21	9	97
Burry Port ..	5,577	43	36	2	3	84	15.1	28	41	69	12.4	1.12	1.19	4	48
Carmarthen M.B.	10,770	72	76	1	5	154	14.3	70	73	143	13.3	0.94	1.07	6	39
Cwmamman ..	5,154	34	26	—	1	61	11.8	34	23	57	11.1	1.25	1.19	6	98
Kidwelly M.B...	3,024	19	20	—	1	40	13.2	12	26	38	12.6	1.13	1.22	2	50
*Llandilo ..	1,938	12	5	—	—	17	8.8	15	16	31	16.0	0.81	1.11	1	59
Llandovery M.B.	2,034	17	11	—	—	28	13.8	12	12	24	11.8	0.96	0.97	1	36
Llanelly M.B. ..	37,890	279	229	4	6	518	13.7	244	209	453	12.0	1.13	1.16	40	77
Newcastle Emlyn	805	4	5	—	—	9	11.2	6	3	9	11.2	0.85	0.81	1	111
*RURAL DISTRICTS:	102,578	747	722	32	40	1,541	15.0	672	635	1,307	12.7	1.04	1.13	104	67
*Carmarthen ..	27,440	236	209	12	10	467	17.0	212	193	405	14.8	0.97	1.23	36	77
a*Llandilo ..	26,669	174	190	11	12	387	14.5	149	162	311	11.7	1.02	1.02	23	59
‡Llandovery ..	1,537	13	21	—	—	34	22.1	10	9	19	12.4	0.85	0.90	—	—
Llanelly ..	36,940	259	248	8	10	525	14.2	224	209	433	11.7	1.24	1.24	28	53
b‡Llanybyther ..															
c*Newcastle Emlyn	8,769	53	46	1	6	106	12.1	62	53	115	13.1	0.78	0.87	12	113
‡Whitland ..	1,223	12	8	—	2	22	18.0	15	9	24	19.6	0.94	1.57	5	227
DENBIGHSHIRE: ADMINISTRATIVE COUNTY.	156,400	1,150	1,061	60	56	2,327	14.9	1,144	1,008	2,152	13.8	0.96	1.13	153	66
*URBAN DISTRICTS:	65,227	419	408	20	20	867	13.3	479	463	942	14.4	0.90	1.11	68	78
d*Abergele ..	5,067	29	31	1	—	61	12.0	35	39	74	14.6	0.81	1.01	2	33
*Colwyn Bay M.B.	20,663	116	113	5	1	235	11.4	147	179	326	15.8	0.79	1.07	15	64
Denbigh M.B. ..	7,337	43	56	1	4	104	14.2	45	49	94	12.8	0.90	0.98	7	67
Llangollen ..	2,947	14	14	1	1	30	10.2	28	19	47	15.9	0.81	1.10	1	33
*Llanrwst ..	2,370	17	15	—	2	34	14.3	17	15	32	13.5	0.89	1.03	3	88
Ruthin M.B. ..	3,131	26	25	2	—	53	16.9	15	23	38	12.1	0.87	0.90	3	57
*Wrexham M.B.	23,712	174	154	10	12	350	14.8	192	139	331	14.0	1.08	1.29	37	106
*RURAL DISTRICTS:	91,173	731	653	40	36	1,460	16.0	665	545	1,210	13.3	1.00	1.14	85	58
‡Aled ..	4,809	39	39	1	2	81	16.8	29	24	53	11.0	0.95	0.89	2	25
‡Ceiriog ..	7,178	60	43	2	1	106	14.8	53	45	98	13.7	0.94	1.10	7	66
e‡Chirk ..															
‡Glan Conway ..	461	1	1	1	2	5	10.8	4	4	8	17.4	0.89	1.32	2	400
‡Hiræthog ..	4,258	30	27	4	4	65	15.3	26	31	57	13.4	0.87	1.00	4	62
‡Llangollen ..	821	1	3	—	—	4	4.9	6	4	10	12.2	0.93	0.97	—	—
‡Llanrwst ..	954	3	8	1	1	13	13.6	9	8	17	17.8	0.87	1.32	—	—
e‡Llansilin ..															

a Llandilo Fawr R.D. renamed Llandilo R.D. from 1st April, 1935.

b Abolished 1st April, 1935. Figures included in those of Newcastle Emlyn R.D. from 1st January, 1935.

c Newcastle in Emlyn R.D. renamed Newcastle Emlyn R.D. from 1st April, 1935.

d Abergele and Pensarn U.D. renamed Abergele U.D. from 1st April, 1935.

e Abolished 1st April, 1935. Figures included in those of Ceiriog R.D. from 1st January, 1935.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DENBIGHSHIRE —cont.															
RURAL DISTRICTS —cont.															
*Ruthin	8,907	57	63	5	—	125	14.0	73	63	136	15.3	0.87	1.14	6	48
†St. Asaph (Denbigh).	1,873	9	13	—	1	23	12.3	13	17	30	16.0	0.94	1.29	1	43
†Uwchaled ..	475	3	4	1	1	9	18.9	5	3	8	16.8	0.86	1.23	—	—
*Wrexham ..	61,437	528	452	25	24	1,029	16.7	447	346	793	12.9	1.06	1.17	63	61
FLINTSHIRE:															
ADMINISTRATIVE COUNTY.	116,000	903	823	46	39	1,811	15.6	736	754	1,490	12.8	0.97	1.06	103	57
URBAN DISTRICTS:	56,900	459	440	25	17	941	16.5	353	377	730	12.8	0.99	1.08	49	52
Buckley ..	7,056	56	56	2	1	115	16.3	49	34	83	11.8	1.03	1.04	6	52
Connah's Quay	5,950	50	41	2	1	94	15.8	28	25	53	8.9	1.23	0.94	10	106
Flint M.B. ..	12,000	111	113	5	1	230	19.2	69	67	136	11.3	1.15	1.11	9	39
Holywell ..	5,539	63	52	1	1	117	21.1	31	33	64	11.6	0.91	0.90	7	60
Mold	5,495	74	57	—	3	134	24.4	37	36	73	13.3	1.11	1.26	5	37
Prestatyn ..	6,100	25	20	1	2	48	7.9	42	59	101	16.6	0.73	1.04	2	42
Rhyl	14,760	80	101	14	8	203	13.8	97	123	220	14.9	0.92	1.17	10	49
RURAL DISTRICTS:	59,100	444	383	21	22	870	14.7	383	377	760	12.9	0.95	1.05	54	62
Hawarden ..	27,010	222	187	8	6	423	15.7	161	142	303	11.2	1.08	1.03	25	59
Holywell ..	20,380	140	134	6	8	288	14.1	149	144	293	14.4	0.90	1.11	17	59
Overton ..	4,492	26	29	5	1	61	13.6	28	28	56	12.5	0.84	0.90	4	66
St. Asaph (Flint)	7,218	56	33	2	7	98	13.6	45	63	108	15.0	0.80	1.03	8	82
GLAMORGANSHIRE:															
COUNTY BORO'S:	453,400	3,473	3,308	109	122	7,012	15.5	3,094	2,548	5,642	12.4	1.09	1.16	429	61
Cardiff	221,400	1,629	1,617	60	70	3,376	15.2	1,525	1,196	2,721	12.3	1.06	1.11	199	59
Merthyr Tydfil	67,200	502	480	13	21	1,016	15.1	543	446	989	14.7	1.12	1.41	76	75
Swansea ..	164,800	1,342	1,211	36	31	2,620	15.9	1,026	906	1,932	11.7	1.12	1.12	154	59
ADMINISTRATIVE COUNTY.	743,800	5,944	5,551	232	188	11,915	16.0	4,823	4,077	8,900	12.0	1.17	1.20	768	64
URBAN DISTRICTS:	562,900	4,578	4,292	188	153	9,211	16.4	3,768	3,171	6,939	12.3	1.17	1.23	610	66
Aberdare ..	46,210	295	288	16	10	609	13.2	343	267	610	13.2	1.14	1.29	41	67
Barry	37,410	309	266	18	13	606	16.2	239	212	451	12.1	1.07	1.11	31	51
Bridgend ..	10,030	68	62	3	4	137	13.7	59	50	109	10.9	0.98	0.91	9	66
Caerphilly ..	34,150	319	325	17	8	669	19.6	219	214	433	12.7	1.21	1.31	52	78
Cowbridge M.B.	1,040	5	5	—	—	10	9.6	6	7	13	12.5	0.75	0.80	—	—
Gelligaer ..	39,160	359	362	20	17	758	19.4	282	231	513	13.1	1.28	1.43	56	74
Glyncorwg ..	10,040	121	93	1	4	219	21.8	53	42	95	9.5	1.33	1.08	12	55
Lluchwr ..	26,110	186	163	6	7	362	13.9	162	127	289	11.1	1.26	1.20	14	39
Maesteg ..	23,770	230	196	11	13	450	18.9	157	149	306	12.9	1.24	1.37	34	76

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
GLAMORGANSHIRE —cont.															
URBAN DISTRICTS —cont.															
Mountain Ash ..	36,700	304	295	13	8	620	16.9	261	216	477	13.0	1.18	1.31	54	87
Neath M.B. ..	32,560	237	261	4	4	506	15.5	202	178	380	11.7	1.13	1.13	24	47
Ogmore and Garw ..	25,800	184	219	6	3	412	16.0	164	109	273	10.6	1.24	1.12	22	53
Penarth ..	17,110	112	92	4	—	208	12.2	114	104	218	12.7	1.03	1.12	11	53
Pontypridd ..	41,240	366	307	11	8	692	16.8	282	222	504	12.2	1.11	1.16	42	61
Porthcawl ..	6,430	43	40	1	1	85	13.2	40	44	84	13.1	0.89	1.00	3	35
Port Talbot M.B.	40,540	351	330	8	9	698	17.2	270	221	491	12.1	1.22	1.26	50	72
Rhondda ..	134,600	1,089	988	49	44	2,170	16.1	915	778	1,693	12.6	1.21	1.30	155	71
RURAL DISTRICTS :	180,900	1,366	1,259	44	35	2,704	14.9	1,055	906	1,961	10.8	1.15	1.06	158	58
Cardiff ..	30,410	177	155	3	3	338	11.1	164	140	304	10.0	1.04	0.89	14	41
Cowbridge ..	10,320	87	76	4	1	168	16.3	59	49	108	10.5	1.07	0.96	13	77
Gower ..	10,100	52	64	3	1	120	11.9	52	58	110	10.9	0.96	0.89	5	42
Llantrisant and Llantwitfardre.	25,630	241	189	5	6	441	17.2	168	127	295	11.5	1.22	1.20	30	68
Neath ..	40,450	315	292	9	8	624	15.4	234	199	433	10.7	1.25	1.14	33	53
Penybont ..	29,010	253	252	12	10	527	18.2	156	144	300	10.3	1.11	0.98	31	59
Pontardawe ..	34,980	241	231	8	6	486	13.9	222	189	411	11.7	1.22	1.22	32	66
MERIONETHSHIRE : ADMINISTRATIVE COUNTY.	41,300	305	228	16	15	564	13.7	337	303	640	15.5	0.86	1.14	39	69
URBAN DISTRICTS :	18,500	150	100	5	4	259	14.0	165	147	312	16.9	0.88	1.27	24	93
Bala ..	1,485	12	8	1	1	22	14.8	8	10	18	12.1	0.81	0.84	3	136
Barmouth ..	2,248	17	12	—	1	30	13.3	18	11	29	12.9	0.85	0.94	—	—
Dolgelly ..	2,384	13	18	—	—	31	13.0	13	20	33	13.8	0.80	0.94	2	65
Ffestiniog ..	8,817	83	42	2	1	128	14.5	87	79	166	18.8	0.99	1.59	17	133
Mallwyd ..															
Towyn ..	3,566	25	20	2	1	48	13.5	39	27	66	18.5	0.76	1.20	2	42
RURAL DISTRICTS :	22,800	155	128	11	11	305	13.4	172	156	328	14.4	0.84	1.03	15	49
Deudraeth ..	7,149	52	51	5	4	112	15.7	54	44	98	13.7	0.94	1.10	5	45
Dolgelley ..	7,354	54	39	3	3	99	13.5	60	59	119	16.2	0.79	1.09	4	40
Edeirion ..	4,520	24	20	2	1	47	10.4	28	32	60	13.3	0.82	0.93	3	64
Penllyn ..	3,407	22	17	1	2	42	12.3	26	20	46	13.5	0.83	0.96	3	71
Civil Parish of Pennal ad- ministered by R. D. C. of Machynlleth (Montgomery- shire).	370	3	1	—	1	5	13.5	4	1	5	13.5	0.75	0.87	—	—
MONMOUTHSHIRE :	421,900	3,454	3,212	120	97	6,883	16.3	2,720	2,213	4,933	11.7	1.11	1.11	437	63
COUNTY BORO' :															
*Newport ..	94,750	807	758	23	20	1,608	17.0	650	522	1,172	12.4	1.10	1.17	113	70
*ADMINISTRATIVE COUNTY.	327,150	2,647	2,454	97	77	5,275	16.1	2,070	1,691	3,761	11.5	1.12	1.10	324	61

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
MONMOUTHSHIRE —cont.															
URBAN DISTRICTS:	279,864	2,352	2,187	84	64	4,687	16.7	1,791	1,437	3,228	11.5	1.16	1.14	288	61
*Abercarn ..	19,667	182	187	6	3	378	19.2	116	86	202	10.3	1.22	1.07	27	71
*Abergavenny M.B.	8,262	58	52	3	3	116	14.0	65	53	118	14.3	0.89	1.09	5	43
*Abersychan ..	6,133	40	39	2	—	81	13.2	55	40	95	15.5	1.18	1.56	7	86
*Abertillery ..	30,083	253	239	7	10	509	16.9	194	136	330	11.0	1.22	1.15	37	73
*Bedwas and Machen.	8,804	79	70	—	1	150	17.0	55	43	98	11.1	1.20	1.14	10	67
*Bedwellty ..	29,923	330	300	15	10	655	21.9	184	169	353	11.8	1.29	1.30	39	60
Blaenavon ..	10,620	70	68	1	1	140	13.2	66	61	127	12.0	1.10	1.13	5	36
*Caerleon ..	3,159	12	21	1	1	35	11.1	18	16	34	10.8	0.80	0.74	1	29
Chepstow ..	4,055	22	25	3	1	51	12.6	31	23	54	13.3	0.88	1.00	2	39
*Cwmbran ...	8,505	68	50	2	1	121	14.2	55	50	105	12.3	1.08	1.14	12	99
Ebbw Vale ..	30,190	292	238	9	3	542	18.0	185	129	314	10.4	1.21	1.08	36	66
Llanfrechfa Upper.	1,094	13	5	—	—	18	16.5	5	6	11	10.1	1.10	0.95	—	—
Llantarnam ..	1,741	16	12	1	—	29	16.7	12	15	27	15.5	1.07	1.42	2	69
*Monmouth M.B.	4,968	30	34	5	2	71	14.3	43	25	68	13.7	0.80	0.94	3	42
*Mynyddislwyn..	14,765	100	126	3	6	235	15.9	86	71	157	10.6	1.35	1.22	17	72
Nantyglo and Blaina.	12,550	100	81	9	6	196	15.6	76	60	136	10.8	1.12	1.03	11	56
*Panteg ..	2,780	21	21	—	—	42	15.1	25	20	45	16.2	1.04	1.44	3	71
*Pontypool ..	33,230	271	253	4	4	532	16.0	204	182	386	11.6	1.14	1.13	29	55
Rhymney ..	10,050	88	64	4	6	162	16.1	80	62	142	14.1	1.22	1.47	11	68
*Risca ..	15,920	123	123	6	5	257	16.1	85	80	165	10.4	1.18	1.05	7	27
Tredegar ..	22,120	177	174	3	1	355	16.0	143	105	248	11.2	1.16	1.11	23	65
Usk ..	1,245	7	5	—	—	12	9.6	8	5	13	10.4	0.77	0.68	1	83
RURAL DISTRICTS	47,286	295	267	13	13	588	12.4	279	254	533	11.3	0.91	0.88	36	61
*Abergavenny ..	8,505	52	45	2	4	103	12.1	58	45	103	12.1	0.79	0.82	7	68
Chepstow ..	8,630	67	54	3	3	127	14.7	46	49	95	11.0	0.93	0.87	9	71
*Magor ..	1,771	9	10	—	—	19	10.7	15	10	25	14.1	0.98	1.18	2	105
*Magor and St. Melons	11,723	65	65	5	4	139	11.9	76	54	130	11.1	0.99	0.94	6	43
*Monmouth ..	6,115	36	32	1	—	69	11.3	28	36	64	10.5	0.86	0.77	3	43
*Pontypool ..	5,312	28	27	1	—	56	10.5	30	34	64	12.0	0.92	0.94	4	71
St. Mellons ..	5,230	38	34	1	2	75	14.3	26	26	52	9.9	1.12	0.95	5	67
MONTGOMERYSHIRE: ADMINISTRATIVE COUNTY.															
URBAN DISTRICTS:	16,600	136	117	7	4	264	15.9	127	148	275	16.6	0.84	1.19	14	53
Llanfyllin M.B.	1,342	8	11	2	—	21	15.6	8	14	22	16.4	0.78	1.09	—	—
Llanidloes M.B.	2,330	16	13	—	1	30	12.9	14	15	29	12.4	0.84	0.89	1	33
Machynlleth ..	1,850	17	12	1	1	31	16.8	13	17	30	16.2	0.92	1.27	—	—
Montgomery M.B.	888	9	13	—	—	22	24.8	6	7	13	14.6	0.69	0.86	—	—
Newtown and Llanllwchaearn.	4,840	33	31	—	1	65	13.4	39	47	86	17.8	0.87	1.32	3	46
Welshpool M.B.	5,350	53	37	4	1	95	17.8	47	48	95	17.8	0.82	1.25	10	105
RURAL DISTRICTS:	29,600	229	213	12	29	483	16.3	201	193	394	13.3	0.85	0.97	21	43
Forde ..	5,020	34	33	5	5	77	15.3	33	32	65	12.9	0.79	0.87	—	—
Llanfyllin ..	11,230	79	87	4	12	182	16.2	75	70	145	12.9	0.86	0.95	8	44
Machynlleth ..	3,420	28	31	—	4	63	18.4	23	34	57	16.7	0.84	1.20	3	48
Newtown and Llanidloes	9,930	88	62	3	8	161	16.2	70	57	127	12.8	0.87	0.95	10	62

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1935).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
PEMBROKESHIRE :															
ADMINISTRATIVE COUNTY.	85,100	665	602	32	49	1,348	15·8	587	544	1,131	13·3	0·90	1·02	75	56
URBAN DISTRICTS :															
Fishguard and Goodwick	4,839	28	21	1	5	55	11·4	26	26	52	10·7	1·03	0·94	4	73
Haverfordwest M.B.	6,287	55	41	2	3	101	16·1	40	31	71	11·3	0·95	0·92	4	40
Milford Haven..	10,330	103	103	3	6	215	20·8	54	36	90	8·7	1·28	0·95	12	56
Narberth ..	1,016	7	5	—	—	12	11·8	7	5	12	11·8	0·84	0·85	—	—
Neyland ..	2,182	25	22	1	2	50	22·9	19	9	28	12·8	0·93	1·02	3	60
Pembroke M.B.	12,250	97	106	4	8	215	17·6	98	89	187	15·3	0·80	1·05	11	51
Tenby M.B. ..	4,096	23	23	—	3	49	12·0	25	30	55	13·4	0·78	0·89	1	20
RURAL DISTRICTS :															
Cemaes ..	9,170	61	51	5	1	118	12·9	70	73	143	15·6	0·79	1·05	6	51
Haverfordwest	19,640	158	133	12	12	315	16·0	135	131	266	13·5	0·92	1·06	19	60
Narberth ..	10,110	70	63	3	8	144	14·2	82	77	159	15·7	0·84	1·13	13	90
Pembroke ..	5,180	38	34	1	1	74	14·3	31	37	68	13·1	0·88	0·99	2	27
RADNORSHIRE :															
ADMINISTRATIVE COUNTY.	20,500	134	127	13	7	281	13·7	133	128	261	12·7	0·85	0·92	18	64
URBAN DISTRICTS															
Knighton ..	1,846	14	10	1	—	25	13·5	11	12	23	12·5	0·74	0·79	1	40
Llandrindod Wells.	2,716	11	8	3	1	23	8·5	18	15	33	12·2	0·88	0·92	3	130
Presteigne ..	1,138	13	8	—	—	21	18·5	11	4	15	13·2	0·74	0·83	1	48
RURAL DISTRICTS															
Colwyn ..	1,908	16	12	—	—	28	14·7	11	10	21	11·0	0·88	0·83	2	71
Knighton ..	3,692	30	32	3	1	66	17·9	22	20	42	11·4	0·92	0·90	4	61
New Radnor ..	2,487	15	19	—	3	37	14·9	11	19	30	12·1	0·84	0·87	2	54
Paincastle ..	2,056	12	11	1	—	24	11·7	19	9	28	13·6	0·90	1·05	2	83
Rhayader ..	4,657	23	27	5	2	57	12·2	30	39	69	14·8	0·83	1·05	3	53

TABLE 18. STILLBIRTHS (LEGITIMATE AND ILLEGITIMATE) (WITH RATIO PER 1,000 TOTAL BIRTHS), 1935.

England and Wales, Geographical Regions*.
London and Metropolitan Boroughs, and
County Boroughs.
Aggregates of Urban and of Rural Districts
in each Administrative County.

Note.—Stillbirths occurring away from home have been transferred to the area of usual residence of the mother.

Area.	Legitimate.		Illegitimate.		Total.	Stillbirths per 1,000 Total Births.
	M.	F.	M.	F.		

SUMMARY.						
ENGLAND AND WALES	13,120	11,016	670	629	25,435	41
SOUTH EAST	3,365	2,907	203	180	6,655	33
Greater London	1,974	1,682	128	100	3,884	32
Remainder of South East ..	1,391	1,225	75	80	2,771	35
Midland Section	1,269	1,059	55	52	2,435	33
Southern Section	2,096	1,848	148	128	4,220	33
NORTH	4,998	4,144	251	232	9,625	45
North I	892	732	33	41	1,698	42
North II	447	427	34	22	930	42
North III	1,264	1,049	71	65	2,449	46
North IV	2,395	1,936	113	104	4,548	47
MIDLAND	2,408	2,047	94	99	4,648	41
Midland I	1,615	1,372	64	66	3,117	42
Midland II	793	675	30	33	1,531	41
EAST	558	454	39	37	1,088	39
SOUTH WEST	600	495	33	27	1,155	40
WALES	1,191	969	50	54	2,264	55
Wales I	882	739	31	34	1,686	55
Wales II	309	230	19	20	578	54
Density summary of areas outside Greater London :—						
COUNTY BOROUGHS ..	4,644	3,760	206	223	8,833	43
OTHER URBAN DISTRICTS..	3,997	3,504	201	203	7,905	44
RURAL DISTRICTS	2,505	2,070	135	103	4,813	42

* The counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 18—continued.

Area.	Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.	Area.	Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.
	M.	F.	M.	F.				M.	F.	M.	F.		

LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES.													
London Ad. Co. ..	916	796	79	63	1,854	32	County Boroughs						
							—contd.						
City of London ..	1	1	—	—	2	27	Dudley ..	23	25	—	—	48	43
Inner and Middle Temples.	—	—	—	—	—	—	Eastbourne ..	11	9	—	—	20	33
Metropolitan Boroughs:							East Ham ..	37	36	1	—	74	36
Battersea ..	31	35	2	1	69	32	Exeter ..	22	18	—	1	41	40
Bermondsey ..	13	25	2	1	41	27	Gateshead ..	45	36	3	2	86	38
Bethnal Green ..	16	23	1	—	40	27	Gloucester ..	18	17	1	2	38	44
Camberwell ..	57	33	5	1	96	30	Great Yarmouth ..	16	6	—	2	24	31
Chelsea ..	7	11	3	1	22	36	Grimsby ..	40	40	1	5	86	50
							Halifax ..	34	22	2	2	60	49
Deptford ..	21	20	1	1	43	29	Hastings ..	13	15	3	3	34	42
Finsbury ..	8	11	—	—	19	20	Huddersfield ..	43	29	—	4	76	51
Fulham ..	34	24	4	3	65	32	Ipswich ..	29	24	1	2	56	38
Greenwich ..	30	27	2	—	59	42	Kingston-upon-Hull ..	119	112	8	7	246	40
Hackney ..	52	45	7	1	105	34	Leeds ..	177	137	12	8	334	44
							Leicester ..	70	58	4	2	134	36
Hammersmith ..	33	34	3	2	72	37	Lincoln ..	17	16	2	—	35	38
Hampstead ..	16	18	2	1	37	36	Liverpool ..	388	329	12	20	749	41
Holborn ..	8	2	1	1	12	42	Manchester ..	296	218	13	19	546	46
Islington ..	66	59	3	5	133	29	Middlesbrough ..	68	62	3	4	137	46
Kensington ..	32	29	7	5	73	32	Newcastle-upon-Tyne.	103	90	6	5	204	42
Lambeth ..	72	48	4	2	126	32	Northampton ..	29	13	2	1	45	38
Lewisham ..	51	45	—	2	98	34	Norwich ..	24	23	1	4	52	29
Paddington ..	26	19	4	11	60	30	Nottingham ..	95	64	5	7	171	37
Poplar ..	38	35	1	—	74	32	Oldham ..	45	42	6	2	95	53
St. Marylebone ..	9	13	2	4	28	30	Oxford ..	25	14	—	1	40	29
St. Pancras ..	44	39	8	3	94	37	Plymouth ..	66	56	1	1	124	39
Shoreditch ..	27	20	3	1	51	38	Portsmouth ..	58	57	5	5	125	33
Southwark ..	46	32	4	1	83	35	Preston ..	50	41	1	—	92	50
Stepney ..	51	35	1	4	91	29	Reading ..	17	25	—	4	46	30
Stoke Newington ..	9	12	—	1	22	30	Rochdale ..	43	29	3	1	76	65
Wandsworth ..	56	58	6	6	126	32	Rotherham ..	25	25	1	2	53	43
Westminster ..	12	13	2	1	28	26	St. Helens ..	56	47	1	2	106	50
Woolwich ..	50	30	1	4	85	40	Salford ..	128	78	7	3	216	63
							Sheffield ..	189	119	4	8	320	40
County Boroughs ..	4,799	3,893	217	226	9,135	42	Smethwick ..	24	24	3	—	51	40
Barnsley ..	33	24	—	2	59	44							
Barrow-in-Furness ..	25	22	—	—	47	49	Southampton ..	55	44	2	2	103	36
Bath ..	15	13	—	—	28	35	Southend-on-Sea ..	41	27	1	—	69	44
Birkenhead ..	59	52	3	4	118	44	Southport ..	33	7	—	1	41	48
Birmingham ..	305	272	9	10	596	36	South Shields ..	38	30	2	3	73	36
							Stockport ..	47	48	3	3	101	56
Blackburn ..	27	35	—	2	64	43							
Blackpool ..	33	24	4	3	64	49	Stoke-on-Trent ..	147	111	7	5	270	56
Bolton ..	66	55	3	4	128	54	Sunderland ..	78	56	5	2	141	37
Bootle ..	36	40	2	1	79	46	Tynemouth ..	28	17	1	1	47	38
Bournemouth ..	28	25	3	—	56	41	Wakefield ..	18	22	1	3	44	44
							Wallasey ..	25	14	2	3	44	33
Bradford ..	86	77	11	9	183	44							
Brighton ..	32	31	2	—	65	31	Walsall ..	44	31	3	1	79	38
Bristol ..	130	110	4	8	252	42	Warrington ..	39	24	—	—	63	45
Burnley ..	29	23	2	3	57	50	West Bromwich ..	43	28	—	1	72	44
Burton-upon-Trent ..	23	12	—	—	35	51	West Ham ..	58	60	5	2	125	29
							West Hartlepool ..	28	22	1	—	51	34
Bury ..	23	14	3	1	41	55							
Canterbury ..	7	2	—	—	9	25	Wigan ..	46	47	1	—	94	62
Carlisle ..	22	15	—	—	37	42	Wolverhampton ..	56	33	—	3	92	39
Chester ..	20	12	1	1	34	57	Worcester ..	14	15	2	4	35	44
Coventry ..	56	51	1	3	111	39	York ..	35	30	4	—	69	48
Croydon ..	60	37	5	1	103	30	Cardiff ..	83	87	4	4	178	50
Darlington ..	20	28	—	1	49	42	Merthyr Tydfil ..	37	26	1	—	64	59
Derby ..	58	38	2	2	100	46	Newport, Mon. ..	40	32	—	1	73	43
Dewsbury ..	23	30	—	1	54	66	Swansea ..	78	56	1	2	137	50
Doncaster ..	29	28	4	—	61	58							

TABLE 18—continued.

Area.	Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.	Area.	Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.
	M.	F.	M.	F.				M.	F.	M.	F.		
ADMINISTRATIVE COUNTIES.													
Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs, but excluding County Boroughs) and of Rural Districts in each Administrative County.													
Bedford .. U.D.	34	47	3	3	87	36	Salop .. U.D.	41	36	4	3	84	46
.. R.D.	19	21	1	—	41	37	.. R.D.	38	44	3	1	86	44
Berks.. .. U.D.	19	24	—	1	44	40	Somerset .. U.D.	51	43	4	5	103	47
.. R.D.	42	35	3	1	81	37	.. R.D.	73	57	1	1	132	42
Bucks .. U.D.	44	38	1	1	84	37	Southants .. U.D.	77	64	3	4	148	34
.. R.D.	34	30	4	4	72	34	.. R.D.	56	52	3	4	115	35
Cambs .. U.D.	8	14	3	1	26	30	Staffs .. U.D.	219	199	3	9	430	43
.. R.D.	14	11	1	2	28	30	.. R.D.	78	62	4	3	147	52
Cheshire .. U.D.	166	131	12	9	318	43	Suffolk, East U.D.	24	26	1	2	53	41
.. R.D.	68	42	2	—	112	41	.. R.D.	54	25	1	1	81	46
Cornwall .. U.D.	58	46	6	5	115	50	Suffolk, West U.D.	11	10	—	—	21	41
.. R.D.	52	41	3	2	98	46	.. R.D.	22	16	1	2	41	44
Cumberland .. U.D.	29	22	2	—	53	35	Surrey .. U.D.	215	193	11	12	431	32
.. R.D.	36	32	7	1	76	39	.. R.D.	33	19	1	1	54	33
Derby .. U.D.	113	126	11	4	254	49	Sussex, East U.D.	27	25	2	2	56	34
.. R.D.	94	104	2	3	203	43	.. R.D.	34	23	2	—	59	32
Devon .. U.D.	41	38	9	5	93	34	Sussex, West U.D.	28	30	2	4	64	37
.. R.D.	68	48	3	2	121	38	.. R.D.	29	33	1	—	63	37
Dorset .. U.D.	41	35	1	—	77	35	Warwick .. U.D.	63	52	5	3	123	36
.. R.D.	28	29	2	1	60	44	.. R.D.	57	35	3	3	98	44
Durham .. U.D.	226	193	6	10	435	46	Westmorland U.D.	11	6	1	1	19	48
.. R.D.	192	135	5	5	337	47	.. R.D.	8	18	—	1	27	49
Ely, I. of .. U.D.	22	11	1	2	36	41	Wight, I. of U.D.	15	17	2	4	38	46
.. R.D.	13	8	—	—	21	40	.. R.D.	7	3	—	—	10	47
Essex.. .. U.D.	267	249	12	16	544	33	Wilts .. U.D.	31	30	2	3	66	32
.. R.D.	72	40	2	4	118	38	.. R.D.	54	41	1	1	97	40
Gloucester .. U.D.	25	34	6	1	66	44	Worcester .. U.D.	71	73	3	—	147	39
.. R.D.	75	64	1	3	143	40	.. R.D.	30	23	—	2	55	41
Hereford .. U.D.	15	6	1	1	23	36	Yorks, E.R. U.D.	19	13	3	1	36	32
.. R.D.	20	15	1	—	36	33	.. R.D.	21	29	2	1	53	37
Hertford .. U.D.	68	62	1	3	134	29	Yorks, N.R. U.D.	69	79	3	3	154	49
.. R.D.	35	20	2	3	60	35	.. R.D.	45	39	5	3	92	41
Huntingdon .. U.D.	14	9	2	—	25	63	Yorks, W.R. U.D.	405	340	21	20	786	48
.. R.D.	6	3	2	—	11	24	.. R.D.	167	166	11	6	350	45
Kent U.D.	235	225	14	11	485	31	Anglesey .. U.D.	4	5	1	1	11	39
.. R.D.	82	64	5	6	157	37	.. R.D.	16	7	3	1	27	60
Lancs.. .. U.D.	577	486	26	19	1,108	50	Brecon .. U.D.	12	3	—	—	15	71
.. R.D.	70	76	6	3	155	48	.. R.D.	15	20	—	—	35	57
Leicester .. U.D.	39	32	1	—	72	40	Caernarvon.. U.D.	20	22	—	3	45	49
.. R.D.	52	53	—	—	105	39	.. R.D.	21	20	1	—	42	51
Lincs, Holland U.D.	18	11	—	—	29	45	Cardigan .. U.D.	6	2	1	—	9	53
.. R.D.	20	13	5	1	39	36	.. R.D.	16	11	2	1	30	60
Lincs, Kesteven U.D.	13	15	—	1	29	46	Carmarthen U.D.	29	32	1	4	66	62
.. R.D.	18	25	—	2	45	47	.. R.D.	40	38	2	4	84	52
Lincs, Lindsey U.D.	41	32	3	3	79	36	Denbigh .. U.D.	30	15	1	1	47	51
.. R.D.	46	36	7	1	90	40	.. R.D.	45	32	1	2	80	52
Middlesex .. U.D.	500	387	22	13	922	32	Flint .. U.D.	36	22	1	1	60	60
Norfolk .. U.D.	12	17	2	2	33	36	.. R.D.	29	29	1	1	60	65
.. R.D.	72	59	4	4	139	34	Glamorgan .. U.D.	274	248	11	12	545	56
Northants .. U.D.	32	19	—	2	53	39	.. R.D.	88	69	7	4	168	58
.. R.D.	30	29	—	1	60	36	Merioneth .. U.D.	10	4	—	—	14	51
Northumberland U.D.	115	106	3	9	233	45	.. R.D.	11	7	1	—	19	59
.. R.D.	19	19	1	3	42	30	Monmouth .. U.D.	165	118	3	3	289	58
Notts.. .. U.D.	101	89	1	8	199	40	.. R.D.	21	10	1	—	32	52
.. R.D.	60	37	2	2	101	42	Montgomery U.D.	4	9	—	—	13	47
Oxford .. U.D.	12	4	—	1	17	30	.. R.D.	14	3	2	2	21	42
.. R.D.	23	24	—	1	48	34	Pembroke .. U.D.	21	16	1	4	42	57
Peterborough, U.D.	16	13	—	—	29	44	.. R.D.	20	19	3	1	43	62
Soke of .. R.D.	4	—	—	1	5	36	Radnor .. U.D.	3	—	—	—	3	42
Rutland .. U.D.	1	1	—	—	2	54	.. R.D.	3	7	—	2	12	54
.. R.D.	3	3	1	—	7	33							

TABLE 19. DEATHS BY SEX AT EACH YEAR OF AGE (WITH THE MARITAL CONDITION FOR FEMALES), 1935. } England and Wales.

Note.—Included in this Table are 455 cases (272 Males and 183 Females) in which the age of deceased was not definitely stated; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case.

The deaths of 108 divorced women are included with the deaths of widows.

Age last birth-day.	Persons.	Males.	Females.				Age last birth-day.	Persons.	Males.	Females.			
			Total.	Single.	Married.	Widowed.				Total.	Single.	Married.	Widowed.
All Ages	477,401	243,458	233,943	64,616	81,799	87,528	50-54	26,005	14,434	11,571	2,005	7,802	1,764
0-4	45,601	25,749	19,852	19,852	—	—	50	4,720	2,635	2,085	404	1,394	287
0	34,092	19,654	14,438	14,438	—	—	51	4,535	2,502	2,033	377	1,366	290
1	5,240	2,777	2,463	2,463	—	—	52	5,306	2,914	2,392	438	1,609	345
2	2,571	1,352	1,219	1,219	—	—	53	5,481	3,050	2,431	389	1,642	400
3	1,945	1,037	908	908	—	—	54	5,963	3,333	2,630	397	1,791	442
4	1,753	929	824	824	—	—	55-59	34,520	19,301	15,219	2,397	9,573	3,249
5-9	6,105	3,226	2,879	2,879	—	—	55	5,804	3,295	2,509	431	1,612	466
5	1,708	946	762	762	—	—	56	6,523	3,591	2,932	479	1,869	584
6	1,420	734	686	686	—	—	57	6,692	3,674	3,018	471	1,914	633
7	1,124	584	540	540	—	—	58	7,542	4,242	3,300	527	2,022	751
8	899	449	450	450	—	—	59	7,959	4,499	3,460	489	2,156	815
9	954	513	441	441	—	—	60-64	44,500	24,633	19,867	3,008	11,119	5,740
10-14	4,511	2,322	2,189	2,189	—	—	60	8,217	4,579	3,638	595	2,123	920
10	811	428	383	383	—	—	61	7,695	4,282	3,413	501	1,998	914
11	805	390	415	415	—	—	62	9,158	5,084	4,074	598	2,316	1,160
12	821	411	410	410	—	—	63	9,447	5,194	4,253	657	2,365	1,231
13	937	486	451	451	—	—	64	9,983	5,494	4,489	657	2,317	1,515
14	1,137	607	530	530	—	—	65-69	53,433	28,748	24,685	3,697	11,211	9,777
15-19	6,377	3,323	3,054	2,947	105	2	65	10,539	5,748	4,791	757	2,345	1,689
15	1,354	674	680	680	—	—	66	9,657	5,192	4,465	632	2,202	1,631
16	1,008	519	489	488	1	—	67	10,685	5,719	4,966	744	2,267	1,955
17	1,120	610	510	498	11	1	68	11,059	5,969	5,090	738	2,262	2,090
18	1,328	693	635	617	18	—	69	11,493	6,120	5,373	826	2,135	2,412
19	1,567	827	740	664	75	1	70-74	59,789	30,278	29,511	4,437	9,579	15,495
20-24	9,371	4,862	4,502	3,199	1,296	14	70	11,570	5,971	5,599	850	2,001	2,748
20	1,741	931	810	676	133	1	71	11,353	5,842	5,511	799	2,011	2,701
21	1,920	1,019	901	720	180	1	72	12,343	6,339	6,004	902	2,015	3,087
22	1,898	975	923	666	253	4	73	12,250	6,066	6,184	929	1,868	3,387
23	1,878	958	920	579	337	4	74	12,273	6,060	6,213	957	1,684	3,572
24	1,934	979	955	558	393	4	75-79	56,161	26,503	29,658	4,449	6,278	18,931
25-29	10,022	5,113	4,909	2,029	2,838	42	75	12,471	6,025	6,446	1,002	1,600	3,844
25	1,980	1,033	947	487	457	3	76	11,421	5,466	5,955	845	1,356	3,754
26	1,994	1,006	988	421	560	7	77	10,940	5,080	5,860	866	1,283	3,711
27	2,066	1,078	988	387	596	5	78	11,211	5,263	5,948	887	1,150	3,911
28	1,940	953	987	377	599	11	79	10,118	4,669	5,448	849	889	3,711
29	2,042	1,043	999	357	626	16	80-84	39,449	16,769	22,680	3,300	2,603	16,777
30-34	10,397	5,265	5,132	1,400	3,615	117	80	9,382	4,154	5,228	794	745	3,689
30	2,054	1,001	1,053	332	697	24	81	8,237	3,611	4,626	648	576	3,402
31	1,956	966	990	283	690	17	82	7,841	3,364	4,477	668	524	3,285
32	2,061	1,022	1,039	286	734	19	83	7,143	2,916	4,227	599	407	3,221
33	2,073	1,070	1,003	238	741	24	84	6,846	2,724	4,122	591	351	3,180
34	2,253	1,206	1,047	261	753	33	85-89	19,433	7,256	12,177	1,773	667	9,737
35-39	11,579	5,938	5,641	1,257	4,176	208	85	5,653	2,220	3,433	489	251	2,693
35	2,296	1,191	1,105	243	829	33	86	4,515	1,716	2,799	411	169	2,219
36	2,119	1,104	1,015	234	753	33	87	3,739	1,427	2,312	349	114	1,849
37	2,228	1,162	1,066	239	784	43	88	3,010	1,050	1,960	297	87	1,576
38	2,452	1,216	1,236	278	910	48	89	2,516	843	1,673	227	46	1,400
39	2,484	1,265	1,219	263	900	56	90-94	6,010	1,817	4,193	648	115	3,430
40-44	13,856	7,181	6,675	1,361	4,806	508	90	1,978	625	1,353	229	42	1,082
40	2,486	1,242	1,244	266	912	66	91	1,439	431	1,008	133	32	843
41	2,482	1,293	1,189	245	863	81	92	1,115	310	805	123	24	658
42	2,996	1,513	1,483	288	1,071	124	93	791	252	539	80	9	450
43	2,825	1,506	1,319	286	927	106	94	687	199	488	83	8	397
44	3,067	1,627	1,440	276	1,033	131	95-99	1,066	230	836	125	8	703
45-49	19,121	10,481	8,640	1,652	6,006	982	95	401	92	309	46	3	260
45	3,399	1,883	1,516	288	1,077	151	96	286	64	222	27	1	194
46	3,398	1,881	1,517	288	1,059	170	97	164	36	128	23	2	103
47	3,802	2,085	1,717	350	1,180	187	98	134	23	111	19	—	92
48	4,159	2,250	1,909	350	1,332	227	99	81	15	66	10	2	54
49	4,363	2,382	1,981	376	1,358	247	100- and over	95	29	66	12	2	52

TABLE 20. DEATHS AT DIFFERENT AGES, 1935.

(Total Deaths Registered, including non-civilian deaths.)

England and Wales, Geographical Regions.*
London and Metropolitan Boroughs, County Boroughs.

Aggregates of other Urban and of Rural Districts in each Administrative County.

Age.	Sex.	England and Wales.	SOUTH EAST.					NORTH.				
			Total.	Greater London.	Remainder.	Part formerly in "Midlands."	Part formerly in "South."	Total.	North I.	North II.	North III.	North IV.
All Ages ..	M	243458	75306	44122	31184	24046	51260	85689	14599	8492	21851	40747
	F	233943	75214	43426	31788	24143	51071	80957	12824	7924	21013	39196
Under 4 weeks	M	10490	2801	1699	1102	987	1814	4044	871	434	997	1742
	F	7702	2012	1217	795	740	1272	3051	662	299	723	1367
4 weeks-3 months	M	3236	898	620	278	304	594	1320	244	163	261	652
	F	2224	640	423	217	212	428	895	170	90	182	453
3-6 months	M	2632	812	591	221	218	594	1055	242	112	194	507
	F	1974	586	427	159	191	395	813	168	91	173	381
6-12 months	M	3296	857	614	243	244	613	1384	302	142	266	674
	F	2538	655	439	216	204	451	1107	255	134	182	536
Total under 1 year	M	19654	5368	3524	1844	1753	3615	7803	1659	851	1718	3575
	F	14438	3893	2506	1387	1347	2546	5866	1255	614	1260	2737
1—	M	2777	571	357	214	210	361	1292	273	121	275	623
	F	2463	512	316	196	161	351	1140	265	106	240	529
2—	M	1352	316	190	126	131	185	579	118	67	125	269
	F	1219	256	168	88	98	158	551	119	56	124	252
3—	M	1037	240	148	92	92	148	464	112	33	113	206
	F	908	199	123	76	75	124	428	102	46	96	184
4—	M	929	230	139	91	78	152	418	90	49	114	165
	F	824	198	123	75	59	139	371	84	34	88	165
Total under 5 years	M	25749	6725	4358	2367	2264	4461	10556	2252	1121	2345	4838
	F	19852	5058	3236	1822	1740	3318	8356	1825	856	1808	3867
5—	M	3226	891	537	354	319	572	1303	266	122	340	575
	F	2879	738	471	267	306	432	1226	269	125	330	502
10—	M	2322	644	397	247	222	422	895	205	81	225	384
	F	2189	573	358	215	214	359	888	189	81	228	390
15—	M	3323	932	559	373	342	590	1232	299	134	312	487
	F	3054	783	512	271	259	524	1168	234	129	271	534
20—	M	4862	1487	917	570	475	1012	1747	361	174	378	834
	F	4509	1347	881	466	444	903	1652	317	153	423	759
25—	M	5113	1638	1004	634	596	1042	1731	317	172	441	801
	F	4909	1518	996	522	538	980	1741	335	168	421	817
30—	M	5265	1633	1006	627	557	1076	1932	350	190	473	919
	F	5132	1548	972	576	559	989	1884	342	162	466	914
35—	M	5938	1802	1124	678	639	1163	2189	375	202	536	1076
	F	5641	1678	1073	605	614	1064	2106	370	196	542	998
40—	M	7181	2131	1324	807	730	1401	2670	444	221	631	1374
	F	6675	2052	1222	830	684	1368	2428	382	223	609	1214
45—	M	10481	3259	2070	1189	1057	2202	3902	631	331	922	2018
	F	8640	2706	1642	1064	900	1806	3166	522	285	822	1537
50—	M	14434	4549	2835	1714	1425	3124	5258	811	429	1369	2649
	F	11571	3622	2151	1471	1149	2473	4188	639	369	1087	2093
55—	M	19301	6012	3746	2266	1853	4159	7274	1109	623	1997	3545
	F	15219	4751	2821	1930	1501	3250	5635	876	477	1452	2830
60—	M	24633	7603	4694	2909	2345	5258	8970	1398	786	2385	4401
	F	19867	6125	3620	2505	1981	4144	7334	1088	645	1996	3605
65—	M	28748	8910	5167	3743	2849	6061	10305	1561	987	2680	5077
	F	24685	7798	4471	3327	2354	5444	8997	1250	796	2388	4563
70—	M	30278	9494	5324	4170	2845	6649	10359	1594	1030	2759	4976
	F	29511	9593	5373	4220	3051	6542	10236	1429	970	2733	5104
75—	M	26503	8454	4543	3911	2654	5800	8387	1430	939	2201	3817
	F	29658	9908	5408	4500	2995	6913	9551	1368	1002	2598	4583
80—	M	16769	5691	2930	2761	1753	3938	4827	818	568	1295	2146
	F	22680	8367	4518	3849	2685	5682	6480	864	747	1802	3067
85—	M	9332	3451	1587	1864	1121	2330	2152	378	382	562	830
	F	17272	7049	3701	3348	2169	4880	3921	525	540	1037	1819

* The Counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 20—*contd.*

Age.	Sex.	MIDLAND.			EAST.	SOUTH WEST.	WALES.			Aggregates of areas outside Greater London.		
		Total.	Midland I.	Midland II.			Total.	Wales I.	Wales II.	County Boroughs.	Other Urban Districts.	Rural Districts.
All Ages	M	41447	27367	14080	11122	12755	17139	12172	4967	81965	72388	44982
	F	38822	25644	13178	10768	13083	15099	10223	4876	77899	70332	42286
Under 4 weeks	M	2006	1309	697	409	449	781	567	214	3755	3171	1865
4 weeks—3 months	F	1447	963	484	292	301	599	447	152	2807	2300	1378
3—6 months	M	570	377	193	105	99	244	173	71	1265	865	486
	F	402	253	149	66	66	155	122	33	875	626	300
6—12 months	M	442	300	142	64	86	173	127	46	1057	663	321
	F	337	231	106	66	41	131	95	36	814	471	262
	M	631	442	189	116	93	215	175	40	1398	864	420
	F	460	325	135	80	55	181	141	40	1082	680	337
Total under 1 year	M	3649	2428	1221	694	727	1413	1042	371	7475	5563	3092
	F	2646	1772	874	504	463	1066	805	261	5578	4077	2277
1—	M	519	367	152	102	80	213	184	29	1241	773	406
	F	460	305	155	90	57	204	171	33	1102	694	351
2—	M	251	181	70	53	47	106	82	24	549	396	217
	F	212	136	76	49	52	99	79	20	518	360	173
3—	M	192	139	53	42	30	69	56	13	433	299	157
	F	164	112	52	24	30	63	48	15	380	276	129
4—	M	135	91	44	35	32	79	66	13	371	309	110
	F	152	101	51	21	28	54	40	14	350	237	114
Total under 5 years	M	4746	3206	1540	926	916	1880	1430	450	10069	7340	3982
	F	3634	2426	1208	688	630	1486	1143	343	7928	5644	3044
5—	M	589	411	178	115	111	217	166	51	1175	993	521
	F	509	351	158	95	94	217	160	57	1094	857	457
10—	M	409	277	132	110	80	184	145	39	797	662	466
	F	382	272	110	97	69	180	132	48	804	651	376
15—	M	595	401	194	129	126	309	256	53	1071	1056	637
	F	565	362	203	124	119	295	240	55	1123	934	485
20—	M	861	559	302	184	197	386	271	115	1672	1343	930
	F	773	516	257	169	163	405	333	72	1648	1292	688
25—	M	950	634	316	163	233	398	306	92	1702	1555	852
	F	862	538	324	197	198	393	287	106	1669	1426	818
30—	M	942	616	326	164	213	381	291	90	1835	1558	866
	F	933	615	318	191	215	361	293	68	1838	1487	835
35—	M	1042	712	330	212	272	421	307	114	2137	1704	973
	F	1012	658	354	237	220	388	290	98	1929	1712	927
40—	M	1232	828	404	269	308	571	453	118	2636	2110	1111
	F	1181	824	357	248	306	460	337	123	2369	1995	1089
45—	M	1712	1198	514	401	458	749	559	190	3850	2998	1563
	F	1370	905	465	354	461	583	433	150	2987	2553	1458
50—	M	2468	1647	821	544	623	992	745	247	5296	4188	2115
	F	1923	1289	634	460	617	761	538	223	4049	3371	2000
55—	M	3061	2058	1003	725	902	1327	964	363	7081	5630	2844
	F	2423	1583	840	615	709	1086	743	343	5115	4713	2570
60—	M	4100	2736	1364	987	1250	1723	1218	505	8632	7298	4009
	F	3215	2108	1107	836	1060	1297	846	451	6771	6051	3425
65—	M	4656	3052	1604	1206	1541	2130	1479	651	9688	8783	5110
	F	3917	2596	1321	1043	1417	1513	997	516	8364	7545	4305
70—	M	5021	3284	1737	1536	1751	2117	1454	663	9713	9203	6038
	F	4783	3149	1634	1335	1760	1804	1137	667	9776	8971	5391
75—	M	4614	2939	1675	1561	1749	1738	1143	595	7853	8094	6013
	F	4946	3220	1726	1573	1878	1802	1109	693	9268	9096	5886
80—	M	2838	1798	1040	1145	1186	1082	670	412	4557	5080	4202
	F	3670	2394	1276	1337	1628	1198	702	496	6686	6849	4627
85—	M	1611	1011	600	745	839	534	315	219	2202	2793	2750
	F	2724	1838	886	1169	1539	870	503	367	4481	5185	3905

TABLE 20—*contd.*—METROPOLITAN BOROUGH.

Age.	Sex.	London Administrative County.	City of London.	Inner and Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages	M	24336	63	5	917	666	548	1410	346	597	435	833	531	1110	786	449
	F	23511	40	1	867	533	479	1359	376	509	359	832	512	1124	738	569
Under 4 weeks	M	820	3	—	36	30	18	48	6	20	15	27	17	40	36	16
4 weeks-3 months	F	556	3	—	37	16	15	28	9	7	5	15	17	26	16	8
3-6 months	M	341	—	—	15	13	10	18	3	7	4	14	5	27	18	5
6-12 months	F	240	1	—	6	3	6	21	2	4	5	4	8	11	10	4
	M	367	1	—	12	12	8	22	3	9	10	10	9	7	18	3
	F	250	—	—	11	7	7	16	7	4	5	9	5	5	8	3
	M	391	—	—	13	11	8	22	3	13	5	10	12	13	13	7
	F	264	—	—	7	11	2	16	2	10	6	12	7	12	12	3
Total under 1 year	M	1919	4	—	76	66	44	110	15	49	34	61	43	87	85	31
	F	1310	4	—	61	37	30	81	20	25	21	40	37	54	46	18
1—	M	188	—	—	15	7	5	14	1	2	3	2	4	7	7	—
	F	177	—	—	8	11	9	6	—	5	4	5	1	6	2	1
2—	M	87	—	—	4	5	2	9	—	2	2	2	2	2	5	1
	F	76	—	—	2	4	3	3	1	1	3	6	1	2	1	—
3—	M	76	—	—	7	4	1	8	2	2	2	3	1	4	3	—
	F	59	—	—	1	3	1	3	2	3	1	2	—	3	—	—
4—	M	68	—	—	2	1	2	6	—	4	1	2	—	3	2	—
	F	70	—	—	—	5	1	7	—	—	—	4	—	2	2	—
Total under 5 years	M	2338	4	—	104	83	54	147	18	59	42	70	50	103	102	32
	F	1692	4	—	72	60	44	100	23	34	29	57	39	67	51	19
5—	M	258	1	—	8	6	6	18	1	5	4	7	7	12	16	1
	F	208	—	—	4	5	7	5	3	6	3	7	6	5	8	2
10—	M	197	—	—	9	10	6	19	5	6	1	7	4	8	7	—
	F	188	1	—	3	7	6	9	2	4	4	6	7	17	4	2
15—	M	281	1	—	11	7	10	18	4	4	6	9	9	10	12	5
	F	288	1	—	11	9	9	16	5	6	6	10	7	16	14	2
20—	M	508	1	—	17	19	10	36	5	20	7	25	14	22	16	9
	F	479	—	—	18	17	7	30	4	9	17	20	11	22	20	7
25—	M	495	1	—	22	14	8	27	8	12	10	17	9	26	26	9
	F	506	—	—	16	13	15	32	5	15	10	18	7	22	17	12
30—	M	537	—	—	21	15	11	30	6	18	5	17	20	29	9	7
	F	448	2	—	14	15	12	30	4	8	6	21	10	15	9	7
35—	M	577	1	—	13	10	16	32	8	18	7	16	12	27	24	11
	F	515	1	1	19	12	13	28	9	5	7	20	12	23	15	5
40—	M	678	—	—	26	24	16	32	5	10	15	28	16	33	26	17
	F	643	2	—	19	17	13	30	10	12	14	19	24	32	24	21
45—	M	1131	6	—	36	34	29	46	16	26	17	52	33	49	40	21
	F	849	2	—	29	21	18	54	15	21	9	26	7	31	29	33
50—	M	1602	7	—	57	35	39	93	24	43	25	58	23	89	57	24
	F	1140	5	—	39	28	21	70	19	30	11	46	23	62	38	33
55—	M	2170	7	—	73	50	59	129	26	47	43	80	48	96	60	42
	F	1581	2	—	63	20	25	91	26	35	27	58	40	87	43	38
60—	M	2666	5	1	101	73	60	134	38	65	52	87	50	106	92	44
	F	1983	4	—	73	43	40	112	31	41	34	73	37	105	60	46
65—	M	2912	7	4	121	73	48	155	47	63	68	101	59	133	78	53
	F	2577	3	—	94	55	54	138	45	44	35	93	56	113	62	62
70—	M	3052	9	—	108	87	75	175	44	76	59	92	68	147	70	64
	F	2991	3	—	96	60	66	180	60	61	37	109	61	146	85	83
75—	M	2549	7	—	94	62	53	164	43	59	38	90	58	113	83	52
	F	3022	3	—	126	72	59	145	46	66	42	107	61	175	106	83
80—	M	1590	5	—	67	50	31	104	32	44	27	54	35	63	49	29
	F	2435	2	—	91	47	51	158	42	61	42	78	56	97	78	59
85—	M	795	1	—	29	14	17	51	16	22	9	23	16	44	19	29
	F	1966	5	—	80	32	19	131	27	51	26	64	48	89	75	55

TABLE 20—*contd.*—METROPOLITAN BOROUGHES.

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages ..	M	255	1695	953	1729	1070	775	887	533	1205	551	1082	1290	268	1802	754	791
	F	165	1739	1201	1673	1144	900	701	561	1042	450	855	1103	289	1984	697	709
Under 4 weeks	M	9	59	39	54	35	31	34	11	31	14	28	44	13	60	25	21
	F	4	42	17	50	26	19	18	11	29	16	24	25	6	35	14	18
4 weeks—3 months	M	2	16	21	12	16	15	10	3	18	7	9	22	2	31	7	11
	F	2	18	14	16	10	8	6	6	8	7	13	13	3	14	4	13
3—6 months	M	6	27	28	31	5	22	9	3	22	7	23	26	3	16	4	11
	F	—	24	17	15	4	11	7	5	18	1	12	15	4	18	4	8
6—12 months	M	—	36	22	31	18	17	13	6	14	7	27	27	3	20	13	7
	F	1	20	17	16	5	17	6	5	15	8	16	14	2	14	6	2
Total under 1 year	M	17	138	110	128	74	85	66	23	85	35	87	119	21	127	49	50
	F	7	104	65	97	45	55	37	27	70	32	65	67	15	81	28	41
1—	M	1	18	6	10	8	9	2	2	11	11	12	11	4	13	2	1
	F	1	11	13	9	8	2	6	2	7	5	14	20	—	9	3	9
2—	M	—	9	—	7	5	1	4	—	—	3	6	7	—	7	—	2
	F	2	3	4	3	5	1	4	—	7	6	1	3	—	4	3	3
3—	M	—	6	4	1	2	2	4	1	3	3	5	3	—	4	—	1
	F	—	6	2	1	3	2	3	1	1	1	4	4	1	7	1	3
4—	M	—	6	4	5	6	2	1	—	1	5	2	5	—	4	3	1
	F	—	7	6	6	4	3	2	1	4	3	1	3	1	3	2	3
Total under 5 years	M	18	177	124	151	95	99	77	26	100	57	112	145	25	155	54	55
	F	10	131	90	116	65	63	52	31	89	47	85	97	17	104	37	59
5—	M	2	21	8	21	19	6	11	6	22	6	12	7	3	11	2	9
	F	2	14	7	15	8	10	12	3	11	4	7	20	1	17	3	13
10—	M	3	12	4	20	8	2	12	2	8	6	11	7	2	10	3	5
	F	—	9	4	9	9	8	7	—	9	5	8	16	1	22	2	7
15—	M	1	23	11	22	15	7	14	4	14	4	11	12	—	15	5	17
	F	—	21	8	23	7	7	11	4	11	6	17	11	4	28	7	11
20—	M	6	33	18	33	17	11	21	9	23	13	14	35	—	40	12	22
	F	2	34	14	36	23	11	26	7	18	10	16	29	5	43	10	13
25—	M	3	35	17	27	17	17	26	7	21	12	20	27	8	39	14	16
	F	3	43	17	26	34	15	16	12	24	8	17	26	5	42	14	22
30—	M	3	25	16	37	25	15	26	14	28	21	22	24	7	43	14	29
	F	2	38	19	32	32	16	11	11	24	11	12	15	10	34	12	16
35—	M	3	46	22	40	35	15	21	17	31	7	23	35	6	38	24	19
	F	5	38	30	35	19	19	15	10	29	9	19	30	7	45	11	24
40—	M	10	50	15	55	36	19	23	17	32	16	26	29	17	44	19	22
	F	5	54	26	37	37	20	20	22	29	8	24	21	11	52	22	18
45—	M	23	69	33	84	58	30	42	25	63	21	72	57	10	94	26	19
	F	4	58	45	63	39	31	24	26	40	14	34	37	11	69	35	24
50—	M	15	110	52	109	57	54	57	37	91	54	73	86	14	110	51	58
	F	10	66	55	84	46	53	34	25	40	29	40	58	18	92	30	35
55—	M	23	161	72	171	91	82	73	43	108	47	92	132	15	156	71	73
	F	10	135	67	116	66	60	43	42	73	26	50	81	21	126	58	52
60—	M	32	178	102	183	107	77	95	79	151	51	133	156	35	199	100	80
	F	22	146	89	142	70	78	66	41	83	38	73	120	20	169	68	59
65—	M	39	190	107	230	125	103	106	67	139	62	131	161	29	208	102	103
	F	17	186	147	164	125	92	95	72	145	50	95	150	30	206	72	77
70—	M	32	239	121	210	131	76	89	80	152	80	132	156	43	245	98	94
	F	28	249	160	212	132	104	104	69	113	56	116	140	36	265	87	73
75—	M	23	176	115	181	112	81	109	54	115	51	105	125	24	191	82	89
	F	16	206	154	218	162	107	80	87	118	59	107	132	37	264	96	88
80—	M	12	95	77	98	70	57	59	33	78	33	60	66	21	133	47	61
	F	12	170	131	184	156	114	57	49	101	44	86	82	30	217	72	68
85—	M	7	55	39	57	52	24	26	13	29	10	33	30	9	71	30	20
	F	17	141	138	161	114	92	28	50	85	26	49	38	25	189	61	50

TABLE 20—*contd.*—COUNTY BOROUGHES.

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages	M	424	452	395	988	5804	890	789	1194	526	690	2073	986	2214	692
	F	385	391	566	878	5419	838	888	1165	453	880	2100	1070	2291	672
Under 4 weeks	M	21	16	10	43	283	29	18	43	41	20	82	32	95	28
4 weeks—3 months	F	18	17	7	39	253	16	19	32	32	13	54	21	67	13
3—6 months	M	5	8	1	17	93	13	4	14	12	5	25	13	23	5
6—12 months	F	4	4	1	9	67	3	6	10	11	4	19	10	10	6
	M	8	6	1	12	76	6	3	7	11	2	18	6	9	3
	F	5	1	3	15	57	5	2	7	9	1	10	12	9	4
	M	9	3	2	21	121	12	4	18	21	6	28	8	29	7
	F	4	6	2	16	76	6	2	14	13	1	17	10	12	5
Total under 1 year	M	43	33	14	93	573	60	29	82	85	33	153	59	156	43
	F	31	28	13	79	453	30	29	63	65	19	100	53	98	28
1—	M	7	6	1	24	72	5	2	21	17	6	28	9	20	16
	F	5	4	—	20	60	10	2	16	14	4	30	6	24	6
2—	M	4	—	1	5	34	8	6	5	1	3	15	4	11	6
	F	3	2	2	6	35	5	4	5	9	1	15	3	9	2
3—	M	4	1	—	3	29	5	3	4	2	—	8	3	8	5
	F	—	3	2	5	28	5	3	4	5	—	12	3	11	—
4—	M	2	—	2	3	19	5	2	3	3	1	10	1	5	1
	F	2	4	3	1	21	4	1	9	5	6	10	1	13	5
Total under 5 years	M	60	40	18	128	727	83	42	115	108	43	214	76	200	71
	F	41	41	20	111	597	54	39	97	98	30	167	66	155	41
5—	M	8	11	4	20	78	15	6	13	8	3	28	13	16	6
	F	12	6	2	15	80	11	8	10	7	4	26	10	20	9
10—	M	5	2	3	14	57	9	5	14	6	5	16	8	17	8
	F	5	1	1	8	50	6	5	7	6	2	17	7	17	6
15—	M	8	11	4	11	83	8	7	20	7	4	16	5	24	9
	F	9	9	4	13	77	6	6	3	9	3	26	3	24	8
20—	M	6	15	8	22	113	20	7	25	11	8	35	17	45	12
	F	11	10	3	15	107	13	11	18	13	11	26	9	43	17
25—	M	10	13	9	26	140	14	10	13	11	13	31	10	49	14
	F	11	12	5	20	114	14	13	27	18	9	27	21	38	10
30—	M	7	8	5	27	145	15	17	36	19	13	43	17	41	18
	F	8	5	7	21	128	17	19	31	13	11	39	16	56	17
35—	M	14	9	7	32	154	22	15	37	18	11	42	17	45	18
	F	12	6	7	25	160	15	27	23	10	13	57	17	66	10
40—	M	20	9	10	24	198	36	39	46	15	17	52	21	76	22
	F	13	11	10	19	175	34	33	35	12	21	53	23	90	20
45—	M	22	26	13	56	291	44	36	63	22	38	86	45	93	34
	F	17	12	17	37	194	38	24	39	15	19	72	42	75	26
50—	M	25	38	19	72	400	48	50	64	39	44	146	56	157	41
	F	18	19	15	46	317	35	53	74	30	36	93	46	121	41
55—	M	36	44	26	82	479	61	74	87	42	49	231	82	184	61
	F	22	27	31	47	360	74	75	77	29	52	145	57	142	49
60—	M	43	42	45	112	657	96	108	130	42	68	224	86	208	78
	F	37	38	35	74	442	81	95	122	31	58	218	90	182	72
65—	M	49	48	54	98	642	125	118	160	63	76	238	121	293	86
	F	45	42	51	85	580	94	111	139	46	117	250	121	255	91
70—	M	54	55	49	95	667	136	114	156	45	94	310	135	266	112
	F	47	46	83	114	663	133	126	154	38	145	325	165	281	86
75—	M	30	43	64	96	550	88	85	134	29	91	203	147	235	60
	F	34	49	102	92	602	109	129	157	34	134	252	140	295	83
80—	M	21	27	32	49	289	51	43	57	25	70	119	82	156	35
	F	33	36	95	81	433	66	71	107	33	109	204	137	239	61
85—	M	6	11	25	24	134	19	13	24	16	43	39	48	109	7
	F	10	21	78	55	340	38	43	45	11	106	103	100	192	25

TABLE 20—*contd.*—COUNTY BOROUGH

Age.	Sex.	Burton-on-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
All Ages ..	M	349	465	163	361	265	970	1160	460	837	354	363	368	326	719	414	833	371
	F	263	432	172	352	287	872	1285	452	805	337	340	299	392	669	401	778	342
Under 4 weeks	M	18	13	5	23	12	54	57	24	46	18	18	29	4	28	18	69	14
4 weeks—3 months	F	8	12	4	13	8	29	27	17	32	11	18	13	2	20	7	39	6
3—6 months	M	4	5	1	7	4	6	13	5	9	2	8	2	2	8	3	13	5
6—12 months	F	3	3	3	4	4	10	13	3	10	1	2	7	1	7	—	11	3
	M	1	3	1	2	2	5	14	5	9	2	3	4	3	8	1	20	3
	F	2	3	2	3	5	5	6	1	1	4	4	6	1	1	—	17	3
	M	3	5	—	4	4	11	9	4	11	2	4	7	3	11	2	14	3
	F	2	3	1	6	4	8	7	6	5	—	5	3	4	2	2	15	5
Total under 1 year	M	26	26	7	36	22	76	93	38	75	24	33	42	12	55	24	116	25
	F	15	21	10	26	21	52	53	27	48	16	29	29	8	30	9	82	17
1—	M	1	2	1	7	11	9	4	8	10	3	4	6	1	5	2	11	5
	F	1	1	2	4	4	5	4	6	8	2	3	6	1	9	2	12	3
2—	M	3	3	—	5	2	7	5	4	—	1	1	6	—	5	2	10	1
	F	—	2	—	2	4	4	5	4	4	1	—	2	1	4	3	3	1
3—	M	2	4	—	1	2	7	2	—	2	2	1	6	—	1	—	3	1
	F	1	2	1	2	2	4	5	2	5	1	2	3	—	3	2	4	1
4—	M	—	3	1	3	4	5	2	2	1	2	2	1	—	4	1	8	1
	F	—	—	—	2	1	4	2	5	7	5	1	2	—	1	—	—	1
Total under 5 years	M	32	38	9	52	41	104	106	52	88	32	41	61	13	70	29	148	33
	F	17	26	13	36	32	69	69	44	72	25	35	42	10	47	16	101	23
5—	M	3	6	—	4	6	13	9	12	12	3	10	11	1	3	4	10	4
	F	2	7	2	7	4	9	16	15	10	3	7	4	2	14	1	11	1
10—	M	5	4	—	4	2	9	14	6	8	3	—	1	2	7	—	13	6
	F	2	2	1	7	1	10	7	3	7	2	4	5	—	7	2	14	1
15—	M	3	4	1	3	2	18	19	8	7	7	6	7	2	12	6	12	6
	F	5	4	1	5	2	13	10	6	11	8	4	6	—	8	7	16	3
20—	M	7	4	3	9	2	19	23	9	12	3	12	14	7	16	5	24	8
	F	5	8	2	6	5	22	20	11	15	8	5	10	6	7	4	25	7
25—	M	12	10	2	4	2	29	23	12	12	6	4	10	6	20	9	10	8
	F	5	7	1	7	3	26	22	11	14	3	9	9	1	17	3	20	9
30—	M	9	6	4	9	8	28	20	14	22	3	8	11	3	15	5	21	11
	F	12	10	3	3	8	24	27	5	21	4	13	5	4	9	11	22	7
35—	M	13	15	1	12	7	29	28	11	18	2	2	14	6	20	6	37	13
	F	2	8	4	9	7	28	40	15	15	6	8	9	6	14	7	25	15
40—	M	9	6	4	12	5	37	32	7	23	10	9	10	9	19	12	30	11
	F	7	11	5	7	9	33	30	10	16	7	7	12	9	25	6	33	11
45—	M	18	27	9	13	13	53	53	19	41	11	10	23	14	32	20	36	12
	F	9	20	4	12	10	44	47	18	29	21	11	10	10	28	17	31	13
50—	M	19	36	7	14	20	79	62	25	52	34	18	21	23	42	25	43	17
	F	10	23	4	20	17	55	63	22	54	17	17	15	19	36	18	44	22
55—	M	28	53	14	23	24	101	95	34	67	40	38	31	22	64	38	64	25
	F	27	41	13	11	15	52	72	45	48	27	25	19	19	44	21	45	23
60—	M	34	57	14	35	35	87	123	40	80	42	29	24	28	79	49	92	40
	F	19	44	16	42	23	94	97	30	80	38	24	25	32	54	34	53	27
65—	M	42	68	24	51	28	106	132	47	102	54	56	27	46	90	49	89	34
	F	21	58	18	31	42	76	134	46	73	43	33	26	51	71	47	78	46
70—	M	38	61	28	50	27	108	154	55	104	51	45	49	45	82	60	91	47
	F	38	61	23	50	30	110	139	61	96	55	32	28	50	98	56	83	37
75—	M	37	41	18	31	25	89	110	59	92	31	35	28	41	72	50	62	45
	F	31	53	24	54	29	94	166	56	112	35	52	33	72	82	59	92	35
80—	M	29	24	13	19	12	38	95	32	63	14	26	15	30	53	23	41	31
	F	32	33	14	30	30	77	159	34	78	27	30	24	50	59	51	53	27
85—	M	11	5	12	16	6	23	62	18	34	8	14	11	28	23	24	10	20
	F	19	16	24	15	20	36	167	20	54	8	24	17	51	49	41	32	35

TABLE 20—*contd.*—COUNTY BOROUGHES.

Age.	Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston-upon-Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle-upon-Tyne.	Northampton.	Norwich.	Nottingham.
1 Ages ..	M	336	604	685	421	809	485	2093	3263	1500	386	5973	5283	1013	1958	545	703	1783
	F	363	510	739	602	795	493	1819	3167	1474	386	5495	4837	839	1745	521	716	1721
Under 4 weeks	M	8	28	31	11	25	13	106	132	71	8	299	207	61	134	21	28	91
4 weeks—3 months	F	5	13	24	17	16	16	67	106	45	16	235	174	40	90	16	17	66
3—6 months	M	5	10	7	2	5	2	53	48	19	3	158	96	29	27	5	11	31
6—12 months	F	6	2	5	4	4	5	25	39	17	2	111	67	11	19	1	5	28
	M	—	7	4	2	8	1	44	31	15	4	173	75	16	34	4	3	39
	F	1	12	3	1	1	2	34	32	10	1	120	43	20	28	4	5	26
	M	2	13	8	5	3	2	49	39	22	—	190	73	37	36	5	5	45
	F	2	15	1	1	1	3	50	34	13	3	163	74	31	33	3	9	31
Total under 1 year	M	15	58	50	20	41	18	252	250	127	15	820	451	143	231	35	47	206
	F	14	42	33	23	22	26	176	211	85	22	629	358	102	170	24	36	151
1—	M	3	12	1	1	3	4	34	65	9	7	152	83	30	32	2	4	34
	F	2	10	8	4	4	1	34	36	23	5	143	86	26	36	5	7	30
2—	M	2	4	4	—	4	—	19	16	6	1	72	37	13	15	3	4	11
	F	3	2	1	1	3	4	12	20	6	1	58	28	14	24	4	2	20
3—	M	2	8	4	—	8	—	9	16	3	1	40	34	9	13	3	5	9
	F	1	2	2	—	2	1	19	12	10	1	45	25	8	11	2	—	6
4—	M	1	3	3	2	3	1	20	17	5	2	30	23	8	6	2	5	7
	F	1	1	1	1	4	1	10	10	6	1	23	24	6	11	2	2	7
Total under 5 years	M	23	85	62	23	59	23	334	364	150	26	1114	628	203	297	45	65	267
	F	21	57	45	29	35	33	251	289	130	30	898	521	156	252	37	47	214
5—	M	5	5	13	1	13	8	28	47	19	3	101	58	15	33	3	9	21
	F	6	3	11	3	16	4	30	40	18	1	91	58	18	35	5	7	17
10—	M	4	3	6	1	11	3	27	35	7	1	76	52	9	20	7	13	19
	F	2	10	5	1	7	4	29	45	8	3	72	42	16	28	1	7	15
15—	M	4	9	7	2	8	4	26	24	12	3	86	62	20	44	8	10	14
	F	6	15	7	2	7	6	31	40	16	7	108	89	22	24	6	4	31
20—	M	8	5	7	3	11	7	54	55	29	7	153	123	22	38	11	12	37
	F	10	13	8	4	22	8	40	79	29	4	128	113	29	46	6	14	39
25—	M	3	13	6	5	12	4	53	66	37	6	126	113	25	35	11	10	45
	F	10	14	6	7	19	13	35	68	45	5	139	116	25	44	11	9	51
30—	M	6	15	13	11	18	5	50	67	31	6	134	128	31	43	11	8	38
	F	5	17	20	12	13	6	45	76	42	6	137	106	22	44	14	8	48
35—	M	4	17	13	7	20	13	54	96	41	7	149	150	32	46	8	17	50
	F	9	16	22	3	17	11	56	79	38	9	152	139	14	41	9	9	53
40—	M	6	18	18	12	19	16	53	110	54	11	223	206	44	55	13	9	51
	F	11	20	26	14	24	7	66	94	36	16	146	188	28	52	14	21	40
45—	M	17	25	35	9	33	19	91	149	64	23	317	316	47	88	22	37	67
	F	8	19	24	17	29	20	82	136	52	17	211	220	38	69	13	13	62
50—	M	20	33	34	18	62	31	120	206	84	25	394	381	58	136	25	42	119
	F	23	27	43	22	48	20	88	153	84	23	273	271	38	91	28	31	67
55—	M	24	42	72	32	74	52	190	298	119	40	491	518	93	178	38	45	149
	F	26	22	50	24	49	38	100	198	106	28	373	327	53	118	32	48	107
60—	M	29	68	89	42	116	51	204	364	159	35	605	595	95	207	50	53	168
	F	35	39	78	41	77	35	159	301	131	34	452	421	55	147	46	57	139
65—	M	38	60	98	54	104	54	246	429	177	52	613	661	104	221	76	81	196
	F	20	62	87	63	125	53	171	361	151	37	544	525	81	173	56	64	159
70—	M	46	78	84	49	107	68	214	381	190	52	625	547	93	196	72	93	189
	F	45	57	105	81	113	59	204	402	179	47	592	596	88	207	68	101	198
75—	M	48	69	71	63	87	60	175	318	172	41	438	414	75	178	66	100	188
	F	39	38	102	104	101	67	199	375	172	51	575	540	65	164	69	115	228
80—	M	35	39	41	55	43	49	110	174	104	35	236	237	32	94	48	65	109
	F	48	46	63	80	60	60	143	288	151	50	379	342	52	130	66	87	156
85—	M	16	20	16	34	12	18	64	80	51	13	92	94	15	49	31	34	56
	F	39	35	37	95	33	49	90	143	86	18	225	223	39	80	40	74	97

TABLE 20—*contd.*—COUNTY BOROUGHES.

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages ..	M	1027	417	1269	1489	783	583	642	398	705	1457	3192	484	1115	769	502	740	79
	F	931	476	1279	1470	795	640	669	390	610	1277	3005	433	924	861	659	669	77
Under 4 weeks	M	37	13	67	57	51	25	31	24	50	62	144	15	45	25	21	33	3
4 weeks-3 months	F	22	13	35	35	25	25	27	24	41	59	99	18	32	15	16	31	1
3-6 months	M	12	6	21	17	13	4	8	5	18	24	32	9	11	4	3	11	
6-12 months	F	6	2	11	9	11	5	9	5	10	14	18	9	6	3	4	17	1
	M	7	2	16	16	6	5	5	2	18	24	18	6	9	4	1	14	
	F	5	—	5	12	8	2	4	7	14	14	28	3	7	2	1	7	
	M	13	2	19	15	19	4	5	7	19	29	39	9	11	2	2	24	
	F	6	3	10	10	8	5	4	6	21	18	24	5	5	6	4	17	
Total under 1 year	M	69	23	123	105	89	38	49	38	105	139	233	39	76	35	27	82	6
	F	39	18	61	66	52	37	44	42	86	105	169	35	50	26	25	72	3
1—	M	6	2	12	11	23	3	3	4	26	20	35	7	9	3	3	13	
	F	5	4	13	13	10	4	5	6	15	14	35	3	7	3	3	13	
2—	M	8	—	7	9	11	2	3	2	7	5	19	5	3	3	1	8	
	F	4	2	5	2	7	3	3	4	5	6	18	1	8	1	—	3	
3—	M	5	3	6	4	5	2	—	1	5	6	16	1	7	1	—	10	
	F	2	—	4	2	4	1	2	6	4	7	14	1	4	3	—	4	
4—	M	5	1	6	6	4	1	1	1	8	4	13	2	8	2	1	7	
	F	1	3	7	2	1	4	1	3	5	8	12	2	7	—	—	3	
Total under 5 years	M	93	29	154	135	132	46	56	46	151	174	316	54	103	44	32	120	6
	F	51	27	90	85	74	49	55	61	115	140	248	42	76	33	28	95	4
5—	M	25	5	16	32	12	9	6	8	19	24	46	10	16	12	2	12	
	F	16	3	20	19	8	8	6	5	11	22	58	4	17	7	2	17	1
10—	M	9	1	9	16	1	3	6	3	5	12	26	5	7	3	4	11	
	F	12	5	9	15	9	7	9	8	10	19	30	7	6	7	4	8	
15—	M	8	8	15	22	5	8	2	5	3	18	57	9	12	3	5	17	
	F	10	7	14	19	10	9	6	4	7	28	56	6	9	7	4	11	1
20—	M	16	7	20	37	12	8	13	8	16	39	58	8	21	19	6	21	1
	F	19	8	18	24	9	11	8	10	20	33	71	6	22	9	7	20	1
25—	M	20	8	19	30	15	17	13	10	11	35	87	12	27	9	7	20	
	F	21	14	27	37	14	10	15	8	10	34	71	9	15	8	11	24	1
30—	M	24	8	30	37	17	12	9	7	16	37	80	17	21	14	3	19	1
	F	23	4	26	28	26	15	13	12	14	27	78	6	24	15	9	21	2
35—	M	39	7	27	40	29	14	23	11	23	43	99	15	22	15	11	20	2
	F	23	6	20	34	21	9	18	11	19	25	62	13	20	11	19	19	1
40—	M	32	10	37	39	23	21	17	7	29	53	105	14	24	16	12	38	2
	F	22	9	34	46	23	17	16	9	27	47	86	18	23	23	12	25	2
45—	M	58	16	42	56	33	18	26	17	35	76	153	27	52	35	28	23	3
	F	32	26	50	61	31	16	26	19	21	45	109	19	31	32	22	30	3
50—	M	66	37	69	105	54	32	47	23	49	119	204	29	82	43	18	41	5
	F	72	20	65	80	46	31	45	25	32	64	162	30	43	39	24	38	4
55—	M	115	25	112	123	65	38	59	25	43	165	304	45	102	66	35	58	7
	F	91	18	70	99	58	40	44	20	37	97	242	28	63	56	48	37	4
60—	M	128	36	157	139	68	61	83	47	61	156	382	50	125	90	60	83	9
	F	100	43	132	124	74	54	57	33	40	103	301	32	66	69	55	52	8
65—	M	143	47	158	164	113	64	91	53	75	170	359	49	152	96	68	72	9
	F	115	41	139	168	101	68	80	36	71	148	331	55	91	98	78	55	10
70—	M	108	58	138	177	86	73	77	53	84	168	395	57	131	120	79	71	12
	F	131	73	172	203	125	82	96	35	73	183	358	55	112	115	101	73	12
75—	M	90	60	125	180	73	67	76	40	52	101	289	47	125	92	69	70	7
	F	88	47	157	178	83	92	88	49	60	129	348	53	130	131	111	76	8
80—	M	42	35	85	96	37	62	31	23	27	49	162	24	59	51	44	30	4
	F	65	62	116	139	49	64	60	25	29	84	247	31	91	121	81	40	5
85—	M	11	20	56	61	8	30	7	12	6	18	70	12	34	41	19	14	1
	F	40	63	120	111	34	58	27	20	14	49	147	19	85	80	43	28	3

TABLE 20—*contd.*—COUNTY BOROUGHES.

Age.	Sex.	Stoke-on-Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.)	Swansea.
All Ages	M	1780	1252	439	415	604	633	508	525	1551	525	602	840	335	541	1525	543	650	1026
	F	1615	1165	377	337	632	557	458	480	1363	408	575	748	386	489	1193	446	522	906
Under 4 weeks	M	91	65	22	20	20	46	27	27	49	29	33	47	10	18	70	21	22	51
4 weeks—3 months	F	75	68	16	9	18	27	22	19	40	30	29	29	12	20	50	16	18	30
3—6 months	M	44	35	8	10	8	14	11	12	15	17	8	11	5	5	18	7	11	11
6—12 months	F	22	22	—	5	3	10	6	5	15	8	12	8	5	3	9	8	12	13
	M	38	37	7	4	2	7	4	12	15	13	11	13	1	4	15	8	9	16
	F	26	18	8	2	3	6	4	15	21	7	12	5	2	7	6	6	11	12
	M	38	47	11	8	2	16	7	24	21	15	22	16	4	6	17	7	22	10
	F	42	48	3	3	5	9	6	17	15	8	12	8	1	6	14	3	8	11
Total under 1 year	M	211	184	48	42	32	83	49	75	100	74	74	87	20	33	120	43	64	88
	F	165	156	27	19	29	52	38	56	91	53	65	50	20	36	79	33	49	66
1—	M	30	43	6	3	7	15	12	17	24	10	22	20	3	7	29	13	17	11
	F	33	45	7	2	4	9	6	14	22	15	17	12	1	7	17	8	11	16
2—	M	14	10	3	1	3	5	4	2	11	2	8	14	2	3	10	5	4	5
	F	12	16	3	7	5	7	8	3	10	5	5	7	—	2	9	9	5	5
3—	M	10	17	2	1	3	5	3	8	9	4	5	5	1	1	13	2	5	6
	F	6	7	1	—	4	2	1	4	7	7	5	4	—	3	7	2	4	5
4—	M	10	7	3	2	4	3	3	4	6	6	4	1	2	4	7	5	1	5
	F	10	6	3	3	1	3	7	3	8	4	3	5	1	1	4	2	1	5
Total under 5 years	M	275	261	62	49	49	111	71	106	150	96	113	127	28	48	179	68	91	115
	F	226	230	41	31	43	73	60	80	138	84	95	78	22	49	116	54	70	97
5—	M	26	21	4	7	5	8	15	16	21	19	8	12	5	11	19	9	6	11
	F	28	22	8	5	9	11	6	19	20	12	7	13	9	6	19	4	10	5
10—	M	28	16	8	5	7	1	6	8	13	8	2	4	3	5	21	7	7	7
	F	25	15	6	6	4	4	9	5	14	7	4	11	4	4	11	13	6	5
15—	M	31	28	9	3	7	8	9	5	30	12	9	14	2	6	25	12	11	22
	F	19	21	11	2	7	10	8	15	20	6	10	12	4	4	28	14	7	13
20—	M	45	32	9	7	12	12	14	15	48	5	16	19	7	10	30	10	17	25
	F	42	28	11	4	13	17	15	15	38	9	20	16	8	10	38	14	14	28
25—	M	49	30	10	13	10	11	9	8	39	9	8	13	11	13	35	8	20	27
	F	41	32	7	6	7	8	13	12	39	7	12	18	9	8	24	13	10	19
30—	M	42	34	11	9	16	14	15	14	37	9	8	16	7	13	29	9	11	25
	F	51	28	14	8	18	10	15	13	38	14	10	16	9	12	38	13	12	34
35—	M	41	33	11	10	10	13	16	20	43	15	13	30	5	11	41	8	11	32
	F	29	46	9	7	16	13	9	16	39	10	20	16	13	11	33	11	12	25
40—	M	56	45	17	19	16	24	22	11	46	9	16	21	12	21	78	13	21	32
	F	53	41	10	11	12	20	16	20	37	14	18	26	6	22	35	15	21	32
45—	M	90	43	12	17	28	28	25	28	62	19	34	39	15	23	70	24	28	46
	F	73	41	12	17	21	19	21	18	54	14	28	30	12	16	57	17	24	46
50—	M	136	60	31	26	48	37	32	29	101	42	45	49	15	35	82	27	40	72
	F	83	41	19	36	31	27	18	25	69	15	27	36	23	23	65	18	26	45
55—	M	161	92	32	37	49	41	51	44	112	36	54	58	31	30	122	50	61	87
	F	105	49	22	27	41	35	37	29	90	20	37	49	18	27	78	33	36	58
60—	M	203	101	54	43	72	66	51	42	183	48	46	84	36	53	120	60	67	113
	F	165	91	37	30	45	47	32	36	105	43	48	61	34	45	79	47	45	61
65—	M	214	110	48	52	71	69	52	46	200	53	75	89	30	79	189	93	65	122
	F	181	107	40	26	71	48	47	36	134	35	73	75	29	52	127	56	50	88
70—	M	166	139	47	61	77	74	55	44	176	59	74	103	50	50	205	68	83	128
	F	201	114	36	45	92	74	44	38	148	36	66	90	57	57	134	52	55	119
75—	M	128	111	35	37	61	73	32	47	144	48	45	89	40	57	145	41	50	81
	F	141	131	45	41	78	71	55	44	142	36	55	102	61	74	149	50	61	120
80—	M	65	64	27	13	50	30	19	24	100	24	27	47	26	48	93	25	44	57
	F	99	80	26	23	72	44	32	35	135	31	33	65	41	40	92	13	42	63
85—	M	24	32	12	7	16	13	14	18	46	14	9	26	12	28	42	11	17	24
	F	53	48	23	12	52	26	21	24	103	15	12	34	27	29	73	9	21	48

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Bedford-shire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	853	410	450	768	710	778	362	454	2968	1097	1100	918	526	818	2010	1623
	F	882	463	486	760	692	857	395	432	3035	992	1258	990	567	760	1752	1440
Under 4 weeks	M	35	11	18	39	23	28	9	10	121	35	33	32	25	33	98	85
	F	27	12	8	26	19	21	8	6	86	31	27	23	16	31	78	53
4 weeks-3 months	M	12	4	5	7	6	8	6	2	40	15	15	9	12	9	22	22
	F	15	4	3	3	6	3	2	4	30	3	5	6	8	10	20	14
3-6 months	M	3	1	4	6	5	5	1	1	27	6	13	4	9	9	17	15
	F	6	—	1	2	5	6	1	1	21	5	4	3	5	5	14	16
6-12 months	M	5	4	2	3	6	2	6	7	34	10	9	2	6	8	25	20
	F	3	3	3	6	3	4	2	2	24	11	6	3	6	10	20	15
Total under 1 year	M	55	20	29	55	40	43	22	20	222	66	70	47	52	59	162	142
	F	51	19	15	37	33	34	13	13	161	50	42	35	35	56	132	98
1—	M	7	3	5	3	6	—	1	3	25	13	5	5	8	7	25	13
	F	5	4	1	6	6	—	3	3	40	6	3	4	4	9	19	16
2—	M	5	2	1	4	4	5	—	1	11	4	6	5	3	2	12	9
	F	—	—	—	1	2	2	—	3	11	7	6	3	8	3	8	9
3—	M	4	1	1	2	1	6	1	—	16	3	2	—	2	4	7	8
	F	2	2	1	2	1	3	—	—	8	4	1	1	4	1	4	6
4—	M	3	—	1	—	1	3	1	—	11	1	3	1	2	3	5	3
	F	2	1	3	—	1	1	—	1	8	2	1	—	2	2	4	4
Total under 5 years	M	74	26	37	64	52	57	25	24	285	87	86	58	67	75	211	175
	F	60	26	20	46	43	40	16	20	228	69	53	43	53	71	167	133
5—	M	14	3	4	7	7	6	2	4	37	12	9	9	12	15	27	22
	F	9	1	3	5	4	10	3	2	31	15	8	5	11	5	21	14
10—	M	12	4	2	3	8	7	1	3	17	14	6	6	7	8	13	19
	F	5	6	5	3	3	3	2	4	29	9	4	6	5	5	21	12
15—	M	8	3	7	10	7	9	3	1	34	14	15	10	15	15	28	24
	F	7	1	5	6	7	5	5	4	27	15	12	10	13	8	20	25
20—	M	14	11	9	7	8	17	7	8	39	22	8	18	9	15	52	35
	F	19	9	6	12	14	9	6	7	38	15	20	15	10	6	38	31
25—	M	24	10	7	17	24	14	8	6	57	20	19	23	12	15	52	32
	F	21	6	9	7	12	13	5	5	40	18	16	14	16	11	41	38
30—	M	20	2	4	12	18	12	3	6	68	23	19	17	8	12	59	29
	F	17	6	9	12	20	16	3	7	68	17	18	13	9	16	45	37
35—	M	24	4	15	23	16	14	6	10	65	28	33	17	14	15	42	35
	F	26	3	10	16	25	18	9	7	64	25	26	23	21	14	58	45
40—	M	36	7	6	13	22	24	8	12	91	34	27	30	15	17	59	64
	F	37	8	10	18	19	22	7	12	102	24	25	21	16	20	54	40
45—	M	45	15	16	31	29	17	13	16	133	53	43	35	22	30	84	49
	F	39	15	15	35	25	24	14	9	109	27	44	36	22	21	61	47
50—	M	51	17	24	39	39	35	20	27	175	51	69	42	30	40	120	95
	F	47	13	21	32	37	41	9	18	152	56	67	49	28	33	75	69
55—	M	70	25	28	65	55	58	25	28	256	87	92	47	28	56	162	102
	F	51	24	23	56	53	60	26	26	218	67	68	54	48	53	115	93
60—	M	66	30	49	80	72	87	41	33	313	97	106	72	44	79	205	158
	F	69	35	39	52	56	71	38	38	291	78	105	78	41	61	165	126
65—	M	109	62	50	68	83	100	42	52	410	124	137	98	62	82	224	188
	F	89	55	44	80	61	101	49	41	383	117	137	113	67	81	187	170
70—	M	85	51	64	105	90	99	44	55	364	148	128	153	70	97	261	195
	F	94	72	57	95	87	123	56	52	424	126	173	124	56	115	227	173
75—	M	85	63	50	92	94	97	48	71	340	127	139	120	64	115	215	196
	F	120	60	67	99	82	112	50	68	396	144	178	146	60	105	219	182
80—	M	67	45	51	75	58	71	39	47	186	103	88	106	34	82	132	139
	F	101	70	80	104	76	100	54	49	257	98	178	122	56	82	142	123
85—	M	49	32	27	57	28	54	27	51	98	53	76	57	13	50	64	66
	F	71	53	63	82	68	89	43	63	178	72	126	118	35	53	96	82

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Devonshire.		Dorsetshire.		Durham.		Ely, Isle of.		Essex.		Gloucester-shire.		Hereford-shire.		Hertford-shire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	1588	1449	871	600	3392	2456	286	200	5085	1283	667	1388	275	492	1539	597
	F	1641	1364	945	555	2897	2135	251	205	4913	1250	735	1348	289	436	1604	611
Under 4 weeks	M	48	46	31	15	197	155	11	8	203	42	19	49	7	23	63	23
4 weeks—3 months	F	20	37	35	12	147	116	7	6	176	29	18	33	10	14	25	15
3—6 months	M	11	9	5	5	43	41	9	1	72	11	4	7	3	4	12	5
6—12 months	F	12	8	2	3	43	21	1	1	47	7	4	5	1	1	14	3
	M	10	4	7	4	56	23	1	2	46	5	4	6	—	4	9	5
	F	4	7	—	3	24	31	2	1	44	9	3	3	2	1	8	2
	M	6	12	6	1	77	39	6	4	54	10	3	15	1	4	11	3
	F	4	8	1	2	62	32	2	1	59	6	3	10	1	2	13	8
Total under 1 year	M	75	71	49	25	373	258	27	15	375	68	30	77	11	35	95	36
	F	40	60	38	20	276	200	12	9	326	51	28	51	14	18	60	28
1—	M	11	8	7	2	67	46	5	6	45	10	5	12	1	2	13	7
	F	8	2	2	2	57	45	1	4	41	6	5	4	2	1	10	5
2—	M	5	3	7	—	27	20	—	—	22	8	2	2	1	1	9	7
	F	3	3	2	5	26	18	—	1	23	5	—	2	1	1	9	2
3—	M	7	4	—	1	28	17	1	1	20	2	2	4	1	1	4	5
	F	1	1	4	1	37	22	—	—	22	3	1	2	—	3	4	1
4—	M	3	2	4	1	29	13	2	—	23	2	2	—	1	1	4	1
	F	2	3	1	1	16	25	1	—	13	2	3	3	—	—	3	1
Total under 5 years	M	101	88	67	29	524	354	35	22	485	90	41	95	15	40	125	56
	F	54	69	47	29	412	310	14	14	425	67	37	62	17	23	86	37
5—	M	8	11	5	6	66	48	3	2	84	13	4	16	8	10	21	7
	F	6	8	5	7	68	56	2	3	64	17	3	14	5	3	25	8
10—	M	4	12	11	6	48	45	1	—	52	11	7	10	—	5	10	4
	F	7	5	5	7	32	50	2	3	53	11	4	8	1	4	13	5
15—	M	15	11	8	3	63	59	6	3	67	16	8	13	7	7	31	11
	F	16	8	9	5	64	33	1	1	57	10	3	12	2	7	14	11
20—	M	19	22	9	10	88	78	4	3	75	20	7	24	4	10	36	11
	F	21	24	7	5	72	57	5	3	92	20	15	21	2	8	25	7
25—	M	27	26	22	7	91	53	1	3	118	15	15	34	3	9	39	15
	F	23	23	14	7	75	60	5	7	121	20	17	25	7	6	31	8
30—	M	15	22	14	14	78	62	5	3	134	23	17	21	3	8	41	16
	F	18	23	27	10	89	53	7	8	134	18	17	20	3	13	33	10
35—	M	34	36	24	13	73	67	5	4	155	21	9	30	12	8	40	14
	F	19	25	13	13	94	65	6	4	159	21	16	32	4	14	34	18
40—	M	28	26	23	16	91	80	10	8	190	22	15	24	2	12	37	15
	F	33	38	30	8	93	51	10	7	160	17	16	41	12	10	40	18
45—	M	65	37	37	24	168	113	8	8	226	44	26	44	16	18	58	30
	F	49	44	35	17	127	95	9	10	168	31	28	40	9	16	55	24
50—	M	65	65	43	20	178	120	9	8	308	62	40	66	18	18	93	23
	F	67	75	47	19	145	104	14	9	218	59	37	83	16	17	71	33
55—	M	108	106	54	36	281	155	16	20	369	79	43	105	22	26	144	48
	F	84	71	50	25	213	153	13	14	283	75	49	71	16	22	96	39
60—	M	148	127	97	57	330	211	29	12	464	123	61	125	26	47	138	44
	F	125	95	80	34	245	199	17	14	399	93	56	104	20	29	124	51
65—	M	206	156	99	68	374	259	29	21	612	144	75	183	32	49	189	72
	F	185	138	121	57	297	186	27	13	479	137	59	132	26	45	145	66
70—	M	235	192	107	94	360	282	35	20	596	179	91	175	34	63	186	73
	F	225	180	120	81	304	259	26	27	584	145	98	179	34	62	220	72
75—	M	236	229	110	83	331	258	41	25	585	180	99	196	31	58	164	77
	F	266	197	116	93	288	210	23	23	569	198	107	219	59	71	219	83
80—	M	163	172	87	69	180	139	32	24	344	135	64	139	25	67	114	43
	F	221	158	114	71	175	128	43	27	534	166	93	163	21	47	210	70
85—	M	111	111	54	45	68	73	17	14	221	106	45	88	17	37	73	38
	F	222	183	105	67	104	66	27	18	414	145	80	122	35	39	163	51

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Huntingdon-shire.		Kent.		Lancashire.		Leicester-shire.		Lincolnshire: Parts of Holland.		Lincolnshire: Parts of Kesteven.		Lincolnshire: Parts of Lindsey.		Middlesex.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	
All Ages	M	141	195	564	1694	10198	1342	648	1015	231	340	286	404	772	802	8544	
	F	162	199	5523	1492	10143	1312	617	971	200	279	241	417	728	792	8710	
Under 4 weeks	M	1	12	215	59	409	60	28	45	11	13	11	10	42	35	416	
	F	5	12	153	39	331	44	23	28	5	12	6	19	27	26	315	
4 weeks—3 months	M	—	—	70	10	132	17	9	19	1	7	3	2	4	1	135	
	F	1	—	42	6	90	16	6	8	2	3	1	3	10	5	81	
3—6 months	M	—	2	49	9	80	4	2	8	6	3	2	3	8	2	107	
	F	2	2	36	14	64	7	4	7	—	1	2	6	5	3	84	
6—12 months	M	1	2	61	11	132	15	9	8	7	4	4	2	9	6	106	
	F	1	1	36	12	93	12	9	8	3	2	1	3	6	6	69	
Total under 1 year	M	2	16	395	89	753	96	48	80	25	27	20	17	63	44	764	
	F	9	15	267	71	578	79	42	51	10	18	10	31	48	40	549	
1—	M	2	—	37	14	105	14	5	17	4	2	2	9	7	6	79	
	F	2	2	40	14	86	8	8	11	4	3	3	5	6	2	43	
2—	M	—	1	21	4	49	8	2	8	—	4	1	4	6	4	46	
	F	—	—	25	3	59	4	2	4	1	—	2	1	5	5	36	
3—	M	—	1	17	5	44	8	3	3	—	2	2	3	2	2	32	
	F	—	1	12	5	41	3	3	5	—	—	—	1	5	2	21	
4—	M	1	1	27	2	34	7	4	4	1	—	—	—	3	2	26	
	F	—	1	14	4	39	7	6	3	—	—	—	1	2	—	22	
Total under 5 years	M	5	19	497	114	985	133	62	112	30	35	25	33	81	58	947	
	F	11	19	358	97	803	101	61	74	15	21	15	39	66	49	671	
5—	M	2	1	57	18	135	16	9	14	5	2	3	4	8	11	120	
	F	—	1	46	6	117	16	13	11	2	3	2	5	8	7	117	
10—	M	3	1	53	13	96	6	10	12	1	6	1	4	14	15	87	
	F	—	—	30	12	103	7	7	7	1	1	3	5	11	9	77	
15—	M	2	1	66	20	124	13	10	31	3	2	4	9	13	7	123	
	F	2	2	57	19	116	16	10	14	1	3	3	6	9	11	102	
20—	M	3	2	109	26	190	31	13	17	2	4	4	14	12	11	177	
	F	6	5	100	17	168	30	7	20	—	5	5	7	15	11	175	
25—	M	4	4	124	28	202	33	23	12	2	7	6	6	8	13	243	
	F	2	8	114	17	208	24	16	22	5	5	4	12	20	17	222	
30—	M	1	5	126	31	222	31	11	24	3	6	6	2	21	15	202	
	F	4	3	108	31	244	25	9	20	1	8	3	8	12	23	228	
35—	M	2	4	133	34	242	34	10	18	5	4	5	6	20	17	249	
	F	5	4	109	20	274	29	21	21	4	3	5	9	24	21	224	
40—	M	2	5	169	46	347	22	15	17	4	11	6	7	22	15	271	
	F	6	4	167	49	300	52	30	17	1	4	5	5	13	13	247	
45—	M	6	7	239	55	449	47	20	24	2	11	10	6	27	27	419	
	F	—	4	189	57	402	65	20	33	3	14	7	16	26	28	347	
50—	M	10	6	317	71	639	71	26	57	14	12	18	17	51	30	539	
	F	5	6	275	63	532	68	23	49	8	18	8	19	40	40	431	
55—	M	8	7	414	88	876	83	43	62	23	19	22	20	64	40	694	
	F	9	10	331	99	787	85	45	54	15	16	15	18	55	48	566	
60—	M	16	18	592	135	1140	134	84	87	26	26	33	33	73	65	870	
	F	15	16	439	99	1023	119	40	76	14	22	16	37	66	63	744	
65—	M	16	22	648	235	1343	175	72	108	15	34	30	46	86	77	959	
	F	18	15	543	157	1258	144	67	96	24	31	31	47	55	66	813	
70—	M	27	28	736	248	1377	182	89	135	29	45	47	57	90	114	936	
	F	14	30	719	188	1380	166	73	125	22	23	31	41	71	94	1102	
75—	M	14	25	627	237	1044	179	83	146	28	46	32	60	88	131	830	
	F	37	26	758	228	1187	172	81	126	41	35	34	63	97	122	1032	
80—	M	11	26	455	176	577	113	34	79	23	39	20	50	58	91	545	
	F	12	26	633	173	795	118	59	114	26	32	32	46	70	84	880	
85—	M	9	14	279	119	210	39	34	60	16	31	14	30	36	65	333	
	F	16	20	547	160	446	75	35	92	17	35	22	34	70	86	732	

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Norfolk.		Northamptonshire.		Northumberland.		Nottinghamshire.		Oxfordshire.		Peterborough, Soke of.		Rutlandshire.		Shropshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	419	1590	650	769	1930	614	1601	791	223	568	265	43	20	87	716	831
	F	428	1556	561	727	1646	552	1550	759	206	586	232	48	14	82	732	737
Under 4 weeks	M	14	63	30	34	114	29	89	37	10	18	17	5	—	6	24	37
	F	11	35	16	18	81	27	72	30	2	11	7	—	—	1	15	36
4 weeks—3 months	M	4	20	2	11	38	6	31	8	3	3	5	—	—	—	6	7
	F	3	4	6	8	25	1	18	9	1	4	3	1	—	—	4	4
3—6 months	M	3	6	4	2	30	3	22	4	1	2	—	1	—	1	1	6
	F	1	6	1	1	22	5	15	5	1	2	2	—	—	1	4	1
6—12 months	M	3	19	4	4	32	3	27	5	—	7	4	—	—	—	4	6
	F	1	10	3	2	27	4	18	8	2	8	—	—	—	1	7	3
Total under 1 year	M	24	108	40	51	214	41	169	54	14	30	26	6	—	7	35	56
	F	16	55	26	29	155	37	123	52	6	25	12	1	—	3	30	44
1—	M	2	9	4	2	32	5	24	5	2	4	—	2	—	—	5	9
	F	2	11	8	5	26	3	14	7	1	2	1	—	—	—	6	4
2—	M	3	5	1	1	14	5	9	5	2	2	3	—	—	—	4	2
	F	2	7	2	4	16	1	8	4	1	1	1	—	—	1	2	2
3—	M	—	4	1	3	15	3	7	2	2	1	2	—	—	1	2	1
	F	2	1	1	—	7	—	9	1	1	2	—	—	—	1	1	—
4—	M	2	7	2	1	9	—	4	4	1	1	2	—	—	—	5	1
	F	3	1	4	2	8	3	3	2	—	1	1	—	—	—	1	5
Total under 5 years	M	31	133	48	58	284	54	213	70	21	38	33	8	—	8	51	69
	F	25	75	41	40	212	44	157	66	9	31	15	1	—	5	40	55
5—	M	4	20	10	6	35	6	18	13	—	3	4	—	—	—	15	7
	F	5	14	12	6	22	3	17	12	1	6	1	1	—	—	9	7
10—	M	1	16	5	6	24	6	17	8	2	1	1	—	—	1	3	12
	F	7	13	6	4	20	6	14	6	—	5	2	—	—	2	9	10
15—	M	3	17	14	10	38	9	21	12	4	10	3	—	—	—	4	10
	F	5	9	9	10	34	8	37	11	—	3	3	—	—	1	6	9
20—	M	9	29	12	20	42	15	43	15	7	9	5	1	—	—	16	13
	F	4	20	10	17	28	10	34	9	4	8	1	1	—	—	10	7
25—	M	6	27	16	18	36	11	32	21	5	13	3	2	—	1	14	12
	F	1	22	16	16	44	11	35	15	1	5	2	2	—	—	7	15
30—	M	2	17	17	18	50	9	43	18	4	11	5	—	1	2	15	12
	F	6	29	11	10	35	17	39	20	2	9	2	—	—	1	13	22
35—	M	6	26	14	16	48	14	45	25	4	13	7	1	—	2	17	23
	F	14	30	16	15	34	12	44	17	2	14	2	—	—	1	16	15
40—	M	12	35	13	17	58	14	48	20	4	11	9	1	—	3	18	18
	F	5	40	18	9	41	12	44	32	7	15	5	2	1	1	20	22
45—	M	16	56	23	14	88	22	67	30	8	21	8	1	—	1	28	27
	F	26	49	22	21	66	19	65	28	8	24	11	1	—	1	23	25
50—	M	23	55	30	48	97	38	100	42	10	25	20	3	—	2	35	32
	F	15	61	25	25	92	28	85	40	9	26	8	2	—	3	30	22
55—	M	27	80	40	45	145	34	114	47	14	30	12	3	2	3	56	49
	F	18	63	34	31	128	46	117	45	7	39	12	1	1	4	35	39
60—	M	38	127	64	75	171	61	148	63	26	37	22	1	—	11	71	68
	F	34	103	44	53	136	55	126	56	24	44	21	4	2	5	58	57
65—	M	53	158	75	93	219	69	184	78	19	67	28	3	2	8	83	97
	F	45	133	57	73	183	50	131	69	21	43	28	4	2	7	90	71
70—	M	56	248	84	106	212	82	176	102	29	85	31	3	3	15	97	117
	F	47	203	82	101	188	68	175	101	32	86	31	5	5	14	110	92
75—	M	55	244	92	101	194	84	180	103	32	79	32	9	7	17	98	132
	F	59	244	70	116	185	85	204	105	30	88	30	12	2	14	106	113
80—	M	44	175	60	72	125	62	102	67	22	70	27	4	2	8	57	84
	F	61	224	55	102	119	48	132	60	27	74	33	5	1	12	81	87
85—	M	33	127	33	46	64	24	50	57	12	45	15	3	3	5	38	49
	F	51	224	33	78	79	30	94	67	22	66	25	7	—	11	69	69

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Somerset-shire.		Southamp-ton.		Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	1084	1329	1513	1169	3268	1016	561	777	253	428	4310	630	950	858	756	716
	F	1185	1298	1435	1113	2900	902	557	686	265	411	4633	576	1125	851	949	615
Under 4 weeks	M	34	45	62	37	191	46	21	24	8	15	171	19	26	23	23	32
	F	27	26	41	40	128	33	9	12	6	12	141	15	18	15	21	12
4 weeks—3 months	M	6	4	8	7	56	19	5	3	2	4	47	4	5	8	5	8
	F	5	8	11	11	40	6	2	3	—	1	28	4	9	5	3	6
3—6 months	M	6	6	13	11	56	11	2	3	2	1	39	6	12	7	4	7
	F	1	7	1	5	50	9	3	6	1	1	28	1	4	1	3	3
6—12 months	M	8	12	18	10	73	16	5	4	1	4	35	3	2	4	3	4
	F	3	7	10	9	64	10	2	3	1	—	43	8	4	3	4	4
Total under 1 year	M	54	67	101	65	376	92	33	34	13	24	292	32	45	42	35	51
	F	36	48	63	65	282	58	16	24	8	14	240	28	35	24	31	25
1—	M	5	9	6	8	65	13	5	5	2	2	30	5	6	4	2	3
	F	5	6	9	8	70	9	5	6	1	2	28	3	1	9	3	4
2—	M	4	1	6	4	38	5	7	4	2	—	19	7	1	4	—	1
	F	7	9	6	2	28	6	3	2	3	1	13	2	1	—	1	1
3—	M	2	4	5	—	24	5	3	2	—	1	13	2	2	—	2	3
	F	5	2	2	5	21	3	2	2	2	—	15	2	—	2	1	2
4—	M	2	2	5	1	15	3	1	—	—	2	17	—	3	1	1	2
	F	3	2	5	2	12	1	3	1	1	—	9	—	4	1	2	2
Total under 5 years	M	67	83	123	78	518	118	49	45	17	29	371	46	57	51	40	60
	F	56	67	85	82	413	77	29	35	15	17	305	35	41	36	38	34
5—	M	9	14	33	9	46	15	4	4	5	1	68	4	9	10	4	3
	F	9	3	12	6	40	15	4	4	4	5	43	4	5	8	1	3
10—	M	7	8	13	12	24	11	5	6	3	4	29	11	8	7	6	7
	F	4	8	9	7	42	9	2	3	1	2	28	3	4	5	10	7
15—	M	8	11	23	13	66	20	5	16	2	2	51	6	9	12	5	8
	F	10	11	15	6	70	12	9	7	3	4	42	8	4	6	5	6
20—	M	18	29	40	32	68	24	13	12	2	6	95	9	12	13	7	8
	F	9	23	22	15	76	17	10	7	2	2	88	7	14	9	15	5
25—	M	18	15	32	32	83	14	6	10	5	4	100	11	12	15	17	11
	F	18	22	22	24	67	19	5	6	4	13	89	10	16	13	14	8
30—	M	16	26	33	21	79	22	7	11	3	5	102	10	15	18	11	10
	F	8	24	35	16	71	20	6	12	1	7	120	13	16	14	15	8
35—	M	18	26	37	22	94	26	5	12	5	10	96	5	20	14	14	21
	F	24	15	22	29	83	15	11	16	4	6	121	11	16	10	13	11
40—	M	32	31	40	24	106	20	14	18	10	7	125	15	25	22	27	17
	F	29	32	45	32	84	29	9	18	7	5	112	10	27	16	17	18
45—	M	44	35	48	50	150	40	20	26	4	16	187	25	33	36	23	18
	F	39	37	52	29	88	28	19	17	11	14	192	17	25	26	36	24
50—	M	59	66	83	56	185	53	26	30	18	17	261	34	54	46	33	44
	F	50	77	77	40	118	38	24	16	9	14	243	23	57	49	52	26
55—	M	83	84	108	73	200	51	40	42	11	25	351	52	63	49	59	48
	F	74	58	76	69	185	61	34	36	13	19	276	36	72	50	54	42
60—	M	91	145	144	105	342	92	59	68	15	28	390	48	96	75	77	59
	F	104	113	104	91	243	79	41	49	21	25	365	53	100	80	77	47
65—	M	146	162	156	111	328	120	66	78	35	51	507	75	109	105	106	81
	F	133	142	137	128	273	88	59	74	27	43	437	61	118	99	95	71
70—	M	162	192	195	154	390	126	67	123	36	60	551	96	145	121	112	97
	F	159	170	182	137	330	119	74	103	38	55	545	82	145	102	147	78
75—	M	147	197	190	174	323	133	74	129	44	64	467	74	115	119	103	96
	F	168	185	204	159	340	123	105	112	44	64	633	85	181	122	140	90
80—	M	90	118	124	114	175	81	65	91	23	54	349	60	101	88	67	76
	F	143	172	182	116	224	88	53	95	29	70	523	73	163	111	111	64
85—	M	69	87	91	89	91	50	36	56	15	45	210	49	67	57	45	52
	F	148	139	154	127	153	65	63	76	32	46	471	45	121	95	109	73

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Warwick-shire.		Westmor-land.		Wight, Isle of.		Wiltshire.		Worcester-shire.		Yorkshire, East Riding.		Yorkshire, North Riding.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	1309	818	204	234	429	107	850	888	1295	619	485	589	1264	905
	F	1242	725	225	234	467	100	793	808	1319	574	490	526	1245	867
Under 4 weeks	M	59	41	5	8	12	2	36	34	65	19	18	27	74	54
	F	25	25	6	14	8	3	23	22	53	17	11	19	53	29
4 weeks—3 months	M	8	15	2	3	1	—	4	6	16	4	3	11	16	18
	F	7	8	—	2	2	—	2	3	11	3	2	5	16	7
3—6 months	M	11	7	—	1	1	1	5	9	13	6	2	4	18	7
	F	9	4	2	—	2	—	2	2	6	—	4	3	9	6
6—12 months	M	15	6	—	1	5	—	7	7	16	2	5	5	19	8
	F	15	4	1	—	1	—	3	4	15	3	3	7	17	3
Total under 1 year	M	93	69	7	13	19	3	52	56	110	31	28	47	127	87
	F	56	41	9	16	13	3	30	31	85	23	20	34	95	45
1—	M	23	11	2	2	5	—	6	7	11	5	3	8	15	5
	F	10	7	1	2	3	—	6	4	14	2	1	4	17	4
2—	M	3	5	2	—	—	—	3	3	12	2	3	4	11	5
	F	4	2	1	—	3	—	1	3	6	1	—	4	8	4
3—	M	4	5	—	—	1	1	1	3	4	3	2	1	3	2
	F	6	2	1	—	—	—	5	1	7	1	1	—	7	3
4—	M	5	2	—	1	2	—	3	2	3	—	4	2	5	1
	F	2	3	—	1	—	—	4	1	6	—	4	1	4	2
Total under 5 years	M	128	92	11	16	27	4	65	71	140	41	40	62	161	100
	F	78	55	12	19	19	3	46	40	118	27	26	43	131	58
5—	M	27	16	2	2	2	2	11	5	39	6	3	6	22	13
	F	18	7	2	4	1	—	11	9	25	5	4	9	21	14
10—	M	14	17	—	2	2	3	4	4	19	11	2	8	7	7
	F	10	8	1	—	1	1	6	5	22	4	2	2	7	7
15—	M	16	13	1	5	4	—	8	12	20	7	3	10	22	14
	F	12	10	3	2	1	—	9	4	20	5	3	7	24	11
20—	M	20	21	4	7	7	3	12	19	28	12	10	13	17	14
	F	21	7	3	3	5	—	6	8	26	8	10	7	23	16
25—	M	40	18	3	3	5	3	16	23	27	13	8	8	21	20
	F	25	18	3	4	6	2	11	15	27	7	9	9	30	19
30—	M	27	12	4	3	8	—	15	15	33	12	12	12	35	14
	F	35	19	3	3	2	2	16	14	35	10	8	9	26	18
35—	M	28	23	4	4	5	1	12	19	35	15	8	14	27	18
	F	27	11	9	4	11	4	16	12	33	12	9	12	33	15
40—	M	43	29	8	2	12	3	18	18	38	24	10	9	36	15
	F	41	26	4	9	13	3	19	21	38	14	11	12	34	16
45—	M	43	24	11	8	12	4	41	22	50	15	20	16	44	29
	F	41	21	10	7	6	7	34	42	47	23	13	18	38	24
50—	M	82	29	11	8	27	4	43	38	69	32	28	24	66	30
	F	52	32	5	9	23	8	37	31	57	23	22	29	54	43
55—	M	97	55	13	12	25	9	60	56	87	39	36	28	103	41
	F	72	42	8	14	39	7	53	50	67	37	34	21	87	48
60—	M	127	75	20	19	44	12	75	81	124	47	50	49	108	83
	F	101	46	20	15	29	8	58	67	97	54	30	42	105	75
65—	M	141	89	23	31	50	15	106	102	147	67	62	68	159	99
	F	131	72	25	27	55	11	73	81	118	63	60	52	117	84
70—	M	180	88	28	39	76	11	116	125	163	91	54	95	159	131
	F	128	94	32	33	63	11	107	110	152	79	64	68	159	101
75—	M	136	95	23	35	52	13	118	131	149	81	75	79	140	127
	F	178	85	39	24	73	12	111	100	198	59	90	72	161	133
80—	M	110	77	28	24	41	9	80	73	85	60	36	49	78	76
	F	145	90	35	24	57	14	94	93	137	71	57	52	107	109
85—	M	50	45	10	14	30	11	50	74	42	46	28	39	59	74
	F	127	82	11	33	63	7	86	106	102	73	38	62	88	76

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknock- shire.		Caernarvon- shire.		Cardigan- shire.		Carmarthen- shire.		Denbigh- shire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	6907	2427	142	238	115	278	436	450	117	319	470	672	479	665
	F	6683	2246	147	253	99	213	502	462	132	302	438	635	463	545
Under	M	334	130	11	7	1	11	23	20	—	11	22	34	21	28
4 weeks	F	205	119	6	5	3	7	15	16	5	5	22	30	19	16
4 weeks—3	M	72	37	5	6	1	2	1	3	—	2	6	10	9	13
months	F	56	21	1	2	—	3	—	5	—	3	6	9	4	—
3—6	M	61	31	2	2	1	3	7	6	—	4	4	6	3	7
months	F	51	19	1	3	—	—	2	3	1	—	4	2	3	8
6—12	M	77	36	1	3	—	6	1	5	1	1	2	8	6	9
months	F	57	24	1	3	1	—	3	5	—	2	4	5	3	4
Total under	M	544	234	19	18	3	22	32	34	1	18	34	58	39	57
1 year	F	369	183	9	13	4	10	20	29	6	10	36	46	29	28
1—	M	78	37	—	—	—	3	1	2	1	—	6	8	4	6
	F	72	30	2	—	2	1	1	2	1	5	8	9	2	6
2—	M	35	20	—	1	1	—	1	3	—	—	—	2	1	2
	F	38	12	2	2	—	1	4	1	—	1	1	—	—	3
3—	M	34	17	—	—	—	—	1	1	—	1	—	2	1	5
	F	29	13	1	—	1	1	—	1	—	1	—	4	1	4
4—	M	41	14	—	—	—	2	1	1	—	—	5	2	2	2
	F	28	8	—	—	1	—	2	—	—	—	1	2	1	3
Total under	M	732	322	19	19	4	27	36	41	2	19	45	72	47	72
5 years	F	536	246	14	15	8	13	27	33	7	17	46	61	33	44
5—	M	101	45	1	1	2	2	4	4	—	4	4	8	10	8
	F	110	31	1	1	3	8	5	2	—	1	6	6	5	14
10—	M	75	35	1	—	1	2	1	3	1	2	4	4	5	7
	F	66	29	2	—	1	—	4	3	2	3	4	8	6	4
15—	M	111	54	3	2	—	4	5	7	1	2	11	14	2	12
	F	78	26	2	4	2	7	5	4	1	4	9	12	5	5
20—	M	100	66	2	8	2	5	5	9	5	6	16	12	13	18
	F	137	32	1	4	2	4	13	8	1	6	14	18	5	12
25—	M	144	39	8	5	4	8	8	8	3	6	21	13	4	14
	F	128	57	5	6	3	6	12	4	2	9	16	22	6	15
30—	M	137	68	1	3	2	4	6	6	3	4	8	30	6	14
	F	125	58	2	6	1	3	10	3	2	3	9	12	9	8
35—	M	159	57	4	7	1	5	7	7	2	5	10	11	10	13
	F	169	81	3	8	1	8	14	14	—	2	14	15	9	13
40—	M	173	68	3	6	8	9	11	11	5	6	22	20	10	19
	F	189	68	6	2	1	4	11	17	4	10	14	19	14	13
45—	M	281	85	7	4	4	10	19	7	6	15	27	36	18	22
	F	259	92	3	5	3	4	16	14	5	12	17	30	14	20
50—	M	430	126	12	10	5	13	34	20	6	9	32	35	22	29
	F	330	122	5	11	3	9	22	22	2	13	18	31	22	38
55—	M	633	179	9	15	8	16	30	41	10	15	46	53	34	54
	F	468	152	9	14	4	14	38	29	8	14	33	44	32	43
60—	M	740	213	12	25	12	22	63	48	17	23	38	76	49	65
	F	613	201	14	26	10	15	48	55	13	14	36	63	39	51
65—	M	855	254	13	27	15	32	51	63	17	40	51	75	68	84
	F	784	215	18	27	11	29	46	48	21	33	31	63	52	51
70—	M	888	280	20	29	19	42	62	67	13	53	50	79	67	93
	F	892	267	19	35	13	21	71	55	26	51	65	75	67	66
75—	M	722	281	14	41	13	41	38	49	11	44	48	71	63	78
	F	878	257	21	44	9	29	63	67	15	48	52	70	68	74
80—	M	451	160	6	24	11	21	38	40	8	47	28	38	30	45
	F	580	182	8	23	7	22	57	56	11	34	30	49	45	38
85—	M	175	95	7	12	4	15	18	19	7	19	9	25	21	18
	F	341	130	14	22	17	17	40	28	12	28	24	37	32	36

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Flintshire.		Glamorgan-shire.		Merioneth-shire.		Monmouth-shire.		Montgomery-shire.		Pembroke-shire.		Radnorshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	353	383	3768	1055	165	172	1791	279	127	201	269	318	40	93
	F	377	377	3171	906	147	156	1437	254	148	193	226	318	31	97
Under 4 weeks	M	14	19	186	50	11	4	89	10	7	5	13	11	2	7
4 weeks—3 months	F	12	11	144	36	5	3	78	13	3	8	7	13	2	1
	M	7	6	64	13	3	2	27	3	2	1	6	4	1	—
3—6 months	F	8	4	35	11	1	—	16	—	—	2	1	1	—	1
	M	1	3	41	9	1	2	15	—	—	—	3	5	—	—
6—12 months	F	4	4	29	11	—	2	12	2	—	2	1	1	—	1
	M	2	2	54	16	1	1	27	6	1	2	1	2	—	1
	F	1	5	57	12	2	1	24	2	1	1	3	3	—	2
Total under 1 year	M	24	30	345	88	16	9	158	19	10	8	23	22	3	8
	F	25	24	265	70	8	6	130	17	4	13	12	18	2	5
1—	M	2	1	51	12	1	2	29	5	3	—	—	6	—	—
	F	3	5	53	20	—	2	20	6	2	—	—	1	—	1
2—	M	3	3	30	7	2	—	16	2	2	2	—	4	—	—
	F	—	2	21	9	—	—	18	1	—	—	3	2	—	—
3—	M	2	—	16	1	—	1	11	—	—	—	1	—	—	—
	F	2	—	11	4	—	1	9	—	2	—	1	1	—	—
4—	M	2	2	19	5	—	—	14	1	—	—	2	1	—	—
	F	—	1	14	2	1	1	8	—	—	1	1	3	—	—
Total under 5 years	M	33	36	461	113	19	12	228	27	15	10	26	33	3	8
	F	30	32	364	105	9	10	185	24	8	14	17	25	2	6
5—	M	4	5	63	13	—	3	26	3	2	1	2	1	—	1
	F	5	8	57	12	1	—	27	3	1	2	8	1	1	1
10—	M	5	5	42	22	—	—	25	3	—	—	7	1	—	1
	F	1	3	45	10	1	2	23	6	3	3	5	6	—	—
15—	M	4	2	92	24	2	1	40	1	—	2	3	5	—	—
	F	5	5	88	24	—	3	33	3	1	3	3	4	1	—
20—	M	5	10	75	28	4	6	44	7	2	7	6	9	—	—
	F	2	7	108	37	1	2	52	4	1	1	5	2	—	1
25—	M	4	5	92	29	—	2	46	3	1	7	7	8	1	1
	F	11	14	99	21	5	3	50	4	4	4	1	5	—	—
30—	M	9	5	89	29	5	6	47	8	1	3	5	10	—	3
	F	2	5	94	27	2	3	44	6	1	1	3	5	—	3
35—	M	12	11	116	32	4	4	34	6	4	3	9	8	3	1
	F	4	6	91	30	4	2	49	1	4	6	2	5	—	2
40—	M	5	8	141	37	3	6	62	10	4	4	7	7	2	1
	F	11	11	117	30	2	3	41	8	3	4	3	6	—	3
45—	M	21	18	162	50	7	7	87	15	4	9	14	7	1	4
	F	9	11	134	29	4	4	64	8	2	6	8	14	2	1
50—	M	23	18	243	67	9	8	117	12	8	6	15	15	1	2
	F	20	18	182	59	9	5	64	18	4	4	13	10	1	4
55—	M	40	21	287	79	20	12	136	19	4	8	27	15	1	7
	F	39	39	254	75	12	7	97	17	10	12	10	19	4	4
60—	M	35	44	402	112	23	17	179	17	11	16	22	26	4	5
	F	43	27	277	68	9	21	120	25	12	17	20	32	4	6
65—	M	49	51	485	111	18	18	214	27	26	28	33	42	7	16
	F	44	41	318	70	12	16	128	26	21	21	21	32	3	9
70—	M	40	50	430	109	13	21	199	42	13	26	31	45	7	13
	F	52	35	338	94	22	23	144	27	21	31	35	41	4	13
75—	M	30	53	341	94	21	25	183	35	16	28	27	39	6	12
	F	36	57	286	115	26	27	138	30	23	32	28	45	4	15
80—	M	19	25	167	67	10	18	92	27	10	30	20	32	1	9
	F	40	37	204	55	12	15	101	24	15	23	26	33	5	18
85—	M	15	16	80	39	7	6	32	17	6	13	8	15	3	9
	F	23	21	115	45	16	10	77	20	14	9	18	33	—	11

TABLE 21. CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1935—England and Wales.

NOTE.—The sequence of causes of death followed in this table is that of the full detailed International List of Causes of Death (Fourth revision, 1929). The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6. Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus **5**, Undulant fever 15, 20, 45, 60, 65, 70, denotes that the deaths of five males in age-groups 15-20, 20-25, 45-50, 60-65, and 65-70 and two females in age-groups 65-70 and 70-75 are assigned to this cause. A dash (—) indicates that no deaths are assigned.

Causes of Death.	All Causes.		I. 1-44 Infectious and Parasitic Diseases.		1 and 2 Typhoid and paratyphoid fevers.		1 Typhoid fever.		2 Paratyphoid fevers.		3, 4, 5* 6 Small-pox.		7 Measles.		8 Scarlet fever.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	243458	233943	26809	22025	85	89	73	76	12	13	—	—	697	649	263	310
0—	19654	14438	1227	1116	1	—	1	—	—	—	—	—	165	122	10	12
1—	6095	5414	2331	2264	1	2	—	2	1	—	—	—	447	441	100	113
5—	3226	2879	1362	1394	6	1	5	1	1	—	—	—	70	70	65	80
10—	2322	2189	635	771	2	4	2	4	—	—	—	—	3	5	28	26
15—	3323	3054	1085	1499	5	7	5	5	—	2	—	—	4	3	14	15
20—	4862	4509	1873	2268	7	8	7	8	—	—	—	—	2	1	9	9
25—	5113	4909	1953	1981	9	7	7	6	2	1	—	—	1	—	8	14
30—	5265	5132	1804	1593	6	6	5	6	1	—	—	—	1	1	5	6
35—	5938	5641	1798	1338	5	7	5	7	—	—	—	—	1	2	9	7
40—	7181	6675	1839	1159	6	7	6	7	—	—	—	—	1	—	2	6
45—	10481	8640	2095	983	12	9	10	7	2	2	—	—	—	2	6	5
50—	14434	11571	2179	991	7	4	6	4	1	—	—	—	—	1	2	6
55—	19301	15219	2014	952	11	6	9	6	2	—	—	—	—	—	3	4
60—	24633	19867	1689	941	3	7	2	5	1	2	—	—	1	—	1	2
65—	28748	24685	1266	835	3	4	2	3	1	1	—	—	—	1	—	1
70—	30278	29511	790	720	—	7	—	3	—	4	—	—	—	—	—	3
75—	26503	29658	505	625	1	3	1	2	—	1	—	—	—	—	—	1
80—	26101	39952	364	595	—	—	—	—	—	—	—	—	1	—	1	—

* 3, Typhus fever —; 4, Relapsing fever ("Spirillum obermeieri") —; 5, Undulant fever 15, 20, 45, 60, 65, 65, 70.

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With respiratory complications.		11 (a) (1) With pneumonic complications.		11 (a) (2) With other respiratory complications.		11 (b) Without respiratory complications.		11 (b) (1) With non-respiratory complications.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	689	895	1715	1773	3758	3624	2612	2305	1929	1496	683	809	1146	1319	869	991
0—	365	447	44	26	110	95	67	57	49	47	18	10	43	38	33	30
1—	289	407	644	560	86	84	43	47	33	42	10	5	43	37	40	32
5—	29	38	756	797	42	33	20	16	17	13	3	3	22	17	19	14
10—	1	1	202	227	37	36	23	25	19	22	4	3	14	11	13	11
15—	—	—	27	43	79	55	56	37	51	30	5	7	23	18	16	16
20—	—	—	9	20	82	61	52	39	47	35	5	4	30	22	26	19
25—	—	—	8	12	106	69	77	52	70	44	7	8	29	17	22	15
30—	1	—	3	11	129	88	103	65	90	55	13	10	26	23	20	23
35—	1	—	2	6	161	152	129	105	114	87	15	18	32	47	24	40
40—	—	1	2	12	208	160	163	122	145	101	18	21	45	38	39	31
45—	1	—	3	8	299	175	242	116	215	85	27	31	57	59	42	45
50—	1	—	5	16	315	204	251	130	187	91	64	39	64	74	55	62
55—	—	—	4	11	356	276	252	190	179	127	73	63	104	86	86	74
60—	—	—	5	10	412	358	293	239	211	170	82	69	119	119	98	89
65—	—	1	1	8	397	394	269	248	188	146	81	102	128	146	102	112
70—	—	—	—	3	355	447	228	255	144	155	84	100	127	192	87	143
75—	1	—	—	3	302	440	186	274	103	134	83	140	116	166	80	119
80—	—	—	—	—	282	497	158	288	67	112	91	176	124	209	67	116

TABLE 21—*contd.*

Causes of Death.	11 (b) (2) Without stated complications.		12*		(a) Amoebic.		13 (b) Bacillary.		13 (c) Other or unspecified.		14*		16 Acute poliomyelitis.		16 (1) Acute poliomyelitis	
			13 Dysentery.								15 Erysipelas.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	277	328	65	51	10	—	36	31	19	20	579	481	73	72	51	46
0—	10	8	5	6	—	—	3	6	2	—	74	62	2	2	2	2
1—	3	5	5	4	—	—	5	3	—	1	10	22	19	25	8	12
5—	3	3	—	3	—	—	—	2	—	1	3	3	12	12	11	7
10—	1	—	2	2	—	—	2	1	—	1	3	1	10	14	7	12
15—	7	2	1	1	—	—	1	1	—	—	4	2	10	7	9	5
20—	4	3	1	3	—	—	—	2	1	1	4	7	4	1	3	—
25—	7	2	2	1	—	—	2	1	—	—	10	10	4	1	3	1
30—	6	—	3	2	1	—	1	1	1	1	7	13	2	2	2	1
35—	8	7	6	3	3	—	—	1	3	2	22	13	3	2	1	2
40—	6	7	6	3	1	—	4	1	1	2	22	17	1	2	1	2
45—	15	14	7	3	3	—	2	2	2	1	34	21	3	—	1	—
50—	9	12	7	2	—	—	4	1	3	1	46	27	—	1	—	—
55—	18	12	2	7	—	—	2	3	—	4	42	25	1	—	1	—
60—	21	30	8	4	1	—	5	2	2	2	71	48	1	2	1	2
65—	26	34	5	2	1	—	1	2	3	—	71	52	1	1	1	—
70—	40	49	3	3	—	—	3	—	—	3	66	51	—	—	—	—
75—	36	47	2	2	—	—	1	2	1	—	54	54	—	—	—	—
80—	57	93	—	—	—	—	—	—	—	—	36	53	—	—	—	—

* 12, Cholera —; 14, Plague —.

Causes of Death.	16 (2) Acute poli- encephalitis.		17 Encephalitis lethargica.		18 Cerebro- spinal fever.		19*		21*		Tuberculosis.					
							20 Anthrax.		22 Tetanus.		23-32 All forms.		23 Respiratory system.		24 Central nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	22	26	350	372	349	268	8	—	100	28	16543	12658	14081	10522	988	859
0—	—	—	2	—	94	69	—	—	1	2	192	143	25	23	101	81
1—	11	13	9	2	77	77	—	—	3	3	584	486	58	75	373	294
5—	1	5	9	7	28	28	—	—	9	3	298	287	55	49	157	157
10—	3	2	8	10	32	23	—	—	11	2	261	392	85	215	90	100
15—	1	2	19	11	20	17	—	—	6	1	859	1313	624	1110	88	81
20—	1	1	21	18	26	11	1	—	8	4	1666	2103	1459	1919	58	49
25—	1	—	27	26	18	5	1	—	9	—	1724	1814	1541	1676	37	35
30—	—	1	26	36	12	6	—	—	5	4	1559	1393	1424	1279	33	21
35—	2	—	15	31	8	8	1	—	6	2	1496	1065	1389	963	19	18
40—	—	—	24	30	10	2	—	—	7	2	1477	871	1387	787	9	5
45—	2	—	37	39	12	8	2	—	2	—	1532	657	1447	595	11	7
50—	—	1	38	38	4	6	2	—	6	1	1547	623	1471	551	2	3
55—	—	—	27	41	4	5	—	—	5	1	1380	515	1303	446	7	4
60—	—	—	28	36	2	3	—	—	9	1	955	410	904	355	3	3
65—	—	1	33	28	1	—	—	—	5	1	622	292	570	247	—	1
70—	—	—	20	9	1	—	—	—	5	—	263	164	240	132	—	—
75—	—	—	6	9	—	—	1	—	2	—	100	99	84	77	—	—
80—	—	—	1	1	—	—	—	—	1	1	28	31	15	23	—	—

* 19, Glanders —; 21, Rabies —.

TABLE 21—*contd.*

Causes of Death.	Tuberculosis— <i>continued.</i>															
	25 Intestines and peritoneum.		26 Vertebral column.		27 Other bones and joints.		28 Skin and subcutaneous tissues.		29 Lymphatic system (abdominal and bronchial glands exceptd).		30 Genito-urinary system.		31 Other organs.		31 (1) Adrenals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	357	393	254	180	123	81	16	26	33	26	154	100	19	12	12	7
0—	32	13	1	—	1	1	—	—	3	—	1	—	—	—	—	—
1—	65	33	7	5	6	1	—	—	4	3	1	—	1	1	—	—
5—	26	19	15	6	1	4	—	2	2	3	—	—	—	—	—	—
10—	18	20	11	7	9	5	—	—	1	—	6	2	—	1	—	—
15—	35	57	16	8	9	6	—	1	1	1	9	5	—	—	—	—
20—	31	47	30	22	14	4	1	1	—	—	13	18	1	—	1	—
25—	33	35	33	12	12	2	1	1	1	—	18	11	3	2	2	1
30—	19	32	22	14	13	3	1	—	2	—	11	10	—	—	—	—
35—	18	26	19	22	7	5	—	2	—	—	23	8	2	1	1	1
40—	11	28	16	13	5	4	2	—	4	—	19	12	1	2	1	2
45—	18	16	18	9	3	3	1	—	1	1	10	7	4	2	4	2
50—	16	20	16	12	10	5	1	2	—	3	8	11	1	—	1	—
55—	13	17	16	20	7	9	—	2	3	2	12	6	1	1	1	—
60—	7	10	12	10	10	10	—	4	1	3	9	4	2	1	—	—
65—	8	12	14	8	5	6	5	4	4	4	7	4	1	—	1	—
70—	4	6	4	6	4	7	2	—	1	2	3	2	—	1	—	1
75—	2	1	2	6	2	5	1	4	4	3	3	—	1	—	—	—
80—	1	1	2	—	5	1	1	3	1	1	1	—	1	—	—	—

Causes of Death.	Tuberculosis— <i>continued.</i>										33 Leprosy.		34 Syphilis.		34 (a) Congenital syphilis.	
	31 (2) Other sites included under 31.		32 Dissemi- nated tuberculosis.		32 (a) Acute.		32 (b) Chronic.		32 (c) Not distinguished as acute or chronic.		M.	F.	M.	F.	M.	F.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
All Ages	7	5	518	459	263	251	3	3	252	205	1	—	879	363	133	106
0—	—	—	28	25	22	23	—	—	6	2	—	—	100	74	100	74
1—	1	1	69	74	43	48	—	—	26	26	—	—	6	5	6	5
5—	—	—	42	47	18	32	—	—	24	15	—	—	3	7	3	7
10—	—	1	41	42	17	24	—	—	24	18	—	—	8	6	8	6
15—	—	—	77	44	37	27	1	—	39	17	—	—	6	5	5	2
20—	—	—	59	43	22	21	—	—	37	22	—	—	6	8	3	3
25—	1	1	45	40	25	22	—	—	20	18	—	—	6	7	—	2
30—	—	—	34	34	12	17	1	—	21	17	—	—	14	7	1	—
35—	1	—	19	20	10	6	1	—	8	14	—	—	35	20	—	1
40—	—	—	23	20	11	10	—	—	12	10	—	—	39	25	1	1
45—	—	—	19	17	10	6	—	—	9	11	—	—	93	32	2	2
50—	—	—	22	16	13	5	—	1	9	10	—	—	140	44	1	—
55—	—	1	18	8	13	3	—	1	5	4	—	—	128	33	1	1
60—	2	1	7	10	2	3	—	—	5	7	1	—	138	37	—	1
65—	—	—	8	6	5	1	—	1	3	4	—	—	83	31	1	1
70—	—	—	5	8	2	1	—	—	3	7	—	—	48	15	1	—
75—	1	—	1	3	—	1	—	—	1	2	—	—	23	5	—	—
80—	1	—	1	2	1	1	—	—	—	1	—	—	3	2	—	—

TABLE 21—contd.

Causes of Death.	34 (b) & (c) Acquired or unspecified.		35 Other venereal diseases.		35 (1) Gonorrhœal or purulent ophthalmia.		35 (2) Other diseases included under 35.		36 Purulent infection, septicæmia.		36 (a) Septicæmia.		36 (b) Pyæmia.		36 (c) Gas gangrene.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	746	257	29	16	4	2	25	14	442	251	416	231	26	20	—	—
0—	—	—	4	4	4	2	—	2	21	22	19	17	2	5	—	—
1—	—	—	1	—	—	—	1	—	21	12	20	12	1	—	—	—
5—	—	—	—	—	—	—	—	—	23	14	20	14	3	—	—	—
10—	—	—	—	—	—	—	—	—	23	15	22	15	1	—	—	—
15—	1	3	—	1	—	—	—	1	27	12	25	12	2	—	—	—
20—	3	5	1	5	—	—	1	5	16	6	15	5	1	1	—	—
25—	6	5	1	1	—	—	1	1	13	12	13	8	—	4	—	—
30—	13	7	1	1	—	—	1	1	18	9	16	9	2	—	—	—
35—	35	19	—	1	—	—	—	1	14	17	11	16	3	1	—	—
40—	38	24	2	1	—	—	2	1	24	17	23	16	1	1	—	—
45—	91	30	2	1	—	—	2	1	34	17	32	16	2	1	—	—
50—	139	44	3	1	—	—	3	1	51	15	50	15	1	—	—	—
55—	127	32	4	—	—	—	4	—	39	20	36	18	3	2	—	—
60—	138	36	3	—	—	—	3	—	42	22	40	22	2	—	—	—
65—	82	30	2	—	—	—	2	—	36	11	36	11	—	—	—	—
70—	47	15	3	—	—	—	3	—	25	13	23	11	2	2	—	—
75—	23	5	—	—	—	—	—	—	9	8	9	6	—	2	—	—
80—	3	2	2	—	—	—	2	—	6	9	6	8	—	1	—	—

Causes of Death.	37*		39 Other diseases due to protozoa.		40*		41 (a) Liver.		41 (b) Other organs.		42 Other diseases due to helminths.		43 Mycoses.		43 (1) Actinomycosis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	10	1	14	3	18	9	13	7	5	2	2	3	66	37	42	23
0—	—	—	—	—	—	—	—	—	—	—	—	—	8	4	—	—
1—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
5—	—	—	—	1	—	—	—	—	—	—	—	1	1	1	—	—
10—	—	—	—	—	1	—	1	—	—	—	—	1	3	2	3	2
15—	—	—	—	2	—	1	—	—	—	1	—	—	2	2	2	1
20—	2	—	—	—	—	—	—	—	—	—	—	—	6	2	4	2
25—	—	—	1	—	1	1	1	—	—	—	—	—	4	1	3	1
30—	2	—	2	—	1	1	—	—	1	1	—	—	6	6	5	6
35—	1	—	2	—	1	—	1	—	—	—	—	—	8	2	7	2
40—	—	—	—	—	1	—	1	—	—	—	—	—	7	2	5	1
45—	2	1	3	—	5	1	3	1	2	—	—	—	5	3	4	1
50—	—	—	2	—	1	—	—	—	1	—	—	—	2	—	1	—
55—	1	—	1	—	2	2	2	2	—	—	—	—	4	4	3	3
60—	—	—	2	—	3	—	2	—	1	—	—	—	3	1	2	—
65—	—	—	—	—	2	2	2	2	—	—	—	—	3	4	1	2
70—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1
75—	1	—	—	—	—	1	—	1	—	—	—	—	3	—	1	—
80—	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1

* 37, Yellow fever—; 40, Ankylostomiasis—.

TABLE 21—contd.

Causes of Death.	43 (2) Other mycoses.		44 Other infectious or parasitic diseases.		44 (1) Vaccinia.		44 (2) Other sequelæ of vaccination.		44 (3) German measles.		44 (4) Varicella.		44 (5) Mumps.		44 (6) Other diseases included under 44.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	24	14	69	70	1	3	2	4*	4	7	17	15	7	8	38	33
0—	8	4	29	26	1	2	2	1	—	1	4	4	1	—	21	18
1—	—	—	27	20	—	—	—	1	2	3	9	5	3	3	13	8
5—	—	1	8	8	—	—	—	—	2	2	2	5	3	1	1	—
10—	—	—	—	4	—	—	—	—	—	—	—	—	—	1	—	3
15—	—	1	1	1	—	—	—	1	—	—	—	—	—	—	1	—
20—	2	—	1	1	—	—	—	—	—	1	—	—	—	—	1	—
25—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	1	—	1	1	—	—	—	—	—	—	1	—	—	—	—	1
35—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—
40—	2	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—
45—	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	1
50—	1	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—
55—	1	1	—	2	—	—	—	—	—	—	—	—	—	2	—	—
60—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	1
70—	1	1	—	2	—	—	—	—	—	—	—	1	—	—	—	1
75—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—

* 1 Death at age-group 1-5 following preventive inoculation against Scarlet Fever; and
1 Death " " 50-55 " " " " Tetanus.

Causes of Death.	II. 45-55 Cancer and other Tumours.		Cancer, Malignant Disease.													
Ages at Death.			45-53 Total.		45 Buccal cavity and pharynx.		46 Digestive organs and peritoneum.		47 Respiratory organs.		48 Uterus.	49 Other female genital organs.	50 Breast.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	F.	F.	M.	F.		
All Ages	31894	35398	30780	33727	2972	537	18641	16371	3491	1107	4470	1983	77	6768		
0—	24	22	11	13	1	—	3	1	—	—	—	—	—	1		
1—	66	56	38	39	—	—	11	8	—	1	—	3	—	—		
5—	58	62	41	27	4	1	2	4	3	1	—	2	—	—		
10—	64	54	33	32	4	1	3	5	1	1	—	1	—	—		
15—	97	84	67	61	5	4	12	11	6	2	1	5	—	—		
20—	116	106	79	70	5	2	18	21	6	3	2	14	—	3		
25—	195	216	149	159	5	4	60	61	18	10	20	16	—	13		
30—	316	473	252	393	6	4	124	129	38	16	63	41	—	89		
35—	556	873	489	749	19	11	238	217	115	33	180	71	2	187		
40—	806	1630	737	1469	24	23	444	394	147	64	367	122	1	402		
45—	1501	2491	1398	2276	63	27	787	673	302	109	520	195	5	617		
50—	2492	3376	2376	3190	161	53	1397	1114	455	140	597	254	7	842		
55—	3874	4208	3760	4044	377	70	2233	1642	631	173	664	272	8	968		
60—	5311	4883	5188	4745	553	88	3212	2305	641	180	602	307	11	1000		
65—	5836	5124	5748	5004	662	79	3582	2773	535	156	575	242	13	822		
70—	5195	4913	5114	4808	516	55	3278	2932	357	108	436	216	13	710		
75—	3408	3717	3361	3632	346	68	2088	2280	164	65	257	127	8	564		
80—	1979	3110	1939	3016	221	47	1149	1801	72	45	186	95	9	550		

TABLE 21—*contd.*

Causes of Death.	Cancer, Malignant Disease— <i>contd.</i>					54 Non-malignant tumours.		54 (a) Female genital organs.	54 (b) Other sites.		55 Tumours of undetermined nature.		55 (a) Female genital organs.
	51 Male genito-urinary organs.	52 Skin.		53 Other or unspecified organs.									
Ages at Death.	M.	M.	F.	M.	F.	M.	F.	F.	M.	F.	M.	F.	F.
All Ages	3572	606	483	1421	2008	484	1061	673	484	388	630	610	9
0—	3	—	1	4	10	7	4	—	7	4	6	5	—
1—	15	—	1	12	26	16	8	—	16	8	12	9	—
5—	7	1	—	24	19	5	17	—	5	17	12	18	—
10—	1	—	1	24	23	9	5	—	9	5	22	17	—
15—	11	—	1	33	37	13	8	3	13	5	17	15	—
20—	8	1	2	41	23	20	19	6	20	13	17	17	—
25—	18	6	4	42	31	17	36	16	17	20	29	21	—
30—	35	5	4	44	47	23	56	39	23	17	41	24	—
35—	46	8	9	61	41	27	92	59	27	33	40	32	—
40—	57	6	10	58	87	35	111	83	35	28	34	50	—
45—	113	21	17	107	118	49	177	139	49	38	54	38	—
50—	179	21	18	156	172	46	124	81	46	43	70	62	—
55—	312	46	24	153	231	35	87	50	35	37	79	77	1
60—	525	50	40	196	223	50	74	46	50	28	73	64	2
65—	685	82	48	189	309	41	65	35	41	30	47	55	2
70—	699	105	68	146	283	38	61	41	38	20	43	44	1
75—	557	119	87	79	184	25	50	36	25	14	22	35	2
80—	301	135	148	52	144	28	67	39	28	28	12	27	1

Causes of Death.	55 (b) Other sites.		III. 56-69 Rheumatism, Diseases of Nutrition and of Endocrine Glands, and other General Diseases.		56 Rheumatic fever.		57 Chronic rheumatism, osteo-arthritis.		57 (1) Chronic rheumatism.		57 (2) Rheumatoid arthritis, osteo-arthritis.		58 Gout.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	630	601	4869	9263	526	649	1046	2309	59	63	987	2246	179	33
0—	6	5	124	81	1	1	—	—	—	—	—	—	—	—
1—	12	9	101	90	30	20	—	2	—	—	—	2	—	—
5—	12	18	108	102	87	87	—	—	—	—	—	—	—	—
10—	22	17	135	156	97	117	1	2	—	—	1	2	—	—
15—	17	15	124	149	66	84	4	2	—	—	4	2	—	—
20—	17	17	75	154	39	67	4	5	—	—	4	5	—	—
25—	29	21	95	158	29	46	7	5	—	—	7	5	—	—
30—	41	24	94	194	28	28	3	13	—	—	3	13	—	—
35—	40	32	97	199	21	21	18	16	1	—	17	16	2	—
40—	34	50	113	294	20	27	17	33	—	1	17	32	—	—
45—	54	38	163	424	28	23	26	72	—	2	26	70	1	1
50—	70	62	244	591	14	42	63	92	3	2	60	90	2	—
55—	79	76	401	904	18	33	88	191	2	3	86	188	13	2
60—	73	62	598	1227	16	21	140	273	9	4	131	269	21	6
65—	47	53	729	1400	22	13	169	367	5	4	164	363	36	6
70—	43	43	789	1411	6	9	198	430	11	11	187	419	44	7
75—	22	33	549	1031	3	8	185	420	18	18	167	402	37	6
80—	12	26	330	698	1	2	123	386	10	18	113	368	23	5

Causes of Death.	59 Diabetes.		60 Scurvy.		61* Pellagra.		63 Rickets.		63 (1) Rickets.		63 (2) Spinal Curvatures of undetermined nature.		64 Osteomalacia.		65 Diseases of the pituitary gland.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2531	4150	8	3	2	7	103	75	93	66	10	9	1	7	17	41
0—	—	1	3	1	—	—	48	21	48	21	—	—	—	—	—	—
1—	11	10	1	—	—	—	45	42	45	42	—	—	—	—	—	—
5—	10	5	—	—	—	—	1	3	—	2	1	1	—	—	—	—
10—	28	27	—	—	—	—	1	1	—	1	1	—	—	—	—	—
15—	30	33	—	—	—	—	—	2	—	—	—	2	—	—	2	1
20—	21	35	—	—	—	—	1	—	—	—	1	—	—	—	—	1
25—	37	40	—	—	1	—	2	1	—	—	2	1	—	—	2	3
30—	41	59	—	—	—	1	—	1	—	—	—	1	—	1	2	4
35—	33	54	1	1	1	1	—	—	—	—	—	—	—	—	1	—
40—	45	66	—	—	—	2	2	—	—	—	2	—	—	—	2	1
45—	75	112	—	—	—	—	—	1	—	—	—	1	—	1	1	3
50—	127	213	—	—	—	—	1	—	—	—	1	—	—	1	—	7
55—	235	394	—	—	—	1	—	—	—	—	—	—	—	2	2	4
60—	372	684	—	—	—	—	—	1	—	—	—	1	—	1	2	8
65—	462	813	—	—	—	2	—	2	—	—	—	2	—	1	1	2
70—	516	799	—	1	—	—	2	—	—	—	2	—	1	—	1	4
75—	310	533	1	—	—	—	—	—	—	—	—	—	—	—	1	3
80—	178	272	2	—	—	—	—	—	—	—	—	—	—	—	—	—

*61, Beri-beri —.

Causes of Death.	65 (1) Infantilism.		65 (2) Other diseases of the pituitary gland.		66 Diseases of the thyroid and parathyroid glands.		66 (a) Simple goitre.		66 (b) Exophthalmic goitre.		66 (c) Myxoedema, cretinism.		66 (d) Tetany.		66 (e) Other diseases included under 66.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	1	16	40	255	1719	27	150	183	1378	29	178	11	9	5	4
0—	—	—	—	—	10	7	—	—	—	—	3	3	7	4	—	—
1—	—	—	—	—	6	4	—	—	—	—	2	1	4	3	—	—
5—	—	—	—	—	—	4	—	1	—	1	—	2	—	—	—	—
10—	—	—	—	—	3	5	—	2	—	3	3	—	—	—	—	—
15—	1	—	1	1	7	24	1	3	5	19	1	2	—	—	—	—
20—	—	—	—	1	5	36	—	1	5	35	—	—	—	—	—	—
25—	—	—	2	3	10	53	3	4	7	47	—	2	—	—	—	—
30—	—	—	2	4	14	75	1	2	11	71	2	2	—	—	—	—
35—	—	—	1	—	11	90	—	2	11	88	—	—	—	—	—	—
40—	—	—	2	1	16	137	1	9	14	124	1	3	—	—	—	1
45—	—	1	1	2	25	184	1	8	24	169	—	6	—	—	—	1
50—	—	—	—	7	28	223	2	13	24	191	2	18	—	1	—	—
55—	—	—	2	4	33	252	3	17	24	209	3	25	—	—	3	1
60—	—	—	2	8	36	218	3	23	28	164	3	30	—	1	2	—
65—	—	—	1	2	26	176	3	23	18	125	5	27	—	—	—	1
70—	—	—	1	4	13	148	4	23	7	102	2	23	—	—	—	—
75—	—	—	1	3	10	54	3	9	5	23	2	22	—	—	—	—
80—	—	—	—	—	2	29	2	10	—	7	—	12	—	—	—	—

TABLE 21—contd.

Causes of Death.	67 Diseases of the thymus.		68 Diseases of the adrenals.		69 Other general diseases.		69 (1) Amyloid disease of unstated origin.		69 (2) Other diseases included under 69.		IV. 70-74 Diseases of the Blood and Blood-forming Organs.		70 Hæmorrhagic conditions.		70 (a) Purpura.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	86	62	65	149	50	59	3	11	47	48	2139	2558	205	197	125	159
0—	55	44	—	—	7	6	—	—	7	6	103	69	78	51	26	18
1—	6	7	—	—	2	5	1	2	1	3	67	50	18	13	15	13
5—	6	1	1	1	3	1	—	—	3	1	81	38	17	9	14	9
10—	3	3	1	1	1	—	—	—	1	—	62	57	12	6	10	5
15—	10	2	1	—	4	1	—	—	4	1	70	56	7	10	5	10
20—	1	1	2	5	2	4	—	—	2	4	80	59	7	7	4	7
25—	2	1	4	6	1	3	—	1	1	2	95	80	8	6	4	6
30—	2	—	—	10	4	2	1	1	3	1	75	82	4	5	3	5
35—	—	1	8	13	1	2	—	1	1	1	78	101	3	6	1	6
40—	1	1	5	22	5	5	1	2	4	3	83	118	4	6	2	6
45—	—	—	4	23	3	4	—	2	3	2	111	170	5	6	4	6
50—	—	—	7	9	2	4	—	—	2	4	137	196	3	6	3	6
55—	—	1	9	20	3	4	—	—	3	4	196	270	9	10	9	10
60—	—	—	8	11	3	4	—	—	3	4	240	297	8	15	4	14
65—	—	—	11	14	2	4	—	1	2	3	274	326	6	16	6	14
70—	—	—	3	9	5	4	—	—	5	4	227	292	11	8	10	8
75—	—	—	1	4	1	3	—	—	1	3	109	216	3	8	3	7
80—	—	—	—	1	1	3	—	1	1	2	51	81	2	9	2	9

Causes of Death.	70 (b) Hæmophilia.		71 Anæmia, chlorosis.		71 (a) Pernicious anæmia.		71 (b) Other anæmias and chlorosis.		71 (b) (1) Splenic anæmia.		71 (b) (2) Other diseases included under 71 (b).		72 Leukæmia, aleukæmia.		72 (a) Leukæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	80	38	1022	1627	918	1442	104	185	68	114	36	71	830	645	454	409
0—	52	33	18	13	7	4	11	9	3	3	8	6	7	5	7	5
1—	3	—	9	10	5	5	4	5	3	1	1	4	40	26	35	24
5—	3	—	3	9	2	5	1	4	1	4	—	—	57	18	38	13
10—	2	1	5	9	3	4	2	5	2	4	—	1	40	39	21	31
15—	2	—	17	18	15	11	2	7	2	5	—	2	45	26	30	15
20—	3	—	10	19	5	14	5	5	5	3	—	2	62	30	29	18
25—	4	—	20	30	10	27	10	3	8	—	2	3	60	41	26	21
30—	1	—	16	42	12	36	4	6	3	4	1	2	53	32	27	13
35—	2	—	26	51	17	41	9	10	9	6	—	4	45	40	12	21
40—	2	—	28	69	23	57	5	12	5	7	—	5	39	36	21	26
45—	1	—	41	99	38	85	3	14	2	13	1	1	58	57	32	31
50—	—	—	62	126	55	109	7	17	6	14	1	3	60	53	33	33
55—	—	—	107	184	101	168	6	16	5	10	1	6	73	62	35	38
60—	4	1	157	211	152	195	5	16	3	12	2	4	67	65	34	45
65—	—	2	202	253	192	236	10	17	5	13	5	4	61	51	35	33
70—	1	—	169	243	158	224	11	19	4	10	7	9	43	33	27	20
75—	—	1	89	180	83	168	6	12	1	3	5	9	16	24	8	20
80—	—	—	43	61	40	53	3	8	1	2	2	6	4	7	4	2

TABLE 21—*contd.*

Causes of Death.	72 (b) Aleukæmia		72 (b) (1) Aleukæmia (lymphadenoma.)		72 (b) (2) Aleukæmia (agranulocytosis).		73 Diseases of the spleen.		73 (1) Banti's disease.		73 (2) Other diseases of the spleen.		74 Other diseases of the blood and blood-forming organs.		V. 75-77 Chronic Poisoning.	
Ages at Death.	M	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	376	236	360	200	16	36	60	72	42	51	18	21	22	17	82	24
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	5	2	5	1	—	1	—	1	—	—	—	1	—	—	—	—
5—	19	5	18	4	1	1	4	2	3	2	1	—	—	—	—	—
10—	19	8	19	7	—	1	5	3	5	3	—	—	—	—	—	—
15—	15	11	15	8	—	3	1	2	—	2	1	—	—	—	—	—
20—	33	12	32	11	1	1	1	3	1	2	—	1	—	—	1	—
25—	34	20	34	20	—	—	7	3	7	2	—	1	—	—	2	—
30—	26	19	25	19	1	—	2	2	2	1	—	1	—	1	8	—
35—	33	19	33	15	—	4	4	4	2	4	2	—	—	—	7	—
40—	18	10	16	8	2	2	12	6	8	5	4	1	—	1	11	2
45—	26	26	24	22	2	4	4	6	1	5	3	1	3	2	7	6
50—	27	20	26	16	1	4	4	9	3	7	1	2	8	2	9	3
55—	38	24	32	19	6	5	3	9	1	5	2	4	4	5	13	2
60—	33	20	32	15	1	5	4	4	3	2	1	2	4	2	9	4
65—	26	18	26	16	—	2	5	6	4	5	1	1	—	—	11	1
70—	16	13	16	10	—	3	2	5	2	2	—	3	2	3	3	2
75—	8	4	7	4	1	—	—	4	—	2	—	2	1	—	—	3
80—	—	5	—	5	—	—	2	3	—	2	2	1	—	1	1	1

Causes of Death.	76* Alcoholism (acute or chronic).		77 Chronic poisoning by mineral substances.		77 (2)† Occupational lead poisoning.		VI. 78-89 Diseases of the Nervous System and Sense Organs.		78 Encephalitis.		78 (a) Cerebral abscess.		78 (b) Other diseases included under 78.		79 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	50	23	29	1	26	—	18830	21010	160	148	96	69	64	79	478	362
0—	—	—	—	—	—	—	941	626	10	7	3	2	7	5	127	88
1—	—	—	—	—	—	—	338	299	16	11	4	3	12	8	100	81
5—	—	—	—	—	—	—	238	209	15	12	8	4	7	8	57	46
10—	—	—	—	—	—	—	189	177	16	11	11	8	5	3	32	28
15—	—	—	—	—	—	—	221	175	11	13	5	8	6	5	24	20
20—	1	—	—	—	—	—	260	174	21	10	16	6	5	4	14	13
25—	2	—	—	—	—	—	255	208	10	9	8	6	2	3	17	7
30—	7	—	1	—	1	—	322	263	16	13	12	10	4	3	11	15
35—	5	—	1	—	1	—	377	341	12	7	9	5	3	2	15	8
40—	8	2	3	—	1	—	488	528	9	6	6	—	3	6	12	8
45—	5	6	2	—	2	—	737	764	5	13	2	8	3	5	13	10
50—	8	3	1	—	1	—	1056	1140	7	7	3	2	4	5	21	9
55—	7	2	5	—	5	—	1515	1559	5	12	4	3	1	9	11	11
60—	3	4	6	—	6	—	2160	2090	4	9	2	1	2	8	11	6
65—	2	1	8	—	7	—	2707	2805	2	3	2	1	—	2	7	5
70—	1	2	2	—	2	—	2892	3175	1	3	1	2	—	1	2	4
75—	—	2	—	1	—	—	2367	3105	—	1	—	—	—	1	2	3
80—	1	1	—	—	—	—	1767	3372	—	1	—	—	—	1	2	—

* 76. Chronic poisoning by other organic substances 35, 55, 65.

† 77 (2). Other chronic poisoning by mineral substances, 40, 40, 65, 75.

TABLE 21—*contd.*

Causes of Death.	80 Tabes dorsalis (locomotor ataxy).		81 Other diseases of the spinal cord.		81 (1) Progressive muscular atrophy.		81 (2) Subacute combined sclerosis.		81 (3) Myelitis of unstated origin.		81 (4) Other diseases included under 81.		82 Cerebral hæmorrhage, apoplexy, etc.		82 (a) Cerebral hæmorrhage.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	553	118	699	528	312	234	38	57	156	121	193	116	11619	15310	8162	10706
0—	—	—	3	1	3	1	—	—	—	—	—	—	1	1	—	—
1—	—	—	1	3	—	3	—	—	1	—	—	—	1	4	1	3
5—	—	—	3	1	1	—	—	—	1	—	1	1	6	—	2	—
10—	—	—	7	1	3	1	—	—	—	—	4	—	3	3	2	3
15—	—	—	20	10	7	—	—	—	5	3	8	7	2	3	2	1
20—	1	—	18	11	5	3	—	—	6	5	7	3	16	11	15	9
25—	1	2	14	11	6	4	—	—	3	4	5	3	11	14	8	12
30—	8	—	21	9	6	2	1	—	7	4	7	3	33	39	25	31
35—	9	3	18	19	5	5	1	3	7	7	5	4	63	77	51	68
40—	20	12	21	27	8	8	1	3	5	8	7	8	122	187	94	142
45—	58	14	51	40	18	15	2	4	22	6	9	15	275	383	229	298
50—	55	21	58	55	28	28	4	7	12	13	14	7	541	719	417	588
55—	84	16	99	65	50	31	7	7	23	15	19	12	961	1109	733	873
60—	143	17	111	66	53	37	8	7	19	11	31	11	1456	1646	1082	1227
65—	100	24	119	83	54	35	8	12	25	16	32	20	2038	2334	1436	1667
70—	49	6	70	53	30	27	4	10	10	8	26	8	2412	2783	1683	1948
75—	16	1	39	46	22	22	2	1	8	13	7	10	2064	2818	1371	1874
80—	9	2	26	27	13	12	—	3	2	8	11	4	1614	3179	1011	1962

Causes of Death.	82 (a) (1) Cerebral hæmorrhage so returned.		82 (a) (2) Apoplexy (lesion unstated).		82 (b) Cerebral embolism and thrombosis.		82 (b) (1) Cerebral embolism.		82 (b) (2) Cerebral thrombosis.		82 (b) (3) Cerebral softening.		82 (c) Hemiplegia and other paralyses of unstated origin.		82 (c) (1) Hemiplegia	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7799	10194	363	512	2963	3978	193	269	2674	3548	96	161	494	626	452	570
0—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—
1—	1	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1
5—	2	—	—	—	3	—	—	—	3	—	—	—	1	—	1	—
10—	2	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—
15—	2	1	—	—	—	1	—	—	—	1	—	—	—	1	—	1
20—	14	9	1	—	—	2	—	2	—	—	—	—	1	—	1	—
25—	8	11	—	1	3	2	2	1	1	1	—	—	—	—	—	—
30—	25	31	—	—	8	6	2	2	6	4	—	—	—	2	—	1
35—	50	67	1	1	12	8	2	1	9	6	1	1	—	1	—	—
40—	93	141	1	1	25	36	3	6	20	30	2	—	3	9	2	9
45—	224	287	5	11	44	73	5	7	37	65	2	1	2	12	2	7
50—	404	556	13	32	108	114	2	12	101	98	5	4	16	17	15	15
55—	706	836	27	37	199	192	22	20	170	162	7	10	29	44	24	36
60—	1031	1176	51	51	314	356	19	32	287	318	8	6	60	63	58	55
65—	1371	1594	65	73	518	568	29	28	477	512	12	28	84	99	77	93
70—	1613	1843	70	105	614	709	44	46	555	636	15	27	115	126	108	118
75—	1299	1772	72	102	589	836	42	53	525	750	22	33	104	108	94	100
80—	954	1864	57	98	526	1074	21	59	483	964	22	51	77	143	70	134

TABLE 21—contd.

Causes of Death.	82 (c) (2) Other paralyses of unstated origin.		83 General paralysis of the insane.		84 Other forms of insanity.		84 (a) Dementia præcox.		84 (b) Other conditions included under 84.		85 Epilepsy.		86 Infantile convulsions (age under 5 years).		87 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	42	56	725	240	447	626	43	30	404	596	1078	983	684	477	1503	1572
0—	1	—	—	—	—	—	—	—	—	—	13	9	622	404	23	17
1—	—	—	—	—	—	—	—	—	—	—	29	30	62	73	45	28
5—	—	—	—	—	—	—	—	—	—	—	31	26	—	—	24	39
10—	1	—	4	1	—	1	—	1	—	—	46	33	—	—	23	28
15—	—	—	5	6	6	9	3	6	3	3	69	44	—	—	20	33
20—	—	—	7	3	16	12	9	4	7	8	79	52	—	—	20	31
25—	—	—	8	7	18	22	6	4	12	18	84	77	—	—	27	37
30—	—	1	21	8	24	30	11	6	13	24	94	77	—	—	33	40
35—	—	1	72	38	32	39	6	4	26	35	71	75	—	—	44	50
40—	1	—	102	41	22	65	2	1	20	64	85	89	—	—	60	72
45—	—	5	134	37	47	80	1	2	46	78	52	73	—	—	56	95
50—	1	2	131	43	53	84	2	—	51	84	64	73	—	—	83	111
55—	5	8	105	31	52	83	—	1	52	82	75	71	—	—	103	134
60—	2	8	82	17	77	78	—	—	77	78	80	61	—	—	178	166
65—	7	6	39	6	69	58	2	—	67	58	69	70	—	—	250	204
70—	7	8	11	1	17	39	—	—	17	39	74	56	—	—	247	217
75—	10	8	3	—	12	17	1	1	11	16	40	41	—	—	180	162
80—	7	9	1	1	2	9	—	—	2	9	23	26	—	—	87	108

Causes of Death.	87 (a) Chorea.		87 (b) Neuritis, neuralgia.		87 (c) Paralysis agitans.		87 (d) Dissem- inated sclerosis.		87 (e) Other diseases included under 87.		88 Diseases of the eye and annexa.		89 Diseases of the ear and mastoid sinus.		89 (a) Otitis and other diseases of the ear.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	17	54	46	57	771	677	407	501	262	283	37	58	847	588	496	361
0—	—	—	—	—	—	—	—	—	23	17	3	7	139	92	96	67
1—	—	—	—	—	—	—	—	—	45	28	3	2	81	67	47	38
5—	1	11	—	—	—	—	—	—	23	28	—	1	102	84	54	40
10—	8	14	1	—	—	—	—	—	14	14	1	3	57	68	24	45
15—	3	15	1	1	—	—	4	3	12	14	4	1	60	36	34	15
20—	4	5	—	1	—	—	6	11	10	14	—	—	68	31	38	19
25—	—	5	2	2	2	1	11	15	12	14	1	2	64	20	38	14
30—	—	—	2	1	1	—	24	30	6	9	—	—	61	32	35	16
35—	—	2	1	1	3	4	36	36	4	7	1	—	40	25	25	16
40—	1	1	3	3	4	3	43	55	9	10	1	2	34	19	18	12
45—	—	1	6	3	4	6	35	73	11	12	1	2	45	17	27	11
50—	—	—	3	6	17	16	48	75	15	14	1	1	42	17	27	8
55—	—	—	2	7	35	39	45	50	21	38	—	2	20	25	14	17
60—	—	—	5	11	97	75	58	57	18	23	4	2	14	22	8	16
65—	—	—	4	4	176	134	46	51	24	15	3	5	11	13	5	10
70—	—	—	6	4	203	178	30	25	8	10	5	7	4	6	3	5
75—	—	—	6	8	153	130	17	17	4	7	8	7	3	9	1	7
80—	—	—	4	5	76	91	4	3	3	9	1	14	2	5	2	5

TABLE 21—*contd.*

Causes of Death.	89 (b) Diseases of the mastoid sinus.		VII. 90-103 Diseases of the Circulatory System.		90-95 Heart diseases.		90 Peri-carditis.		91 Acute endo-carditis.		91 (1) Malignant endo-carditis.		91 (2) Other acute endo-carditis.		92 Chronic endocarditis, valvular disease.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	351	227	68988	71798	55524	59147	131	87	608	639	553	592	55	47	10436	12601
0—	43	25	22	15	4	3	3	3	1	—	—	—	1	—	—	—
1—	34	29	32	31	19	21	4	3	5	4	5	3	—	1	9	12
5—	48	44	120	116	117	113	8	4	18	20	14	16	4	4	83	75
10—	33	23	239	302	234	288	7	4	26	41	21	35	5	6	181	206
15—	26	21	271	328	264	326	2	1	42	65	38	62	4	3	173	219
20—	30	12	355	446	331	420	6	2	70	103	70	99	—	4	192	258
25—	26	6	386	534	363	518	5	6	77	87	75	81	2	6	193	323
30—	26	16	462	624	432	590	9	3	63	50	56	47	7	3	219	373
35—	15	9	642	837	585	792	7	9	59	71	56	70	3	1	272	447
40—	16	7	1054	1005	940	913	7	5	53	32	50	30	3	2	368	510
45—	18	6	1914	1601	1680	1412	8	3	57	33	48	28	9	5	529	652
50—	15	9	3373	2503	2897	2128	11	6	36	35	33	32	3	3	783	771
55—	6	8	5398	3948	4465	3303	10	9	39	28	32	27	7	1	1028	1056
60—	6	6	7980	6227	6519	5124	11	8	19	18	16	13	3	5	1369	1254
65—	6	3	10743	9125	8603	7521	16	6	20	17	19	17	1	—	1575	1620
70—	1	1	12577	12481	9874	10085	7	5	16	17	14	16	2	1	1535	1782
75—	2	2	11689	13463	9103	10881	5	7	5	15	4	13	1	2	1145	1630
80—	—	—	11731	18212	9094	14709	5	3	2	3	2	3	—	—	782	1413

Causes of Death.	92 (1) Aortic valve disease.		92 (2) Mitral valve disease.		92 (3) Aortic and mitral valve disease.		92 (4) Endocarditis, not returned as acute or chronic.		92 (5) Other or unspecified valve disease.		93 Diseases of the myocardium.		93 (a) Acute myocarditis.		93(b) Myocardial degeneration.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2144	1048	3477	5662	585	527	457	636	3773	4728	32923	37681	112	118	26422	30569
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	2	3	1	—	1	3	5	6	1	2	—	1	—	1
5—	1	1	40	34	3	7	9	4	30	29	4	9	1	—	3	9
10—	4	1	82	101	19	11	7	9	69	84	17	22	—	1	16	20
15—	9	8	63	105	28	13	7	9	66	84	29	29	2	1	18	24
20—	8	5	80	153	16	12	8	9	80	79	39	39	2	3	28	24
25—	11	2	83	179	15	29	4	19	80	94	51	69	2	5	33	48
30—	21	11	102	210	11	19	10	22	75	111	78	111	3	2	48	83
35—	38	10	119	262	19	20	11	21	85	134	145	192	2	5	92	136
40—	77	25	134	269	34	32	15	22	108	162	298	253	5	7	222	188
45—	124	43	187	318	37	34	28	27	153	230	605	519	8	4	439	382
50—	177	60	256	372	42	26	36	41	272	272	1147	963	8	11	845	721
55—	281	91	312	455	67	42	42	61	326	407	2039	1619	17	9	1510	1217
60—	317	113	397	541	74	42	66	68	515	490	3376	2884	20	17	2586	2206
65—	363	172	500	673	73	59	76	68	563	648	4948	4554	14	16	3886	3570
70—	346	199	481	731	73	59	60	94	575	699	6354	6695	9	15	5138	5357
75—	232	163	380	688	42	79	44	82	447	618	6497	7808	11	10	5341	6424
80—	135	144	259	568	31	43	33	77	324	581	7295	11913	8	11	6217	10159

TABLE 21—*contd.*

Causes of Death.	93 (b) (1) Fatty heart.		93 (b) (2) Cardio-vascular degeneration.		93 (b) (3) Other diseases included under 93 (b).		93 (c) Myocarditis, not distinguished as acute or chronic.		94. Diseases of the coronary arteries, angina pectoris.		95 Other diseases of the heart.		95 (a) Disordered action of heart.		95 (b) Other diseases included under 95.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	911	1313	7774	7553	17737	21703	6389	6994	8232	4085	3194	4054	1140	1796	2054	2258
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	3	9	—	—	—	—	4	5	—	—	4	5
10—	—	—	—	—	16	20	1	1	—	1	3	14	—	—	3	14
15—	1	—	—	—	17	24	9	4	1	1	17	11	2	2	15	9
20—	2	3	—	—	26	21	9	12	4	1	20	17	8	7	12	10
25—	1	8	—	—	32	40	16	16	7	5	30	28	10	12	20	16
30—	7	14	1	3	40	66	27	26	35	11	28	42	9	20	19	22
35—	10	18	3	7	79	111	51	51	65	29	37	44	9	22	28	22
40—	22	28	22	8	178	152	71	58	162	39	52	74	22	43	30	31
45—	47	69	53	36	339	277	158	133	375	93	106	112	45	61	61	51
50—	93	107	119	112	633	502	294	231	733	179	187	174	65	98	122	76
55—	127	151	328	232	1055	834	512	393	1069	328	280	263	107	140	173	123
60—	168	201	692	465	1726	1540	770	661	1369	534	375	426	151	193	224	233
65—	157	232	1226	859	2503	2479	1048	968	1507	764	537	560	199	257	338	303
70—	141	231	1752	1454	3245	3672	1207	1323	1405	839	557	747	202	340	355	407
75—	86	147	1668	1733	3587	4544	1145	1374	924	708	527	713	168	289	359	424
80—	49	104	1910	2644	4258	7411	1070	1743	576	553	434	824	143	312	291	512

Causes of Death.	95 (b) (1) Dilation of heart (cause unspecified).		95 (b) (2) Heart disease (undefined).		96 Aneurysm.		97 Arterio-sclerosis.		97 (1) Arterio-sclerosis, with cerebral hæmorrhage.		97 (2) Arterio-sclerosis with record of other cerebral vascular lesion.		97 (3) Arterio-sclerosis without record of cerebral vascular lesion.		98 Gangrene.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	121	95	1933	2163	982	459	11436	11055	4353	4511	2400	2608	4683	3936	317	316
0—	—	—	—	—	5	1	—	—	—	—	—	—	—	—	—	3
1—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	2	2
5—	—	—	4	5	2	1	—	—	—	—	—	—	—	—	—	1
10—	—	1	3	13	4	10	—	—	—	—	—	—	—	—	—	1
15—	2	—	13	9	6	—	—	—	—	—	—	—	—	—	—	1
20—	1	1	11	9	19	16	—	—	—	—	—	—	—	—	—	1
25—	3	—	17	16	13	7	3	1	3	1	—	—	—	—	1	1
30—	1	1	18	21	17	15	6	5	5	1	—	1	1	3	—	—
35—	2	3	26	19	28	18	12	9	5	5	1	2	6	2	—	2
40—	—	1	30	30	41	17	45	41	28	31	5	5	12	5	1	3
45—	4	4	57	47	81	34	109	99	67	63	18	17	24	19	2	4
50—	15	3	107	73	111	40	303	277	179	194	56	42	68	41	2	—
55—	9	3	164	120	160	49	669	488	334	291	138	106	197	91	8	2
60—	14	8	210	225	159	65	1177	928	583	511	260	227	334	190	14	5
65—	19	8	319	295	153	66	1858	1399	810	669	424	363	624	367	26	28
70—	15	12	340	395	107	53	2430	2152	924	980	549	508	957	664	67	66
75—	10	13	349	411	49	32	2376	2387	807	887	503	622	1066	878	83	66
80—	26	37	265	475	24	34	2448	3269	608	878	446	715	1394	1676	111	130

TABLE 21—contd.

Causes of Death.	98 (a) Senile gangrene.		98 (b) Other gangrene.		99 Other diseases of the arteries.		100 Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.).		100 (1) Varix.		100 (2) Other diseases of the veins.		101 Diseases of the lymphatic system (lymphangitis, etc.).		102 Abnormalities of blood-pressure.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	291	288	26	28	206	168	236	391	113	174	123	217	43	43	235	213
0—	—	—	—	3	1	—	—	—	—	—	—	—	11	8	—	—
1—	—	—	2	2	—	1	—	—	—	—	—	—	7	6	—	—
5—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—
10—	—	—	—	1	—	—	—	2	—	—	—	2	1	1	—	—
15—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—
20—	—	—	—	1	2	3	2	4	2	1	—	3	—	2	—	—
25—	—	—	1	1	2	1	2	6	2	4	—	2	—	—	2	—
30—	—	—	—	—	1	4	4	8	2	4	2	4	2	—	—	2
35—	—	—	—	2	5	3	4	11	2	2	2	9	2	1	6	1
40—	—	—	1	3	6	8	17	20	5	11	12	9	—	—	4	3
45—	—	—	2	4	15	9	14	22	9	4	5	18	2	2	10	19
50—	—	—	2	—	18	6	18	33	10	17	8	16	2	4	22	15
55—	4	—	4	2	27	18	29	63	9	29	20	34	4	2	35	22
60—	13	5	1	—	28	11	40	62	19	29	21	33	3	6	39	26
65—	22	27	4	1	23	23	36	48	16	25	20	23	—	1	42	37
70—	64	66	3	—	26	22	35	62	19	29	16	33	3	5	34	36
75—	78	64	5	2	28	23	20	38	8	15	12	23	3	2	27	32
80—	110	126	1	4	24	34	15	12	10	4	5	8	1	3	14	20

Causes of Death.	103 Other diseases of the circulatory system.		VIII. 104-114 Diseases of the Respiratory System.		104 Diseases of the nasal fossæ and annexa.		104 (1) Diseases of the nose.		104 (2) Diseases of the accessory nasal sinuses.		105 Diseases of the larynx.		105 (1) Laryngismus stridulus.		105 (2) Laryngitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	6	26594	20669	172	100	29	17	143	83	80	81	17	16	61	62
0—	1	—	3637	2702	9	8	6	5	3	3	12	10	6	4	6	6
1—	1	—	1723	1562	8	7	3	3	5	4	33	40	11	10	22	30
5—	—	—	317	284	6	6	—	—	6	6	12	10	—	2	12	8
10—	—	—	170	165	13	10	1	—	12	10	—	—	—	—	—	—
15—	—	—	271	184	18	7	2	—	16	7	2	1	—	—	2	—
20—	1	—	409	241	15	6	1	2	14	4	1	—	—	—	1	—
25—	—	—	434	276	14	9	2	1	12	8	1	—	—	—	—	—
30—	—	—	587	368	11	3	—	—	11	3	—	1	—	—	—	1
35—	—	—	803	444	19	8	3	2	16	6	1	—	—	—	1	—
40—	—	—	995	517	13	4	1	—	12	4	3	2	—	—	2	2
45—	1	—	1461	597	7	6	3	—	4	6	3	2	—	—	3	2
50—	—	—	1796	723	13	1	3	—	10	1	2	4	—	—	2	4
55—	1	1	2122	990	9	9	2	—	7	9	1	—	—	—	1	—
60—	1	—	2204	1299	8	6	1	—	7	6	3	3	—	—	3	2
65—	2	2	2356	1749	4	2	—	1	4	1	1	—	—	—	1	—
70—	1	—	2427	2230	4	3	1	1	3	2	—	1	—	—	—	1
75—	—	2	2293	2395	1	1	—	—	1	1	4	1	—	—	4	1
80—	—	1	2589	3943	—	4	—	2	—	2	1	6	—	—	1	5

TABLE 21—*contd.*

Causes of Death.	105 (3) Other diseases of the larynx.		106 Bronchitis.		106 (a) Acute bronchitis.		106 (b) Chronic bronchitis.		106 (c) Bronchitis, not distinguished as acute or chronic.		107-109 Pneumonia (all forms).		107 Broncho-pneumonia.		108 Lobar pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	3	8386	7376	1740	2204	3991	2451	2655	2721	15527	11259	7492	6521	6271	3607
0—	—	—	676	526	372	296	4	2	300	228	2886	2132	2432	1835	225	133
1—	—	—	141	151	81	75	9	12	51	64	1495	1326	1156	1003	230	193
5—	—	—	30	22	7	10	18	5	5	7	247	223	110	118	109	78
10—	—	—	15	16	1	3	9	11	5	2	132	133	52	48	61	69
15—	—	1	26	24	5	2	16	17	5	5	198	137	50	46	120	74
20—	—	—	55	36	5	8	46	27	4	1	298	172	64	50	197	109
25—	1	—	47	27	3	5	40	18	4	4	330	196	60	61	230	109
30—	—	—	65	36	14	8	45	23	6	5	445	283	88	69	287	178
35—	—	—	108	54	20	7	72	36	16	11	593	321	113	82	399	199
40—	1	—	180	88	17	18	135	49	28	21	676	353	144	96	442	220
45—	—	—	306	102	40	32	201	49	65	21	959	399	237	125	613	227
50—	—	—	447	156	55	41	300	71	92	44	1094	465	330	173	632	237
55—	—	—	590	263	71	65	370	130	149	68	1248	597	368	239	732	294
60—	—	1	665	419	101	105	401	199	163	115	1278	723	441	318	672	317
65—	—	—	935	698	169	179	529	307	237	212	1156	876	495	439	513	348
70—	—	—	1152	1025	210	293	586	395	356	337	1030	988	502	540	388	360
75—	—	—	1289	1314	211	357	619	489	459	468	790	870	429	555	264	234
80—	—	1	1659	2419	358	700	591	611	710	1108	672	1065	421	724	157	228

Causes of Death.	109 Pneumonia (not otherwise defined.)		110 Pleurisy.		110 (1) Empyema.		110 (2) Other pleurisy.		111 Congestion and hæmorrhagic infarct of lung, etc.		111 (1) Hypostatic congestion of lungs.		111 (2) Other diseases included under 111.		112 Asthma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1764	1131	510	270	242	85	268	185	555	757	494	703	61	54	907	714
0—	229	164	11	7	7	2	4	5	30	18	30	18	—	—	5	1
1—	109	130	32	20	29	16	3	4	6	2	5	2	1	—	6	13
5—	28	27	11	11	10	8	1	3	3	—	3	—	—	—	5	11
10—	19	16	6	5	6	2	—	3	—	—	—	—	—	—	3	1
15—	28	17	18	9	10	4	8	5	1	—	1	—	—	—	5	4
20—	37	13	19	9	11	5	8	4	4	1	3	1	1	—	10	11
25—	40	26	17	16	8	6	9	10	—	2	—	2	—	—	12	20
30—	70	36	29	9	20	4	9	5	7	3	3	1	4	2	15	27
35—	81	40	21	14	10	8	11	6	6	5	4	4	2	1	33	37
40—	90	37	27	11	12	5	15	6	11	6	7	5	4	1	49	47
45—	109	47	39	14	22	5	17	9	13	7	11	5	2	2	75	58
50—	132	55	48	16	21	4	27	12	19	15	14	9	5	6	118	61
55—	148	64	49	18	23	5	26	13	24	24	12	17	12	7	117	66
60—	165	88	46	17	16	5	30	12	35	29	29	23	6	6	108	90
65—	148	89	48	25	17	2	31	23	46	47	37	36	9	11	119	96
70—	140	88	34	20	11	2	23	18	65	101	58	91	7	10	122	76
75—	97	81	33	22	8	1	25	21	98	130	92	127	6	3	69	50
80—	94	113	22	27	1	1	21	26	187	367	185	362	2	5	36	45

TABLE 21—*contd.*

Causes of Death.	113 Pulmonary emphysema.		114 Other diseases of the respiratory system.		114 (a) Chronic interstitial pneumonia, including occupational diseases of the lung.		114 (b) Other diseases included under 114.		114 (b) (1) Gangrene of the lung.		114 (b) (2) Other diseases included under 114 (b).		IX. 115-129 Diseases of the Digestive System.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	42	10	415	102	306	61	109	41	14	3	95	38	14058	11613
0—	—	—	8	—	1	—	7	—	—	—	7	—	2229	1444
1—	—	—	2	3	—	1	2	2	—	—	2	2	587	455
5—	—	—	3	1	—	1	3	—	1	—	2	—	268	273
10—	—	—	1	—	—	—	1	—	—	—	1	—	202	172
15—	—	—	3	2	2	—	1	2	—	—	1	2	220	159
20—	2	—	5	6	1	3	4	3	1	1	3	2	253	208
25—	2	1	11	5	6	2	5	3	—	—	5	3	406	255
30—	1	—	14	6	6	2	8	4	—	—	8	4	417	292
35—	—	—	22	5	13	4	9	1	—	—	9	1	472	363
40—	2	—	34	6	25	2	9	4	—	—	9	4	620	443
45—	5	1	54	8	40	3	14	5	1	—	13	5	923	622
50—	3	—	52	5	41	4	11	1	2	1	9	—	1155	795
55—	6	1	78	12	67	7	11	5	3	1	8	4	1332	995
60—	8	2	53	10	42	8	11	2	3	—	8	2	1307	1136
65—	3	—	44	5	35	3	9	2	1	—	8	2	1300	1194
70—	2	1	18	15	15	12	3	3	2	—	1	3	1071	1067
75—	2	3	7	4	7	3	—	1	—	—	—	1	742	867
80—	6	1	6	9	5	6	1	3	—	—	1	3	554	873

Causes of Death.	115 Diseases of the buccal cavity, pharynx, etc.		115 (1) Diseases of the teeth and gums.		115 (2) Ludwig's angina.		115 (3) Diseases of the tonsils.		115 (4) Other diseases included under 115.		116 Diseases of the cesophagus		117 Ulcer of the stomach or duodenum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	944	1048	214	167	48	45	527	639	155	197	31	24	3320	1021
0—	37	23	3	4	5	3	13	7	16	9	1	1	—	1
1—	98	86	14	7	3	2	62	66	19	11	—	—	—	1
5—	82	85	4	4	—	1	73	69	5	11	—	—	3	—
10—	33	45	2	2	1	1	29	35	1	7	—	—	—	1
15—	31	34	2	6	4	—	20	24	5	4	—	—	13	5
20—	42	40	6	9	1	1	22	28	13	2	1	2	32	9
25—	58	38	18	11	4	3	30	18	6	6	—	—	113	18
30—	51	54	13	10	2	1	32	35	4	8	—	—	148	30
35—	50	41	10	6	4	3	29	24	7	8	1	—	186	40
40—	54	50	12	14	2	4	30	24	10	8	1	2	259	61
45—	58	56	13	9	4	3	34	34	7	10	1	1	403	85
50—	58	75	16	12	4	4	36	43	2	16	2	3	507	120
55—	71	92	24	20	5	2	27	57	15	13	4	1	498	127
60—	65	97	22	16	3	6	30	53	10	22	4	4	424	136
65—	63	84	25	8	3	6	26	49	9	21	5	3	319	140
70—	41	75	14	9	1	3	14	47	12	16	9	2	219	122
75—	27	35	9	5	—	1	11	16	7	13	1	1	123	64
80—	25	38	7	15	2	1	9	10	7	12	1	4	73	61

TABLE 21—*contd.*

Causes of Death.	117 (a) Ulcer of the stomach.		117 (b) Ulcer of the duodenum.		118 Other diseases of the stomach.		118 (1) Inflammation of the stomach.		118 (2) Other diseases included under 118.		119 & 120 Diarrhoea and enteritis.		119 & 120 (a) (1) Colitis.		119 & 120(a)(2) Other diarrhoea and enteritis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2167	812	1153	209	458	465	362	410	96	55	2592	2207	148	163	2258	1733
0—	—	1	—	—	100	68	91	66	9	2	1808	1223	41	31	1763	1192
1—	—	1	—	—	22	18	21	16	1	2	242	211	8	6	233	204
5—	3	—	—	—	6	7	5	5	1	2	17	26	1	—	14	24
10—	—	1	—	—	—	2	—	1	—	1	9	11	1	—	6	8
15—	9	3	4	2	4	—	3	—	1	—	10	24	—	2	3	3
20—	18	9	14	—	5	1	2	1	3	—	13	36	2	—	4	8
25—	73	15	40	3	6	3	2	2	4	1	32	38	4	3	8	7
30—	93	21	55	9	4	4	1	2	3	2	21	35	1	2	9	5
35—	119	30	67	10	6	—	3	—	3	—	22	47	2	8	5	9
40—	164	49	95	12	12	6	7	6	5	—	19	50	2	5	3	10
45—	253	62	150	23	24	18	16	12	8	6	45	49	5	8	12	13
50—	341	96	166	24	26	20	18	14	8	6	27	43	5	8	11	12
55—	340	103	158	24	26	31	18	23	8	8	43	43	13	12	18	18
60—	258	116	166	20	33	20	25	17	8	3	55	63	10	10	28	23
65—	208	106	111	34	46	55	31	48	15	7	57	52	11	16	31	27
70—	147	97	72	25	53	51	46	45	7	6	51	64	19	16	21	31
75—	89	54	34	10	46	63	39	59	7	4	45	77	5	17	36	53
80—	52	48	21	13	39	98	34	93	5	5	76	115	18	19	53	93

Causes of Death.	119 & 120 (b) Ulceration of intestines.		121 Appendicitis.		122 Hernia, intestinal obstruction.		122 (a) Hernia.		122 (a) (1) Strangulated hernia.		122 (a) (2) Hernia not returned as strangulated.		122 (b) Intestinal obstruction.		123 Other diseases of the intestines.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	186	311	1692	1273	2549	2261	1049	1040	758	827	291	213	1500	1221	394	373
0—	4	—	5	3	244	106	62	9	23	1	39	8	182	97	16	5
1—	1	1	113	56	88	29	18	4	3	—	15	4	70	25	5	3
5—	2	2	115	77	31	17	5	—	1	—	4	—	26	17	4	—
10—	2	3	117	81	29	11	2	2	2	1	—	1	27	9	4	—
15—	7	19	101	60	50	18	5	1	5	—	—	1	45	17	2	—
20—	7	28	91	60	49	31	11	2	6	1	5	1	38	29	6	5
25—	20	28	110	67	59	30	10	—	8	—	2	—	49	30	6	4
30—	11	28	87	52	72	61	14	10	10	9	4	1	58	51	7	4
35—	15	30	84	61	66	85	12	22	8	13	4	9	54	63	3	12
40—	14	35	101	58	90	109	30	33	23	24	7	9	60	76	15	17
45—	28	28	106	104	131	102	47	33	30	29	17	4	84	69	17	22
50—	11	23	121	123	173	150	59	72	39	59	20	13	114	78	34	23
55—	12	13	131	113	221	190	95	102	59	81	36	21	126	88	55	38
60—	17	28	125	126	230	255	93	155	67	124	26	31	137	100	54	37
65—	15	15	120	95	294	286	161	170	134	142	27	28	133	116	50	68
70—	11	17	87	63	275	270	150	158	118	131	32	27	125	112	55	40
75—	4	8	56	39	237	262	136	151	111	122	25	29	101	111	38	42
80—	5	5	22	35	210	249	139	116	111	90	28	26	71	133	23	43

TABLE 21—contd.

Causes of Death.	123 (1) Constipation, intestinal stasis.		123 (2) Diverticulitis.		123 (3) Other diseases included under 123.		124 Cirrhosis of the liver.		124 (a) Returned as alcoholic.		124 (b) Not returned as alcoholic.		125 Other diseases of the liver.		125 (1) Acute yellow atrophy.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	50	62	255	225	89	86	898	436	139	62	759	374	91	138	27	76
0—	11	2	1	1	4	2	1	—	—	—	1	—	3	4	1	1
1—	—	4	3	1	2	—	1	1	—	—	1	1	3	3	—	2
5—	1	1	2	—	1	—	2	1	—	—	2	1	—	3	—	3
10—	—	—	4	—	—	—	2	3	—	—	2	3	—	2	—	—
15—	—	—	1	1	1	—	1	3	—	—	1	3	4	6	1	4
20—	—	—	6	3	—	2	1	2	—	—	1	2	4	9	2	9
25—	1	—	4	—	1	4	4	3	—	1	4	2	9	24	4	23
30—	1	—	3	1	3	3	6	1	1	1	5	—	8	14	3	11
35—	—	—	1	5	2	7	19	8	3	1	16	7	4	11	1	7
40—	—	1	10	7	5	9	27	11	5	1	22	10	3	4	1	2
45—	—	3	10	14	7	5	69	45	15	6	54	39	7	8	2	4
50—	2	3	25	16	7	4	119	54	26	5	93	49	9	11	3	4
55—	2	—	41	29	12	10	141	71	25	20	116	51	9	10	1	3
60—	3	3	39	27	12	7	151	62	23	10	128	52	6	12	2	1
65—	6	6	32	51	12	8	158	71	23	8	135	63	6	6	2	1
70—	9	7	35	32	11	7	117	53	14	5	103	48	7	7	3	1
75—	5	9	29	21	4	12	56	34	3	2	53	32	6	1	—	—
80—	9	23	9	16	5	6	23	13	1	2	22	11	3	3	1	—

Causes of Death.	125 (2) Other diseases included under 125.		126 Biliary calculi.		126 (1) With cholecystitis.		126 (2) Without mention of cholecystitis.		127 Other diseases of the gall bladder and ducts.		127 (1) Cholecystitis, without record of biliary calculi.		127 (2) Other diseases included under 127.		128 Diseases of the pancreas.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	64	62	368	945	121	336	247	609	397	899	348	863	49	36	225	301
0—	2	3	—	—	—	—	—	—	1	2	—	1	1	1	—	—
1—	3	1	—	—	—	—	—	—	4	3	—	—	4	3	1	—
5—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—
10—	—	2	—	—	—	—	—	—	—	2	—	—	—	2	1	—
15—	3	2	—	—	—	—	—	—	1	2	—	1	1	1	—	1
20—	2	—	1	2	—	1	1	1	3	3	2	3	1	—	2	3
25—	5	1	1	5	—	2	1	3	3	5	3	3	—	2	3	8
30—	5	3	3	12	—	4	3	8	2	10	—	9	2	1	4	6
35—	3	4	7	23	2	7	5	21	7	8	4	7	3	1	12	13
40—	2	2	9	31	4	9	5	22	13	24	12	23	1	1	12	15
45—	5	4	25	55	5	12	20	43	17	44	15	44	2	—	16	22
50—	6	7	34	83	9	30	25	53	19	43	17	37	2	6	21	38
55—	8	7	41	112	15	35	26	77	42	100	35	97	7	3	44	58
60—	4	11	54	143	18	41	36	102	60	126	56	123	4	3	38	48
65—	4	5	71	162	30	66	41	96	69	122	66	118	3	4	35	43
70—	4	6	67	139	21	56	46	83	67	147	62	145	5	2	19	24
75—	6	1	34	105	8	40	26	65	58	120	50	117	8	3	13	16
80—	2	3	21	68	9	33	12	35	31	136	26	135	5	1	4	6

TABLE 21—contd.

Causes of Death.	129 Peritonitis, without stated cause.		X. 130-139 Non-venereal Diseases of the Genito- urinary System and Annexa.		130-132 Nephritis.		130 Acute nephritis.		131 Chronic nephritis.		132 Nephritis, not stated to be acute or chronic.		133 Other diseases of the kidney and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	99	222	14526	9572	8059	7995	488	483	6781	6721	790	791	475	618
0—	13	8	98	66	24	14	19	11	—	—	5	3	38	42
1—	10	42	80	63	64	44	43	27	13	10	8	7	9	16
5—	8	54	53	56	44	48	23	28	16	15	5	5	7	4
10—	7	14	69	82	62	72	18	32	37	36	7	4	5	8
15—	3	5	110	95	102	79	32	19	62	54	8	6	5	7
20—	3	5	158	163	138	132	32	29	93	89	13	14	11	10
25—	2	12	174	238	144	173	27	28	100	132	17	13	9	19
30—	4	9	211	270	168	176	32	31	125	134	11	11	18	24
35—	5	9	238	321	178	232	21	27	142	185	15	20	26	25
40—	5	5	314	399	244	284	24	21	197	235	23	28	23	41
45—	4	11	460	546	360	418	33	21	289	362	38	35	31	54
50—	5	9	831	666	649	529	26	36	561	441	62	52	36	51
55—	6	8	1095	814	768	713	30	39	670	614	68	60	37	40
60—	8	7	1745	1090	1072	923	38	43	931	785	103	95	59	73
65—	7	10	2172	1218	1170	1087	37	34	1018	934	115	119	49	53
70—	4	4	2481	1298	1207	1167	25	25	1065	1028	117	114	47	62
75—	2	8	2257	1118	933	995	15	16	835	876	83	103	40	46
80—	3	2	1980	1069	732	909	13	16	627	791	92	102	25	43

Causes of Death.	133 (a) Pyelitis.		133 (b) Other diseases included under 133.		134 Calculi of the urinary passages.		134 (a) Calculi of kidney and ureter.		134 (b) Calculi of the bladder.		134 (c) Calculi of unstated site.		135 Diseases of the bladder.		135 (a) Cystitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	327	450	148	168	308	199	209	182	93	16	6	1	467	323	427	304
0—	29	35	9	7	—	—	—	—	—	—	—	—	—	—	—	—
1—	6	14	3	2	1	—	1	—	—	—	—	—	—	—	—	—
5—	5	4	2	—	1	—	1	—	—	—	—	—	—	—	—	—
10—	1	5	4	3	2	2	2	2	—	—	—	—	—	—	—	—
15—	3	3	2	4	2	3	2	2	—	1	—	—	1	1	1	1
20—	9	9	2	1	6	2	3	1	3	1	—	—	2	2	1	2
25—	3	15	6	4	15	8	13	8	2	—	—	—	1	4	—	3
30—	12	16	6	8	14	8	11	8	3	—	—	—	5	8	5	6
35—	14	22	12	3	17	11	15	11	2	—	—	—	8	1	7	1
40—	12	24	11	17	21	20	17	17	4	3	—	—	9	7	9	6
45—	12	31	19	23	17	18	14	16	2	2	1	—	17	14	14	13
50—	25	32	11	19	30	31	28	30	2	1	—	—	18	10	16	9
55—	26	27	11	13	30	18	23	17	6	1	1	—	20	16	17	13
60—	39	48	20	25	50	29	32	26	17	3	1	—	44	32	40	27
65—	39	46	10	7	31	20	13	19	17	1	1	—	73	35	66	34
70—	37	47	10	15	28	9	14	9	13	—	1	—	62	48	55	45
75—	33	36	7	10	22	6	13	6	9	—	—	—	91	54	85	53
80—	22	36	3	7	21	14	7	10	13	3	1	1	116	91	111	91

TABLE 21—*contd.*

Causes of Death.	135 (b) Other diseases of the bladder.		136 Diseases of the urethra, urinary abscess, etc.		136 (a) Stricture of the urethra.		136 (b) Other diseases of the urethra, etc.		137 Diseases of the prostate.	138 Diseases of the male genital organs.	139 Diseases of the female genital organs.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	M.	F.
All Ages	40	19	361	6	344	1	17	5	4770	86	431
0—	—	—	—	—	—	—	—	—	—	36	10
1—	—	—	—	—	—	—	—	—	—	6	3
5—	—	—	—	—	—	—	—	—	—	1	4
10—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	5
20—	1	—	—	—	—	—	—	—	1	—	17
25—	1	1	1	—	1	—	—	—	2	2	34
30—	—	2	4	—	3	—	1	—	2	—	54
35—	1	—	5	—	5	—	—	—	3	1	52
40—	—	1	11	—	11	—	—	—	4	2	47
45—	3	1	19	—	18	—	1	—	15	1	42
50—	2	1	33	2	33	—	—	2	60	5	43
55—	3	3	64	—	60	—	4	—	167	9	27
60—	4	5	71	—	66	—	5	—	445	4	33
65—	7	1	67	1	64	—	3	1	778	4	22
70—	7	3	36	1	36	1	—	—	1092	9	11
75—	6	1	29	2	26	—	3	2	1136	6	15
80—	5	—	21	—	21	—	—	—	1065	—	12

Causes of Death.	139 (a) Diseases of the ovary, Fallopian tube and parametrium.	139 (a) (1) Diseases of the ovary.	139 (a) (2) Diseases of the Fallopian tube.	139 (a) (3) Diseases of the parametrium.	139 (b) Diseases of the uterus.	139 (c) Diseases of the breast.	139 (d) Other diseases of the female genital organs.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.
All Ages	194	7	162	25	198	11	28
0—	—	—	—	—	—	7	3
1—	1	—	—	1	—	—	2
5—	2	—	2	—	—	—	2
10—	—	—	—	—	—	—	—
15—	3	—	3	—	2	—	—
20—	16	—	16	—	1	—	—
25—	20	1	18	1	13	1	—
30—	33	2	26	5	20	—	1
35—	38	—	36	2	10	2	2
40—	20	—	20	—	26	—	1
45—	19	2	15	2	19	1	3
50—	16	—	9	7	24	—	3
55—	8	—	6	2	17	—	2
60—	7	—	4	3	21	—	5
65—	6	—	5	1	14	—	2
70—	2	1	1	—	8	—	1
75—	1	—	—	1	13	—	1
80—	2	1	1	—	10	—	—

TABLE 21—*contd.*

Causes of Death.	XI. 140-150. Diseases of Pregnancy, Childbirth and the Puerperal State.	140 & 145 Puerperal sepsis.	140 Post- abortive sepsis.	141 Abortion not returned as septic.	141 (1) Hæmorrhage following abortion.	141 (2) Without record of hæmorrhage.	142 Ectopic gestation.	143 Other accidents of pregnancy.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	2457	1006	262	91	71	20	74	16
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	72	37	8	1	1	—	1	—
20—	362	165	26	9	4	5	6	—
25—	641	274	70	17	14	3	14	2
30—	639	284	79	19	14	5	19	4
35—	481	172	52	25	23	2	21	6
40—	228	67	25	18	13	5	11	2
45—	32	7	2	2	2	—	2	2
50—	2	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

Causes of Death.	144 Puerperal hæmorrhage.	144 (a) Placenta prævia.	144 (b) Other puerperal hæmorrhage.	145 Puerperal sepsis not returned as post-abortive.	145 (a) Puerperal septicæmia and pyæmia.	145 (b) Puerperal tetanus.	146 Puerperal albuminuria and convulsions.	147 Other toxæmias of pregnancy.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	253	123	130	744	744	—	348	138
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	29	29	—	18	4
20—	34	10	24	139	139	—	67	25
25—	60	22	38	204	204	—	91	29
30—	65	37	28	205	205	—	79	35
35—	50	30	20	120	120	—	57	31
40—	38	22	16	42	42	—	27	12
45—	5	1	4	5	5	—	8	2
50—	1	1	—	—	—	—	1	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

TABLE 21—*contd.*

Causes of Death.	148 Puerperal phlegmasia alba dolens, embolism and sudden death.	148 (a) Puerperal phlegmasia alba dolens not returned as septic.	148 (b) Puerperal embolism and sudden death.	149 Other accidents of childbirth.	150 Other or unspecified conditions of the puerperal state.	150 (1) Puerperal insanity.	150 (2) Puerperal diseases of the breast.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.
All Ages	165	43	122	311	55	15	16
0—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—
15—	4	1	3	7	—	—	—
20—	13	2	11	32	11	5	2
25—	41	7	34	96	17	6	7
30—	56	15	41	68	10	1	3
35—	38	15	23	72	9	2	3
40—	12	2	10	35	6	1	1
45—	1	1	—	1	2	—	—
50—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—

Causes of Death.	150 (3) Childbirth (un-qualified).	XII. 151-153 Diseases of the Skin and Cellular Tissue.		151 Carbuncle, boil.		152 Cellulitis, acute abscess.		152 (1) Cellulitis.		152 (2) Acute abscess.		153 Other diseases of the skin and its annexa.	
Ages at Death.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	24	1053	927	341	233	424	331	342	266	82	65	288	363
0—	—	132	98	5	10	46	46	17	28	29	18	81	42
1—	—	26	24	2	—	10	11	7	5	3	6	14	13
5—	—	9	6	4	—	3	5	1	5	2	—	2	1
10—	—	16	21	10	8	5	11	4	9	1	2	1	2
15—	—	29	20	17	9	10	10	6	8	4	2	2	1
20—	4	25	28	15	18	8	6	8	4	—	2	2	4
25—	4	35	16	23	11	9	3	7	3	2	—	3	2
30—	6	41	32	25	22	14	9	11	8	3	1	2	1
35—	4	27	23	10	10	15	8	11	5	4	3	2	5
40—	4	44	27	17	10	24	12	20	9	4	3	3	5
45—	2	46	41	20	15	23	13	20	11	3	2	3	13
50—	—	70	57	24	19	32	21	29	17	3	4	14	17
55—	—	81	75	31	17	39	33	34	30	5	3	11	25
60—	—	103	75	36	21	49	22	44	19	5	3	18	32
65—	—	104	78	39	19	40	29	37	28	3	1	25	30
70—	—	100	94	25	20	42	32	37	30	5	2	33	42
75—	—	91	96	26	11	27	33	25	26	2	7	38	52
80—	—	74	116	12	13	28	27	24	21	4	6	34	76

Causes of Death.	157 (e) (5) Congenital malformation, unspecified.		XV. 158-161 Diseases of Early Infancy.		158 Congenital debility.		159 Premature birth.		160 Injury at birth.		160 (a) With mention of Caesarean section.		160 (b) Without mention of Caesarean section.		161 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	43	37	8764	6322	916	605	5867	4447	885	530	11	4	874	526	1096	740
0—	43	37	8764	6322	916	605	5867	4447	885	530	11	4	874	526	1096	740
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	161 (a) Atelectasis.		161 (b) Icterus neonatorum		161 (c) Other diseases included under 161.		161 (c) (1) Diseases of the umbilicus.		161 (c) (2) Pemphigus neonatorum		161 (c) (3) Other diseases included under 161 (c).		XVI. 162 Old Age.		162 (a) Senile dementia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	670	448	195	94	231	198	44	29	34	24	153	145	6807	10186	424	465
0—	670	448	195	94	231	198	44	29	34	24	153	145	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	4	3	1	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	6	6	2	5
60—	—	—	—	—	—	—	—	—	—	—	—	—	52	58	25	19
65—	—	—	—	—	—	—	—	—	—	—	—	—	207	212	53	36
70—	—	—	—	—	—	—	—	—	—	—	—	—	863	1063	103	97
75—	—	—	—	—	—	—	—	—	—	—	—	—	1741	2224	116	137
80—	—	—	—	—	—	—	—	—	—	—	—	—	3934	6620	124	171

TABLE 21—*contd.*

Causes of Death.	162 (b) Other forms of senile decay.		XVII. 163-198 Deaths from Violence.		Suicide.											
					163-171 Total.		163 By solid or liquid poisons and corrosive substances.		164 By poisonous gas.		165 By hanging or strangulation.		166 By drowning.		167 By firearms.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6383	9721	14501	7462	3525	1698	344	313	1101	678	616	179	459	287	220	6
0—	—	—	360	276	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	604	378	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	513	279	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	411	162	4	1	—	—	2	1	2	—	—	—	—	—
15—	—	—	745	206	58	21	5	4	14	8	16	—	5	5	7	—
20—	—	—	1203	268	164	81	21	23	50	29	27	4	16	10	23	2
25—	—	—	1049	283	217	108	22	28	82	39	28	13	14	9	28	1
30—	—	—	887	280	244	158	26	32	70	57	38	14	26	28	21	—
35—	—	—	802	310	223	176	33	39	80	61	29	16	15	31	13	—
40—	—	—	779	308	250	179	26	31	80	78	41	14	31	30	15	1
45—	—	—	1008	336	370	181	39	45	130	61	58	16	43	37	18	—
50—	3	3	1004	472	398	242	43	39	133	97	64	27	57	51	22	2
55—	4	1	1141	433	463	168	40	26	132	79	91	23	79	25	24	—
60—	27	39	1122	471	448	164	35	21	129	68	93	24	65	29	24	—
65—	154	176	895	536	319	107	25	11	99	47	59	14	49	18	11	—
70—	760	966	709	639	190	64	18	9	50	32	40	7	26	8	6	—
75—	1625	2087	616	679	119	34	8	4	34	14	24	4	18	5	5	—
80—	3810	6449	653	1146	58	14	3	1	16	7	6	3	15	1	3	—

Causes of Death.	Suicide—continued.								Homicide.								176-194 Accidental deaths.	
	168 By cutting or piercing instruments.		169 By jumping from high places.		170 By crushing.		171 By other means.		172-175 Total.		172* 173 By firearms.		174 By cutting or piercing instruments.		175 By other means.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	491	75	104	66	179	44	11	50	81	97	6	11	9	21	66	65	10065	5336
0—	—	—	—	—	—	—	—	—	11	14	—	—	1	1	10	13	313	238
1—	—	—	—	—	—	—	—	—	8	8	—	—	1	—	7	8	590	366
5—	—	—	—	—	—	—	—	—	4	9	—	—	1	3	3	6	504	269
10—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	3	1	397	160
15—	2	—	2	—	7	2	—	2	3	7	—	3	1	—	2	4	662	166
20—	8	1	6	2	13	4	—	6	7	16	—	3	—	6	7	7	988	144
25—	14	4	7	2	21	5	1	7	7	11	—	2	—	1	7	8	773	140
30—	33	4	8	5	21	5	1	13	7	3	1	—	1	1	5	2	583	97
35—	23	4	10	5	19	10	1	10	5	9	1	1	1	3	3	5	514	101
40—	35	8	7	6	13	6	2	5	5	6	1	—	1	3	3	3	445	97
45—	57	11	7	6	17	4	1	1	6	2	1	—	1	1	4	1	535	136
50—	50	8	10	14	18	3	1	1	5	3	—	—	—	1	5	2	533	185
55—	64	7	13	6	18	1	2	1	1	2	1	—	—	1	—	1	588	229
60—	75	11	10	9	16	1	1	1	6	1	1	—	1	—	4	1	586	279
65—	61	8	6	4	8	2	1	3	1	3	—	—	—	—	1	3	526	409
70—	35	4	9	4	6	—	—	—	—	2	—	2	—	—	—	—	476	558
75—	22	3	6	3	2	1	—	—	2	—	—	—	—	—	2	—	476	639
80—	12	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	576	1123

* 172, Infanticide. Deaths from this cause are included under Nos. 173-175.

Causes of Death.	176 Attack by venomous animals.		177 Food poison- ing.		178 Accidental absorption of irrespir- able or pois- onous gas.		179 Other acute accidental poisoning (not by gas).		180 Conflag- ration.		181 Accidental burns (conflag- ration excepted).		182 Accidental mechanical suffocation.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8	15	10	9	122	78	56	35	23	42	531	801	234	155
0—	—	—	1	—	1	—	—	—	—	3	36	27	167	122
1—	—	1	—	2	1	5	5	5	4	3	242	174	9	8
5—	—	—	1	—	—	3	1	1	—	2	22	57	5	2
10—	—	1	—	—	5	1	—	—	—	1	8	49	2	1
15—	—	—	—	1	3	2	1	1	1	1	8	50	2	1
20—	2	1	—	—	13	—	3	—	1	2	10	24	5	—
25—	—	1	1	—	11	1	1	1	1	3	13	24	4	2
30—	—	1	1	—	5	3	4	3	1	—	13	13	1	2
35—	2	2	1	—	9	4	4	5	2	3	9	21	4	3
40—	1	2	1	—	13	—	2	2	2	1	19	22	4	3
45—	—	—	—	2	7	3	8	3	3	3	11	23	5	2
50—	1	1	—	3	12	5	7	4	1	—	14	22	1	3
55—	1	—	1	—	11	3	3	1	1	3	12	26	3	2
60—	—	1	2	—	7	7	6	4	1	—	12	34	11	—
65—	—	2	—	1	7	7	5	1	1	2	21	40	4	1
70—	—	1	1	—	5	11	1	2	1	5	27	64	1	1
75—	1	—	—	—	2	9	4	2	1	1	16	55	1	2
80—	—	1	—	—	10	14	1	—	2	9	38	76	5	—

Causes of Death.	183 Accidental drowning.		184 Accidental injury by firearms.		185 Accidental injury by cutting or piercing instruments.		186 Accidental injury by fall, crushing, etc.		187* 188. Injury by animals (poisoning by venomous animals excepted).		189 Hunger or thirst.		190 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	688	133	67	7	6	1	7815	3865	41	4	13	1	17	9
0—	1	1	—	—	—	—	15	8	—	1	1	—	—	1
1—	70	29	—	—	2	—	227	129	4	—	—	—	—	—
5—	103	23	—	—	—	—	349	173	2	1	—	—	—	—
10—	72	10	6	1	—	—	274	88	3	—	—	—	—	—
15—	94	5	13	—	1	—	506	104	2	—	—	—	—	—
20—	94	5	9	—	1	1	821	107	3	—	—	—	—	—
25—	55	9	7	2	—	—	648	90	2	—	—	—	—	—
30—	36	6	8	—	—	—	489	59	—	—	—	—	—	—
35—	21	7	4	—	—	—	424	51	1	—	1	—	1	—
40—	17	7	1	—	—	—	363	55	—	—	1	—	—	1
45—	24	5	5	2	—	—	452	87	2	—	1	—	1	—
50—	19	5	3	1	—	—	446	131	5	—	1	—	—	2
55—	18	5	5	—	1	—	508	178	5	1	2	1	3	1
60—	21	7	3	—	—	—	502	222	4	—	1	—	—	1
65—	17	4	2	—	—	—	449	342	3	—	—	—	5	2
70—	14	2	1	—	—	—	409	466	2	—	4	—	3	—
75—	5	2	—	1	—	—	430	562	3	1	—	—	3	—
80—	7	1	—	—	1	—	503	1013	—	—	1	—	1	1

*187 Cataclysm—

TABLE 21—contd.

Causes of Death.	191 Excessive heat.		192 Lightning.		193 Electricity (lightning excepted).		194 Other and unstated forms of accidental violence.		194 (1) Inattention at birth.		194 (2) Other causes included under 194.		195 Violent deaths of unstated nature (i.e., accidental, suicidal, etc.).		196 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	37	22	13	1	61	9	323	149	85	70	238	79	749	331	69	—
0—	1	2	—	—	—	—	90	73	85	70	5	3	36	24	—	—
1—	2	1	—	—	2	1	22	8	—	—	22	8	6	4	—	—
5—	2	—	1	—	4	—	14	7	—	—	14	7	5	1	—	—
10—	—	—	—	1	6	—	21	7	—	—	21	7	7	—	—	—
15—	2	1	3	—	7	—	19	—	—	—	19	—	22	12	—	—
20—	—	—	1	—	3	—	22	4	—	—	22	4	42	27	—	—
25—	—	—	—	—	15	2	15	5	—	—	15	5	46	24	—	—
30—	2	3	1	—	4	1	18	6	—	—	18	6	51	22	—	—
35—	—	—	—	—	8	1	23	4	—	—	23	4	48	24	12	—
40—	2	—	2	—	2	2	15	2	—	—	15	2	57	26	21	—
45—	1	2	1	—	3	1	11	3	—	—	11	3	73	17	24	—
50—	5	—	2	—	2	1	14	7	—	—	14	7	60	42	8	—
55—	1	2	—	—	2	—	11	6	—	—	11	6	86	34	2	—
60—	5	1	—	—	2	—	9	2	—	—	9	2	80	27	2	—
65—	2	3	1	—	1	—	8	4	—	—	8	4	49	17	—	—
70—	1	1	—	—	—	—	6	5	—	—	6	5	43	15	—	—
75—	5	1	1	—	—	—	4	3	—	—	4	3	19	6	—	—
80—	6	5	—	—	—	—	1	3	—	—	1	3	19	9	—	—

Causes of Death.	197*		XVIII. 199–200 Ill-defined Diseases.		199 Sudden death.		200 Cause of death unstated or ill-defined.		200 (1) Heart failure.		200 (2) Other ill-defined causes.		200 (3) Cause not specified.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	12	—	768	539	171	112	597	427	512	379	51	37	34	11
0—	—	—	15	11	3	1	12	10	2	4	3	1	7	5
1—	—	—	10	15	—	—	10	15	1	—	8	15	1	—
5—	—	—	2	1	—	—	2	1	—	—	2	1	—	—
10—	—	—	4	—	2	—	2	—	2	—	—	—	—	—
15—	—	—	7	—	2	—	5	—	3	—	1	—	1	—
20—	2	—	5	—	1	—	4	—	3	—	—	—	1	—
25—	6	—	4	5	1	—	3	5	1	3	1	—	1	2
30—	2	—	13	3	3	1	10	2	5	2	—	—	5	—
35—	—	—	16	4	5	1	11	3	8	2	2	—	1	1
40—	1	—	15	4	6	1	9	3	8	2	—	1	1	—
45—	—	—	26	15	4	5	22	10	13	8	3	2	6	—
50—	—	—	51	27	13	7	38	20	32	17	3	1	3	2
55—	1	—	76	46	20	11	56	35	50	32	3	3	3	—
60—	—	—	78	52	22	20	56	32	48	28	6	3	2	1
65—	—	—	108	63	23	17	85	46	77	44	7	2	1	—
70—	—	—	134	95	32	19	102	76	97	72	5	4	—	—
75—	—	—	117	92	27	12	90	80	84	77	5	3	1	—
80—	—	—	87	106	7	17	80	89	78	88	2	1	—	—

* 197. Execution of civilians by belligerent armies —.

TABLE 22.—CAUSES OF DEATH OF CHILDREN UNDER FIVE } { ENGLAND AND WALES.
AT DIFFERENT AGE-PERIODS, 1935.

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks— 3 m'ths	3—6 m'ths	6—12 m'ths	1 year.	2 years.	3 years.	4—5 years.
	ALL CAUSES {M. F.	25,749 19,852	10,490 7,702	3,236 2,224	2,632 1,974	3,296 2,538	2,777 2,463	1,352 1,219	1,037 908	929 824
7	Measles.. .. {M. F.	612 563	3 5	8 5	13 11	141 101	283 235	73 109	44 64	47 33
8	Scarlet fever {M. F.	110 125	— —	2 1	2 2	6 9	23 22	20 31	26 32	31 28
9	Whooping cough {M. F.	654 854	13 8	89 97	93 116	170 226	175 248	61 81	32 52	21 26
10	Diphtheria {M. F.	688 586	2 2	8 4	5 5	29 15	85 76	140 122	194 167	225 195
11	Influenza {M. F.	196 179	8 6	21 22	25 24	56 43	37 36	25 23	11 14	13 11
15	Erysipelas {M. F.	84 84	13 7	29 20	22 14	10 21	7 14	1 3	1 2	1 3
16	Acute poliomyelitis {M. F.	21 27	— —	— —	— —	2 2	7 8	4 4	6 5	2 8
	1. Acute poliomyelitis {M. F.	10 14	— —	— —	— —	2 2	5 3	1 1	1 4	1 4
	2. Acute polioencephalitis {M. F.	11 13	— —	— —	— —	— —	2 5	3 3	5 1	1 4
17	Encephalitis lethargica {M. F.	11 2	— —	— —	1 —	1 —	2 —	3 1	2 —	2 1
18	Cerebro-spinal fever {M. F.	171 146	1 1	10 13	31 27	52 28	34 38	20 18	12 15	11 6
23—32	Tuberculosis, all forms {M. F.	776 629	3 —	11 5	48 39	130 99	226 213	174 130	98 64	86 79
23	Tuberculosis, respiratory system. {M. F.	83 98	— —	3 2	5 9	17 12	28 35	9 16	12 11	9 13
24	Tuberculosis, central nervous system {M. F.	474 375	2 —	2 3	25 19	72 59	133 123	124 87	58 39	58 45
25	Tuberculosis, intestines and peritoneum. {M. F.	97 46	1 —	5 —	8 5	18 8	35 19	14 8	11 3	5 3
26—31	Tuberculosis, other organs.. {M. F.	25 11	— —	1 —	2 —	3 1	5 5	4 1	2 1	8 3
32	Disseminated tuberculosis {M. F.	97 99	— —	— —	8 6	20 19	25 31	23 18	15 10	6 15
	(a) Acute.. .. {M. F.	65 71	— —	— —	8 6	14 17	18 26	14 9	10 6	1 7
	(b) and (c) Others included under 32. {M. F.	32 28	— —	— —	— —	6 2	7 5	9 9	5 4	5 8
34	(a) Congenital syphilis {M. F.	106 79	41 27	41 22	15 19	3 6	5 1	— 3	— 1	1 —
35	1. Gonorrhœal or purulent ophthalmia. {M. F.	4 2	3 —	1 2	— —	— —	— —	— —	— —	— —
36	Purulent infection, septicæmia {M. F.	42 34	8 9	5 4	3 1	5 8	4 4	6 1	3 3	8 4
44	1. Vaccinia {M. F.	1 2	— —	1 1	— 1	— —	— —	— —	— —	— —
	2. Other sequelæ of vaccination. {M. F.	2 2	1 —	— 1	— —	1 —	— 1*	— —	— —	— —
	3. German measles {M. F.	2 4	— —	— —	— 1	— —	— 1	2 —	— 1	— 1
	4. Varicella {M. F.	13 9	1 —	— —	— 2	3 2	4 2	2 1	2 2	1 —

* Death following preventive inoculation against Scarlet Fever.

TABLE 22—continued.

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
44	5. Mumps {M. F.	4 3	1 —	— —	— —	— —	1 1	— —	1 1	1 1
45-53	Cancer, malignant disease .. {M. F.	49 52	3 2	— 2	1 3	7 6	7 11	14 13	10 7	7 8
56	Rheumatic fever {M. F.	31 21	— —	— —	— —	1 1	3 —	4 1	10 11	13 8
60	Scurvy {M. F.	4 1	— —	— —	— —	3 1	— —	— —	1 —	— —
63	1. Rickets {M. F.	93 63	1 —	3 1	7 5	37 15	36 28	7 10	1 3	1 1
67	Diseases of the thymus .. {M. F.	61 51	8 7	13 15	26 21	8 1	3 3	— 4	2 —	1 —
70	(a) Purpura {M. F.	41 31	16 9	4 4	3 1	3 4	6 3	1 2	5 3	3 5
	(b) Hæmophilia {M. F.	55 33	48 29	3 3	1 1	— —	— —	— —	2 —	1 —
72	(a) Leukæmia {M. F.	42 29	1 —	1 1	1 3	4 1	3 8	14 6	7 7	11 3
79	Meningitis {M. F.	227 169	15 13	23 11	41 17	48 47	45 43	19 14	23 13	13 11
85	Epilepsy {M. F.	42 39	4 2	1 2	3 1	5 4	6 11	11 8	9 6	3 5
86	Infantile convulsions {M. F.	684 477	350 202	97 74	91 66	84 62	45 43	13 18	4 6	— 6
87	Other diseases of the nervous system. {M. F.	68 45	5 3	5 4	6 4	7 6	21 16	14 7	5 4	5 1
89	Diseases of the ear and mastoid sinus. {M. F.	220 159	2 2	28 15	48 36	61 39	36 31	15 11	16 13	14 12
	(a) Otitis and other diseases of the ear. {M. F.	143 105	2 2	23 12	36 28	35 25	20 20	10 6	7 7	10 5
	(b) Diseases of the mastoid sinus. {M. F.	77 54	— —	5 3	12 8	26 14	16 11	5 5	9 6	4 7
90-95	Heart diseases {M. F.	23 24	— —	— —	1 2	3 1	3 1	4 3	8 8	4 9
105	1. Laryngismus stridulus .. {M. F.	17 14	2 —	2 —	1 2	1 2	5 6	6 3	— —	— 1
	2. Laryngitis {M. F.	28 36	— 1	— 2	1 1	5 2	11 9	4 10	5 5	2 6
106	Bronchitis {M. F.	817 677	94 88	218 150	167 139	197 149	79 93	35 34	9 15	18 9
107-109	Pneumonia (all forms) .. {M. F.	4,381 3,458	317 201	609 451	756 581	1,204 899	931 789	300 283	162 151	102 103
	Broncho-pneumonia .. {M. F.	3,588 2,838	261 166	541 403	639 494	991 772	755 638	222 203	110 97	69 65
108	Lobar pneumonia {M. F.	455 326	19 7	23 21	55 42	128 63	114 85	51 49	40 41	25 18
109	Pneumonia (not otherwise defined). {M. F.	338 294	37 28	45 27	62 45	85 64	62 66	27 31	12 13	8 20
110	Pleurisy {M. F.	43 27	4 1	3 3	1 1	3 2	14 8	9 4	7 5	2 3
	1. Empyema {M. F.	36 18	3 —	2 1	— —	2 1	12 6	8 3	7 5	2 2
	2. Other pleurisy {M. F.	7 9	1 1	1 2	1 1	1 1	2 2	1 1	— —	— 1
111	Congestion and hæmorrhagic infarct of lung, etc. {M. F.	36 20	12 7	12 5	3 3	3 3	4 1	2 —	— —	— 1

TABLE 22—continued.

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
104, 105 (3) 112- 114	Other respiratory diseases .. {M. F.	38 32	4 3	3 2	7 3	8 1	6 9	1 6	5 2	4 6
115	1. Diseases of the teeth and gums. {M. F.	17 11	1 —	— 3	1 1	1 —	8 4	3 3	3 —	— —
	3. Diseases of the tonsils .. {M. F.	75 73	2 1	1 1	4 —	6 5	18 12	16 8	15 23	13 23
118	1. Inflammation of the stomach {M. F.	112 82	11 10	37 22	20 22	23 12	15 10	2 5	3 1	1 —
119-120	Diarrhoea and enteritis .. {M. F.	2,050 1,434	193 133	476 309	630 417	509 364	158 139	46 36	19 22	19 14
121	Appendicitis {M. F.	118 59	— —	1 2	2 —	2 1	8 —	32 14	42 21	31 21
122	Hernia, intestinal obstruction {M. F.	332 135	32 13	47 7	79 37	86 49	48 15	18 4	9 6	13 4
	(a) Hernia {M. F.	80 13	8 4	22 —	19 3	13 2	14 3	3 —	— —	1 1
	(b) Intestinal obstruction .. {M. F.	252 122	24 9	25 7	60 34	73 47	34 12	15 4	9 6	12 3
129	Peritonitis, without stated cause. {M. F.	23 50	3 3	5 1	3 1	2 3	2 9	3 5	3 13	2 15
130-132	Nephritis {M. F.	88 58	7 2	5 1	5 4	7 7	17 14	16 13	16 6	15 11
133	(a) Pyelitis {M. F.	35 49	3 2	5 5	10 11	11 17	3 5	— 2	2 2	1 5
152	Cellulitis, acute abscess .. {M. F.	56 57	10 12	17 17	7 9	12 8	4 5	2 1	2 3	2 2
	1. Cellulitis {M. F.	24 33	2 8	7 9	3 4	5 7	3 1	1 1	2 1	1 2
	2. Acute abscess {M. F.	32 24	8 4	10 8	4 5	7 1	1 4	1 —	— 2	1 —
151, 153	Other diseases of the skin .. {M. F.	102 65	15 12	8 9	31 13	32 18	12 7	2 4	1 1	1 1
154	Acute infective osteomyelitis and periostitis. {M. F.	33 40	— 1	2 2	3 1	6 4	4 6	3 9	8 9	7 8
157	Congenital malformations .. {M. F.	2,068 1,664	1,137 1,019	534 324	172 131	122 101	50 48	23 25	17 8	13 8
	(a) Congenital hydro- cephalus. {M. F.	139 117	39 47	22 13	22 18	36 16	13 14	3 5	2 3	2 1
	(b) Spina bifida and meningocele. {M. F.	434 619	265 374	104 159	31 43	24 31	6 9	2 3	1 —	1 —
	(c) Congenital malformation of heart. {M. F.	720 495	487 329	115 72	44 35	35 27	19 19	9 7	6 4	5 2
	(d) Monstrosities {M. F.	31 55	29 54	1 1	— —	— —	1 —	— —	— —	— —
	(e) Other congenital mal- formations. {M. F.	744 378	317 215	292 79	75 35	27 27	11 6	9 10	8 1	5 5
	1. Congenital pyloric stenosis. {M. F.	302 81	34 21	221 46	41 12	4 2	1 —	1 —	— —	— —
	2. Cleft palate, harelip .. {M. F.	66 42	30 17	16 13	8 3	3 3	2 4	2 1	3 —	2 1
	3. Imperforate anus .. {M. F.	54 17	51 11	3 3	— 1	— 2	— —	— —	— —	— —
	4. Other stated congenital malformations. {M. F.	279 201	167 133	46 17	26 16	18 19	8 2	6 9	5 1	3 4
	5. Congenital malforma- tion, unspecified. {M. F.	43 37	35 33	6 —	— 3	2 1	— —	— —	— —	— —

TABLE 22—continued.

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
158	Congenital debility {M. F.	916 605	538 363	241 144	109 75	28 23	— —	— —	— —	— —
159	Premature birth {M. F.	5,867 4,447	5,417 4,105	408 309	40 30	2 3	— —	— —	— —	— —
160	Injury at birth {M. F.	885 530	862 516	20 11	2 3	1 —	— —	— —	— —	— —
	(a) With mention of Cæsarean section. {M. F.	11 4	11 4	— —	— —	— —	— —	— —	— —	— —
	(b) Without mention of Cæsarean section. {M. F.	874 526	851 512	20 11	2 3	1 —	— —	— —	— —	— —
161	Other diseases peculiar to early infancy. {M. F.	1,096 740	1,029 702	67 38	— —	— —	— —	— —	— —	— —
	(a) Atelectasis {M. F.	670 448	648 433	22 15	— —	— —	— —	— —	— —	— —
	(b) Icterus neonatorum .. {M. F.	195 94	176 85	19 9	— —	— —	— —	— —	— —	— —
	(c) Other diseases included under 161 {M. F.	231 198	205 184	26 14	— —	— —	— —	— —	— —	— —
	1. Diseases of the umbilicus. {M. F.	44 29	33 22	11 7	— —	— —	— —	— —	— —	— —
	2. Pemphigus neonatorum {M. F.	34 24	27 20	7 4	— —	— —	— —	— —	— —	— —
	3. Other diseases included under 161 (c). {M. F.	153 145	145 142	8 3	— —	— —	— —	— —	— —	— —
163-198	Deaths from violence {M. F.	964 654	170 140	58 43	56 44	76 49	206 117	137 89	136 85	125 87
173-175	Homicide* {M. F.	19 22	7 13	— —	2 —	2 1	1 4	1 —	3 1	3 3
181	Accidental burns (conflagration excepted). {M. F.	278 201	2 1	1 2	4 4	29 20	129 64	58 42	38 38	17 30
	1. By clothing {M. F.	9 40	— 1	— —	— —	— 1	4 7	2 7	2 11	1 13
	2. Otherwise (or not stated how). {M. F.	36 47	1 —	— 1	3 1	4 9	9 13	9 6	8 9	2 8
	3. Scalds {M. F.	233 114	1 —	1 1	1 3	25 10	116 44	47 29	28 18	14 9
182	Accidental mechanical suffocation. {M. F.	176 130	47 34	49 41	41 33	30 14	4 6	3 2	1 —	1 —
	1. In bed or not stated how {M. F.	132 102	37 28	45 33	27 27	21 12	2 2	— —	— —	— —
	2. Otherwise than in 1 .. {M. F.	44 28	10 6	4 8	14 6	9 2	2 4	3 2	1 —	1 —
183	Accidental drowning {M. F.	71 30	— —	— —	— —	1 1	22 10	17 9	15 7	16 3
186	Accidental injury by fall, crushing, etc. {M. F.	242 137	2 —	2 —	2 2	9 6	37 21	45 28	69 33	76 47
	1. Road vehicles {M. F.	185 108	— —	— —	— 1	1 —	18 12	36 25	65 29	65 41
	2. Otherwise {M. F.	57 29	2 —	2 —	2 1	8 6	19 9	9 3	4 4	11 6
	Other violence, including in- attention at birth. {M. F.	178 134	112 92	6 —	7 5	5 7	13 12	13 8	10 6	12 4
	Other causes {M. F.	415 311	76 33	53 34	35 23	69 68	67 59	45 37	38 26	32 31

* 172 Infanticide. Deaths from this cause are included under Nos. 173-175.

TABLE 23.—DEATHS BY MONTH OF OCCURRENCE AND CAUSE, } { England and Wales.
1934-1935.

NOTE.—(a) The figures for the last three months of 1935 are not available at the time of going to press.

(b) Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to date of *registration*.

(c) The relation of the detailed International List of Causes of Death to the Intermediate International List will be found in the first column of Table 6.

Inter- national List No.	Causes of Death.	1934.			1935.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	ALL CAUSES { M F	17400 16809	20138 19664	20014 19468	22674 21718	21536 20834	24027 23405	22065 21787	20872 20059	18443 18027	17154 16214	17040 16058	16596 15851
1-44	I.—Infectious and Parasitic Diseases { M F	1787 1508	2240 1835	2166 1794	2523 2017	2544 2028	3083 2543	2954 2606	2575 2087	1982 1680	1719 1374	1611 1399	1473 1290
1 & 2	Typhoid and paratyphoid fevers { M F	6 3	6 8	4 8	8 5	7 9	7 7	5 7	5 7	7 10	11 7	8 4	10 10
1	Typhoid fever { M F	4 3	4 7	3 6	6 3	5 8	7 6	5 6	5 7	7 9	8 5	7 3	8 8
2	Paratyphoid fevers { M F	2 —	2 1	1 2	2 2	2 1	— 1	— 1	— —	— 1	3 2	1 1	2 2
3	Typhus fever { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4	Relapsing fever ("Spirillum obermeieri") { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
5	Undulant fever { M F	— —	— 1	— —	1 —	— —	1 1	— —	— —	— —	1 —	1 —	— —
6	Small-pox { M F	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
7	Measles { M F	10 16	23 21	22 25	42 34	49 42	71 66	93 92	76 67	64 68	43 41	25 30	14 17
8	Scarlet fever { M F	32 35	26 23	31 32	21 36	36 34	30 41	35 37	26 27	21 17	11 20	12 12	14 10
9	Whooping cough { M F	32 37	30 49	34 52	47 63	55 85	76 88	100 112	86 96	52 81	46 62	67 69	39 67
10	Diphtheria { M F	149 184	168 188	244 266	223 241	192 193	187 193	135 159	139 142	79 107	106 101	105 108	98 104
11	Influenza { M F	100 83	239 202	216 213	305 305	418 429	685 718	750 804	438 448	214 187	79 55	77 48	86 68
	(a) With respiratory complications { M F	65 44	159 125	151 129	213 196	293 270	469 486	536 551	307 279	155 105	56 23	47 26	57 38
	(1) With pneumonic complications { M F	51 33	123 88	110 74	155 119	218 171	335 324	396 353	237 182	116 70	40 12	30 18	49 20
	(2) With other respiratory complications { M F	14 11	36 37	41 55	58 77	75 99	134 162	140 198	70 97	39 35	16 11	17 8	8 18
	(b) Without respiratory complications { M F	35 39	80 77	65 84	92 109	125 159	216 232	214 253	131 169	59 82	23 32	30 22	29 30
	(1) With non-respiratory complications { M F	30 27	62 61	56 70	71 82	98 118	163 165	150 183	101 139	40 58	17 28	24 17	25 25
	(2) Without stated complications { M F	5 12	18 16	9 14	21 27	27 41	53 67	64 70	30 30	19 24	6 4	6 5	4 5
12	Cholera { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13	Dysentery { M F	6 5	5 —	5 4	8 10	6 8	9 7	6 3	2 1	2 3	6 3	6 3	8 5
	(a) Amoebic { M F	1 —	1 —	1 —	1 —	— —	2 —	2 —	1 —	— —	— —	— —	2 —
	(b) Bacillary { M F	5 5	2 —	1 3	4 3	5 5	5 4	3 2	1 1	1 2	4 1	3 2	4 4
	(c) Other or unspecified { M F	— —	2 —	3 1	3 7	1 3	2 3	1 1	— —	1 1	2 2	3 1	2 1

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1934.			1935.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
14	Plague { M F	—	—	—	—	—	—	—	—	—	—	—	—
	(a) Bubonic { M F	—	—	—	—	—	—	—	—	—	—	—	—
	(b) Pneumonic { M F	—	—	—	—	—	—	—	—	—	—	—	—
	(c) Septicæmic { M F	—	—	—	—	—	—	—	—	—	—	—	—
	(d) Not otherwise defined .. { M F	—	—	—	—	—	—	—	—	—	—	—	—
15	Erysipelas { M F	46 35	52 54	67 50	62 53	68 47	75 61	60 57	59 44	37 31	17 25	22 26	18 17
16	Acute poliomyelitis { M F	8 3	4 11	9 3	8 2	6 4	— 3	2 7	5 4	3 5	6 8	19 13	13 8
	(1) Acute poliomyelitis { M F	3 3	2 5	6 1	5 1	3 2	— 2	1 4	4 3	2 4	5 5	15 10	11 4
	(2) Acute polioencephalitis { M F	5 —	2 6	3 2	3 1	3 2	— 1	1 3	1 1	1 1	1 3	4 3	2 4
17	Encephalitis lethargica { M F	29 27	28 38	26 28	33 35	36 29	34 39	26 42	33 35	33 34	18 22	27 36	27 23
18	Cerebro-spinal fever { M F	25 25	22 8	30 15	26 25	33 19	35 25	44 40	41 17	23 28	26 18	20 21	14 17
19	Glanders { M F	—	—	—	—	—	—	—	—	—	—	—	—
20	Anthrax { M F	1 —	—	—	—	2 —	—	—	2 —	—	1 —	—	—
21	Rabies { M F	—	—	—	—	—	—	—	—	—	—	—	—
22	Tetanus { M F	5 3	7 2	5 —	6 2	10 1	13 4	6 —	6 2	11 2	7 5	11 6	6 2
23-32	Tuberculosis (all forms) { M F	1232 984	1490 1152	1364 1025	1579 1142	1523 1048	1696 1214	1564 1188	1520 1137	1322 1056	1213 955	1125 962	1011 886
23	Respiratory system { M F	1036 824	1321 975	1159 874	1367 959	1297 889	1416 1019	1326 965	1286 926	1096 870	1020 762	938 788	868 726
24	Central nervous system { M F	83 73	62 71	74 72	94 73	79 69	132 85	111 89	104 97	92 84	73 68	74 61	49 66
25	Intestines and peritoneum { M F	20 22	29 30	31 19	29 31	38 24	36 37	32 39	24 39	36 25	20 34	32 40	22 33
26	Vertebral column { M F	26 5	19 12	20 15	17 24	23 7	26 17	19 20	20 15	17 8	24 16	23 14	18 9
27	Other bones and joints { M F	19 9	6 11	15 3	5 6	11 4	13 6	10 12	16 6	10 15	13 7	7 7	6 7
28	Skin and subcutaneous tissues { M F	1 2	4 2	2 1	1 1	3 2	4 3	— 2	— 3	2 1	1 2	2 2	— 2
29	Lymphatic system (ab- dominal and bronchial glands excepted). { M F	2 3	— 1	4 3	5 2	3 1	1 3	3 1	4 3	1 1	5 3	2 4	1 1
30	Genito-urinary system { M F	15 12	13 12	12 5	6 9	15 9	16 9	14 14	14 7	17 7	14 11	10 9	15 6
31	Other organs { M F	2 1	1 1	1 1	2 1	3 1	1 1	1 1	4 1	1 2	1 1	3 —	1 3
	(1) Adrenals { M F	2 1	— 1	— 1	2 1	3 —	— —	1 1	1 1	1 2	1 —	1 —	— 2
	(2) Other sites included under 31 { M F	— —	1 —	1 —	— —	— 1	1 1	— —	3 —	— —	— 1	2 —	1 1

TABLE 23—continued.

International List No.	Causes of Death.	1934.			1935.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
32	Disseminated tuberculosis .. { M F	28 33	35 37	46 32	53 36	51 42	51 34	48 45	48 40	50 43	42 51	34 37	31 33
	(a) Acute { M F	13 24	17 15	21 17	20 17	28 19	26 21	26 26	29 26	30 23	18 24	17 26	16 18
	(b) Chronic { M F	— 1	— —	— 1	— —	— —	— —	— 1	— 1	1 —	1 —	1 —	—
	(c) Not distinguished as acute or chronic .. { M F	15 8	18 22	25 14	33 19	23 23	25 13	22 18	19 13	19 20	23 27	16 11	15 15
33	Leprosy { M F	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
34	Syphilis { M F	59 36	69 37	51 31	91 27	61 37	86 36	73 26	79 24	62 24	80 27	51 30	58 32
	(a) Congenital syphilis .. { M F	6 13	10 15	11 11	17 13	14 7	19 12	9 6	11 7	11 9	13 12	8 6	7 7
	(b & c) Acquired or unspecified { M F	53 23	59 22	40 20	74 14	47 30	67 24	64 20	68 17	51 15	67 15	43 24	51 25
35	Other venereal diseases .. { M F	1 1	3 1	4 2	3 —	1 3	4 1	2 —	2 3	5 1	— 2	— —	7 1
	(1) Gonorrhœal or purulent ophthalmia .. { M F	— 1	1 1	1 1	— —	— —	2 —	1 —	1 1	— —	— —	— —	— —
	(2) Other diseases included under 35 { M F	1 —	2 —	3 1	3 —	1 3	2 1	1 —	1 2	5 1	— 2	— —	7 1
36	Purulent infection, septicæmia { M F	31 23	54 31	38 35	43 29	30 28	55 24	37 23	46 21	32 14	33 13	21 23	35 17
	(a) Septicæmia { M F	28 21	50 29	35 30	42 29	28 26	52 22	34 22	43 17	31 12	31 13	21 21	31 15
	(b) Pyæmia { M F	3 2	4 2	3 5	1 —	2 2	3 2	3 1	3 4	1 2	2 —	— 2	4 2
	(c) Gas gangrene { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
37	Yellow fever { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
38	Malaria { M F	— —	2 —	2 —	— —	— —	1 1	— —	— —	1 —	2 —	— —	2 —
39	Other diseases due to protozoa { M F	2 —	2 —	2 —	2 —	— —	1 —	— —	— —	4 —	— 1	1 1	3 —
40	Ankylostomiasis { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
41	Hydatid cysts { M F	1 —	1 2	— —	1 1	1 —	2 1	1 —	2 1	— 1	1 1	— 2	1 2
	(a) Liver { M F	— —	— 1	— —	1 1	— —	2 —	— —	2 1	— 1	1 1	— 1	1 2
	(b) Other organs { M F	1 —	1 1	— —	— —	1 —	— 1	1 —	— —	— —	— —	1 —	— —
42	Other diseases due to helminths { M F	— 1	— —	1 —	— —	1 —	— —	1 1	— 1	— 1	— —	— —	— —
43	Mycoses { M F	6 2	4 4	5 2	9 3	7 4	5 2	5 5	2 4	6 —	4 3	6 1	3 3
	(1) Actinomycosis { M F	4 2	2 3	4 1	4 1	7 4	2 2	2 4	2 2	6 —	2 —	5 1	— 3
	(2) Other mycoses { M F	2 —	2 1	1 1	5 2	— —	3 —	3 1	— 2	— —	2 3	1 —	3 —
44	Other infectious or parasitic diseases { M F	6 5	5 2	6 3	5 4	2 8	10 11	9 3	6 6	3 10	8 5	7 4	6 1
	(1) Vaccinia { M F	— 1	— —	— —	— 1	— —	— —	— 1	— —	— 1	— —	— —	— 1

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1934.			1935.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
44	Other infectious or parasitic diseases— <i>cont.</i>												
	(2) Other sequelæ of vaccination	{ M — — — F — — —			— 1 — 1 — 2*	1 — —	— 2*	— — —	— — —	— — —	— — —	— — —	— — —
	(3) German measles .. .	{ M — — — F — — —			1 — 1 — — 2	— — —	1 2	1 1	1 1	— 3	— — —	— — —	— — —
	(4) Varicella .. .	{ M — — — F — — —			1 — 2 1 2 3	— — —	2 3	3 2	2 1	1 —	2 3	— 1	— —
	(5) Mumps .. .	{ M — — — F — 1 2			— — — 1 2 1	— — —	— — —	2 — —	— — —	— — —	— 2	— 1	— 1
	(6) Other diseases included under 44 .. .	{ M 6 5 6 F 4 1 1			3 1 7 — 4 3	1 — —	7 3	3 3	3 2	2 6	6 5	5 4	4 1
45-55	II.—Cancer and other Tumours	{ M 2576 2647 2654 F 2955 2994 2956			2735 2480 2714 3080 2783 3081			2525 2682 2600 2943 3000 2884	2655 2663 2596 2831 2964 2963				
45-53	Cancer, malignant disease .. .	{ M 2490 2541 2566 F 2812 2849 2817			2643 2393 2611 2924 2659 2939			2432 2568 2504 2803 2865 2747	2569 2567 2497 2740 2826 2840				
45	Buccal cavity and pharynx	{ M 247 256 254 F 55 39 55			287 211 256 48 39 41			233 249 280 48 40 45	244 250 206 48 53 46				
46	Digestive organs and peritoneum .. .	{ M 1495 1564 1544 F 1382 1338 1399			1605 1490 1585 1437 1261 1436			1470 1540 1494 1348 1381 1292	1566 1552 1542 1392 1428 1401				
47	Respiratory organs .. .	{ M 263 266 305 F 89 76 78			264 267 303 91 100 104			263 287 272 89 91 96	302 306 311 79 81 85				
48	Uterus .. .	F 386 404 389			390 317 400			385 367 367	350 376 343				
49	Other female genital organs	F 150 158 151			186 156 169			170 183 158	174 143 183				
50	Breast .. .	{ M 4 6 3 F 557 614 567			7 2 6 573 582 578			4 10 4 538 592 582	4 10 1 514 540 565				
51	Male genito-urinary organs	M 285 309 280			302 275 288			298 303 298	292 280 273				
52	Skin .. .	{ M 61 50 50 F 31 49 36			50 47 56 41 36 46			43 46 46 39 38 42	60 51 52 33 37 41				
53	Other or unspecified organs	{ M 135 90 130 F 162 171 142			128 101 117 158 168 165			121 133 110 186 173 165	101 118 102 150 168 176				
54	Non-malignant tumours .. .	{ M 29 39 28 F 97 103 86			40 39 40 106 73 88			44 49 40 92 84 92	36 43 45 85 82 85				
	(a) Female genital organs .. .	F 58 62 59			72 46 53			62 43 58	54 58 58				
	(b) Other sites .. .	{ M 29 39 28 F 39 41 27			40 39 40 34 27 35			44 49 40 30 41 34	36 43 45 31 24 27				
55	Tumours of undetermined nature .. .	{ M 57 67 60 F 46 42 53			52 48 63 50 51 54			49 65 56 48 51 45	50 53 54 56 56 38				
	(a) Female genital organs .. .	F — 2 —			— — —			2 2 1	— 1 —				
	(b) Other sites .. .	{ M 57 67 60 F 46 40 53			52 48 63 50 51 54			49 65 56 46 49 44	50 53 54 56 55 38				
56-69	III.—Rheumatism, Diseases of Nutrition and of Endocrine Glands and other General Diseases.	{ M 352 404 397 F 686 789 729			419 453 472 834 801 871			474 410 367 850 784 751	347 332 339 676 622 605				
56	Rheumatic fever .. .	{ M 42 39 55 F 70 60 57			37 48 56 54 70 64			53 44 39 75 59 49	31 43 35 58 44 35				
57	Chronic rheumatism, osteo-arthritis .. .	{ M 71 81 89 F 162 194 156			77 109 115 224 194 247			96 75 85 203 210 199	70 78 68 171 151 132				
	(1) Chronic rheumatism .. .	{ M 6 8 2 F 4 8 2			2 8 4 5 5 7			6 2 6 5 7 11	5 6 5 2 5 2				
	(2) Rheumatoid arthritis, osteo-arthritis .. .	{ M 65 73 87 F 158 186 154			75 101 111 219 189 240			90 73 79 198 203 188	65 72 63 169 146 130				
58	Gout .. .	{ M 12 6 9 F 1 1 4			19 16 19 2 2 5			16 16 12 6 3 2	9 16 11 2 2 3				

* Including 1 death following preventive inoculation against Scarlet Fever.

TABLE 23—continued.

International List No.	Causes of Death.				1934.			1935.								
					Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
59	Diabetes	M	195	229	204	238	221	224	252	214	188	194	160	185		
		F	293	350	337	369	355	371	386	331	317	292	257	287		
60	Scurvy	M	1	—	1	—	1	—	2	1	1	—	1	1		
		F	—	1	—	—	2	1	—	—	—	—	—	—		
61	Beri-beri	M	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—		
62	Pellagra	M	—	—	—	1	—	—	—	—	—	—	—	—		
		F	—	1	1	1	—	—	1	2	—	1	—	1		
63	Rickets	M	2	9	6	11	14	12	10	16	8	4	10	8		
		F	6	7	5	8	3	10	6	8	11	2	4	6		
	(1) Rickets	M	2	8	6	10	11	11	8	16	8	2	9	8		
		F	5	5	4	6	3	8	6	7	11	2	3	6		
	(2) Spinal curvatures of un- determined nature ..	M	—	1	—	1	3	1	2	—	—	2	1	—		
		F	1	2	1	2	—	2	—	1	—	—	1	—		
64	Osteomalacia	M	—	—	1	—	—	2	—	—	1	—	—	1		
		F	—	1	—	1	—	—	—	—	—	—	—	—		
65	Diseases of the pituitary gland	M	—	2	1	4	—	2	1	3	1	1	—	—		
		F	1	3	1	4	2	4	6	4	2	2	1	4		
	(1) Infantilism	M	—	—	—	—	—	—	1	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—		
	(2) Other diseases of the pituitary gland	M	1	2	1	4	—	2	—	3	1	1	—	—		
		F	—	3	1	4	2	4	6	4	2	2	1	4		
66	Diseases of the thyroid and parathyroid glands ..	M	16	24	16	20	25	28	24	19	17	23	8	16		
		F	136	154	146	146	153	141	148	140	152	130	139	117		
	(a) Simple goitre	M	1	2	1	2	1	3	4	2	—	2	1	—		
		F	7	7	11	8	12	14	11	16	16	12	5	9		
	(b) Exophthalmic goitre ..	M	13	18	11	16	16	17	17	13	16	19	5	12		
		F	117	121	108	120	118	105	112	114	123	105	129	99		
	(c) Myxœdema, cretinism ..	M	1	4	3	1	6	5	—	3	—	2	1	3		
		F	11	25	26	18	23	19	23	10	10	12	4	9		
	(d) Tetany	M	1	—	—	1	2	3	1	1	—	—	—	1		
		F	1	1	—	—	—	2	1	—	1	1	1	—		
	(e) Other diseases included under 66	M	—	—	1	—	—	—	2	—	1	—	1	—		
		F	—	—	1	—	—	1	1	—	2	—	—	—		
67	Diseases of the thymus ..	M	4	3	3	5	12	5	6	5	6	7	7	8		
		F	4	4	3	5	5	4	3	3	5	4	5	8		
68	Diseases of the adrenals ..	M	6	5	7	3	6	6	5	13	6	6	4	4		
		F	13	12	8	14	13	14	8	17	11	10	16	10		
69	Other general diseases ..	M	2	5	6	3	1	5	9	4	4	2	4	3		
		F	1	2	10	7	2	8	8	7	2	4	3	2		
	(1) Amyloid disease of un- stated origin	M	—	—	—	—	—	—	—	—	—	—	2	—		
		F	—	—	—	—	—	1	3	1	2	—	—	2		
	(2) Other diseases included under 69	M	2	5	6	3	1	5	9	4	4	2	2	3		
		F	1	2	10	7	2	7	5	6	—	4	3	—		
70-74	IV.—Diseases of the Blood and Blood-forming Organs ..	M	174	183	171	180	181	213	189	194	159	182	163	156		
		F	172	206	176	225	200	212	223	205	208	200	194	218		
70	Hæmorrhagic conditions ..	M	21	18	13	18	14	17	16	21	11	22	13	15		
		F	11	16	8	13	11	16	20	16	17	14	18	24		
	(a) Purpura	M	9	10	6	9	12	11	11	15	5	14	7	7		
		F	11	11	6	9	8	12	18	15	16	13	14	20		
	(b) Hæmophilia	M	12	8	7	9	2	6	5	6	6	8	6	8		
		F	—	5	2	4	3	4	2	1	1	1	4	4		
71	Anæmia, chlorosis	M	72	89	92	86	90	109	105	89	80	86	65	73		
		F	112	129	124	147	123	140	140	134	127	131	117	135		
	(a) Pernicious anæmia ..	M	62	76	81	77	84	98	98	80	70	78	55	66		
		F	100	113	115	134	110	120	126	124	108	111	101	125		

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1934.			1935.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
71	Anæmia, chlorosis— <i>contd.</i>												
	(b) Other anæmias and { M 10 13 11				9	6	11	7	9	10	8	10	7
	chlorosis { F 12 16 9				13	13	20	14	10	19	20	16	10
	(1) Splenic anæmia .. { M 6 10 8				9	2	7	4	7	6	5	8	4
 { F 9 10 7				9	8	12	8	8	10	11	11	6
	(2) Other diseases in- { M 4 3 3				—	4	4	3	2	4	3	2	3
	cluded under 71b .. { F 3 6 2				4	5	8	6	2	9	9	5	4
72	Leukæmia, aleukæmia .. { M 74 69 62				66	71	81	63	79	63	67	80	59
 { F 42 51 40				60	57	50	57	51	53	46	52	50
	(a) Leukæmia { M 46 38 33				37	40	42	34	39	30	39	44	37
 { F 29 40 25				37	40	34	42	27	33	30	31	28
	(b) Aleukæmia { M 28 31 29				29	31	39	29	40	33	28	36	22
 { F 13 11 15				23	17	16	15	24	20	16	21	22
	(1) Aleukæmia { M ? ? ?				29	30	38	28	36	33	28	34	20
	(lymphadenoma) .. { F ? ? ?				19	15	14	13	17	13	12	21	21
	(2) Aleukæmia { M ? ? ?				—	1	1	1	4	—	—	2	2
	(agranulocytosis) .. { F ? ? ?				4	2	2	2	7	7	4	—	1
73	Diseases of the spleen .. { M 3 6 3				7	6	3	5	4	4	5	3	7
 { F 4 7 4				4	7	4	3	3	8	7	7	9
	(1) Banti's disease .. { M 2 2 1				6	3	2	3	3	3	3	3	4
 { F 2 5 3				4	6	2	2	2	5	5	3	9
	(2) Other diseases of the { M 1 4 2				1	3	1	2	1	1	2	—	3
	spleen { F 2 2 1				—	1	2	1	1	3	2	4	—
74	Other diseases of the blood and { M 4 1 1				3	—	3	—	1	1	2	2	2
	blood-forming organs .. { F 3 3 —				1	2	2	3	1	3	2	—	—
75-77	V.—Chronic Poisoning .. { M 7 3 9				11	4	9	7	5	3	6	11	4
 { F 2 3 2				3	2	2	2	2	5	1	2	1
75	Alcoholism (acute or chronic) { M 1 1 7				7	3	3	5	4	2	5	7	1
 { F 2 3 1				3	1	2	2	2	5	1	2	1
76	Chronic poisoning by other { M — — —				—	—	—	—	—	—	—	—	2
	organic substances .. { F — — —				—	—	—	—	—	—	—	—	—
77	Chronic poisoning by mineral { M 6 2 2				4	1	6	2	1	1	1	4	1
	substances { F — — 1				—	1	—	—	—	—	—	—	—
	(1) Occupational lead { M 6 2 2				2	1	6	2	1	1	1	3	1
	poisoning { F — — 1				—	—	—	—	—	—	—	—	—
	(2) Other chronic poisoning { M — — —				2	—	—	—	—	—	—	1	—
	by mineral substances .. { F — — —				—	1	—	—	—	—	—	—	—
78-80	VI.—Diseases of the Nervous { M 1444 1593 1574				1728 1653 1307			1648 1621 1444			1375 1338 1323		
	System and Sense Organs { F 1562 1794 1763				1899 1757 2120			1860 1308 1636			1492 1474 1501		
78	Encephalitis { M 9 12 14				12	8	12	10	12	16	13	15	19
 { F 11 13 13				9	9	15	12	12	19	13	18	12
	(a) Cerebral abscess .. { M 6 8 10				6	3	7	4	8	9	8	10	10
 { F 6 6 8				1	8	9	8	2	11	6	6	5
	(b) Other diseases included { M 3 4 4				6	5	5	6	4	7	5	5	9
	under 78 { F 5 7 5				8	1	6	4	10	8	7	12	7
79	Meningitis { M 32 20 40				49	40	56	51	44	33	30	29	35
 { F 24 25 37				31	34	32	38	32	34	23	27	27
80	Tabes dorsalis (locomotor { M 35 45 45				51	45	47	45	49	40	41	44	45
	ataxy) { F 16 8 7				8	13	9	6	11	10	8	10	12
81	Other diseases of the spinal { M 41 62 63				53	69	73	64	73	70	37	37	47
	cord { F 34 47 54				52	57	50	43	41	35	37	37	39
	(1) Progressive muscular { M 22 36 29				24	30	26	32	33	32	15	21	23
	atrophy { F 13 23 22				18	22	20	19	25	14	15	19	14
	(2) Subacute combined { M 2 6 6				3	3	7	3	5	3	—	2	3
	sclerosis { F 5 3 2				7	9	6	3	5	2	4	4	6
	(3) Myelitis of unstated { M 9 12 11				15	16	18	13	11	14	6	5	12
	origin { F 8 12 17				11	15	13	10	5	7	10	6	13
	(4) Other diseases included { M 8 8 17				11	20	22	16	24	21	16	9	9
	under 81 { F 8 9 13				16	11	11	11	6	12	8	8	6

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1934.			1935.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
82	Cerebral hæmorrhage, { M 932 1018 984 apoplexy, etc. { F 1129 1318 1287				1080 1008 1054 1392 1275 1543			944 992 895 1367 1289 1205			846 830 838 1089 1067 1086		
	(a) Cerebral hæmorrhage .. { M 672 721 710 { F 824 975 920				757 709 731 983 897 1071			661 707 636 994 919 826			592 568 613 759 732 762		
	(1) Cerebral hæmorrhage { M 638 686 671 so returned { F 787 929 876				716 672 701 931 850 1025			634 675 615 953 884 783			572 542 581 732 696 722		
	(2) Apoplexy (lesion un- { M 34 35 39 stated) { F 37 46 44				41 37 30 52 47 46			27 32 21 41 35 43			20 26 32 27 36 40		
	(b) Cerebral embolism and { M 223 244 236 thrombosis { F 264 294 318				281 247 279 347 321 398			239 246 221 320 320 321			222 228 190 287 293 283		
	(1) Cerebral embolism .. { M 13 18 12 { F 29 22 16				21 14 19 25 16 32			16 20 15 26 27 18			9 19 15 26 19 22		
	(2) Cerebral thrombosis.. { M 204 214 218 { F 224 258 293				251 223 255 307 293 346			217 216 199 278 284 287			203 201 171 248 263 247		
	(3) Cerebral softening .. { M 6 12 6 { F 11 14 9				9 10 5 15 12 20			6 16 7 16 9 16			10 8 4 13 11 14		
	(c) Hemiplegia and other { M 37 53 38 paralyses of unstated { F 41 49 49 origin.				42 52 44 62 57 74			44 39 38 53 50 58			32 34 35 43 42 41		
	(1) Hemiplegia { M 32 48 35 { F 37 43 44				41 44 41 55 51 70			39 37 37 50 46 52			30 27 32 37 38 37		
	(2) Other paralyses of un- { M 5 5 3 stated origin { F 4 6 5				1 8 3 7 6 4			5 2 1 3 4 6			2 7 3 6 4 4		
83	General paralysis of the insane { M 52 69 63 { F 18 17 16				60 65 77 21 22 17			75 68 60 19 23 13			58 44 40 12 23 21		
84	Other forms of insanity .. { M 37 39 30 { F 57 57 52				43 35 49 49 51 60			38 47 35 42 55 50			41 32 26 49 50 55		
	(a) Dementia præcox .. { M 1 7 2 { F 5 6 1				1 3 5 3 2 3			2 6 3 3 2 3			8 6 1 5 2 1		
	(b) Other conditions included { M 36 32 28 under 84 { F 52 51 51				42 32 44 46 49 57			36 41 32 39 53 47			33 26 25 44 48 54		
85	Epilepsy { M 86 88 86 { F 61 84 79				92 89 121 92 65 109			115 91 77 90 109 70			82 82 65 75 63 68		
86	Infantile convulsions (under { M 43 64 58 5 years of age) { F 35 40 42				70 72 74 43 37 60			72 52 39 42 38 27			51 51 43 37 23 42		
87	Other diseases of the nervous { M 109 107 115 system { F 130 132 123				142 140 141 154 148 140			136 123 107 130 130 126			107 110 109 105 111 103		
	(a) Chorea { M — — — { F 5 1 1				1 2 1 7 4 5			2 3 3 5 6 4			— — — 3 3 3		
	(b) Neuritis, neuralgia .. { M 7 6 2 { F 7 11 7				3 6 6 5 4 9			4 3 5 9 2 4			2 1 3 4 5 1		
	(c) Paralysis agitans .. { M 58 59 52 { F 52 53 56				72 75 65 63 63 52			70 55 47 51 56 56			63 63 57 53 47 40		
	(d) Disseminated sclerosis.. { M 31 26 33 { F 46 40 32				40 36 36 42 58 37			34 33 37 37 46 43			26 32 29 32 36 39		
	(e) Other diseases included { M 13 16 28 under 87 { F 20 27 27				26 21 33 37 19 37			26 29 15 28 20 19			16 14 20 13 20 20		
	Diseases of the eye and annexa { M 6 2 2 { F 3 6 2				2 4 4 3 3 5			7 3 3 6 5 4			3 1 4 4 9 5		
	Diseases of the ear and mastoid { M 62 67 74 sinus { F 44 47 51				74 78 99 45 43 80			91 67 69 65 63 43			66 63 52 40 36 31		
89	(a) Otitis and other diseases { M 28 48 47 of the ear { F 25 30 36				44 43 59 30 25 48			46 39 38 41 36 25			34 39 32 28 22 21		
	(b) Diseases of the mastoid { M 34 19 27 sinus { F 19 17 15				30 35 40 15 18 32			45 28 31 24 27 18			32 24 20 12 14 10		

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1934.			1935.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
90-103	VII.—Diseases of the Circu- latory System { M F	4766 4934	5752 5999	5572 5930	6400 6778	6141 6445	6736 7032	6168 6457	5830 6072	5203 5495	4698 4904	4646 4748	4699 4715
90-95	Heart diseases { M F	3811 4019	4651 4880	4434 4905	5192 5604	4980 5339	5485 5788	4984 5316	4632 4982	4165 4488	3768 4069	3729 3836	3757 3821
90	Pericarditis { M F	14 1	10 9	10 9	11 7	10 10	14 12	11 8	12 5	10 7	8 2	5 5	9 5
91	Acute endocarditis { M F	43 38	49 55	37 48	55 59	52 52	63 49	54 47	50 71	37 47	53 48	47 58	50 53
	(1) Malignant endocarditis. . { M F	36 33	49 46	33 42	52 56	49 46	55 46	45 45	46 67	32 45	48 42	43 53	45 51
	(2) Other acute endocarditis { M F	7 5	— 9	4 6	3 3	3 6	8 3	9 2	4 4	5 2	5 6	4 5	5 2
92	Chronic endocarditis, valvular { M disease { F	797 909	916 1091	854 1038	1012 1239	967 1115	988 1203	948 1183	895 1071	785 977	758 877	716 816	703 888
	(1) Aortic valve disease .. { M F	169 69	172 89	173 85	199 109	206 91	195 103	178 103	185 92	156 76	147 72	150 48	187 79
	(2) Mitral valve disease .. { M F	257 398	301 487	272 448	357 536	309 505	328 545	310 521	310 458	267 424	240 399	222 379	240 389
	(3) Aortic and mitral valve { M disease { F	43 36	66 45	58 49	54 56	36 49	57 38	54 69	49 50	53 38	43 48	45 30	39 38
	(4) Endocarditis, not re- { M turned as acute or chronic { F	37 44	39 60	36 61	46 53	53 61	50 61	43 71	39 48	30 54	29 42	22 44	22 41
	(5) Other or unspecified { M valve disease { F	291 362	338 410	315 395	356 485	363 409	358 456	363 419	312 423	279 385	299 316	277 315	215 341
93	Diseases of the myocardium { M F	2125 2532	2685 3022	2555 3124	3089 3527	2995 3418	3334 3748	2969 3408	2722 3167	2513 2846	2162 2545	2163 2464	2154 2341
	(a) Acute myocarditis .. { M F	2 7	8 8	10 14	8 10	15 11	11 13	9 11	12 16	7 5	9 9	7 6	5 9
	(b) Myocardial degeneration { M F	1684 2037	2150 2448	2077 2534	2469 2797	2390 2775	2637 2995	2376 2712	2181 2587	2033 2273	1723 2087	1735 2014	1775 1947
	(1) Fatty heart { M F	71 98	69 110	89 115	99 112	96 124	84 125	68 97	66 123	79 114	65 99	55 80	64 92
	(2) Cardio vascular { M degeneration { F	497 466	612 541	618 617	706 743	718 663	792 708	698 669	619 651	607 553	539 533	522 459	499 505
	(3) Other diseases included { M under 93 (b) { F	1116 1473	1469 1797	1370 1802	1664 1942	1576 1988	1761 2162	1610 1946	1496 1813	1347 1606	1119 1455	1158 1475	1212 1350
	(c) Myocarditis, not dis- { M tinguished as acute or { F chronic.	439 488	527 566	468 576	612 720	590 632	686 740	584 685	529 564	473 568	430 449	421 444	374 385
94	Diseases of the coronary { M arteries, angina pectoris { F	584 276	714 373	692 346	749 406	668 332	761 402	690 297	667 327	597 304	556 293	574 243	637 281
95	Other diseases of the heart .. { M F	248 263	277 330	286 340	276 366	288 412	325 374	312 373	286 341	223 307	231 304	224 250	204 253
	(a) Disordered action of { M heart { F	94 95	92 117	102 146	91 169	108 179	108 167	133 149	90 151	63 144	78 138	84 117	71 108
	(b) Other diseases included { M under 95 { F	154 168	185 213	184 194	185 197	180 233	217 207	179 224	196 190	160 163	153 166	140 133	133 145
	(1) Dilatation of heart { M (cause unspecified) .. { F	14 6	12 15	10 8	8 6	12 7	15 9	11 3	9 15	9 15	8 3	8 5	7 3
	(2) Heart disease (un- { M defined) { F	140 162	173 198	174 186	177 191	168 226	202 198	168 221	187 175	151 148	145 163	132 128	126 142
96	Aneurysm { M F	78 26	79 42	77 40	86 44	78 37	86 43	78 45	82 39	67 24	72 21	71 30	85 48
97	Arterio-sclerosis { M F	817 800	935 952	988 894	1013 1016	991 978	1080 1089	1017 986	1032 956	889 892	783 719	766 817	777 764

Inter- national List No.	Causes of Death.	1934.			1935.									
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
97	Arterio-sclerosis— <i>contd.</i>													
	(1) With cerebral hæmorrhage { M F	331 364	357 429	369 387	394 415	401 358	377 436	395 416	380 380	305 380	303 288	284 343	340 318	
	(2) With record of other cerebral vascular lesion .. { M F	174 168	202 196	200 189	205 231	173 213	235 222	188 221	217 236	205 201	174 176	157 194	152 194	
	(3) Without record of cerebral vascular lesion .. { M F	312 268	376 327	419 318	414 370	417 407	468 431	434 349	435 340	379 311	306 255	325 280	285 252	
98	Gangrene { M F	16 18	37 30	24 18	38 33	26 27	22 36	29 25	29 29	28 30	18 26	27 14	32 18	
	(a) Senile gangrene .. { M F	15 16	33 29	20 18	34 32	24 25	20 33	26 22	26 26	26 27	16 21	27 12	30 16	
	(b) Other gangrene.. .. { M F	1 2	4 1	4 —	4 1	2 2	2 3	3 3	3 3	2 3	2 5	— 2	2 2	
99	Other diseases of the arteries { M F	10 12	17 21	13 19	20 19	17 19	18 13	17 18	15 16	13 15	14 5	15 10	14 16	
100	Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.) { M F	12 34	16 45	11 30	31 40	23 29	19 37	15 36	14 24	22 23	19 45	18 27	14 29	
	(1) Varix { M F	5 11	6 21	2 13	17 18	13 13	11 17	9 12	5 10	11 13	6 20	9 13	8 13	
	(2) Other diseases of the veins { M F	7 23	10 24	9 17	14 22	10 16	8 20	6 24	9 14	11 10	13 25	9 14	6 16	
101	Diseases of the lymphatic system (lymphangitis, etc.) { M F	2 5	4 1	6 2	3 3	8 3	4 6	7 6	1 6	1 2	2 3	2 1	1 2	
102	Abnormalities of blood-pressure { M F	19 20	12 27	18 22	16 17	18 13	20 20	21 25	22 20	18 20	22 16	17 13	18 17	
103	Other diseases of the circulatory system { M F	1 —	1 1	1 —	1 2	— —	2 —	— —	3 —	— 1	— —	1 —	1 —	
104-114	VIII.—Diseases of the Respiratory System { M F	1431 1022	2255 1713	2201 1810	2839 2271	2960 2467	3296 2758	2755 2352	2246 1793	1731 1261	1166 792	1228 815	1190 820	
104	Diseases of the nasal fossæ and annexa { M F	12 10	12 8	11 12	13 5	15 14	9 13	19 13	12 11	14 8	17 5	17 5	9 11	
	(1) Diseases of the nose .. { M F	— —	1 1	2 2	1 —	3 4	2 4	2 2	6 2	— 2	3 —	4 —	1 2	
	(2) Diseases of the accessory nasal sinuses { M F	12 10	11 7	9 10	12 5	12 10	7 9	17 11	6 9	14 6	14 5	13 5	8 9	
105	Diseases of the larynx .. { M F	7 2	13 5	6 11	11 11	6 6	8 13	8 7	9 5	3 6	3 5	5 3	5 2	
	(1) Laryngismus stridulus.. { M F	1 —	2 —	1 4	1 1	— 1	2 2	2 1	2 1	— 1	2 2	1 —	1 —	
	(2) Laryngitis { M F	6 2	11 5	5 7	10 10	6 5	6 11	5 5	7 4	3 4	1 3	4 3	3 2	
	(3) Other diseases of the larynx { M F	— —	— —	— —	— —	— —	— —	1 1	— —	— 1	— —	— —	1 —	
106	Bronchitis { M F	461 318	777 675	714 716	936 897	1006 975	1066 1043	849 831	644 606	484 390	342 218	336 217	324 229	
	(a) Acute bronchitis .. { M F	92 97	166 205	142 212	223 319	247 331	216 325	180 250	135 170	87 100	37 40	57 40	43 54	
	(b) Chronic bronchitis .. { M F	230 109	367 213	333 222	379 266	445 297	517 287	398 258	324 223	245 143	190 92	173 96	181 104	
	(c) Bronchitis, not distinguished as acute or chronic { M F	139 112	244 257	239 282	334 312	314 347	333 431	271 323	185 213	152 147	115 86	106 81	100 71	
107-109	Pneumonia (all forms) .. { M F	799 584	1269 880	1272 925	1663 1175	1685 1292	1934 1475	1663 1330	1393 1006	1113 735	689 465	709 485	713 461	
107	Broncho-pneumonia { M F	354 309	627 488	632 563	891 731	826 799	958 843	767 723	632 555	478 393	292 267	325 259	295 263	
108	Lobar pneumonia { M F	354 200	492 306	513 258	596 352	661 375	764 499	682 463	582 332	515 254	316 160	300 162	346 147	

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1934.			1935.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
109	Pneumonia (not otherwise defined) { M F	91 75	150 86	127 104	176 92	198 118	212 133	214 144	179 119	120 88	81 38	84 64	72 51
110	Pleurisy { M F	42 22	33 21	40 25	55 26	46 28	53 23	34 30	45 20	51 19	25 20	47 24	30 23
	(1) Empyema { M F	19 7	15 9	23 11	22 11	27 9	27 8	17 9	21 6	27 6	12 5	20 9	11 8
	(2) Other pleurisy { M F	23 15	18 12	17 14	33 15	19 19	26 15	17 21	24 14	24 13	13 15	27 15	19 15
111	Congestion and hæmorrhagic infarct of lung, etc... .. { M F	34 35	32 60	43 65	41 68	63 69	61 104	45 56	54 68	34 46	28 46	45 46	25 49
	(1) Hypostatic congestion of lungs { M F	30 32	31 52	38 61	36 66	59 63	54 97	43 53	47 62	29 43	26 43	39 42	21 45
	(2) Other diseases included under 111 { M F	4 3	1 8	5 4	5 2	4 6	7 7	2 3	7 6	5 3	2 3	6 4	4 4
112	Asthma.. .. . { M F	50 40	82 51	68 50	86 77	94 68	112 75	94 72	54 68	59 48	36 28	45 29	45 39
113	Pulmonary emphysema { M F	3 1	3 3	5 1	1 1	6 1	2 —	2 2	4 —	2 1	1 —	2 —	4 1
114	Other diseases of the respiratory system { M F	23 10	34 10	42 5	33 11	39 14	51 12	41 11	31 9	21 8	25 5	22 6	35 5
	(a) Chronic interstitial pneumonia, including occupational diseases of the lung. { M F	14 5	27 7	30 4	24 6	31 9	40 6	26 4	24 6	15 7	15 3	19 2	21 2
	(b) Other diseases included under 114 { M F	9 5	7 3	12 1	9 5	8 5	11 6	15 7	7 3	6 1	10 2	3 4	14 3
	(1) Gangrene of the lung { M F	1 —	— —	1 —	1 —	3 —	1 —	— 2	— —	— —	2 —	— —	3 1
	(2) Other diseases included under 114 (b) { M F	8 5	7 3	11 1	8 5	5 5	10 6	15 5	7 3	6 1	8 2	3 4	11 2
115-129	IX.—Diseases of the Digestive System { M F	1109 1002	1153 1011	1178 1006	1273 1022	1120 897	1250 1006	1118 960	1156 988	1000 926	1188 1004	1224 946	1103 931
115	Diseases of the buccal cavity, pharynx, etc. { M F	79 98	92 115	99 98	90 89	80 85	92 108	62 96	75 95	75 96	77 75	74 81	75 82
	(1) Diseases of the teeth and gums { M F	18 18	14 15	19 11	22 14	23 11	18 18	13 13	20 12	16 16	12 13	16 12	20 16
	(2) Ludwig's angina { M F	4 3	5 2	3 6	4 5	2 3	4 —	8 6	2 3	5 7	6 4	3 —	4 4
	(3) Diseases of the tonsils { M F	40 59	53 81	52 50	45 58	50 61	51 68	30 64	41 58	38 59	44 41	47 55	43 41
	(4) Other diseases included under 115 { M F	17 18	20 17	25 31	19 12	5 10	19 22	11 13	12 22	16 14	15 17	8 14	8 21
116	Diseases of the œsophagus { M F	3 1	4 1	3 —	3 3	5 3	3 2	1 2	1 —	1 3	4 —	1 3	2 —
117	Ulcer of the stomach or duodenum { M F	229 87	278 95	255 89	334 102	283 77	280 76	281 102	254 93	243 78	272 74	270 75	209 62
	(a) Ulcer of the stomach { M F	159 69	190 76	163 72	228 81	176 64	187 63	184 76	148 76	155 64	172 57	187 62	144 45
	(b) Ulcer of the duodenum { M F	70 18	88 19	92 17	106 21	107 13	93 13	97 26	106 17	88 14	100 17	83 13	65 17
118	Other diseases of the stomach { M F	32 29	45 51	34 52	40 34	30 40	50 34	46 29	28 41	31 32	43 36	33 48	34 32
	(1) Inflammation of the stomach { M F	22 24	33 40	29 42	34 29	25 37	43 31	38 27	20 35	28 28	30 30	24 43	30 30
	(2) Other diseases included under 118 { M F	10 5	12 11	5 10	6 5	5 3	7 3	8 2	8 6	3 4	13 6	9 5	4 2

TABLE 23—continued.

International List No.	Causes of Death.	1934.			1935.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
119 & 120	Diarrhoea and enteritis .. { M F	251 200	191 173	223 163	213 178	170 160	223 175	185 161	209 173	173 153	233 207	271 215	270 227
	(a) { (1) Colitis { M F	12 17	13 15	9 20	17 11	11 12	20 12	18 10	12 14	5 16	8 14	11 17	13 14
	{ (2) Other diarrhoea and enteritis { M F	224 166	164 136	197 116	183 144	138 121	182 134	158 122	181 130	154 109	212 171	244 175	245 187
	(b) Ulceration of intestines { M F	15 17	14 22	17 27	13 23	21 27	21 29	9 29	16 29	14 28	13 22	16 23	12 26
121	Appendicitis { M F	118 113	159 120	150 104	151 100	139 91	143 119	137 111	140 106	118 109	171 120	131 103	136 107
122	Hernia, intestinal obstruction { M F	206 177	207 188	199 216	235 226	212 169	235 197	226 189	223 189	176 176	169 201	220 167	180 168
	(a) Hernia { M F	81 69	93 76	71 102	86 116	82 89	108 78	86 81	106 85	81 76	73 84	78 67	67 73
	(1) Strangulated hernia .. { M F	57 53	62 64	53 87	63 93	65 69	74 66	60 61	69 69	58 54	54 67	56 49	49 59
	(2) Hernia not returned as strangulated { M F	24 16	31 12	18 15	23 23	17 20	34 12	26 20	37 16	23 22	19 17	22 18	18 14
	(b) Intestinal obstruction .. { M F	125 108	114 112	128 114	149 110	130 80	127 119	140 108	117 104	95 100	96 117	142 100	113 95
123	Other diseases of the intestines { M F	28 36	28 20	38 40	36 40	36 23	33 27	30 29	32 39	36 35	35 42	31 28	27 22
	(1) Constipation, intestinal stasis { M F	7 4	4 5	2 3	4 9	7 7	5 5	— 4	4 7	7 7	3 7	3 2	5 1
	(2) Diverticulitis { M F	13 27	18 12	27 29	22 16	24 12	20 19	24 15	23 24	24 22	24 26	18 22	17 17
	(3) Other diseases included under 123 { M F	8 5	6 3	9 8	10 15	5 4	8 3	6 10	5 8	5 6	8 9	10 4	5 4
124	Cirrhosis of the liver { M F	63 32	62 27	92 51	76 38	73 43	82 36	63 34	74 36	63 32	78 34	85 42	65 37
	(a) Returned as alcoholic .. { M F	10 7	7 6	14 14	14 8	9 6	19 2	10 7	10 6	10 4	9 5	10 8	15 7
	(b) Not returned as alcoholic { M F	53 25	55 21	78 37	62 30	64 37	63 34	53 27	64 30	53 28	69 29	75 34	50 30
125	Other diseases of the liver .. { M F	7 11	9 13	11 11	9 9	3 9	13 8	3 13	14 14	2 17	3 11	7 8	10 9
	(1) Acute yellow atrophy .. { M F	1 6	1 5	5 4	2 2	1 4	5 3	2 8	3 9	— 11	— 7	3 2	2 6
	(2) Other diseases included under 125 { M F	6 5	8 8	6 7	7 7	2 5	8 5	1 5	11 5	2 6	3 4	4 6	8 3
126	Biliary calculi { M F	27 96	28 81	33 77	19 87	21 70	30 101	28 75	41 81	26 67	35 82	35 74	35 77
	(1) With cholecystitis { M F	10 34	13 26	10 30	6 25	8 22	10 35	9 25	17 28	9 27	18 38	9 25	10 30
	(2) Without mention of cholecystitis { M F	17 62	15 55	23 47	13 62	13 48	20 66	19 50	24 53	17 40	17 44	26 49	25 47
127	Other diseases of the gall bladder and ducts { M F	33 60	27 70	21 64	37 72	39 79	30 78	33 79	32 73	37 81	39 65	31 69	32 72
	(1) Cholecystitis, without record of biliary calculi .. { M F	25 58	25 63	15 54	33 69	35 73	29 77	31 73	30 71	32 79	34 63	28 67	26 70
	(2) Other diseases included under 127 { M F	8 2	2 7	6 10	4 3	4 6	1 1	2 6	2 2	5 2	5 2	3 2	6 2
128	Diseases of the pancreas .. { M F	24 30	15 25	13 21	17 29	22 24	21 31	19 22	20 28	13 20	20 32	25 19	18 23
129	Peritonitis, without stated cause { M F	9 32	8 32	7 20	13 15	7 24	15 14	4 18	13 20	6 27	9 25	10 14	10 13

TABLE 23—continued.

Inter- national List No.	Causes of Death.		1934.			1935.								
			Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
130-139	X.—Non-venereal Diseases of the Genito-urinary System and Annexa.	M F	1095 747	1194 842	1202 716	1375 870	1195 795	1296 916	1225 862	1238 812	1076 759	1069 692	1074 724	1126 660
130-132	Nephritis	M F	561 612	636 707	659 592	774 733	648 678	768 774	703 750	690 681	613 618	592 548	550 588	579 542
130	Acute nephritis	M F	37 42	44 46	30 47	45 53	38 47	46 35	42 48	51 29	32 40	28 37	42 26	41 36
131	Chronic nephritis	M F	487 510	522 579	567 499	648 589	533 557	637 660	604 637	572 574	524 519	516 462	466 511	478 460
132	Nephritis not stated to be acute or chronic	M F	37 60	70 82	62 46	81 91	77 74	85 79	57 65	67 78	57 59	48 49	42 51	60 46
133	Other diseases of the kidney and annexa	M F	39 61	31 52	35 44	42 52	39 41	34 61	52 44	35 51	28 50	40 58	41 51	45 54
	(a) Pyelitis	M F	30 46	21 39	27 34	29 34	29 26	21 45	36 31	25 42	20 36	24 45	31 36	33 44
	(b) Other diseases included under 133.. ..	M F	9 15	10 13	8 10	13 18	10 15	13 16	16 13	10 9	8 14	16 13	10 15	12 10
134	Calculi of the urinary passages	M F	30 12	35 18	23 19	27 15	24 13	31 16	19 12	30 15	20 20	26 18	30 18	25 14
	(a) Calculi of kidney and ureter	M F	25 11	19 14	19 16	18 15	19 13	20 16	14 11	24 12	12 18	14 14	19 18	16 12
	(b) Calculi of the bladder	M F	5 1	16 4	4 2	9 —	4 —	10 —	4 1	6 2	7 2	11 4	11 —	9 2
	(c) Calculi of unstated site	M F	— —	— —	— 1	— —	1 —	1 —	1 —	— 1	1 —	1 —	— —	— —
135	Diseases of the bladder	M F	54 24	46 28	44 22	48 35	38 26	44 24	42 26	35 22	20 25	42 29	38 27	38 22
	(a) Cystitis	M F	49 22	42 23	40 21	45 35	34 25	42 23	38 23	33 22	16 24	42 24	35 26	31 22
	(b) Other diseases of the bladder	M F	5 2	4 5	4 1	3 —	4 1	2 1	4 3	2 —	4 1	— 5	3 1	7 —
136	Diseases of the urethra, urinary abscess, etc.	M F	30 —	37 —	43 —	26 1	30 1	25 1	35 —	35 —	26 1	27 —	29 1	27 —
	(a) Stricture of the urethra	M F	29 —	35 —	43 —	23 1	28 —	24 —	34 —	35 —	25 —	26 —	26 —	25 —
	(b) Other diseases of the urethra, etc.	M F	1 —	2 —	— —	3 —	2 1	1 1	1 —	— —	1 1	1 —	3 1	2 —
137	Diseases of the prostate	M	376	405	386	453	409	390	368	404	366	336	381	404
138	Diseases of the male genital organs.	M	5	4	12	5	7	4	6	9	3	6	5	8
139	Diseases of the female genital organs.	F	38	37	39	34	36	40	30	43	45	39	39	28
	(a) Diseases of the ovary, Fallopian tube and parametrium.	F	18	19	21	15	16	17	11	14	21	21	28	13
	(1) Diseases of the ovary	F	1	2	3	—	—	2	2	1	—	—	2	—
	(2) Diseases of the Fallopian tube.	F	14	15	15	15	13	13	7	9	18	19	22	11
	(3) Diseases of the parametrium.	F	3	2	3	—	3	2	2	4	3	2	4	2
	(b) Diseases of the uterus	F	18	16	17	17	17	17	14	23	23	14	9	12
	(c) Diseases of the breast	F	—	1	1	—	—	1	—	3	1	1	1	1
	(d) Other diseases of the female genital organs.	F	2	1	—	2	3	5	5	3	—	3	1	2

TABLE 23—continued.

International List No.	Causes of Death.		1934.			1935.								
			Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
0-150	XI.—Diseases of Pregnancy, Childbirth and the Puerperal State.	F	209	200	224	224	218	203	231	193	203	190	210	136
140 & 145	Puerperal sepsis	F	84	99	83	89	105	98	102	88	76	75	74	61
140	Post-abortion sepsis	F	26	27	24	24	27	21	23	17	17	20	26	18
141	Abortion not returned as septic	F	7	—	14	1	4	5	9	3	12	15	11	6
	(1) Hæmorrhage following abortion.	F	7	—	13	1	4	4	8	2	11	12	9	4
	(2) Without record of hæmorrhage.	F	—	—	1	—	—	1	1	1	1	3	2	2
142	Ectopic gestation	F	10	3	12	3	10	5	3	4	3	11	3	7
143	Other accidents of pregnancy	F	—	2	4	3	3	1	2	—	1	—	—	1
144	Puerperal hæmorrhage ..	F	19	21	16	25	14	20	25	16	28	14	25	24
	(a) Placenta prævia ..	F	6	10	10	16	7	13	11	5	16	6	12	10
	(b) Other puerperal hæmorrhage.	F	13	11	6	9	7	7	14	11	12	8	13	14
145	Puerperal sepsis not returned as post-abortion.	F	58	72	59	65	78	77	79	71	59	55	48	43
	(a) Puerperal septicæmia and pyæmia.	F	58	72	59	65	78	77	79	71	59	55	48	43
	(b) Puerperal tetanus ..	F	—	—	—	—	—	—	—	—	—	—	—	—
146	Puerperal albuminuria and convulsions.	F	32	28	31	30	29	24	24	32	34	30	36	34
147	Other toxæmias of pregnancy	F	7	10	9	16	10	10	14	8	11	12	12	13
148	Puerperal phlegmasia alba dolens, embolism and sudden death.	F	13	10	14	21	13	13	15	11	12	9	13	13
	(a) Puerperal phlegmasia alba dolens not returned as septic.	F	4	—	3	6	1	3	7	2	6	2	1	2
	(b) Puerperal embolism and sudden death.	F	9	10	11	15	12	10	8	9	6	7	12	11
149	Other accidents of childbirth	F	33	24	35	33	25	25	29	28	18	18	35	27
150	Other or unspecified conditions of the puerperal state.	F	4	3	6	3	5	2	8	3	8	6	1	—
	(1) Puerperal insanity ..	F	1	1	2	2	2	1	—	1	2	1	—	—
	(2) Puerperal diseases of the breast.	F	1	1	1	1	1	—	3	1	2	3	1	—
	(3) Childbirth (unqualified)	F	2	1	3	—	2	1	5	1	4	2	—	—
1-153	XII.—Diseases of the Skin and Cellular Tissue	M F	86 82	80 81	88 82	90 98	115 80	96 94	97 79	89 84	85 76	59 77	78 75	80 58
151	Carbuncle, boil	M F	35 20	23 16	26 13	33 26	31 21	25 19	27 13	25 22	32 18	21 29	27 20	31 17
152	Cellulitis, acute abscess ..	M F	31 35	36 34	42 37	30 35	52 26	45 27	43 32	36 28	27 38	24 23	32 22	30 22
	(1) Cellulitis	M F	21 23	29 26	33 30	26 28	37 21	40 23	38 25	28 24	23 30	15 14	27 20	26 17
	(2) Acute abscess	M F	10 12	7 8	9 7	4 7	15 5	5 4	5 7	8 4	4 8	9 9	5 2	4 5
153	Other diseases of the skin and its annexa	M F	20 27	21 31	20 32	27 37	32 33	26 48	27 34	28 34	26 20	14 25	19 33	19 19
4-156	XIII.—Diseases of the Bones and Organs of Locomotion.	M F	47 25	56 28	38 22	59 19	41 32	48 25	54 36	50 29	55 31	36 31	49 27	37 26
154	Acute infective osteomyelitis and periostitis	M F	31 12	32 7	18 13	32 6	20 13	24 8	35 20	24 15	28 19	19 14	32 14	17 13

TABLE 23—continued.

Inter- national ListNo.	Causes of Death.	1934.			1935.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.
155	Other diseases of the bones .. { M F	6 2	15 5	11 4	13 10	5 8	13 6	11 5	11 5	12 7	6 8	9 4	
156	Diseases of the joints and other organs of locomotion .. { M F	10 11	9 16	9 5	14 3	16 11	11 11	8 11	15 9	15 5	11 9	8 9	
	(a) Diseases of the joints .. { M F	3 9	6 10	7 2	11 1	11 6	9 6	5 6	13 7	9 5	8 4	5 5	
	(b) Diseases of other organs of locomotion .. { M F	7 2	3 6	2 3	3 2	5 5	2 5	3 5	2 2	6 —	3 5	3 4	
157	XIV.—Congenital Malformations .. { M F	170 142	181 143	190 157	195 146	201 137	204 138	209 168	193 163	216 168	169 133	169 118	169 133
	(a) Congenital hydrocephalus .. { M F	10 10	21 9	15 6	10 6	10 14	8 10	19 11	13 7	14 13	12 10	15 11	
	(b) Spina bifida and meningocele .. { M F	36 49	37 60	36 52	34 62	46 46	38 40	49 62	37 59	40 67	42 49	26 35	
	(c) Congenital malformation of heart .. { M F	63 46	74 47	71 49	79 47	78 45	84 54	79 46	56 40	84 57	47 43	60 38	
	(d) Monstrosities .. { M F	5 4	1 1	4 8	2 3	2 2	3 5	3 4	2 6	2 3	2 3	1 3	
	(e) Other congenital malformations .. { M F	56 33	48 26	64 42	70 28	65 30	71 29	59 45	85 51	76 28	66 28	67 31	
	(1) Congenital pyloric stenosis .. { M F	19 5	17 6	21 5	27 8	24 8	34 5	19 11	36 10	19 7	29 8	27 2	
	(2) Cleft palate, hare-lip .. { M F	4 8	7 3	5 5	9 1	8 5	6 2	6 1	6 10	5 4	6 4	6 5	
	(3) Imperforate anus .. { M F	2 2	4 1	6 1	2 1	5 —	4 2	3 1	7 4	5 —	6 2	7 —	
	(4) Other stated congenital malformations { M F	25 17	20 12	29 26	26 16	26 15	21 16	26 26	33 26	46 14	22 11	24 22	
	(5) Congenital malformation, unspecified .. { M F	6 1	— 4	3 5	6 2	2 2	6 4	5 6	3 1	1 3	3 3	3 2	
158-161	XV.—Diseases of Early Infancy { M F	674 446	679 515	710 524	858 577	738 534	810 630	854 559	739 558	702 521	649 463	637 445	637 445
158	Congenital debility .. { M F	58 31	66 50	75 39	102 69	86 55	99 63	96 61	71 50	53 40	67 35	64 41	
159	Premature birth .. { M F	465 315	482 366	483 385	574 411	500 383	542 439	589 381	481 384	469 355	430 335	427 301	
160	Injury at birth .. { M F	72 40	56 50	66 46	78 47	68 44	74 53	66 41	86 47	79 56	82 40	67 46	
	(a) With mention of Cæsarean section .. { M F	2 —	— —	1 2	3 —	— —	1 2	1 —	1 —	2 —	2 —	— 1	
	(b) Without mention of Cæsarean section .. { M F	70 40	56 50	65 44	75 47	68 44	73 51	65 41	85 47	77 56	80 40	67 45	
161	Other diseases peculiar to early infancy .. { M F	79 60	75 49	86 54	104 50	84 52	95 75	103 76	101 77	101 70	70 53	79 57	
	(a) Atelectasis .. { M F	45 32	43 32	48 26	59 29	47 31	56 43	62 43	70 50	61 46	41 26	52 33	
	(b) Icterus neonatorum .. { M F	15 12	14 7	17 5	24 10	17 7	21 8	20 9	13 4	21 8	14 9	15 8	
	(c) Other diseases included under 161.. { M F	19 16	18 10	21 23	21 11	20 14	18 24	21 24	18 23	19 16	15 18	12 16	
	(1) Diseases of the umbilicus .. { M F	5 3	4 1	4 5	4 3	— 5	3 2	7 4	3 5	4 2	3 2	— —	

TABLE 23—continued.

Causes of Death.	1934.			1935.								
	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
Other diseases peculiar to early infancy— <i>contd.</i>												
(2) Pemphigus neonatorum { M F	2 1	3 1	1 2	3 —	1 1	2 5	2 2	3 —	4 2	1 2	6 2	4 6
(3) Other diseases included under 161 (c) { M F	12 12	11 8	16 16	14 8	19 8	13 17	12 18	12 18	11 12	11 14	6 14	14 10
XVI.—Old Age { M F	427 657	529 833	511 862	623 955	611 945	710 1054	606 954	571 858	505 747	433 720	456 707	435 661
(a) Senile dementia { M F	25 24	44 37	42 46	30 35	40 48	45 55	42 32	33 52	39 37	24 27	22 22	30 31
(b) Other forms of senile decay { M F	402 633	485 796	469 816	593 920	571 897	665 999	564 922	538 806	466 710	409 693	434 685	405 630
XVII.—Deaths from Violence { M F	1217 609	1133 617	1286 667	1301 648	1048 668	1205 675	1120 592	1195 581	1208 624	1346 542	1304 542	1199 567
Suicide { M F	292 144	279 147	304 134	314 129	248 134	344 173	323 151	324 141	337 153	342 139	271 125	234 117
By solid or liquid poisons and corrosive substances { M F	35 24	27 29	43 25	26 17	26 26	25 27	41 33	36 19	27 29	33 30	20 27	26 21
By poisonous gas { M F	86 60	89 59	93 48	90 50	91 42	103 67	97 59	114 68	106 69	100 53	82 53	75 43
By hanging or strangulation { M F	49 15	45 14	59 13	62 25	34 18	57 18	65 19	60 12	49 16	67 12	50 12	37 14
By drowning { M F	40 25	44 19	37 28	48 23	27 27	53 33	42 29	41 21	51 22	44 21	42 16	26 19
By firearms { M F	13 1	15 1	17 —	15 2	18 —	27 1	25 —	16 —	18 —	24 1	13 —	15 —
By cutting or piercing instruments { M F	36 5	33 6	28 7	44 2	39 6	48 11	32 5	42 8	57 6	50 7	33 2	27 4
By jumping from high places { M F	9 7	7 8	9 6	9 5	6 4	14 5	8 3	3 6	11 3	13 7	8 9	6 7
By crushing { M F	24 4	18 3	17 2	18 1	6 6	15 8	13 3	11 —	17 2	11 6	22 2	21 2
By other means { M F	— 3	1 8	1 5	2 4	1 5	2 3	— —	1 7	1 6	— 2	1 4	1 7
Homicide { M F	6 8	7 11	6 5	11 9	5 5	6 8	4 7	7 9	1 7	4 11	6 7	10 9
Infanticide (under 1 year)												
By firearms { M F	— —	1 —	1 1	— —	1 1	— 2	— —	1 1	— 1	— 3	2 2	— —
By cutting or piercing instruments { M F	— —	— —	— —	3 3	— —	1 2	— 1	— 3	— 2	2 2	— 2	1 3
By other means { M F	6 8	6 11	5 4	8 6	4 4	5 4	4 6	6 5	1 4	2 6	4 3	9 6
Accidental deaths { M F	867 432	793 434	902 499	899 487	723 492	776 461	718 403	785 408	805 437	921 368	958 397	883 409
Attack by venomous animals { M F	1 1	5 —	— —	— —	— —	— —	— —	1 —	— 1	1 3	3 6	2 4
Food poisoning { M F	— 1	— 1	— —	— —	— 1	— —	1 —	— —	— 1	— —	6 6	— —
Accidental absorption of irrespirable or poisonous gas. { M F	13 5	6 5	5 7	11 9	7 5	15 5	7 9	8 6	4 3	1 2	2 3	29 5
Other acute accidental poisoning (not by gas) .. { M F	2 4	4 4	2 3	3 —	1 4	2 2	8 2	5 4	6 3	5 3	2 2	6 5

* Deaths from this cause are included under Nos. 173-175.

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1934.			1935.											
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Se			
180	Conflagration { F	1 1	4 5	— 3	4 5	1 6	3 5	2 2	— 3	1 2	4 —	2 1				
181	Accidental burns (conflagra- tion excepted) { F	47 39	36 64	49 55	66 77	44 94	54 92	38 62	41 62	34 51	36 43	50 47				
182	Accidental mechanical suffo- cation { F	19 15	21 16	26 16	31 20	20 9	35 16	14 14	16 8	10 9	15 7	12 7				
183	Accidental drowning .. { F	20 4	16 —	27 4	31 7	22 12	31 9	36 9	55 8	106 10	149 24	113 21				
184	Accidental injury by firearms { F	4 1	4 —	3 1	6 —	1 —	5 —	9 1	7 1	2 —	8 1	8 2				
185	Accidental injury by cutting or piercing instruments .. { F	1 —	1 —	— —	— —	— —	1 —	1 —	1 —	— 1	— —	3 —				
186	Accidental injury by fall, crushing, etc. { F	722 353	658 325	752 395	708 351	596 349	584 312	564 287	604 296	590 337	652 271	714 284				
187	Cataclysm { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
188	Injury by animals (poisoning by venomous animals { F	8 —	8 —	1 —	4 1	1 —	4 —	4 —	5 —	2 —	2 —	8 1				
189	Hunger or thirst { F	2 —	5 1	2 —	— —	— —	1 1	3 —	— —	2 —	— —	— —				
190	Excessive cold { F	— —	2 2	2 —	2 1	4 —	2 1	— —	— —	— —	— —	— —				
191	Excessive heat { F	— —	— 1	— —	— —	— —	1 —	— —	— —	11 9	21 7	4 5				
192	Lightning { F	— —	— —	— —	— —	— —	— —	2 —	— —	7 1	— —	2 —				
193	Electricity (lightning ex- cepted) { F	6 —	5 —	4 1	6 —	2 —	5 —	2 3	6 1	7 —	4 —	5 —				
194	Other and unstated forms of accidental violence .. { F	21 8	18 10	29 14	27 16	24 12	33 18	27 14	36 19	23 9	23 7	24 12				
	(1) Inattention at birth.. { F	5 6	2 6	10 6	7 7	6 4	8 8	8 8	13 10	8 4	8 3	5 6				
	(2) Other causes included under 194 { F	16 2	16 4	19 8	20 9	18 8	25 10	19 6	23 9	15 5	15 4	19 6				
195	Violent deaths of unstated nature (<i>i.e.</i> , accidental, suicidal, etc.). { F	46 25	46 25	71 28	70 23	66 37	72 33	63 31	66 23	62 27	71 24	66 13				
196	Wounds of war { F	5 —	7 —	3 —	6 —	5 —	6 —	10 —	11 —	2 —	6 —	3 —				
197	Execution of civilians by belligerent armies .. { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
198	Execution { F	1 —	1 —	— 1	1 —	1 —	1 —	2 —	2 —	1 —	2 —	— —				
199-200	XVIII.—Ill-defined Diseases .. { F	38 49	56 61	67 48	65 52	51 45	78 45	62 53	78 42	57 52	57 42	57 46				
199	Sudden death { F	8 11	17 9	17 10	17 4	13 13	12 10	11 15	17 10	13 10	18 10	13 10				
200	Cause of death unstated or ill-defined { F	30 38	39 52	50 38	48 48	38 32	66 35	51 38	61 32	44 42	39 32	44 36				
	(1) Heart failure { F	25 30	35 46	44 37	43 45	35 27	56 31	45 36	53 29	38 33	31 28	37 34				
	(2) Other ill-defined causes { F	4 3	3 5	3 —	4 3	2 5	4 2	3 —	5 2	2 7	5 3	3 2				
	(3) Cause not specified .. { F	1 5	1 1	3 1	1 —	1 —	6 2	3 2	3 1	4 2	3 1	4 —				

TABLE 24.—CAUSES OF DEATH, 1935, classified in accordance with the Abridged List (*see* statement below) AT DIFFERENT PERIODS OF LIFE.

England and Wales, Geographical Regions.† London and Metropolitan Boroughs, County Boroughs. Aggregates of other Urban and of Rural Districts in each Administrative County.

(TOTAL DEATHS REGISTERED, INCLUDING NON-CIVILIAN DEATHS.)

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar-General in consultation with the Ministry of Health, and its relation to the detailed International List.

NOTE:—The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6.

No.	Registrar-General's Abridged List.	Corresponding number in the Detailed International List.
1.	Typhoid and paratyphoid fevers	1 and 2.
2.	Measles	7.
3.	Scarlet fever	8.
4.	Whooping cough	9.
5.	Diphtheria	10.
6.	Influenza	11.
7.	Encephalitis lethargica	17.
8.	Cerebro-spinal fever	18.
9.	Tuberculosis of respiratory system	23.
10.	Other tuberculous diseases	24–32.
11.	Syphilis	34.
12.	General paralysis of the insane, tabes dorsalis	80 and 83.
13.	Cancer, malignant disease	45–53.
14.	Diabetes	59.
15.	Cerebral hæmorrhage, etc.	82.
16.	Heart disease	90–95.
17.	Aneurysm	96.
18.	Other circulatory diseases	97–103.
19.	Bronchitis	106.
20.	Pneumonia (all forms)	107–109.
21.	Other respiratory diseases	104, 105 and 110–114.
22.	Peptic ulcer	117.
23.	Diarrhœa, etc. (under 2 years)	119.
24.	Appendicitis	121.
25.	Cirrhosis of liver	124.
26.	Other diseases of liver, etc.	125–127.
27.	Other digestive diseases	115, 116, 118, 120,* 122, 123, 128 and 129.
28.	Acute and chronic nephritis	130–132.
29.	Puerperal sepsis	140 and 145.
30.	Other puerperal causes	141–144 and 146–150.
31.	Congenital debility, premature birth, malformations, etc.	157–161.
32.	Senility	162.
33.	Suicide	163–171.
34.	Other violence	172–198.
35.	Other defined causes†	All numbers not included in other headings.
36.	Causes ill-defined, or unknown	199 and 200.

* In tables of deaths by ages this heading (No. 120 of the detailed list) is included under No. 23 of the abridged list.

† Deaths from Smallpox, if any, are shown in a footnote to this line.

‡ The Counties included in the several Geographical Regions are shown on the first page of Table 17.

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	243,458	19,654	2,777	3,318	5,548	8,185	10,378	13,119	24,915	43,934	59,026	52,604
	F	233,943	14,438	2,463	2,951	5,068	7,563	10,041	12,316	20,211	35,086	54,196	69,610
1 Typhoid fever, etc.	M	85	1	—	1	8	12	15	11	19	14	3	1
	F	89	—	—	2	5	15	13	14	13	13	11	3
2 Measles	M	697	165	283	164	73	6	2	2	—	1	—	1
	F	649	122	235	206	75	4	1	2	3	—	1	—
3 Scarlet fever	M	263	10	23	77	93	23	13	11	8	4	—	1
	F	310	12	22	91	106	24	20	13	11	6	4	1
4 Whooping cough	M	689	365	175	114	30	—	1	1	2	—	—	1
	F	895	447	248	159	39	—	—	1	—	—	1	—
5 Diphtheria	M	1,715	44	85	559	958	36	11	4	8	9	1	—
	F	1,773	26	76	484	1,024	63	23	18	24	21	11	3
6 Influenza	M	3,758	110	37	49	79	161	235	369	614	768	752	584
	F	3,624	95	36	48	69	116	157	312	379	634	841	937
7 Encephalitis lethargica	M	350	2	2	7	17	40	53	39	75	55	53	7
	F	372	—	—	2	17	29	62	61	77	77	37	10
8 Cerebro-spinal fever	M	349	94	34	43	60	46	30	18	16	6	2	—
	F	268	69	38	39	51	28	11	10	14	8	—	—
9 Respiratory tuberculosis	M	14,081	25	28	30	140	2,083	2,965	2,776	2,918	2,207	810	99
	F	10,522	23	35	40	264	3,029	2,955	1,750	1,146	801	379	100
10 Other tuberculosis	M	2,462	167	198	328	419	442	318	197	161	128	75	29
	F	2,136	120	178	233	415	387	252	186	134	124	77	30
11 Syphilis	M	879	100	5	1	11	12	20	74	233	266	131	26
	F	363	74	1	4	13	13	14	45	76	70	46	7
12 Gen. paralysis of insane, etc.	M	1,278	—	—	—	4	13	38	203	378	414	199	29
	F	358	—	—	—	1	9	17	94	115	81	37	4
13 Cancer	M	30,780	11	7	31	74	146	401	1,226	3,774	8,948	10,862	5,300
	F	33,727	13	11	28	59	131	552	2,218	5,466	8,789	9,812	6,648
14 Diabetes	M	2,531	—	1	10	38	51	78	78	202	607	978	488
	F	4,150	1	—	10	32	68	99	120	325	1,073	1,612	805
15 Cerebral hæmorrhage	M	11,619	1	—	1	9	18	44	185	816	2,417	4,450	3,678
	F	15,310	1	3	1	3	14	53	264	1,102	2,755	5,117	5,997
16 Heart disease	M	55,524	4	3	16	351	595	795	1,525	4,577	10,984	18,477	18,197
	F	59,147	3	1	20	401	746	1,108	1,705	3,540	8,427	17,606	25,590
17 Aneurysm	M	982	5	1	2	6	25	30	69	192	319	260	73
	F	459	1	1	—	11	16	22	35	74	114	119	66
18 Other circulatory	M	12,482	13	3	7	2	6	23	102	518	2,075	4,583	5,150
	F	12,192	11	2	7	6	12	28	102	490	1,634	3,881	6,019
19 Bronchitis	M	8,386	676	79	62	45	81	112	288	753	1,255	2,087	2,948
	F	7,376	526	93	58	38	60	63	142	258	682	1,723	3,733
20 Pneumonia	M	15,527	2,886	931	564	379	496	775	1,269	2,053	2,526	2,186	1,462
	F	11,259	2,132	789	537	356	309	479	674	864	1,320	1,864	1,935
21 Other respiratory	M	2,681	75	40	47	63	103	134	241	451	545	510	472
	F	2,034	44	33	52	55	56	102	145	198	287	392	670
22 Peptic ulcer	M	3,320	—	—	—	3	45	261	445	910	922	538	196
	F	1,021	1	—	1	1	14	48	101	205	263	262	125
23 Diarrhoea	M	2,592	1,808	158	84	26	23	53	41	72	98	108	121
	F	2,207	1,223	139	72	37	60	73	97	92	106	116	192
24 Appendicitis	M	1,692	5	8	105	232	192	197	185	227	256	207	78
	F	1,273	3	—	56	158	120	119	119	227	239	158	74
25 Cirrhosis of liver	M	898	1	—	1	4	2	10	46	188	292	275	79
	F	436	—	—	1	4	5	4	19	99	133	124	47
26 Other liver diseases	M	856	4	3	4	—	13	26	43	111	212	287	153
	F	1,982	6	1	5	9	22	70	106	244	503	583	433
27 Other digestive	M	4,700	411	105	119	205	198	276	332	570	859	956	669
	F	4,694	211	59	121	236	146	233	364	550	887	1,018	869
28 Nephritis	M	8,059	24	17	47	106	240	312	422	1,009	1,840	2,377	1,665
	F	7,995	14	14	30	120	211	349	516	947	1,636	2,254	1,904
29 Puerperal sepsis	F	1,006	—	—	—	—	202	558	239	7	—	—	—
30 Other puerperal	F	1,451	—	—	—	—	232	722	470	27	—	—	—
31 Congenital causes, etc.	M	10,988	10,729	50	53	56	47	20	19	6	8	—	—
	F	8,095	7,897	48	41	44	31	16	6	5	4	3	—
32 Senility	M	6,807	—	—	—	—	—	—	—	4	58	1,070	5,675
	F	10,186	—	—	—	—	—	—	—	3	64	1,275	8,844
33 Suicide	M	3,525	—	—	—	4	222	461	473	768	911	509	177
	F	1,698	—	—	—	1	102	266	355	423	332	171	48
34 Other violence	M	10,976	360	206	398	920	1,726	1,475	1,108	1,244	1,352	1,095	1,092
	F	5,764	276	117	261	440	372	297	263	385	572	1,004	1,777
35 Other defined causes	M	21,159	1,543	288	391	1,127	1,070	1,177	1,286	1,961	3,424	4,943	3,949
	F	18,583	1,076	272	338	977	917	1,247	1,742	2,646	3,328	3,499	2,541
36 Ill-defined causes	M	768	15	7	3	6	12	17	31	77	154	242	204
	F	539	11	11	4	1	—	8	8	42	98	158	198

TABLE 24—*contd.* Aggregate of South Eastern Region (including London). 191

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	75,306	5,368	571	786	1,535	2,419	3,271	3,933	7,808	13,615	18,404	17,596
	F	75,214	3,893	512	653	1,311	2,130	3,066	3,730	6,328	10,876	17,391	25,324
1 Typhoid fever, etc.	M	29	—	—	1	1	5	5	7	3	7	—	—
	F	35	—	—	—	—	5	8	8	4	5	3	2
2 Measles	M	41	10	12	10	8	—	—	1	—	—	—	—
	F	48	5	12	18	9	2	—	1	1	—	—	—
3 Scarlet fever	M	67	1	3	13	31	6	5	3	2	3	—	—
	F	65	2	5	14	20	8	6	4	3	2	—	1
4 Whooping cough	M	170	91	42	27	8	—	—	—	1	—	—	1
	F	203	117	52	24	10	—	—	—	—	—	—	—
5 Diphtheria	M	441	14	21	143	244	10	2	—	2	4	1	—
	F	464	10	22	129	264	18	4	5	3	7	2	—
6 Influenza	M	862	27	11	15	20	30	41	75	142	179	175	147
	F	890	16	3	10	11	25	32	60	86	152	215	280
7 Encephalitis lethargica	M	83	—	—	1	5	7	11	7	17	20	13	2
	F	81	—	—	—	4	7	13	14	15	9	14	5
8 Cerebro-spinal fever	M	91	25	9	8	12	14	10	6	4	2	1	—
	F	70	20	12	9	12	4	3	3	3	4	—	—
9 Respiratory tuberculosis	M	4,731	7	11	5	34	637	1,007	928	999	759	299	45
	F	3,328	10	8	8	55	885	974	566	355	271	144	52
10 Other tuberculosis	M	668	45	56	92	99	113	82	51	50	40	27	13
	F	576	42	43	69	109	95	66	49	36	32	27	8
11 Syphilis	M	297	21	1	—	2	2	7	18	83	101	53	9
	F	119	22	—	—	7	3	4	14	19	28	18	4
12 Gen. paralysis of insane, etc.	M	470	—	—	—	1	4	18	69	126	152	88	12
	F	125	—	—	—	—	1	2	23	43	35	18	3
13 Cancer	M	10,450	7	3	12	20	41	148	386	1,275	2,918	3,653	1,987
	F	11,898	3	3	10	23	42	192	731	1,816	2,999	3,466	2,613
14 Diabetes	M	790	—	1	2	9	11	17	22	54	186	312	176
	F	1,240	1	—	3	7	20	34	27	100	289	475	284
15 Cerebral hæmorrhage	M	3,094	—	—	1	3	3	9	48	209	627	1,145	1,049
	F	4,504	1	—	—	1	9	18	66	292	731	1,416	1,970
16 Heart disease	M	18,237	—	1	4	73	163	239	468	1,391	3,388	5,790	6,720
	F	20,648	2	1	6	113	202	314	520	1,045	2,456	5,809	10,180
17 Aneurysm	M	422	1	1	2	3	10	9	33	77	134	119	33
	F	233	—	—	—	4	8	12	12	33	61	59	44
18 Other circulatory	M	3,512	4	—	2	—	2	6	32	175	597	1,251	1,443
	F	4,052	3	—	3	2	3	5	35	180	560	1,202	2,059
19 Bronchitis	M	2,263	115	13	13	12	22	20	83	212	346	553	874
	F	2,037	113	18	10	6	21	17	39	66	153	419	1,175
20 Pneumonia	M	4,387	778	166	116	84	106	172	285	570	774	749	587
	F	3,384	537	170	99	80	64	115	184	277	415	654	789
21 Other respiratory	M	806	17	6	13	20	33	52	72	149	162	135	147
	F	653	10	8	14	19	10	30	41	58	84	125	254
22 Peptic ulcer	M	1,273	—	—	—	1	14	87	123	340	376	246	86
	F	400	1	—	—	1	4	12	34	67	111	116	54
23 Diarrhœa	M	917	710	45	19	3	7	15	12	17	29	32	28
	F	763	480	32	9	7	22	23	30	36	29	34	61
24 Appendicitis	M	596	2	3	41	50	60	73	64	86	104	81	32
	F	500	—	—	17	51	48	39	39	92	106	67	41
25 Cirrhosis of liver	M	321	1	—	—	—	1	5	17	72	93	103	29
	F	181	—	—	—	2	1	2	6	41	62	48	19
26 Other liver diseases	M	255	2	—	2	—	4	11	13	33	54	89	47
	F	576	2	—	1	3	7	18	38	73	144	153	137
27 Other digestive	M	1,655	110	29	32	68	71	91	110	199	316	359	270
	F	1,587	59	16	29	64	38	77	117	178	292	350	367
28 Nephritis	M	2,479	9	2	10	26	83	94	122	292	525	761	555
	F	2,402	6	3	8	34	53	100	146	251	459	665	677
29 Puerperal sepsis	F	283	—	—	—	—	56	161	63	3	—	—	—
30 Other puerperal	F	361	—	—	—	—	53	191	111	6	—	—	—
31 Congenital causes, etc.	M	2,975	2,892	15	13	18	16	5	11	2	3	—	—
	F	2,131	2,078	9	12	9	12	9	2	—	—	—	—
32 Senility	M	1,589	—	—	—	—	—	—	—	1	12	193	1,383
	F	2,826	—	—	—	—	—	—	—	1	12	296	2,517
33 Suicide	M	1,208	—	—	—	2	82	181	177	257	283	162	64
	F	669	—	—	—	—	31	107	131	177	128	67	28
34 Other violence	M	3,447	131	49	96	318	551	473	310	365	401	362	391
	F	1,977	94	36	59	113	112	119	95	153	181	362	653
35 Other defined causes	M	6,562	346	70	92	360	310	372	376	593	1,001	1,618	1,424
	F	5,796	255	56	91	271	261	356	516	808	1,045	1,145	992
36 Ill-defined causes	M	118	2	1	1	—	1	4	—	10	19	34	42
	F	109	4	3	1	—	—	3	—	7	14	22	55

TABLE 24—*contd.* Greater London.

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	44,122	3,524	357	477	934	1,476	2,010	2,448	4,905	8,440	10,491	9,060
	F	43,426	2,506	316	414	829	1,393	1,968	2,295	3,793	6,441	9,844	13,627
1 Typhoid fever, etc.	M	14	—	—	1	—	3	4	3	2	1	—	—
	F	28	—	—	—	—	5	7	7	4	2	2	1
2 Measles	M	20	6	7	3	4	—	—	—	—	—	—	—
	F	20	3	4	8	4	1	—	—	—	—	—	—
3 Scarlet fever	M	26	1	1	5	14	—	2	3	—	—	—	—
	F	40	1	3	11	12	4	4	2	1	2	—	—
4 Whooping cough	M	119	65	30	19	5	—	—	—	—	—	—	—
	F	140	79	38	17	6	—	—	—	—	—	—	—
5 Diphtheria	M	271	11	15	90	144	5	1	—	1	3	1	—
	F	287	7	15	93	153	9	1	1	3	4	1	—
6 Influenza	M	463	15	7	7	11	16	20	35	82	102	96	72
	F	466	4	3	4	5	15	19	37	47	78	119	135
7 Encephalitis lethargica	M	42	—	—	1	2	—	6	6	8	12	5	2
	F	40	—	—	—	2	3	10	5	9	4	6	1
8 Cerebro-spinal fever	M	61	21	8	5	7	9	3	4	3	—	1	—
	F	53	15	9	9	7	3	2	3	2	3	—	—
9 Respiratory tuberculosis	M	3,084	4	7	2	23	426	644	564	654	521	207	32
	F	2,109	8	6	5	39	614	619	349	197	167	76	29
10 Other tuberculosis	M	380	24	27	47	58	80	50	29	22	23	14	6
	F	360	28	25	37	72	62	46	28	24	17	16	5
11 Syphilis	M	199	18	1	—	—	—	7	11	63	64	30	5
	F	79	12	—	—	4	1	4	8	15	19	13	3
12 Gen. paralysis of insane, etc.	M	316	—	—	—	—	3	12	48	91	102	52	8
	F	87	—	—	—	—	—	1	17	31	22	15	1
13 Cancer	M	6,193	2	2	8	14	25	99	264	835	1,796	2,112	1,036
	F	6,795	3	3	6	13	25	125	448	1,132	1,785	1,908	1,347
14 Diabetes	M	437	—	1	1	3	4	8	11	23	108	185	93
	F	694	1	—	2	3	11	18	14	52	175	279	139
15 Cerebral hæmorrhage	M	1,578	—	—	—	2	1	6	26	124	361	596	462
	F	2,252	1	—	—	1	7	14	39	151	415	727	897
16 Heart disease	M	10,692	—	—	4	50	115	165	315	882	2,093	3,349	3,719
	F	12,430	1	—	5	84	154	248	339	664	1,475	3,422	6,038
17 Aneurysm	M	278	—	1	2	3	6	9	24	54	89	73	17
	F	166	—	—	—	2	6	5	8	24	46	42	33
18 Other circulatory	M	1,811	3	—	1	—	2	4	21	101	350	685	644
	F	2,184	2	—	2	1	1	3	17	123	344	669	1,022
19 Bronchitis	M	1,388	78	4	9	6	13	14	60	161	243	346	454
	F	1,132	73	10	4	5	16	11	27	44	104	241	597
20 Pneumonia	M	2,851	559	110	68	49	65	94	177	379	527	483	340
	F	2,154	367	100	62	46	40	67	109	170	263	431	499
21 Other respiratory	M	474	10	4	9	10	20	40	47	82	91	75	86
	F	376	6	5	13	8	9	23	26	33	47	67	139
22 Peptic ulcer	M	819	—	—	—	1	8	53	85	222	251	150	49
	F	237	—	—	—	—	3	9	25	40	73	58	29
23 Diarrhoea	M	690	572	37	12	2	4	6	3	10	16	18	10
	F	562	398	25	5	4	9	16	19	20	15	18	33
24 Appendicitis	M	377	2	2	30	32	36	42	44	54	71	43	21
	F	304	—	—	10	32	36	31	22	51	63	37	22
25 Cirrhosis of liver	M	183	—	—	—	—	1	3	11	44	54	57	13
	F	116	—	—	—	2	1	2	3	27	42	27	12
26 Other liver diseases	M	143	1	—	—	—	3	7	9	21	29	45	28
	F	315	1	—	1	2	4	11	19	39	88	84	66
27 Other digestive	M	931	76	15	16	42	35	48	61	125	189	188	136
	F	915	40	12	18	35	23	41	71	103	173	189	210
28 Nephritis	M	1,355	6	1	6	13	52	63	77	172	310	399	256
	F	1,351	4	3	5	22	26	72	87	144	267	381	340
29 Puerperal sepsis	F	156	—	—	—	—	33	80	41	2	—	—	—
30 Other puerperal	F	190	—	—	—	—	25	92	70	3	—	—	—
31 Congenital causes, etc.	M	1,790	1,743	4	7	10	11	4	7	1	3	—	—
	F	1,280	1,246	4	9	6	7	6	2	—	—	—	—
32 Senility	M	628	—	—	—	—	—	—	—	—	8	81	539
	F	1,247	—	—	—	—	—	—	—	1	6	151	1,089
33 Suicide	M	676	—	—	—	—	40	102	94	155	160	90	35
	F	406	—	—	—	—	23	77	87	91	71	39	18
34 Other violence	M	1,987	91	27	65	203	302	264	177	175	241	209	233
	F	1,219	56	17	36	76	63	85	62	89	111	227	397
35 Other defined causes	M	3,816	216	45	58	226	190	227	232	358	618	896	750
	F	3,204	149	32	51	183	154	218	303	454	554	595	511
36 Ill-defined causes	M	30	—	1	1	—	1	3	—	1	4	5	14
	F	32	1	2	1	—	—	1	—	3	6	4	14

TABLE 24—*contd.* Aggregate of South Eastern Region (excluding Greater London). 193

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	31,184	1,844	214	309	601	943	1 261	1,485	2,903	5,175	7,913	8,536
	F	31,788	1,387	196	239	482	737	1,098	1,435	2,535	4,435	7,547	11,697
1 Typhoid fever, etc.	M	15	-	-	-	1	2	1	4	1	6	-	-
	F	7	-	-	-	-	-	1	1	-	3	1	1
2 Measles	M	21	4	5	7	4	-	-	1	-	-	-	-
	F	28	2	8	10	5	1	-	1	1	-	-	-
3 Scarlet fever	M	41	-	2	8	17	6	3	-	2	3	-	-
	F	25	1	2	3	8	4	2	2	2	-	-	1
4 Whooping cough	M	51	26	12	8	3	-	-	-	1	-	-	1
	F	63	38	14	7	4	-	-	-	-	-	-	-
5 Diphtheria	M	170	3	6	53	100	5	1	-	1	1	-	-
	F	177	3	7	36	111	9	3	4	-	3	1	-
6 Influenza	M	399	12	4	8	9	14	21	40	60	77	79	75
	F	424	12	-	6	6	10	13	23	39	74	96	145
7 Encephalitis lethargica	M	41	-	-	-	3	7	5	1	9	8	8	-
	F	41	-	-	-	2	4	3	9	6	5	8	4
8 Cerebro-spinal fever	M	30	4	1	3	5	5	7	2	1	2	-	-
	F	17	5	3	-	5	1	1	-	1	1	-	-
9 Respiratory tuberculosis	M	1,647	3	4	3	11	211	363	364	345	238	92	13
	F	1,219	2	2	3	16	271	355	217	158	104	68	23
10 Other tuberculosis	M	288	21	29	45	41	33	32	22	28	17	13	7
	F	216	14	18	32	37	33	20	21	12	15	11	3
11 Syphilis	M	98	3	-	-	2	2	-	7	20	37	23	4
	F	40	10	-	-	3	2	-	6	4	9	5	1
12 Gen. paralysis of insane, etc.	M	154	-	-	-	1	1	6	21	35	50	36	4
	F	38	-	-	-	-	1	1	6	12	13	3	2
13 Cancer	M	4,257	5	1	4	6	16	49	122	440	1,122	1,541	951
	F	5,103	-	-	4	10	17	67	283	684	1,214	1,558	1,266
14 Diabetes	M	353	-	-	1	6	7	9	11	31	78	127	83
	F	546	-	-	1	4	9	16	13	48	114	196	145
15 Cerebral hæmorrhage	M	1,516	-	-	1	1	2	3	22	85	266	549	587
	F	2,252	-	-	-	-	2	4	27	141	316	689	1,073
16 Heart disease	M	7,545	-	1	-	23	48	74	153	509	1,295	2,441	3,001
	F	8,218	1	1	1	29	48	66	181	381	981	2,387	4,142
17 Aneurysm	M	144	1	-	-	-	4	-	9	23	45	46	16
	F	67	-	-	-	2	2	7	4	9	15	17	11
18 Other circulatory	M	1,701	1	-	1	-	-	2	11	74	247	566	799
	F	1,868	1	-	1	1	2	2	18	57	216	533	1,037
19 Bronchitis	M	875	37	9	4	6	9	6	23	51	103	207	420
	F	905	40	8	6	1	5	6	12	22	49	178	578
20 Pneumonia	M	1,536	219	56	48	35	41	78	108	191	247	266	247
	F	1,230	170	70	37	34	24	48	75	107	152	223	290
21 Other respiratory	M	332	7	2	4	10	13	12	25	67	71	60	61
	F	277	4	3	1	11	1	7	15	25	37	58	115
22 Peptic ulcer	M	454	-	-	-	-	6	34	38	118	125	96	37
	F	163	1	-	-	1	1	3	9	27	38	58	25
23 Diarrhœa	M	227	138	8	7	1	3	9	9	7	13	14	18
	F	201	82	7	4	3	13	7	11	16	14	16	28
24 Appendicitis	M	219	-	1	11	18	24	31	20	32	33	38	11
	F	196	-	-	7	19	12	8	17	41	43	30	19
25 Cirrhosis of liver	M	138	1	-	-	-	-	2	6	28	39	46	16
	F	65	-	-	-	-	-	-	3	14	20	21	7
26 Other liver diseases	M	112	1	-	2	-	1	4	4	12	25	44	19
	F	261	1	-	-	1	3	7	19	34	56	69	71
27 Other digestive	M	724	34	14	16	26	36	43	49	74	127	171	134
	F	672	19	4	11	29	15	36	46	75	119	161	157
28 Nephritis	M	1,124	3	1	4	13	31	31	45	120	215	362	299
	F	1,051	2	-	3	12	27	28	59	107	192	284	337
29 Puerperal sepsis	F	127	-	-	-	-	23	81	22	1	-	-	-
30 Other puerperal	F	171	-	-	-	-	28	99	41	3	-	-	-
31 Congenital causes, etc.	M	1,185	1,149	11	6	8	5	1	4	1	-	-	-
	F	851	832	5	3	3	5	3	-	-	-	-	-
32 Senility	M	961	-	-	-	-	-	-	-	1	-	112	844
	F	1,579	-	-	-	-	-	-	-	-	6	145	1,428
33 Suicide	M	532	-	-	-	2	42	79	83	102	123	72	29
	F	263	-	-	-	-	8	30	44	86	57	28	10
34 Other violence	M	1,460	40	22	31	115	249	209	133	190	160	153	158
	F	758	38	19	23	37	49	34	33	64	70	135	256
35 Other defined causes	M	2,746	130	25	34	134	120	145	144	235	383	722	674
	F	2,592	106	24	40	88	107	138	213	354	491	550	481
36 Ill-defined causes	M	88	2	-	-	-	-	1	4	9	15	29	28
	F	77	3	1	-	-	-	2	-	4	8	18	41

194 TABLE 24—*contd.* **Aggregate of South Eastern Region** (Part formerly included in "Midlands").

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	24,046	1,753	210	301	541	817	1,153	1,369	2,482	4,198	5,694	5,528
	F	24,143	1,347	161	232	520	703	1,097	1,298	2,049	3,482	5,405	7,849
1 Typhoid fever, etc.	M	9	-	-	-	-	-	2	4	2	1	-	-
	F	12	-	-	-	-	2	4	2	2	-	2	-
2 Measles	M	17	5	4	5	2	-	-	1	-	-	-	-
	F	14	3	3	3	4	1	-	-	-	-	-	-
3 Scarlet fever	M	28	1	1	4	15	1	2	2	-	2	-	-
	F	31	1	1	9	10	1	5	2	1	1	-	-
4 Whooping cough	M	53	23	15	12	2	-	-	-	-	-	-	1
	F	76	47	15	10	4	-	-	-	-	-	-	-
5 Diphtheria	M	166	7	6	49	97	4	1	-	-	2	-	-
	F	193	5	10	45	120	5	2	2	2	1	1	-
6 Influenza	M	299	6	4	6	10	6	12	35	51	65	53	51
	F	304	6	2	2	2	10	15	19	35	55	67	91
7 Encephalitis lethargica	M	31	-	-	-	1	1	6	3	6	8	4	2
	F	32	-	-	-	2	4	7	3	4	5	4	3
8 Cerebro-spinal fever	M	21	4	4	-	4	5	2	1	1	-	-	-
	F	18	6	3	2	2	-	1	2	-	2	-	-
9 Respiratory tuberculosis	M	1,482	3	3	3	13	213	331	303	308	217	79	9
	F	1,104	2	2	4	21	274	344	188	119	93	47	10
10 Other tuberculosis	M	237	8	25	34	32	38	30	20	22	17	8	3
	F	197	12	16	23	43	30	24	18	12	10	9	-
11 Syphilis	M	69	5	-	-	1	-	4	3	21	25	10	-
	F	29	8	-	-	2	1	-	5	6	4	3	-
12 Gen. paralysis of insane, etc.	M	143	-	-	-	-	3	6	23	43	38	27	3
	F	47	-	-	-	-	-	1	5	22	12	7	-
13 Cancer	M	3,313	1	1	3	6	16	43	148	405	876	1,155	659
	F	3,857	2	-	5	10	17	67	262	567	987	1,113	827
14 Diabetes	M	249	-	-	2	3	3	5	9	16	63	100	48
	F	383	-	-	1	4	6	17	12	20	97	140	86
15 Cerebral hamorrhage	M	1,084	-	-	-	1	-	6	18	65	213	404	377
	F	1,605	-	-	-	-	4	5	26	114	277	499	680
16 Heart disease	M	5,576	-	1	1	19	48	80	160	437	1,069	1,747	2,014
	F	6,274	-	-	2	28	64	101	193	324	751	1,782	3,029
17 Aneurysm	M	133	1	1	2	1	3	4	13	28	41	29	10
	F	66	-	-	-	1	6	2	3	6	17	19	12
18 Other circulatory	M	1,128	1	-	1	-	-	1	7	60	181	381	496
	F	1,212	-	-	1	2	2	3	8	58	178	345	615
19 Bronchitis	M	681	24	3	7	2	8	9	18	67	93	157	293
	F	663	26	10	6	3	9	6	14	20	43	131	395
20 Pneumonia	M	1,414	237	65	50	27	35	61	103	192	229	233	182
	F	1,091	166	51	41	28	19	47	68	90	102	215	264
21 Other respiratory	M	248	5	2	6	11	12	20	32	44	47	38	31
	F	204	4	3	5	3	4	11	16	23	29	41	65
22 Peptic ulcer	M	412	-	-	-	-	9	34	37	108	124	78	22
	F	131	-	-	-	-	2	4	12	25	34	33	21
23 Diarrhoea	M	289	214	15	7	1	1	7	4	7	11	10	12
	F	242	157	5	4	2	8	7	12	9	8	11	19
24 Appendicitis	M	202	1	2	10	18	23	26	27	29	30	27	9
	F	177	-	-	4	19	17	12	11	34	42	23	15
25 Cirrhosis of liver	M	97	1	-	-	-	-	1	5	18	33	31	8
	F	50	-	-	-	1	-	1	-	11	16	16	5
26 Other liver diseases	M	80	-	-	-	-	2	3	4	13	17	26	15
	F	196	1	-	1	-	2	9	12	26	46	53	46
27 Other digestive	M	491	28	10	12	24	21	38	41	58	79	108	72
	F	498	15	5	12	27	15	25	33	56	104	104	102
28 Nephritis	M	779	2	1	5	11	36	43	41	82	167	245	146
	F	694	3	2	3	14	15	44	51	79	133	167	183
29 Puerperal sepsis	F	115	-	-	-	-	28	60	25	2	-	-	-
30 Other puerperal	F	138	-	-	-	-	21	69	45	3	-	-	-
31 Congenital causes, etc.	M	1,042	1,012	4	6	8	6	3	2	-	1	-	-
	F	776	762	1	3	3	4	3	-	-	-	-	-
32 Senility	M	511	-	-	-	-	-	-	-	-	4	52	455
	F	986	-	-	-	-	-	-	-	1	6	112	867
33 Suicide	M	370	-	-	-	-	28	58	52	83	84	47	18
	F	215	-	-	-	-	11	46	41	63	26	24	4
34 Other violence	M	1,188	34	18	40	112	188	192	113	127	125	115	124
	F	592	21	12	17	54	38	31	36	53	53	89	188
35 Other defined causes	M	2,144	130	24	36	120	106	121	139	185	326	510	447
	F	1,865	98	18	28	111	83	123	172	260	342	333	297
36 Ill-defined causes	M	60	-	1	-	-	1	2	1	4	10	20	21
	F	56	2	2	1	-	-	1	-	2	8	15	25

TABLE 24—contd. Aggregate of South Eastern Region (Part formerly included in "South").

195

Causes of Death See first page of Table.		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	51,260	3,615	361	485	994	1,602	2,118	2,564	5,326	9,417	12,710	12,068
	F	51,071	2,546	351	421	791	1,427	1,969	2,432	4,279	7,394	11,986	17,475
1 Typhoid fever, etc.	M	20	—	—	1	1	5	3	3	1	6	—	—
	F	23	—	—	—	—	3	4	6	2	5	1	2
2 Measles	M	24	5	8	5	6	—	—	—	—	—	—	—
	F	34	2	9	15	5	1	—	1	1	—	—	—
3 Scarlet fever	M	39	—	2	9	16	5	3	1	2	1	—	—
	F	34	1	4	5	10	7	1	2	2	1	—	—
4 Whooping cough	M	117	68	27	15	6	—	—	—	1	—	—	1
	F	127	70	37	14	6	—	—	—	—	—	—	—
5 Diphtheria	M	275	7	15	94	147	6	1	—	2	2	1	—
	F	271	5	12	84	144	13	2	3	1	6	1	—
6 Influenza	M	563	21	7	9	10	24	29	40	91	114	122	96
	F	586	10	1	8	9	15	17	41	51	97	148	189
7 Encephalitis lethargica	M	52	—	—	1	4	6	5	4	11	12	9	—
	F	49	—	—	—	2	3	6	11	11	4	10	2
8 Cerebro-spinal fever	M	70	21	5	8	8	9	8	5	3	2	1	—
	F	52	14	9	7	10	4	2	1	3	2	—	—
9 Respiratory tuberculosis	M	3,249	4	8	2	21	424	676	625	691	542	220	36
	F	2,224	8	6	4	34	611	630	378	236	178	97	42
10 Other tuberculosis	M	431	37	31	58	67	75	52	31	28	23	19	10
	F	379	30	27	46	66	65	42	31	24	22	18	8
11 Syphilis	M	228	16	1	—	1	2	3	15	62	76	43	9
	F	90	14	—	—	5	2	4	9	13	24	15	4
12 Gen. paralysis of insane, etc.	M	327	—	—	—	1	1	12	46	83	114	61	9
	F	78	—	—	—	—	1	1	18	21	23	11	3
13 Cancer	M	7,137	6	2	9	14	25	105	238	870	2,042	2,498	1,328
	F	8,041	1	3	5	13	25	125	469	1,249	2,012	2,353	1,786
14 Diabetes	M	541	—	1	—	6	8	12	13	38	123	212	128
	F	857	1	—	2	3	14	17	15	80	192	335	198
15 Cerebral hæmorrhage	M	2,010	—	—	1	2	3	3	30	144	414	741	672
	F	2,899	1	—	—	1	5	13	40	178	454	917	1,290
16 Heart disease	M	12,661	—	—	3	54	115	159	308	954	2,319	4,043	4,706
	F	14,374	2	1	4	85	138	213	327	721	1,705	4,027	7,151
17 Aneurysm	M	289	—	—	—	2	7	5	20	49	93	90	23
	F	167	—	—	—	3	2	10	9	27	44	40	32
18 Other circulatory	M	2,384	3	—	1	—	2	5	25	115	416	870	947
	F	2,840	3	—	2	—	1	2	27	122	382	857	1,444
19 Bronchitis	M	1,582	91	10	6	10	14	11	65	145	253	396	581
	F	1,374	87	8	4	3	12	11	25	46	110	288	780
20 Pneumonia	M	2,973	541	101	66	57	71	111	182	378	545	516	405
	F	2,293	371	119	58	52	45	68	116	187	313	439	525
21 Other respiratory	M	558	12	4	7	9	21	32	40	105	115	97	116
	F	449	6	5	9	16	6	19	25	35	55	84	189
22 Peptic ulcer	M	861	—	—	—	1	5	53	86	232	252	168	64
	F	269	1	—	—	1	2	8	22	42	77	83	33
23 Diarrhœa	M	628	496	30	12	2	6	8	8	10	18	22	16
	F	521	323	27	5	5	14	16	18	27	21	23	42
24 Appendicitis	M	394	1	1	31	32	37	47	37	57	74	54	23
	F	323	—	—	13	32	31	27	28	58	64	44	26
25 Cirrhosis of liver	M	224	—	—	—	—	1	4	12	54	60	72	21
	F	131	—	—	—	1	1	1	6	30	46	32	14
26 Other liver diseases	M	175	2	—	2	—	2	8	9	20	37	63	32
	F	380	1	—	—	3	5	9	26	47	98	100	91
27 Other digestive	M	1,164	82	19	20	44	50	53	69	141	237	251	198
	F	1,089	44	11	17	37	23	52	84	122	188	246	265
28 Nephritis	M	1,700	7	1	5	15	47	51	81	210	358	516	409
	F	1,708	3	1	5	20	38	56	95	172	326	498	494
29 Puerperal sepsis	F	168	—	—	—	—	28	101	38	1	—	—	—
30 Other puerperal	F	223	—	—	—	—	32	122	66	3	—	—	—
31 Congenital causes, etc.	M	1,933	1,880	11	7	10	10	2	9	2	2	—	—
	F	1,355	1,316	8	9	6	8	6	2	—	—	—	—
32 Senility	M	1,078	—	—	—	—	—	—	—	1	8	141	928
	F	1,840	—	—	—	—	—	—	—	—	6	184	1,650
33 Suicide	M	838	—	—	—	2	54	123	125	174	199	115	46
	F	454	—	—	—	—	20	61	90	114	102	43	24
34 Other violence	M	2,259	97	31	56	206	363	281	197	238	276	247	267
	F	1,385	73	24	42	59	74	88	59	100	128	273	465
35 Other defined causes	M	4,418	216	46	56	240	204	251	237	408	675	1,108	977
	F	3,931	157	38	63	160	178	233	344	548	703	812	695
36 Ill-defined causes	M	58	2	—	1	—	—	2	3	6	9	14	21
	F	53	2	1	—	—	—	2	—	5	6	7	30

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	85,689	7,803	1,292	1,461	2,198	2,979	3,663	4,859	9,160	16,244	20,664	15,366
	F	80,957	5,866	1,140	1,350	2,114	2,820	3,625	4,534	7,354	12,969	19,233	19,952
1 Typhoid fever, etc.	M	27	-	-	-	2	3	6	1	9	3	2	1
	F	29	-	-	1	4	5	4	3	3	4	4	1
2 Measles	M	406	100	173	97	33	-	-	1	-	1	-	1
	F	388	81	144	129	32	1	-	-	1	-	-	-
3 Scarlet fever	M	122	6	13	42	36	13	5	4	3	-	-	-
	F	139	6	9	47	51	11	5	2	4	3	1	-
4 Whooping cough	M	296	161	77	44	13	-	-	1	-	-	-	-
	F	410	192	120	79	18	-	-	-	-	-	1	-
5 Diphtheria	M	829	18	46	268	471	11	5	4	4	2	-	-
	F	841	7	35	245	486	27	10	8	9	7	6	1
6 Influenza	M	1,562	46	16	25	33	78	122	155	263	334	288	202
	F	1,496	39	21	22	35	60	80	147	178	290	318	306
7 Encephalitis lethargica	M	165	1	1	3	6	22	30	26	34	20	20	2
	F	176	-	-	1	5	12	30	33	38	37	17	3
8 Cerebro-spinal fever	M	154	39	15	20	35	15	15	8	5	2	-	-
	F	129	34	16	17	27	14	7	3	8	3	-	-
9 Respiratory tuberculosis	M	4,844	13	10	16	63	749	962	963	1,018	758	265	27
	F	3,522	4	12	16	114	1,084	984	581	366	246	96	19
10 Other tuberculosis	M	914	59	66	126	167	179	111	72	56	39	33	6
	F	800	36	73	82	165	161	91	73	42	43	25	9
11 Syphilis	M	309	52	-	1	3	6	7	29	78	93	34	6
	F	127	29	1	-	4	3	3	21	30	20	15	1
12 Gen. paralysis of insane, etc.	M	456	-	-	-	-	4	14	81	143	149	57	8
	F	140	-	-	-	1	2	11	38	45	29	14	-
13 Cancer	M	10,034	2	2	7	27	55	136	434	1,283	3,216	3,534	1,338
	F	10,704	4	5	10	23	38	192	773	1,922	2,938	3,102	1,697
14 Diabetes	M	843	-	-	3	14	28	29	32	78	227	313	119
	F	1,487	-	-	1	15	28	25	55	110	418	604	231
15 Cerebral hæmorrhage	M	4,261	1	-	-	3	9	21	70	331	959	1,688	1,179
	F	5,340	-	1	1	1	3	16	107	429	1,083	1,950	1,749
16 Heart disease	M	18,595	1	2	6	163	245	282	590	1,758	4,099	6,370	5,079
	F	19,289	-	-	10	160	292	443	670	1,387	3,267	6,150	6,910
17 Aneurysm	M	285	2	-	-	2	9	12	15	61	92	77	15
	F	91	-	-	-	4	4	5	11	15	22	24	6
18 Other circulatory	M	5,004	5	3	2	-	4	6	37	193	842	1,952	1,960
	F	4,511	4	1	3	2	4	10	32	168	592	1,571	2,124
19 Bronchitis	M	3,146	324	39	22	16	40	50	134	317	516	811	877
	F	2,806	251	35	25	18	28	28	65	105	302	759	1,190
20 Pneumonia	M	6,215	1,219	471	269	155	232	344	574	859	999	736	357
	F	4,535	971	370	254	180	141	228	288	348	525	696	534
21 Other respiratory	M	860	32	20	19	22	32	43	79	126	173	185	129
	F	655	16	14	24	18	29	38	46	67	113	127	163
22 Peptic ulcer	M	1,090	-	-	-	1	19	98	180	321	288	144	39
	F	304	-	-	1	-	5	25	36	69	76	62	30
23 Diarrhoea	M	947	655	51	43	17	8	17	15	27	41	36	37
	F	810	451	64	34	19	18	27	33	35	35	42	52
24 Appendicitis	M	518	3	2	34	98	71	58	53	67	66	51	15
	F	384	2	-	18	56	37	41	31	76	68	42	13
25 Cirrhosis of liver	M	262	-	-	1	2	1	2	16	54	91	72	23
	F	117	-	-	-	1	1	1	9	25	32	38	10
26 Other liver diseases	M	322	1	1	1	-	3	8	18	42	97	106	45
	F	794	1	-	3	2	9	26	40	102	212	251	148
27 Other digestive	M	1,515	162	44	46	70	70	110	102	193	261	294	163
	F	1,552	82	24	55	79	57	78	125	196	308	341	207
28 Nephritis	M	2,808	9	6	20	49	74	118	154	374	723	824	457
	F	2,940	6	6	13	42	84	128	198	381	685	822	575
29 Puerperal sepsis	F	365	-	-	-	-	63	211	90	1	-	-	-
30 Other puerperal	F	555	-	-	-	-	101	259	187	8	-	-	-
31 Congenital causes, etc.	M	4,186	4,108	12	21	20	11	5	5	2	2	-	-
	F	3,161	3,099	20	9	17	9	2	1	2	1	-	-
32 Senility	M	2,409	-	-	-	-	-	-	-	3	36	527	1,843
	F	3,283	-	-	-	-	-	-	-	-	35	528	2,720
33 Suicide	M	1,154	-	-	-	2	69	137	139	262	312	183	50
	F	515	-	-	-	1	37	85	116	123	102	44	7
34 Other violence	M	3,654	119	92	175	303	529	475	376	431	472	362	320
	F	1,986	102	50	116	162	129	96	76	122	218	352	563
35 Other defined causes	M	7,130	657	126	150	370	385	425	472	720	1,244	1,581	1,000
	F	6,334	444	114	132	372	323	434	630	915	1,196	1,155	619
36 Ill-defined causes	M	367	8	4	-	2	5	10	19	45	87	119	68
	F	242	5	5	2	-	-	2	6	24	59	75	64

Causes of Death See first page of Table.		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	14,599	1,659	273	320	471	660	667	819	1,442	2,507	3,155	2,626
	F	12,824	1,255	265	305	458	551	677	752	1,161	1,964	2,679	2,757
1 Typhoid fever, etc.	M	4	—	—	—	—	1	—	—	1	1	1	—
	F	11	—	—	1	1	2	2	1	2	1	1	—
2 Measles	M	78	23	28	22	5	—	—	—	—	—	—	—
	F	83	17	34	26	6	—	—	—	—	—	—	—
3 Scarlet fever	M	36	3	4	13	10	3	—	2	1	—	—	—
	F	46	3	3	14	19	2	2	2	1	—	—	—
4 Whooping cough	M	79	40	24	10	5	—	—	—	—	—	—	—
	F	94	45	29	15	5	—	—	—	—	—	—	—
5 Diphtheria	M	189	3	14	60	106	2	—	—	3	1	—	—
	F	182	1	3	55	111	5	2	—	1	1	2	1
6 Influenza	M	266	10	2	7	10	19	24	20	48	49	47	30
	F	218	12	5	5	6	5	14	24	23	44	39	41
7 Encephalitis lethargica	M	38	—	1	1	1	6	5	6	9	4	5	—
	F	37	—	—	—	—	1	4	7	13	7	4	1
8 Cerebro-spinal fever	M	30	7	4	3	6	7	—	2	1	—	—	—
	F	24	4	2	5	9	1	—	—	1	2	—	—
9 Respiratory tuberculosis	M	895	1	—	8	26	192	202	173	143	110	38	2
	F	729	1	5	6	40	228	200	119	66	49	12	3
10 Other tuberculosis	M	233	12	14	25	53	67	27	16	7	4	7	1
	F	202	12	12	16	51	43	23	19	10	11	4	1
11 Syphilis	M	62	12	—	—	—	1	1	6	13	19	8	2
	F	20	6	—	—	—	—	—	3	4	3	3	1
12 Gen. paralysis of insane, etc.	M	90	—	—	—	—	1	3	17	36	24	9	—
	F	28	—	—	—	—	1	2	10	6	6	3	—
13 Cancer	M	1,578	1	—	3	4	3	26	74	222	521	516	208
	F	1,547	1	1	3	2	7	27	109	290	414	454	239
14 Diabetes	M	125	—	—	—	2	5	6	6	14	30	42	20
	F	224	—	—	—	—	8	3	11	15	63	94	30
15 Cerebral hæmorrhage	M	746	—	—	—	—	2	6	10	52	170	286	220
	F	782	—	1	—	—	2	5	20	74	150	285	245
16 Heart disease	M	2,846	—	—	1	32	49	58	91	261	602	929	823
	F	2,667	—	—	3	28	48	78	105	193	505	809	898
17 Aneurysm	M	44	—	—	—	1	1	—	—	11	18	13	—
	F	12	—	—	—	1	1	—	1	1	4	3	1
18 Other circulatory	M	933	—	—	—	—	—	2	4	35	141	351	400
	F	749	—	—	—	1	—	—	8	41	91	255	353
19 Bronchitis	M	524	97	11	10	8	11	10	24	37	62	109	145
	F	429	77	10	10	7	4	10	11	13	37	101	149
20 Pneumonia	M	945	220	95	58	29	36	47	74	111	136	83	56
	F	735	174	80	57	29	25	41	47	50	81	85	66
21 Other respiratory	M	159	7	7	3	5	8	12	14	19	24	36	24
	F	111	3	4	7	3	5	10	11	11	21	17	19
22 Peptic ulcer	M	172	—	—	—	—	2	20	31	41	46	22	10
	F	41	—	—	1	—	2	4	2	12	9	6	5
23 Diarrhœa	M	241	173	18	7	4	2	1	4	9	13	4	6
	F	186	118	23	7	6	3	1	3	3	4	10	8
24 Appendicitis	M	69	—	—	2	15	11	9	12	9	7	3	1
	F	61	1	—	1	11	8	8	6	9	9	6	2
25 Cirrhosis of liver	M	42	—	—	—	1	1	—	1	5	15	13	6
	F	21	—	—	—	1	—	—	1	6	9	2	2
26 Other liver diseases	M	48	—	—	1	—	—	1	3	7	8	21	7
	F	103	—	—	—	1	—	5	6	19	30	25	17
27 Other digestive	M	256	39	6	10	15	16	15	14	28	41	47	25
	F	266	19	6	15	16	14	12	22	38	48	46	30
28 Nephritis	M	432	1	1	3	12	12	11	19	57	101	125	90
	F	466	1	1	5	6	18	25	22	70	118	123	77
29 Puerperal sepsis	F	77	—	—	—	—	13	47	17	—	—	—	—
30 Other puerperal	F	111	—	—	—	—	24	48	36	3	—	—	—
31 Congenital causes, etc.	M	844	836	2	3	2	—	—	—	—	1	—	—
	F	648	640	3	—	4	1	—	—	—	—	—	—
32 Senility	M	362	—	—	—	—	—	—	—	—	1	73	288
	F	452	—	—	—	—	—	—	—	—	2	71	379
33 Suicide	M	156	—	—	—	—	10	22	28	30	46	16	4
	F	65	—	—	—	—	7	9	14	13	15	7	—
34 Other violence	M	703	15	16	37	52	122	92	79	94	83	61	52
	F	298	17	11	28	29	17	23	13	14	32	39	75
35 Other defined causes	M	1,224	157	25	33	66	67	63	78	118	194	242	181
	F	1,017	101	30	24	65	56	72	100	152	177	150	90
36 Ill-defined causes	M	150	2	1	—	1	3	4	11	20	35	48	25
	F	82	2	2	1	—	—	—	2	7	21	23	24

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	8,492	851	121	149	203	308	362	423	760	1,409	2,017	1,889
	F	7,924	614	106	136	206	282	330	419	654	1,122	1,766	2,289
1 Typhoid fever, etc.	M	2	—	—	—	—	—	1	1	—	—	—	—
	F	4	—	—	—	1	—	1	1	—	—	—	1
2 Measles	M	26	5	9	6	5	—	—	—	—	1	—	—
	F	30	12	2	12	4	—	—	—	—	—	—	—
3 Scarlet fever	M	10	—	—	3	5	1	1	—	—	—	—	—
	F	10	2	—	4	1	1	1	—	—	1	—	—
4 Whooping cough	M	39	25	8	5	1	—	—	—	—	—	—	—
	F	51	20	14	13	4	—	—	—	—	—	—	—
5 Diphtheria	M	61	2	6	16	35	2	—	—	—	—	—	—
	F	75	—	3	21	41	3	2	2	1	2	—	—
6 Influenza	M	124	3	1	2	2	11	12	7	16	27	22	21
	F	138	2	3	3	2	5	3	14	16	21	34	35
7 Encephalitis lethargica	M	12	—	—	—	2	1	2	2	3	—	2	—
	F	12	—	—	—	—	4	1	4	—	2	1	—
8 Cerebro-spinal fever	M	11	3	—	2	4	—	2	—	—	—	—	—
	F	9	3	1	—	3	1	—	1	—	—	—	—
9 Respiratory tuberculosis	M	448	3	3	2	6	79	104	78	89	61	21	2
	F	355	1	—	3	6	110	95	69	34	25	8	4
10 Other tuberculosis	M	107	7	8	16	19	21	11	9	7	4	4	1
	F	98	5	7	10	21	17	16	12	4	5	1	—
11 Syphilis	M	43	8	—	—	1	—	—	2	7	17	8	—
	F	16	3	—	—	1	2	1	2	4	2	1	—
12 Gen. paralysis of insane, etc.	M	41	—	—	—	—	—	2	9	12	10	7	1
	F	14	—	—	—	—	—	1	6	4	2	1	—
13 Cancer	M	991	—	—	—	3	6	11	48	106	302	337	178
	F	1,058	—	1	—	1	3	18	72	171	260	315	217
14 Diabetes	M	87	—	—	2	—	4	2	1	6	19	35	18
	F	129	—	—	—	3	1	1	9	6	37	43	29
15 Cerebral hæmorrhage	M	457	—	—	—	—	—	—	4	30	84	173	166
	F	619	—	—	—	—	—	—	9	42	120	209	239
16 Heart disease	M	1,860	—	—	2	11	23	23	51	144	346	646	614
	F	1,847	—	—	1	17	22	35	55	124	260	581	752
17 Aneurysm	M	28	—	—	—	—	—	2	2	8	6	8	2
	F	11	—	—	—	—	—	—	1	5	2	2	1
18 Other circulatory	M	470	1	—	—	—	—	—	2	14	63	172	218
	F	396	1	—	1	—	1	1	2	8	47	110	225
19 Bronchitis	M	249	32	3	5	—	2	1	11	27	34	48	86
	F	232	26	4	4	1	1	2	6	3	18	46	121
20 Pneumonia	M	601	135	55	37	14	21	20	48	64	93	65	49
	F	435	115	41	25	26	10	21	17	25	41	59	55
21 Other respiratory	M	86	4	2	3	2	5	3	9	10	19	18	11
	F	73	2	—	3	—	4	5	2	9	18	10	20
22 Peptic ulcer	M	110	—	—	—	1	1	12	15	30	24	22	5
	F	36	—	—	—	—	1	2	5	6	13	6	3
23 Diarrhoea	M	99	68	1	7	2	—	—	2	2	5	6	6
	F	86	46	8	6	3	3	1	1	6	3	1	8
24 Appendicitis	M	44	—	—	3	6	6	4	9	3	5	7	1
	F	38	—	—	2	7	3	1	1	8	10	6	—
25 Cirrhosis of liver	M	32	—	—	—	—	—	—	1	6	9	12	4
	F	10	—	—	—	—	—	—	—	3	1	3	3
26 Other liver diseases	M	34	—	—	—	—	—	1	1	3	15	10	4
	F	66	—	—	—	—	1	1	6	10	14	19	15
27 Other digestive	M	151	14	4	1	6	4	15	12	17	21	41	16
	F	139	10	2	5	11	5	4	9	19	23	31	20
28 Nephritis	M	275	2	1	3	5	8	11	10	23	63	86	63
	F	257	1	2	1	4	2	12	12	29	61	57	76
29 Puerperal sepsis	F	34	—	—	—	—	4	21	9	—	—	—	—
30 Other puerperal	F	69	—	—	—	—	15	32	21	1	—	—	—
31 Congenital causes, etc.	M	464	456	1	1	2	3	—	1	—	—	—	—
	F	322	318	1	2	—	1	—	—	—	—	—	—
32 Senility	M	288	—	—	—	—	—	—	—	—	2	46	240
	F	391	—	—	—	—	—	—	—	—	2	59	330
33 Suicide	M	97	—	—	—	—	9	13	9	23	20	15	8
	F	50	—	—	—	—	8	10	9	12	6	3	2
34 Other violence	M	400	14	5	15	34	69	69	37	43	50	28	36
	F	169	9	2	11	20	18	3	6	14	10	29	47
35 Other defined causes	M	699	67	14	18	36	32	39	41	61	100	165	126
	F	619	38	13	9	29	36	39	55	87	110	122	81
36 Ill-defined causes	M	46	2	—	—	1	—	1	1	6	9	13	13
	F	26	—	2	—	—	—	—	1	3	6	9	5

Causes of Death See first page of Table.		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	21,851	1,718	275	352	565	690	914	1,167	2,291	4,382	5,439	4,058
	F	21,013	1,260	240	308	558	694	887	1,151	1,909	3,448	5,121	5,437
1 Typhoid fever, etc.	M	5	-	-	-	1	-	1	-	3	-	-	-
	F	4	-	-	-	1	-	1	-	-	-	2	-
2 Measles	M	37	12	14	5	5	-	-	-	-	-	-	1
	F	31	8	9	9	5	-	-	-	-	-	-	-
3 Scarlet fever	M	30	-	2	9	9	6	1	1	2	-	-	-
	F	45	-	5	15	16	3	2	-	3	-	1	-
4 Whooping cough	M	67	33	22	10	2	-	-	-	-	-	-	-
	F	93	48	25	16	4	-	-	-	-	-	-	-
5 Diphtheria	M	240	5	8	77	141	4	3	1	-	1	-	-
	F	250	3	12	66	146	9	2	2	4	3	3	-
6 Influenza	M	332	9	3	6	8	12	18	31	53	79	56	57
	F	308	8	3	8	12	11	15	30	36	56	67	62
7 Encephalitis lethargica	M	27	-	-	-	1	2	7	6	6	4	1	-
	F	32	-	-	-	3	3	5	3	6	7	4	1
8 Cerebro-spinal fever	M	48	11	5	6	8	3	7	5	1	2	-	-
	F	47	13	1	7	8	8	3	1	5	1	-	-
9 Respiratory tuberculosis	M	1,179	3	4	5	13	153	221	235	262	207	72	4
	F	783	2	3	2	17	237	223	127	86	61	19	6
10 Other tuberculosis	M	208	15	16	35	32	25	30	22	15	11	6	1
	F	157	5	18	17	33	36	14	10	8	6	6	4
11 Syphilis	M	76	11	-	1	1	1	2	5	22	25	5	3
	F	31	4	-	-	2	-	-	6	10	4	5	-
12 Gen. paralysis of insane, etc.	M	113	-	-	-	-	2	5	17	31	39	16	3
	F	36	-	-	-	-	1	4	7	13	10	1	-
13 Cancer	M	2,571	-	1	2	7	20	27	101	318	830	923	342
	F	2,868	1	3	3	7	10	59	227	507	783	812	456
14 Diabetes	M	245	-	-	-	9	9	5	7	18	66	99	32
	F	435	-	-	-	5	5	9	16	30	119	190	61
15 Cerebral hæmorrhage	M	1,150	-	-	-	1	1	10	22	79	260	464	313
	F	1,411	-	-	-	1	-	4	24	103	267	521	491
16 Heart disease	M	5,054	1	2	1	40	61	70	138	459	1,177	1,711	1,394
	F	5,311	-	-	4	35	87	100	168	412	880	1,664	1,961
17 Aneurysm	M	81	2	-	-	1	4	5	8	13	23	17	8
	F	39	-	-	-	1	3	3	4	6	9	11	2
18 Other circulatory	M	1,532	1	1	-	-	-	1	10	56	244	602	617
	F	1,477	1	-	1	1	-	1	12	36	198	494	733
19 Bronchitis	M	781	66	10	2	2	12	15	33	64	149	201	227
	F	639	44	7	4	4	7	5	15	20	68	165	300
20 Pneumonia	M	1,363	258	100	60	32	47	79	109	182	242	180	74
	F	985	185	86	59	40	38	53	65	72	116	145	126
21 Other respiratory	M	194	2	4	3	6	4	13	17	23	49	32	41
	F	156	6	8	5	6	10	5	12	15	22	29	38
22 Peptic ulcer	M	297	-	-	-	-	5	24	44	101	77	37	9
	F	79	-	-	-	-	1	5	9	19	17	19	9
23 Diarrhoea	M	195	117	17	14	5	2	5	1	5	7	11	11
	F	170	82	11	7	5	4	11	11	8	9	12	10
24 Appendicitis	M	146	1	-	8	27	18	17	16	20	17	16	6
	F	95	-	-	6	15	7	16	4	17	14	9	7
25 Cirrhosis of liver	M	67	-	-	1	-	-	1	6	20	23	12	4
	F	34	-	-	-	-	1	1	2	10	12	7	1
26 Other liver diseases	M	98	-	-	-	-	1	3	9	11	29	31	14
	F	242	-	-	3	-	4	5	8	29	64	79	50
27 Other digestive	M	353	26	11	10	15	20	26	23	53	71	62	36
	F	404	17	7	9	17	15	20	42	46	87	92	52
28 Nephritis	M	725	3	2	4	13	15	31	49	100	186	223	99
	F	844	1	-	1	11	23	39	64	116	198	247	144
29 Puerperal sepsis	F	89	-	-	-	-	13	56	20	-	-	-	-
30 Other puerperal	F	125	-	-	-	-	20	57	45	3	-	-	-
31 Congenital causes, etc.	M	1,008	983	2	9	8	2	3	-	-	1	-	-
	F	730	716	4	3	2	1	1	-	1	1	1	-
32 Senility	M	496	-	-	-	-	-	-	-	1	1	80	414
	F	695	-	-	-	-	-	-	-	-	7	96	592
33 Suicide	M	327	-	-	-	1	18	43	37	71	98	44	15
	F	142	-	-	-	-	10	27	32	26	29	14	4
34 Other violence	M	959	35	24	45	76	142	122	108	104	132	95	76
	F	575	29	15	24	46	40	31	22	31	63	104	170
35 Other defined causes	M	1,811	123	27	39	101	100	118	105	194	327	425	252
	F	1,624	86	23	39	115	87	109	163	229	331	291	151
36 Ill-defined causes	M	36	1	-	-	-	1	1	1	4	5	18	5
	F	27	1	-	-	-	-	1	-	2	6	11	6

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	40,747	3,575	623	640	959	1,321	1,720	2,450	4,667	7,946	10,053	6,793
	F	39,196	2,737	529	601	892	1,293	1,731	2,212	3,630	6,435	9,667	9,469
1 Typhoid fever, etc.	M	16	—	—	—	1	2	4	—	5	2	1	1
	F	10	—	—	—	1	3	—	1	1	3	1	—
2 Measles	M	265	60	122	64	18	—	—	1	—	—	—	—
	F	244	44	99	82	17	1	—	—	1	—	—	—
3 Scarlet fever	M	46	3	7	17	12	3	3	1	—	—	—	—
	F	38	1	1	14	15	5	—	—	—	2	—	—
4 Whooping cough	M	111	63	23	19	5	—	—	1	—	—	—	—
	F	172	79	52	35	5	—	—	—	—	—	1	—
5 Diphtheria	M	339	8	18	115	189	3	2	3	1	—	—	—
	F	334	3	17	103	188	10	4	4	3	1	1	—
6 Influenza	M	840	24	10	10	13	36	68	97	146	179	163	94
	F	832	17	10	6	15	39	48	79	103	169	178	168
7 Encephalitis lethargica	M	88	1	—	2	2	13	16	12	16	12	12	2
	F	95	—	—	1	2	4	20	19	19	21	8	1
8 Cerebro-spinal fever	M	65	18	6	9	17	5	6	1	3	—	—	—
	F	49	14	12	5	7	4	4	1	2	—	—	—
9 Respiratory tuberculosis	M	2,322	6	3	1	18	325	435	477	524	380	134	19
	F	1,655	—	4	5	51	509	466	266	180	111	57	6
10 Other tuberculosis	M	366	25	28	50	63	66	43	25	27	20	16	3
	F	343	14	36	39	60	65	38	32	20	21	14	4
11 Syphilis	M	128	21	—	—	1	4	4	16	36	32	13	1
	F	60	16	1	—	1	1	2	10	12	11	6	—
12 Gen. paralysis of insane, etc.	M	212	—	—	—	—	1	4	38	64	76	25	4
	F	62	—	—	—	1	—	4	15	22	11	9	—
13 Cancer	M	4,894	1	1	2	13	26	72	211	637	1,563	1,758	610
	F	5,231	2	—	4	13	18	88	365	954	1,481	1,521	785
14 Diabetes	M	386	—	—	1	3	10	16	18	40	112	137	49
	F	699	—	—	1	7	14	12	19	59	199	277	111
15 Cerebral hæmorrhage	M	1,908	1	—	—	2	6	5	34	170	445	765	480
	F	2,528	—	—	1	—	1	7	54	210	546	935	774
16 Heart disease	M	8,835	—	—	2	80	112	131	310	894	1,974	3,084	2,248
	F	9,464	—	—	2	80	135	230	342	658	1,622	3,096	3,299
17 Aneurysm	M	132	—	—	—	—	4	5	5	29	45	39	5
	F	29	—	—	—	2	—	2	5	3	7	8	2
18 Other circulatory	M	2,069	3	2	2	—	4	3	21	88	394	827	725
	F	1,889	2	1	1	—	3	8	10	83	256	712	813
19 Bronchitis	M	1,592	129	15	5	6	15	24	66	189	271	453	419
	F	1,506	104	14	7	6	16	11	33	69	179	447	620
20 Pneumonia	M	3,306	606	221	114	80	128	198	343	502	528	408	178
	F	2,380	497	163	113	85	68	113	159	201	287	407	287
21 Other respiratory	M	421	19	7	10	9	15	15	39	74	81	99	53
	F	315	5	2	9	9	10	18	21	32	52	71	86
22 Peptic ulcer	M	511	—	—	—	—	11	42	90	149	141	63	15
	F	148	—	—	—	—	1	14	20	32	37	31	13
23 Diarrhoea	M	412	297	15	15	6	4	11	8	11	16	15	14
	F	368	205	22	14	5	8	14	18	18	19	19	26
24 Appendicitis	M	259	2	2	21	50	36	28	16	35	37	25	7
	F	190	1	—	9	23	19	16	20	42	35	21	4
25 Cirrhosis of liver	M	121	—	—	—	1	—	1	8	23	44	35	9
	F	52	—	—	—	—	—	—	6	6	10	26	4
26 Other liver diseases	M	142	1	1	—	—	2	3	5	21	45	44	20
	F	383	1	—	—	1	4	15	20	44	104	128	66
27 Other digestive	M	755	83	23	25	34	30	54	53	95	128	144	86
	F	743	36	9	26	35	23	42	52	93	150	172	105
28 Nephritis	M	1,376	3	2	10	19	39	65	76	194	373	390	205
	F	1,373	3	3	6	21	41	52	100	166	308	395	278
29 Puerperal sepsis	F	165	—	—	—	—	33	87	44	1	—	—	—
30 Other puerperal	F	250	—	—	—	—	42	122	85	1	—	—	—
31 Congenital causes, etc.	M	1,870	1,833	7	8	8	6	2	4	2	—	—	—
	F	1,461	1,425	12	4	11	6	1	1	1	—	—	—
32 Senility	M	1,263	—	—	—	—	—	—	—	2	32	328	901
	F	1,745	—	—	—	—	—	—	—	—	24	302	1,419
33 Suicide	M	574	—	—	—	1	32	59	65	138	148	108	23
	F	258	—	—	—	1	12	39	61	72	52	20	1
34 Other violence	M	1,592	55	47	78	141	196	192	152	190	207	178	156
	F	944	47	22	53	67	54	39	35	63	113	180	271
35 Other defined causes	M	3,396	310	60	60	167	186	205	248	347	623	749	441
	F	3,074	219	48	60	163	144	214	312	447	578	592	297
36 Ill-defined causes	M	135	3	3	—	—	1	4	6	15	38	40	25
	F	107	2	1	1	—	—	1	3	12	26	32	29

Causes of Death See first page of Table.		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	41,447	3,649	519	578	998	1,456	1,892	2,274	4,180	7,161	9,677	9,063
	F	38,822	2,646	460	528	891	1,338	1,795	2,193	3,293	5,638	8,700	11,340
1 Typhoid fever, etc.	M	15	1	—	—	3	4	4	—	—	3	—	—
	F	11	—	—	1	—	4	—	1	3	1	1	—
Measles	M	141	33	55	33	18	2	—	—	—	—	—	—
	F	127	21	45	35	22	1	1	1	—	—	1	—
3 Scarlet fever	M	46	1	4	12	16	2	2	4	3	1	—	1
	F	56	2	3	21	17	3	3	4	1	—	2	—
4 Whooping cough	M	125	62	28	27	7	—	—	—	1	—	—	—
	F	179	89	41	40	8	—	—	1	—	—	—	—
5 Diphtheria	M	250	8	7	80	135	12	3	—	2	3	—	—
	F	267	2	9	66	155	14	5	5	4	4	1	2
6 Influenza	M	676	22	6	7	12	33	42	74	121	129	130	100
	F	596	21	4	12	12	16	26	46	59	104	142	154
7 Encephalitis lethargica	M	57	1	—	2	3	8	7	3	15	8	8	2
	F	63	—	—	—	2	6	12	6	15	18	3	1
8 Cerebro-spinal fever	M	67	22	7	11	5	10	3	1	6	1	1	—
	F	50	10	7	11	8	8	1	2	2	1	—	—
9 Respiratory tuberculosis	M	2,412	4	4	5	27	370	514	471	490	378	133	16
	F	1,937	6	11	9	49	545	536	342	229	143	56	11
10 Other tuberculosis	M	413	35	37	56	76	63	57	35	21	24	6	3
	F	353	24	39	41	62	63	35	23	27	25	10	4
11 Syphilis	M	159	11	2	—	3	2	6	16	51	38	24	6
	F	79	17	—	2	1	2	5	7	20	15	10	—
12 Gen. paralysis of insane, etc.	M	165	—	—	—	2	1	5	24	56	47	25	5
	F	54	—	—	—	—	3	3	17	19	9	3	—
13 Cancer	M	4,973	1	—	5	13	25	65	215	623	1,422	1,754	850
	F	5,480	3	2	2	7	20	86	410	901	1,417	1,553	1,079
14 Diabetes	M	445	—	—	1	8	4	16	15	30	101	179	91
	F	700	—	—	—	4	9	16	16	62	191	259	143
15 Cerebral hæmorrhage	M	2,109	—	—	—	—	4	8	37	157	396	820	687
	F	2,650	—	2	—	—	—	14	49	181	477	866	1,061
16 Heart disease	M	9,131	3	—	4	56	101	163	225	734	1,780	3,021	3,044
	F	9,528	1	—	2	71	138	206	286	537	1,404	2,874	4,009
17 Aneurysm	M	147	2	—	—	1	4	7	10	31	41	37	1
	F	70	—	—	—	2	2	3	8	15	17	21	2
18 Other circulatory	M	1,865	—	—	2	2	—	10	16	71	317	655	792
	F	1,701	2	1	—	1	4	6	18	67	219	536	847
19 Bronchitis	M	1,461	113	19	13	10	9	20	39	114	191	356	577
	F	1,290	88	22	12	8	5	10	18	49	118	298	662
20 Pneumonia	M	2,890	549	182	102	96	96	165	263	369	418	408	242
	F	1,827	373	146	103	55	48	82	117	136	195	274	298
21 Other respiratory	M	484	18	9	5	17	16	23	39	75	99	89	94
	F	346	5	8	4	8	9	14	24	41	41	68	124
22 Peptic ulcer	M	533	—	—	—	1	8	47	86	139	142	78	32
	F	171	—	—	—	—	3	5	18	33	36	52	24
23 Diarrhoea	M	420	283	38	11	2	4	8	5	18	13	15	23
	F	387	202	28	13	8	10	14	22	8	26	19	37
24 Appendicitis	M	272	—	2	14	41	21	34	34	34	39	35	18
	F	208	1	—	16	25	18	18	24	31	39	26	10
25 Cirrhosis of liver	M	165	—	—	—	—	—	1	6	41	57	48	12
	F	73	—	—	1	1	2	1	2	17	20	21	8
26 Other liver diseases	M	127	—	1	—	—	5	6	5	18	27	38	27
	F	284	—	1	1	2	3	14	12	33	69	81	68
27 Other digestive	M	759	76	16	22	35	31	35	61	99	136	148	100
	F	780	43	9	20	51	21	55	66	86	144	158	127
28 Nephritis	M	1,239	—	5	9	15	48	60	69	155	291	348	239
	F	1,267	1	1	5	23	34	73	91	156	230	371	282
29 Puerperal sepsis	F	186	—	—	—	—	43	89	52	2	—	—	—
30 Other puerperal	F	248	—	—	—	—	35	127	80	6	—	—	—
31 Congenital causes, etc.	M	2,123	2,077	10	7	6	12	7	2	1	—	—	—
	F	1,528	1,492	7	8	7	5	3	2	2	2	—	—
32 Senility	M	1,300	—	—	—	—	—	—	—	—	6	185	1,109
	F	1,846	—	—	—	—	—	—	—	1	6	215	1,624
33 Suicide	M	646	—	—	—	—	32	77	81	129	193	98	36
	F	304	—	—	—	—	21	46	64	83	54	30	6
34 Other violence	M	1,984	52	32	70	155	313	284	219	222	235	186	216
	F	976	47	20	41	99	70	50	39	44	98	164	304
35 Other defined causes	M	3,730	271	55	80	230	216	211	217	346	601	814	689
	F	3,118	195	54	61	182	173	236	319	420	500	557	421
36 Ill-defined causes	M	118	4	—	—	3	—	2	2	8	23	38	38
	F	82	1	—	1	1	—	—	1	3	15	28	32

Causes of Death <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	27,367	2,428	367	411	688	960	1,250	1,540	2,845	4,794	6,336	5,748
	F	25,644	1,772	305	349	623	878	1,153	1,482	2,194	3,691	5,745	7,452
1 Typhoid fever, etc.	M	8	1	—	—	2	1	1	—	—	3	—	—
	F	8	—	—	1	—	2	—	1	3	—	1	—
2 Measles	M	107	24	43	25	14	1	—	—	—	—	—	—
	F	106	15	40	31	18	—	1	1	—	—	—	—
3 Scarlet fever	M	31	1	3	6	11	2	1	3	2	1	—	1
	F	39	2	2	15	11	1	2	3	1	—	2	—
4 Whooping cough	M	95	43	23	22	6	—	—	—	1	—	—	—
	F	131	65	30	30	5	—	—	1	—	—	—	—
5 Diphtheria	M	185	8	6	56	105	8	2	—	—	—	—	—
	F	186	2	6	48	111	8	4	3	1	2	—	1
6 Influenza	M	464	20	2	4	8	23	25	50	90	92	87	63
	F	420	17	4	6	10	9	20	32	42	73	101	106
7 Encephalitis lethargica	M	43	1	—	2	1	5	7	2	11	6	7	1
	F	36	—	—	—	—	2	8	4	8	12	1	1
8 Cerebro-spinal fever	M	43	13	5	11	—	8	2	—	4	—	—	—
	F	36	6	5	7	7	5	1	2	2	1	—	—
9 Respiratory tuberculosis	M	1,667	4	4	5	22	243	342	339	352	260	86	10
	F	1,298	5	6	4	29	366	343	233	171	98	36	7
10 Other tuberculosis	M	271	23	21	38	46	48	34	27	16	14	3	1
	F	213	19	23	21	39	34	22	14	14	15	9	3
11 Syphilis	M	112	4	2	—	2	2	3	14	38	24	18	5
	F	52	13	—	1	1	2	3	6	13	6	7	—
12 Gen. paralysis of insane, etc.	M	106	—	—	—	1	—	3	17	37	30	15	3
	F	35	—	—	—	—	2	2	10	15	4	2	—
13 Cancer	M	3,357	1	—	3	12	17	38	138	438	987	1,165	558
	F	3,631	3	—	2	5	13	62	293	568	948	1,007	730
14 Diabetes	M	287	—	—	1	7	3	11	11	21	64	115	54
	F	455	—	—	—	2	8	7	9	48	118	173	90
15 Cerebral hæmorrhage	M	1,331	—	—	—	—	1	6	20	103	260	511	430
	F	1,690	—	—	—	—	—	12	27	128	289	538	696
16 Heart disease	M	6,004	3	—	4	36	73	105	136	478	1,200	2,002	1,967
	F	6,380	1	—	2	49	87	136	183	363	921	1,919	2,719
17 Aneurysm	M	105	2	—	—	1	2	5	7	23	23	29	13
	F	52	—	—	—	2	1	2	7	10	11	17	2
18 Other circulatory	M	1,218	—	—	2	2	—	10	9	47	205	424	519
	F	1,156	1	1	—	1	3	2	11	49	149	365	574
19 Bronchitis	M	982	80	15	6	7	4	17	27	83	129	244	370
	F	829	51	16	9	5	3	8	12	37	75	195	418
20 Pneumonia	M	1,979	360	131	72	68	63	115	203	251	286	273	157
	F	1,212	246	89	61	35	31	59	79	91	131	192	198
21 Other respiratory	M	348	12	7	3	11	11	18	27	49	73	64	73
	F	237	3	7	4	8	5	8	18	25	30	45	84
22 Peptic ulcer	M	395	—	—	—	1	7	30	67	103	108	58	21
	F	121	—	—	—	—	3	5	12	22	24	36	19
23 Diarrhœa	M	313	212	26	10	1	3	7	3	15	8	9	19
	F	280	154	18	8	6	7	11	9	5	18	15	29
24 Appendicitis	M	192	—	—	9	36	14	21	22	28	26	25	11
	F	155	1	—	12	16	16	14	18	21	30	20	7
25 Cirrhosis of liver	M	106	—	—	—	—	—	1	5	26	33	31	10
	F	51	—	—	—	—	—	1	—	14	13	15	7
26 Other liver diseases	M	82	—	1	—	—	3	4	5	13	15	25	16
	F	185	—	—	1	2	3	7	11	14	45	53	49
27 Other digestive	M	500	50	11	17	20	15	27	40	59	93	99	69
	F	483	29	7	8	37	16	36	40	48	78	108	76
28 Nephritis	M	788	—	2	8	10	26	44	42	104	186	213	153
	F	843	1	1	4	14	25	40	61	107	160	238	192
29 Puerperal sepsis	F	125	—	—	—	—	26	61	38	—	—	—	—
30 Other puerperal	F	160	—	—	—	—	24	75	57	4	—	—	—
31 Congenital causes, etc.	M	1,381	1,350	5	4	5	8	6	2	—	1	—	—
	F	1,010	990	3	6	4	4	1	1	—	1	—	—
32 Senility	M	704	—	—	—	—	—	—	—	—	3	104	597
	F	1,084	—	—	—	—	—	—	—	—	5	141	938
33 Suicide	M	394	—	—	—	—	24	47	46	80	120	57	20
	F	204	—	—	—	—	11	29	46	54	40	21	3
34 Other violence	M	1,319	33	24	50	106	203	188	137	146	157	128	147
	F	653	27	10	28	74	49	24	23	31	72	107	208
35 Other defined causes	M	2,404	182	36	53	145	142	130	141	224	382	529	440
	F	2,050	121	37	40	131	111	147	217	284	316	370	276
36 Ill-defined causes	M	46	1	—	—	2	—	—	—	3	5	15	20
	F	38	—	—	—	1	—	—	—	1	6	11	19

TABLE 24—*contd.* Aggregate of Midland Region (Part II).

203

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	14,080	1,221	152	167	310	496	642	734	1,335	2,367	3,341	3,315
	F	13,178	874	155	179	268	460	642	711	1,099	1,947	2,955	3,888
1 Typhoid fever, etc.	M	7	-	-	-	1	3	3	-	-	-	-	-
	F	3	-	-	-	-	2	-	-	-	1	-	-
2 Measles	M	34	9	12	8	4	1	-	-	-	-	-	-
	F	21	6	5	4	4	1	-	-	-	-	1	-
3 Scarlet fever	M	15	-	1	6	5	-	1	1	1	-	-	-
	F	17	-	1	6	6	2	1	1	-	-	-	-
4 Whooping cough	M	30	19	5	5	1	-	-	-	-	-	-	-
	F	48	24	11	10	3	-	-	-	-	-	-	-
5 Diphtheria	M	65	-	1	24	30	4	1	-	2	3	-	-
	F	81	-	3	18	44	6	1	2	3	2	1	1
6 Influenza	M	212	2	4	3	4	10	17	24	31	37	43	37
	F	176	4	-	6	2	7	6	14	17	31	41	48
7 Encephalitis lethargica	M	14	-	-	-	2	3	-	1	4	2	1	1
	F	27	-	-	-	2	4	4	2	7	6	2	-
8 Cerebro-spinal fever	M	24	9	2	-	5	2	1	1	2	1	1	-
	F	14	4	2	4	1	3	-	-	-	-	-	-
9 Respiratory tuberculosis	M	745	-	-	-	5	127	172	132	138	118	47	6
	F	639	1	5	5	20	179	193	109	58	45	20	4
10 Other tuberculosis	M	142	12	16	18	30	15	23	8	5	10	3	2
	F	140	5	16	20	23	29	13	9	13	10	1	1
11 Syphilis	M	47	7	-	-	1	-	3	2	15	14	6	1
	F	27	4	-	1	-	-	2	1	7	9	3	-
12 Gen. paralysis of insane, etc.	M	59	-	-	-	1	1	2	7	19	17	10	2
	F	19	-	-	-	-	1	1	7	4	5	1	-
13 Cancer	M	1,616	-	-	2	1	8	27	77	185	435	589	292
	F	1,849	-	2	-	2	7	24	117	333	469	546	349
14 Diabetes	M	158	-	-	-	1	1	5	4	9	37	64	37
	F	245	-	-	-	2	1	9	7	14	73	86	53
15 Cerebral hæmorrhage	M	778	-	-	-	-	3	2	17	54	136	309	257
	F	960	-	2	-	-	-	2	22	53	188	328	365
16 Heart disease	M	3,127	-	-	-	20	28	58	89	256	580	1,019	1,077
	F	3,148	-	-	-	22	51	70	103	174	483	955	1,290
17 Aneurysm	M	42	-	-	-	-	2	2	3	8	18	8	1
	F	18	-	-	-	-	1	1	1	5	6	4	-
18 Other circulatory	M	647	-	-	-	-	-	-	7	24	112	231	273
	F	545	1	-	-	-	1	4	7	18	70	171	273
19 Bronchitis	M	479	33	4	7	3	5	3	12	31	62	112	207
	F	461	37	6	3	3	2	2	6	12	43	103	244
20 Pneumonia	M	911	189	51	30	28	33	50	60	118	132	135	85
	F	615	127	57	42	20	17	23	38	45	64	82	100
21 Other respiratory	M	136	6	2	2	6	5	5	12	26	26	25	21
	F	109	2	1	-	-	4	6	6	16	11	23	40
22 Peptic ulcer	M	138	-	-	-	-	1	17	19	36	34	20	11
	F	50	-	-	-	-	-	-	6	11	12	16	5
23 Diarrhœa	M	107	71	12	1	1	1	1	2	3	5	6	4
	F	107	48	10	5	2	3	3	13	3	8	4	8
24 Appendicitis	M	80	-	2	5	5	7	13	12	6	13	10	7
	F	53	-	-	4	9	2	4	6	10	9	6	3
25 Cirrhosis of liver	M	59	-	-	-	-	-	-	1	15	24	17	2
	F	22	-	-	1	1	1	-	2	3	7	6	1
26 Other liver diseases	M	45	-	-	-	-	-	2	-	5	12	13	11
	F	99	-	1	-	-	-	7	1	19	24	28	19
27 Other digestive	M	259	26	5	5	15	16	8	21	40	43	49	31
	F	297	14	2	12	14	5	19	26	38	66	50	51
28 Nephritis	M	451	-	3	1	5	22	16	27	51	105	135	86
	F	424	-	-	1	9	9	33	30	49	70	133	90
29 Puerperal sepsis	F	61	-	-	-	-	17	28	14	2	-	-	-
30 Other puerperal	F	88	-	-	-	-	11	52	23	2	-	-	-
31 Congenital causes, etc.	M	742	727	5	3	1	4	1	-	1	-	-	-
	F	518	502	4	2	3	1	2	1	2	1	-	-
32 Senility	M	596	-	-	-	-	-	-	-	-	3	81	512
	F	762	-	-	-	-	-	-	-	1	1	74	686
33 Suicide	M	252	-	-	-	-	8	30	35	49	73	41	16
	F	100	-	-	-	-	10	17	18	29	14	9	3
34 Other violence	M	665	19	8	20	49	110	96	82	76	78	58	69
	F	323	20	10	13	25	21	26	16	13	26	57	96
35 Other defined causes	M	1,326	89	19	27	85	74	81	76	122	219	285	249
	F	1,068	74	17	21	51	62	89	102	136	184	187	145
36 Ill-defined causes	M	72	3	-	-	1	-	2	2	5	18	23	18
	F	44	1	-	1	-	-	-	1	2	9	17	13

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	11,122	694	102	130	225	313	327	481	945	1,712	2,742	3,451
	F	10,768	504	90	94	192	293	388	485	814	1,451	2,378	4,079
1 Typhoid fever, etc.	M	2	—	—	—	1	—	—	1	—	—	—	—
	F	7	—	—	—	—	1	1	2	2	—	1	—
2 Measles	M	8	3	3	—	2	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	6	—	1	1	3	1	—	—	—	—	—	—
	F	13	—	1	—	3	2	1	2	2	1	1	—
4 Whooping cough	M	25	13	7	5	—	—	—	—	—	—	—	—
	F	21	10	7	3	1	—	—	—	—	—	—	—
5 Diphtheria	M	38	—	—	9	29	—	—	—	—	—	—	—
	F	35	1	2	11	15	1	2	—	3	—	—	—
6 Influenza	M	177	5	2	1	3	3	4	19	20	30	46	44
	F	182	3	2	—	3	3	4	20	15	24	41	67
7 Encephalitis lethargica	M	8	—	1	—	—	1	1	—	2	1	2	—
	F	22	—	—	—	3	1	3	2	7	5	—	1
8 Cerebro-spinal fever	M	8	2	—	1	3	2	—	—	—	—	—	—
	F	7	—	2	—	2	—	—	2	1	—	—	—
9 Respiratory tuberculosis	M	485	—	3	1	1	75	93	105	115	60	29	3
	F	408	2	1	—	13	104	112	72	48	30	25	1
10 Other tuberculosis	M	128	10	16	17	22	16	15	10	9	8	2	3
	F	99	5	8	10	19	16	10	8	9	5	5	4
11 Syphilis	M	44	11	—	—	2	1	—	3	7	10	8	2
	F	11	1	—	1	—	2	1	1	—	2	1	2
12 Gen. paralysis of insane, etc.	M	59	—	—	—	—	1	—	6	20	19	12	1
	F	13	—	—	—	—	3	—	7	1	1	1	—
13 Cancer	M	1,552	1	1	1	2	4	13	46	149	376	574	385
	F	1,666	—	—	2	3	11	16	86	214	419	483	432
14 Diabetes	M	155	—	—	1	3	3	5	3	15	30	56	39
	F	211	—	—	3	1	6	8	7	12	44	74	56
15 Cerebral hæmorrhage	M	593	—	—	—	—	—	1	10	28	102	207	245
	F	759	—	—	—	—	—	3	8	35	109	237	367
16 Heart disease	M	2,600	—	—	1	17	19	14	43	171	406	820	1,109
	F	2,698	—	—	1	8	22	28	48	123	307	706	1,455
17 Aneurysm	M	33	—	—	—	—	—	1	4	4	12	6	6
	F	22	—	—	—	1	—	—	2	4	6	5	4
18 Other circulatory	M	604	1	—	—	—	—	—	4	17	68	200	314
	F	573	—	—	1	—	—	4	4	22	67	162	313
19 Bronchitis	M	360	21	3	2	4	1	2	6	17	49	78	177
	F	342	17	5	4	2	2	2	3	10	23	56	218
20 Pneumonia	M	526	75	29	19	14	12	25	33	79	84	73	83
	F	433	78	27	15	14	15	17	19	27	54	62	105
21 Other respiratory	M	102	—	2	3	—	5	1	5	17	20	24	25
	F	104	3	1	4	3	1	5	9	6	13	22	37
22 Peptic ulcer	M	102	—	—	—	—	—	9	15	26	27	15	10
	F	47	—	—	—	—	1	3	5	11	14	9	4
23 Diarrhoea	M	75	34	11	2	2	—	1	1	—	2	6	16
	F	60	13	4	6	—	3	4	6	6	4	4	10
24 Appendicitis	M	82	—	—	5	12	11	4	7	10	13	15	5
	F	48	—	—	—	12	4	6	4	8	9	5	—
25 Cirrhosis of liver	M	48	—	—	—	1	—	—	—	3	18	19	7
	F	23	—	—	—	—	—	—	1	4	9	2	7
26 Other liver diseases	M	36	1	—	1	—	—	1	2	1	5	13	12
	F	79	1	—	—	—	1	4	5	10	11	22	25
27 Other digestive	M	231	18	3	5	12	6	14	12	21	41	53	46
	F	220	7	3	7	10	10	2	13	32	35	45	56
28 Nephritis	M	338	1	1	1	2	7	9	12	43	62	89	111
	F	299	—	1	1	6	8	10	11	32	56	88	86
29 Puerperal sepsis	F	42	—	—	—	—	9	25	8	—	—	—	—
30 Other puerperal	F	62	—	—	—	—	7	32	20	3	—	—	—
31 Congenital causes, etc.	M	438	419	4	7	5	2	—	1	—	—	—	—
	F	324	310	5	4	2	—	1	—	1	1	—	—
32 Senility	M	498	—	—	—	—	—	—	—	—	—	48	449
	F	635	—	—	—	—	—	—	—	—	3	64	568
33 Suicide	M	155	—	—	—	—	11	18	21	37	32	25	11
	F	71	—	—	—	—	3	8	15	14	16	14	1
34 Other violence	M	492	16	6	23	38	86	53	44	53	71	53	49
	F	245	8	4	12	24	15	10	13	18	20	41	80
35 Other defined causes	M	1,066	62	9	24	47	46	43	66	79	158	249	283
	F	954	45	16	9	47	42	65	81	134	163	189	163
36 Ill-defined causes	M	48	1	—	—	—	—	—	2	2	7	20	16
	F	32	—	—	—	—	—	1	1	—	—	13	17

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	12,755	727	80	109	191	323	446	580	1,081	2,152	3,292	3,774
	F	13,083	463	57	110	163	282	413	526	1,078	1,769	3,177	5,045
1 Typhoid fever, etc.	M	6	—	—	—	—	—	—	2	2	1	1	—
	F	4	—	—	—	1	—	—	—	—	2	1	—
2 Measles	M	17	3	4	4	4	1	1	—	—	—	—	—
	F	14	2	6	3	3	—	—	—	—	—	—	—
3 Scarlet fever	M	8	1	—	2	4	—	1	—	—	—	—	—
	F	15	1	1	3	6	—	3	1	—	—	—	—
4 Whooping cough	M	23	10	8	4	—	—	1	—	—	—	—	—
	F	16	7	6	3	—	—	—	—	—	—	—	—
5 Diphtheria	M	50	3	6	17	23	1	—	—	—	—	—	—
	F	40	2	1	8	24	1	1	—	2	1	—	—
6 Influenza	M	165	1	1	—	6	2	11	19	21	25	35	44
	F	162	3	1	2	3	6	4	13	10	19	44	57
7 Encephalitis lethargica	M	15	—	—	—	—	1	1	2	2	4	5	—
	F	19	—	—	1	—	2	4	3	—	6	3	—
8 Cerebro-spinal fever	M	8	—	2	—	1	3	—	1	1	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	—	—
9 Respiratory tuberculosis	M	541	—	—	—	5	53	128	106	115	93	38	3
	F	475	—	2	4	5	106	135	64	70	51	28	10
10 Other tuberculosis	M	114	8	8	11	16	16	19	12	7	10	4	3
	F	106	2	4	14	10	18	17	17	10	10	3	1
11 Syphilis	M	39	3	—	—	—	1	—	4	8	13	7	3
	F	13	2	—	—	1	1	1	2	5	—	1	—
12 Gen. paralysis of insane, etc.	M	59	—	—	—	1	1	1	12	13	19	9	3
	F	13	—	—	—	—	—	—	4	4	3	1	1
13 Cancer	M	1,786	—	1	4	5	9	17	50	153	432	674	441
	F	2,032	1	—	1	—	9	33	90	295	461	633	509
14 Diabetes	M	160	—	—	2	2	1	4	3	18	29	61	40
	F	240	—	—	—	3	—	6	5	12	56	105	53
15 Cerebral hæmorrhage	M	694	—	—	—	1	—	2	6	46	122	242	275
	F	974	—	—	—	1	2	1	14	69	136	272	479
16 Heart disease	M	3,022	—	—	—	8	12	28	56	183	528	1,039	1,168
	F	3,432	—	—	—	15	19	23	54	185	403	1,008	1,725
17 Aneurysm	M	45	—	—	—	—	1	—	2	10	22	6	4
	F	30	—	—	—	—	—	1	1	4	7	7	10
18 Other circulatory	M	705	1	—	1	—	—	—	5	22	112	222	342
	F	717	2	—	—	—	—	—	4	25	83	210	393
19 Bronchitis	M	439	19	2	2	2	4	11	7	26	51	87	228
	F	412	11	3	2	2	1	2	2	8	27	78	276
20 Pneumonia	M	551	73	15	15	14	17	14	49	70	87	90	107
	F	425	44	18	16	8	8	16	26	33	56	85	115
21 Other respiratory	M	169	4	2	4	—	10	7	18	27	33	32	32
	F	128	5	—	3	2	2	4	7	13	16	27	49
22 Peptic ulcer	M	169	—	—	—	—	—	8	20	35	48	38	20
	F	48	—	—	—	—	1	1	3	12	11	12	8
23 Diarrhœa	M	86	38	2	5	—	—	3	5	8	4	7	14
	F	57	14	3	2	—	2	2	4	2	7	5	16
24 Appendicitis	M	101	—	—	4	8	17	13	13	8	20	12	6
	F	60	—	—	2	4	2	6	8	9	9	12	8
25 Cirrhosis of liver	M	60	—	—	—	1	—	—	3	9	21	22	4
	F	22	—	—	—	—	—	—	—	4	6	9	3
26 Other liver diseases	M	62	—	—	—	—	—	—	2	8	16	23	13
	F	115	—	—	—	2	—	4	3	9	21	39	37
27 Other digestive	M	255	20	4	5	6	13	9	23	29	49	48	49
	F	282	9	1	7	10	11	7	21	26	52	65	73
28 Nephritis	M	509	—	—	1	4	10	9	28	64	88	160	145
	F	476	1	1	3	2	7	7	23	55	81	148	148
29 Puerperal sepsis	F	36	—	—	—	—	9	19	7	1	—	—	—
30 Other puerperal	F	75	—	—	—	—	12	35	25	3	—	—	—
31 Congenital causes, etc.	M	465	452	3	1	2	4	1	—	1	1	—	—
	F	329	317	1	5	3	1	—	1	—	—	1	—
32 Senility	M	462	—	—	—	—	—	—	—	—	2	32	428
	F	842	—	—	—	—	—	—	—	1	4	78	759
33 Suicide	M	177	—	—	—	—	12	27	25	35	52	18	8
	F	78	—	—	—	—	4	8	19	18	16	9	4
34 Other violence	M	568	26	10	10	35	94	79	50	69	80	58	57
	F	270	11	1	13	10	15	10	20	25	25	47	93
35 Other defined causes	M	1,175	65	12	16	43	39	51	56	88	185	307	313
	F	1,094	29	8	17	47	43	62	85	165	197	238	203
36 Ill-defined causes	M	50	—	—	1	—	1	—	1	3	5	15	24
	F	30	—	—	—	—	—	1	—	3	3	8	15

Causes of Death <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	17,139	1,413	213	254	401	695	779	992	1,741	3,050	4,247	3,354
	F	15,099	1,066	204	216	397	700	754	848	1,344	2,383	3,317	3,870
1 Typhoid fever, etc.	M	6	—	—	—	1	—	—	—	5	—	—	—
	F	3	—	—	—	—	—	—	—	1	1	1	—
2 Measles	M	84	16	36	20	8	3	1	—	—	—	—	—
	F	71	13	27	21	9	—	—	—	1	—	—	—
3 Scarlet fever	M	14	1	2	7	3	1	—	—	—	—	—	—
	F	22	1	3	6	9	—	2	—	1	—	—	—
4 Whooping cough	M	50	28	13	7	2	—	—	—	—	—	—	—
	F	66	32	22	10	2	—	—	—	—	—	—	—
5 Diphtheria	M	107	1	5	42	56	2	1	—	—	—	—	—
	F	126	4	7	25	80	2	1	—	3	2	2	—
6 Influenza	M	316	9	1	1	5	15	15	27	47	71	78	47
	F	298	13	5	2	5	6	11	26	31	45	81	73
7 Encephalitis lethargica	M	22	—	—	1	3	1	3	1	5	2	5	1
	F	11	—	—	—	3	1	—	3	2	2	—	—
8 Cerebro-spinal fever	M	21	6	1	3	4	2	2	2	—	1	—	—
	F	10	5	1	1	1	2	—	—	—	—	—	—
9 Respiratory tuberculosis	M	1,068	1	—	3	10	199	261	203	181	159	46	5
	F	852	1	1	3	28	305	214	125	78	60	30	7
10 Other tuberculosis	M	225	10	15	26	39	55	34	17	18	7	3	1
	F	202	11	11	17	50	34	33	16	10	9	7	4
11 Syphilis	M	31	2	2	—	1	—	—	4	6	11	5	—
	F	14	3	—	1	—	2	—	—	2	5	1	—
12 Gen. paralysis of insane, etc.	M	69	—	—	—	—	2	—	11	20	28	8	—
	F	13	—	—	—	—	—	1	5	3	4	—	—
13 Cancer	M	1,985	—	—	2	7	12	22	95	291	584	673	299
	F	1,947	2	1	3	3	11	33	128	318	555	575	318
14 Diabetes	M	138	—	—	1	2	4	7	3	7	34	57	23
	F	272	—	—	3	2	5	10	10	29	80	95	38
15 Cerebral hæmorrhage	M	868	—	—	—	2	2	3	14	45	211	348	243
	F	1,083	—	—	—	—	—	1	20	96	219	376	371
16 Heart disease	M	3,939	—	—	1	34	55	69	143	340	783	1,437	1,077
	F	3,552	—	—	1	34	73	94	127	263	590	1,059	1,311
17 Aneurysm	M	50	—	—	—	—	1	1	5	9	18	15	1
	F	13	1	1	—	—	2	1	1	3	1	3	—
18 Other circulatory	M	792	2	—	—	—	—	1	8	40	139	303	299
	F	638	—	—	—	1	1	3	9	28	113	200	283
19 Bronchitis	M	717	84	3	10	1	5	9	19	67	102	202	215
	F	489	46	10	5	2	3	4	15	20	59	113	212
20 Pneumonia	M	958	192	68	43	16	33	55	65	106	164	130	86
	F	655	129	58	50	19	33	21	40	43	75	93	94
21 Other respiratory	M	260	4	1	3	4	7	8	28	57	58	45	45
	F	148	5	2	3	5	5	11	18	13	20	23	43
22 Peptic ulcer	M	153	—	—	—	—	4	12	21	49	41	17	9
	F	51	—	—	—	—	—	2	5	13	15	11	5
23 Diarrhoea	M	147	88	11	4	2	4	9	3	2	9	12	3
	F	130	63	8	8	3	5	3	2	5	5	12	16
24 Appendicitis	M	123	—	1	7	23	12	15	14	22	14	13	2
	F	73	—	—	3	10	11	9	13	11	8	6	2
25 Cirrhosis of liver	M	42	—	—	—	—	—	2	4	9	12	11	4
	F	20	—	—	—	—	1	—	1	8	4	6	—
26 Other liver diseases	M	54	—	1	—	—	1	—	3	9	13	18	9
	F	134	2	—	—	—	2	4	8	17	46	37	18
27 Other digestive	M	285	25	9	9	14	7	17	24	29	56	54	41
	F	273	11	6	3	22	9	14	22	32	56	59	39
28 Nephritis	M	686	5	3	6	10	18	22	37	81	151	195	158
	F	611	—	2	—	13	25	31	47	72	125	160	136
29 Puerperal sepsis	F	94	—	—	—	—	22	53	19	—	—	—	—
30 Other puerperal	F	150	—	—	—	—	24	78	47	1	—	—	—
31 Congenital causes, etc.	M	801	781	6	4	5	2	2	—	—	1	—	—
	F	622	601	6	3	6	4	1	—	—	—	1	—
32 Senility	M	549	—	—	—	—	—	—	—	—	1	85	463
	F	754	—	—	—	—	—	—	—	—	4	94	656
33 Suicide	M	185	—	—	—	—	16	21	30	48	39	23	8
	F	61	—	—	—	—	6	12	10	8	16	7	2
34 Other violence	M	831	16	17	24	71	153	111	109	104	93	74	59
	F	310	14	6	20	32	31	12	20	23	30	38	84
35 Other defined causes	M	1,496	142	16	29	77	74	75	99	135	235	374	240
	F	1,287	108	24	28	58	75	94	111	204	227	215	143
36 Ill-defined causes	M	67	—	2	1	1	5	1	3	9	13	16	16
	F	44	1	3	—	—	—	1	—	5	7	12	15

TABLE 24—*contd.* Aggregate of Welsh Region (Part I.)

Causes of Death <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	12,172	1,042	184	204	311	527	597	760	1,304	2,182	2,933	2,128
	F	10,223	805	171	167	292	573	580	627	971	1,589	2,134	2,314
1 Typhoid fever, etc.	M	5	—	—	—	1	—	—	—	4	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—
2 Measles	M	79	16	34	18	8	2	1	—	—	—	—	—
	F	69	13	27	21	8	—	—	—	—	—	—	—
3 Scarlet fever	M	8	—	2	5	—	1	—	—	—	—	—	—
	F	14	1	3	4	5	—	1	—	—	—	—	—
4 Whooping cough	M	36	20	12	4	—	—	—	—	—	—	—	—
	F	54	28	17	7	2	—	—	—	—	—	—	—
5 Diphtheria	M	94	1	4	38	48	2	1	—	—	—	—	—
	F	94	4	5	21	60	—	1	—	1	—	2	—
6 Influenza	M	196	4	—	—	2	10	10	18	32	48	48	24
	F	180	11	4	2	2	5	7	14	21	21	52	41
7 Encephalitis lethargica	M	13	—	—	—	2	—	3	—	3	2	2	1
	F	8	—	—	—	2	1	—	2	1	2	—	—
8 Cerebro-spinal fever	M	17	5	1	3	1	2	2	2	—	1	—	—
	F	9	5	1	—	1	2	—	—	—	—	—	—
9 Respiratory tuberculosis	M	775	1	—	2	5	155	191	152	130	110	26	3
	F	640	1	1	2	21	257	167	91	47	38	13	2
10 Other tuberculosis	M	165	6	12	22	30	39	24	12	15	3	2	—
	F	145	7	9	10	42	28	22	11	8	7	1	—
11 Syphilis	M	26	2	2	—	—	—	—	3	6	9	4	—
	F	8	1	—	—	—	1	—	—	2	4	—	—
12 Gen. paralysis of insane, etc.	M	58	—	—	—	—	1	—	9	19	24	5	—
	F	11	—	—	—	—	—	1	5	2	3	—	—
13 Cancer	M	1,310	—	—	2	5	11	19	73	204	385	444	167
	F	1,209	2	—	1	3	7	24	92	227	342	343	168
14 Diabetes	M	90	—	—	1	1	4	6	3	5	23	34	13
	F	197	—	—	1	2	5	8	7	19	60	74	21
15 Cerebral haemorrhage	M	569	—	—	—	1	1	3	8	27	150	225	154
	F	685	—	—	—	—	—	1	16	77	154	237	200
16 Heart disease	M	2,831	—	—	1	29	48	56	118	266	600	1,012	701
	F	2,374	—	—	1	27	61	74	102	203	412	686	808
17 Aneurysm	M	46	—	—	—	—	1	1	5	8	16	14	1
	F	12	1	1	—	—	1	1	1	3	1	3	—
18 Other circulatory	M	552	1	—	—	—	—	1	7	33	95	224	191
	F	415	—	—	—	—	—	3	6	24	82	130	170
19 Bronchitis	M	552	69	2	10	—	4	4	13	57	81	157	155
	F	359	37	8	5	1	3	4	12	14	48	88	139
20 Pneumonia	M	706	147	60	35	15	24	44	49	79	116	91	46
	F	452	101	50	44	14	27	16	27	23	45	53	52
21 Other respiratory	M	191	4	1	2	4	6	5	21	49	43	33	23
	F	96	3	2	2	4	4	10	13	11	16	14	17
22 Peptic ulcer	M	115	—	—	—	—	3	7	16	40	32	13	4
	F	36	—	—	—	—	—	2	4	11	9	7	3
23 Diarrhoea	M	117	68	10	2	2	4	5	3	2	8	10	3
	F	98	51	7	5	3	3	—	—	4	3	9	10
24 Appendicitis	M	94	—	1	6	17	10	13	11	17	9	9	1
	F	52	—	—	3	6	9	7	11	7	4	5	—
25 Cirrhosis of liver	M	28	—	—	—	—	—	1	3	6	8	7	3
	F	14	—	—	—	—	—	—	—	7	3	4	—
26 Other liver diseases	M	39	—	—	—	—	1	—	3	9	10	12	4
	F	97	2	—	—	—	—	1	6	14	36	28	10
27 Other digestive	M	204	16	7	6	10	2	13	18	26	42	36	28
	F	190	10	5	1	13	8	9	15	19	40	45	25
28 Nephritis	M	436	2	1	6	10	10	16	28	52	96	129	86
	F	393	—	1	—	12	24	19	34	57	79	97	70
29 Puerperal sepsis	F	72	—	—	—	—	16	42	14	—	—	—	—
30 Other puerperal	F	115	—	—	—	—	19	59	36	1	—	—	—
31 Congenital causes, etc.	M	582	566	5	2	5	2	2	—	—	—	—	—
	F	456	441	4	3	3	3	1	—	—	—	1	—
32 Senility	M	388	—	—	—	—	—	—	—	—	1	68	319
	F	517	—	—	—	—	—	—	—	—	3	77	437
33 Suicide	M	130	—	—	—	—	11	13	24	31	31	13	7
	F	45	—	—	—	—	5	11	8	6	10	4	1
34 Other violence	M	622	13	16	18	59	114	92	77	80	65	50	38
	F	206	9	6	15	21	20	12	14	11	15	24	59
35 Other defined causes	M	1,067	101	12	20	56	56	64	81	101	171	259	146
	F	885	77	17	19	40	64	73	86	148	150	133	78
36 Ill-defined causes	M	31	—	2	1	—	3	—	3	3	3	6	10
	F	15	—	3	—	—	—	1	—	2	2	4	3

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	4,967	371	29	50	90	168	182	232	437	868	1,314	1,226
	F	4,876	261	33	49	105	127	174	221	373	794	1,183	1,556
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-
2 Measles	M	5	-	2	2	-	1	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	1	-	-	-
3 Scarlet fever	M	6	1	-	2	3	-	-	-	-	-	-	-
	F	8	-	-	2	4	-	1	-	1	-	-	-
4 Whooping cough	M	14	8	1	3	2	-	-	-	-	-	-	-
	F	12	4	5	3	-	-	-	-	-	-	-	-
5 Diphtheria	M	13	-	1	4	8	-	-	-	-	-	-	-
	F	32	-	2	4	20	2	-	-	2	2	-	-
6 Influenza	M	120	5	1	1	3	5	5	9	15	23	30	23
	F	118	2	1	-	3	1	4	12	10	24	29	32
7 Encephalitis lethargica	M	9	-	-	1	1	1	-	1	2	-	3	-
	F	3	-	-	-	1	-	-	1	1	-	-	-
8 Cerebro-spinal fever	M	4	1	-	-	3	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	293	-	-	1	5	44	70	51	51	49	20	2
	F	212	-	-	1	7	48	47	34	31	22	17	5
10 Other tuberculosis	M	60	4	3	4	9	16	10	5	3	4	1	1
	F	57	4	2	7	8	6	11	5	2	2	6	4
11 Syphilis	M	5	-	-	-	1	-	-	1	-	2	1	-
	F	6	2	-	1	-	1	-	-	-	1	1	-
12 Gen. paralysis of insane, etc.	M	11	-	-	-	-	1	-	2	1	4	3	-
	F	2	-	-	-	-	-	-	-	1	1	-	-
13 Cancer	M	675	-	-	-	2	1	3	22	87	199	229	132
	F	738	-	1	2	-	4	9	36	91	213	232	150
14 Diabetes	M	48	-	-	-	1	-	1	-	2	11	23	10
	F	75	-	-	2	-	-	2	3	10	20	21	17
15 Cerebral hæmorrhage	M	299	-	-	-	1	1	-	6	18	61	123	89
	F	398	-	-	-	-	-	-	4	19	65	139	171
16 Heart disease	M	1,108	-	-	-	5	7	13	25	74	183	425	376
	F	1,178	-	-	-	7	12	20	25	60	178	373	503
17 Aneurysm	M	4	-	-	-	-	-	-	-	1	2	1	-
	F	1	-	-	-	-	1	-	-	-	-	-	-
18 Other circulatory	M	240	1	-	-	-	-	-	1	7	44	79	108
	F	223	-	-	-	1	1	-	3	4	31	70	113
19 Bronchitis	M	165	15	1	-	1	1	5	6	10	21	45	60
	F	130	9	2	-	1	-	3	3	6	11	25	73
20 Pneumonia	M	252	45	8	8	1	9	11	16	27	48	39	40
	F	203	28	8	6	5	6	5	13	20	30	40	42
21 Other respiratory	M	69	-	-	1	-	1	3	7	8	15	12	22
	F	52	2	-	1	1	1	1	5	2	4	9	26
22 Peptic ulcer	M	38	-	-	-	-	1	5	5	9	9	4	5
	F	15	-	-	-	-	-	-	1	2	6	4	2
23 Diarrhœa	M	30	20	1	2	-	-	4	-	-	1	2	-
	F	32	12	1	3	-	2	-	2	1	2	3	6
24 Appendicitis	M	29	-	-	1	6	2	2	3	5	5	4	1
	F	21	-	-	-	4	2	2	2	4	4	1	2
25 Cirrhosis of liver	M	14	-	-	-	-	-	1	1	3	4	4	1
	F	6	-	-	-	-	1	-	1	1	1	2	-
26 Other liver diseases	M	15	-	1	-	-	-	-	-	-	3	6	5
	F	37	-	-	-	-	2	3	2	3	10	9	8
27 Other digestive	M	81	9	2	3	4	5	4	6	3	14	18	13
	F	83	1	1	2	9	1	5	7	13	16	14	14
28 Nephritis	M	250	3	2	-	-	8	6	9	29	55	66	72
	F	218	-	1	-	1	1	12	13	15	46	63	66
29 Puerperal sepsis	F	22	-	-	-	-	6	11	5	-	-	-	-
30 Other puerperal	F	35	-	-	-	-	5	19	11	-	-	-	-
31 Congenital causes, etc.	M	219	215	1	2	-	-	-	-	-	1	-	-
	F	166	160	2	-	3	1	-	-	-	-	-	-
32 Senility	M	161	-	-	-	-	-	-	-	-	-	17	144
	F	237	-	-	-	-	-	-	-	-	1	17	219
33 Suicide	M	55	-	-	-	-	5	8	6	17	8	10	1
	F	16	-	-	-	-	1	1	2	2	6	3	1
34 Other violence	M	209	3	1	6	12	39	19	32	24	28	24	21
	F	104	5	-	5	11	11	-	6	12	15	14	25
35 Other defined causes	M	429	41	4	9	21	18	11	18	34	64	115	94
	F	402	31	7	9	18	11	21	25	56	77	82	65
36 Ill-defined causes	M	36	-	-	-	1	-	1	-	6	10	10	6
	F	29	1	-	-	-	-	-	-	3	5	8	12

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	81,966	7,475	1,241	1,353	1,972	2,743	3,537	4,773	9,146	15,713	19,401	14,612
	F	77,899	5,578	1,102	1,248	1,898	2,771	3,507	4,298	7,036	11,886	18,140	20,435
1 Typhoid fever, etc.	M	22	1	—	—	4	4	5	—	5	2	1	—
	F	18	—	—	2	2	5	1	1	3	3	1	—
2 Measles	M	424	102	187	99	33	1	1	1	—	—	—	—
	F	411	83	158	129	39	1	—	—	1	—	—	—
3 Scarlet fever	M	94	3	8	28	32	11	3	5	3	1	—	—
	F	95	6	7	31	31	8	4	2	3	1	2	—
4 Whooping cough	M	294	149	79	54	12	—	—	—	—	—	—	—
	F	411	183	125	88	15	—	—	—	—	—	—	—
5 Diphtheria	M	699	18	39	241	377	15	2	2	3	2	—	—
	F	685	9	35	200	391	26	9	3	8	2	1	1
6 Influenza	M	1,198	42	16	18	20	49	86	111	219	267	232	138
	F	1,182	34	15	17	30	35	60	101	151	217	254	268
7 Encephalitis lethargica	M	137	—	1	3	4	25	25	14	28	14	21	2
	F	139	—	—	—	6	16	23	14	30	37	11	2
8 Cerebro-spinal fever	M	154	48	16	21	27	11	13	7	7	3	1	—
	F	119	37	17	19	23	9	5	3	5	1	—	—
9 Respiratory tuberculosis	M	5,522	12	12	15	54	862	1,083	1,117	1,198	852	283	34
	F	3,974	10	19	21	124	1,182	1,076	636	439	298	139	30
10 Other tuberculosis	M	841	54	67	131	168	143	103	57	51	42	18	7
	F	728	40	65	77	142	135	81	64	41	48	22	13
11 Syphilis	M	414	46	3	—	6	8	8	35	112	121	63	12
	F	166	35	—	1	5	3	4	20	40	35	22	1
12 Gen. paralysis of insane, etc.	M	492	—	—	—	—	6	14	84	156	167	56	9
	F	138	—	—	—	—	1	7	45	49	26	9	1
13 Cancer	M	10,042	3	—	9	27	59	143	422	1,364	3,131	3,488	1,396
	F	10,604	2	4	6	18	43	193	762	1,859	2,808	3,075	1,834
14 Diabetes	M	772	—	—	3	13	16	34	29	61	187	301	128
	F	1,379	—	—	3	9	24	27	41	108	367	574	226
15 Cerebral hæmorrhage	M	3,659	1	—	—	3	7	18	69	289	859	1,423	990
	F	4,767	—	1	1	1	2	14	101	403	934	1,639	1,671
16 Heart disease	M	18,045	1	1	6	136	222	275	541	1,707	3,964	6,110	5,082
	F	19,195	2	—	9	168	283	425	651	1,275	2,980	5,899	7,503
17 Aneurysm	M	350	3	—	—	3	6	14	21	76	121	86	20
	F	151	1	—	—	6	6	8	16	30	42	35	7
18 Other circulatory	M	4,237	3	3	2	—	3	7	35	193	803	1,630	1,558
	F	4,152	5	2	2	2	4	6	36	178	555	1,419	1,943
19 Bronchitis	M	2,943	257	33	16	13	33	40	116	302	494	784	855
	F	2,614	188	27	17	11	17	17	56	110	259	683	1,229
20 Pneumonia	M	6,264	1,257	446	251	153	187	318	574	902	991	772	413
	F	4,395	941	373	250	144	127	199	279	299	519	681	583
21 Other respiratory	M	840	27	15	18	23	32	37	75	131	184	160	138
	F	643	13	13	15	17	21	37	37	68	98	136	188
22 Peptic ulcer	M	1,096	—	—	—	1	13	77	173	331	313	145	43
	F	348	1	—	1	1	7	14	37	73	92	77	45
23 Diarrhoea	M	983	733	62	29	9	2	16	14	27	30	27	34
	F	850	508	50	33	16	16	28	37	36	38	39	49
24 Appendicitis	M	515	2	2	38	85	55	60	51	67	73	66	16
	F	379	2	—	19	51	41	27	39	67	71	46	16
25 Cirrhosis of liver	M	273	—	—	1	1	1	6	12	56	95	82	19
	F	137	—	—	—	2	2	1	8	38	39	36	11
26 Other liver diseases	M	274	2	1	2	—	5	10	17	32	70	90	45
	F	644	2	—	2	1	9	21	39	76	166	198	130
27 Other digestive	M	1,438	137	38	51	58	52	90	103	200	274	289	146
	F	1,470	74	15	44	78	55	80	125	174	274	327	224
28 Nephritis	M	2,629	3	7	19	45	71	108	150	343	666	764	453
	F	2,773	3	6	16	43	80	130	176	344	578	784	613
29 Puerperal sepsis	F	332	—	—	—	—	54	197	79	2	—	—	—
30 Other puerperal	F	476	—	—	—	—	82	235	151	8	—	—	—
31 Congenital causes, etc.	M	3,926	3,845	18	23	13	11	8	5	2	1	—	—
	F	2,962	2,900	18	13	14	9	3	1	2	1	1	—
32 Senility	M	2,003	—	—	—	—	—	—	—	3	34	419	1,547
	F	2,965	—	—	—	—	—	—	—	—	24	477	2,464
33 Suicide	M	1,184	—	—	—	2	57	145	167	265	318	177	53
	F	580	—	—	—	1	34	88	107	160	118	58	14
34 Other violence	M	3,144	116	72	140	273	415	369	321	315	404	357	362
	F	1,889	87	35	94	149	112	78	60	116	201	360	597
35 Other defined causes	M	6,868	606	113	134	377	358	416	435	675	1,193	1,486	1,075
	F	5,978	409	109	137	358	322	405	569	826	1,023	1,097	723
36 Ill-defined causes	M	190	4	2	1	—	—	3	10	23	37	70	37
	F	150	3	8	1	—	—	4	2	14	31	38	49

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	72,388	5,563	773	1,004	1,655	2,399	3,113	3,814	7,186	12,928	17,986	15,967
	F	70,332	4,077	694	873	1,508	2,226	2,913	3,707	5,924	10,764	16,516	21,130
1 Typhoid fever, etc.	M	27	—	—	—	2	3	5	4	8	4	1	—
	F	21	—	—	—	2	3	2	1	3	3	6	1
2 Measles	M	187	43	68	50	24	1	—	1	—	—	—	—
	F	179	31	59	60	29	—	—	—	—	—	—	—
3 Scarlet fever	M	89	5	7	31	28	8	4	3	2	—	—	1
	F	109	2	10	38	32	10	5	7	4	—	1	—
4 Whooping cough	M	186	108	40	24	12	—	1	—	1	—	—	—
	F	225	115	57	42	10	—	—	—	—	—	1	—
5 Diphtheria	M	545	13	21	176	313	11	5	1	2	3	—	—
	F	553	5	21	138	330	19	7	9	8	10	5	1
6 Influenza	M	1,286	32	8	13	30	54	91	159	207	258	244	190
	F	1,174	32	10	14	20	49	48	112	113	211	277	288
7 Encephalitis lethargica	M	110	1	—	1	6	10	17	9	26	22	17	1
	F	110	—	—	2	6	6	17	24	14	26	13	2
8 Cerebro-spinal fever	M	98	17	6	12	19	21	11	5	5	2	—	—
	F	63	12	8	5	11	13	4	3	4	3	—	—
9 Respiratory tuberculosis	M	3,655	7	7	9	40	518	847	731	731	552	201	12
	F	2,913	2	5	11	67	830	820	518	338	201	95	26
10 Other tuberculosis	M	762	57	59	109	112	140	103	65	50	40	20	7
	F	682	30	61	87	149	125	79	47	41	38	21	4
11 Syphilis	M	185	24	—	1	2	1	4	20	45	53	28	7
	F	75	15	—	1	4	7	3	12	13	12	6	2
12 Gen. paralysis of insane, etc.	M	308	—	—	—	4	1	6	51	93	90	55	8
	F	90	—	—	—	1	5	4	20	24	27	8	1
13 Cancer	M	8,968	4	2	8	21	40	96	341	1,023	2,612	3,294	1,527
	F	10,195	6	—	8	18	33	149	688	1,600	2,656	2,988	2,049
14 Diabetes	M	841	—	—	3	11	18	22	29	74	219	317	148
	F	1,315	—	—	3	10	19	34	42	109	354	492	252
15 Cerebral hæmorrhage	M	4,039	—	—	1	—	6	11	61	282	804	1,600	1,274
	F	5,209	—	1	—	1	3	14	88	355	911	1,765	2,071
16 Heart disease	M	16,314	1	1	5	113	176	247	446	1,335	3,255	5,545	5,190
	F	17,102	—	1	3	107	215	306	468	1,017	2,601	5,238	7,146
17 Aneurysm	M	238	1	—	—	—	8	5	22	42	77	66	17
	F	89	—	—	—	1	1	5	10	11	18	28	15
18 Other circulatory	M	3,826	5	—	3	1	1	8	32	149	609	1,401	1,617
	F	3,582	3	—	2	1	5	11	25	115	468	1,104	1,848
19 Bronchitis	M	2,629	225	28	23	13	24	38	69	217	360	659	973
	F	2,350	180	32	24	14	19	22	47	76	231	551	1,154
20 Pneumonia	M	4,164	750	263	160	111	162	257	353	529	657	552	370
	F	3,019	563	204	152	110	91	136	183	243	350	464	523
21 Other respiratory	M	865	26	12	16	19	29	37	81	155	174	176	140
	F	620	16	11	12	19	17	29	52	60	84	107	218
22 Peptic ulcer	M	943	—	—	—	1	22	94	136	247	235	145	63
	F	255	—	—	—	—	—	17	19	58	53	77	31
23 Diarrhoea	M	609	352	37	34	7	9	21	11	26	36	39	37
	F	521	232	49	15	12	19	13	20	20	34	41	66
24 Appendicitis	M	495	1	3	18	74	71	55	54	65	78	48	28
	F	377	—	—	15	51	29	37	38	70	67	45	25
25 Cirrhosis of liver	M	267	1	—	—	—	—	—	14	58	89	81	24
	F	120	—	—	1	—	1	1	8	21	32	44	12
26 Other liver diseases	M	273	1	1	1	—	3	5	11	40	77	92	42
	F	636	1	—	2	2	5	21	34	86	164	190	131
27 Other digestive	M	1,388	129	32	41	56	54	86	102	153	245	285	205
	F	1,429	57	20	45	68	47	86	98	155	271	324	258
28 Nephritis	M	2,522	7	5	16	30	85	102	130	340	574	725	508
	F	2,413	2	3	4	32	70	89	156	292	523	679	563
29 Puerperal sepsis	F	321	—	—	—	—	73	177	69	2	—	—	—
30 Other puerperal	F	488	—	—	—	—	83	246	147	12	—	—	—
31 Congenital causes, etc.	M	3,286	3,204	17	17	20	17	5	3	2	1	—	—
	F	2,408	2,341	14	13	20	10	4	—	1	3	2	—
32 Senility	M	2,388	—	—	—	—	—	—	—	—	9	379	2,000
	F	3,588	—	—	—	—	—	—	—	1	23	431	3,133
33 Suicide	M	1,069	—	—	—	2	67	144	147	221	291	146	51
	F	489	—	—	—	—	31	70	114	119	98	48	9
34 Other violence	M	3,312	97	67	112	261	521	465	338	434	417	311	289
	F	1,616	85	43	81	124	109	70	91	103	155	264	491
35 Other defined causes	M	6,218	447	85	119	319	312	317	376	598	1,007	1,476	1,162
	F	5,798	342	84	93	257	279	387	552	821	1,099	1,136	748
36 Ill-defined causes	M	296	5	4	1	4	6	4	9	26	78	83	76
	F	198	5	1	2	—	—	—	5	15	38	65	67

Causes of Death See first page of Table.		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	44,982	3,092	406	484	987	1,567	1,718	2,084	3,678	6,853	11,148	12,965
	F	42,286	2,277	351	416	833	1,173	1,653	2,016	3,458	5,995	9,696	14,418
1 Typhoid fever, etc.	M	22	—	—	—	2	2	1	4	4	7	1	1
	F	22	—	—	—	1	2	3	5	3	5	2	1
2 Measles	M	66	14	21	12	12	4	1	—	—	1	—	1
	F	39	5	14	9	3	2	1	2	2	—	1	—
3 Scarlet fever	M	54	1	7	13	19	4	4	—	3	3	—	—
	F	66	3	2	11	31	2	7	2	3	3	1	1
4 Whooping cough	M	90	43	26	17	1	—	—	1	1	—	—	1
	F	119	70	28	12	8	—	—	1	—	—	—	—
5 Diphtheria	M	200	2	10	52	124	5	3	1	2	1	—	—
	F	248	5	5	53	150	9	6	5	5	5	4	1
6 Influenza	M	811	21	6	11	18	42	38	64	106	141	180	184
	F	802	25	8	13	14	17	30	62	68	128	191	246
7 Encephalitis lethargica	M	61	1	1	2	5	5	5	10	13	7	10	2
	F	83	—	—	—	3	4	12	18	24	10	7	5
8 Cerebro-spinal fever	M	36	8	4	5	7	5	3	2	1	1	—	—
	F	33	5	4	6	10	3	—	1	3	1	—	—
9 Respiratory tuberculosis	M	1,820	2	2	4	23	277	391	364	335	282	119	21
	F	1,526	3	5	3	34	403	440	247	172	135	69	15
10 Other tuberculosis	M	479	32	45	41	81	79	62	46	38	23	23	9
	F	366	22	27	32	52	65	46	47	28	21	18	8
11 Syphilis	M	81	12	1	—	3	3	1	8	13	28	10	2
	F	43	12	1	2	—	2	3	5	8	4	5	1
12 Gen. paralysis of insane, etc.	M	162	—	—	—	—	3	6	20	38	55	36	4
	F	43	—	—	—	—	3	5	12	11	6	5	1
13 Cancer	M	5,577	2	3	6	12	22	63	199	552	1,409	1,968	1,341
	F	6,133	2	4	8	10	30	85	320	875	1,540	1,841	1,418
14 Diabetes	M	481	—	—	3	11	13	14	9	44	93	175	119
	F	762	—	—	2	10	14	20	23	56	182	267	188
15 Cerebral hæmorrhage	M	2,343	—	—	—	4	4	9	29	121	393	831	952
	F	3,082	—	1	—	—	2	11	36	193	495	986	1,358
16 Heart disease	M	10,473	2	1	1	52	82	108	223	653	1,672	3,473	4,206
	F	10,420	—	—	3	42	94	129	247	584	1,371	3,047	4,903
17 Aneurysm	M	116	1	—	—	—	5	2	2	20	32	35	19
	F	53	—	1	—	2	3	4	1	9	8	14	11
18 Other circulatory	M	2,608	2	—	1	1	—	4	14	75	313	867	1,331
	F	2,274	1	—	1	2	2	8	24	74	267	689	1,206
19 Bronchitis	M	1,426	116	14	14	13	11	20	43	73	158	298	666
	F	1,280	85	24	13	8	8	13	12	28	88	248	753
20 Pneumonia	M	2,248	320	112	85	66	82	106	165	243	351	379	339
	F	1,691	261	112	73	56	51	77	103	152	188	288	330
21 Other respiratory	M	502	12	9	4	11	22	20	38	83	96	99	108
	F	395	9	4	12	11	9	13	30	37	58	82	130
22 Peptic ulcer	M	462	—	—	—	—	2	37	51	110	123	98	41
	F	181	—	—	—	—	4	8	20	34	45	50	20
23 Diarrhoea	M	310	151	22	9	8	8	10	13	9	16	24	40
	F	274	85	15	19	5	16	16	21	16	19	18	44
24 Appendicitis	M	305	—	1	19	41	30	40	36	41	34	50	13
	F	213	1	—	12	24	14	24	20	39	38	30	11
25 Cirrhosis of liver	M	175	—	—	—	3	—	1	9	30	54	55	23
	F	63	—	—	—	—	1	—	—	13	20	17	12
26 Other liver diseases	M	166	—	1	1	—	2	4	6	18	36	60	38
	F	387	2	1	—	4	4	17	14	43	85	111	106
27 Other digestive	M	943	69	20	11	49	57	52	66	92	151	194	182
	F	880	40	12	14	55	21	26	70	118	169	178	177
28 Nephritis	M	1,553	8	4	6	18	32	39	65	154	290	489	448
	F	1,458	5	2	5	23	35	58	97	167	268	410	388
29 Puerperal sepsis	F	197	—	—	—	—	42	104	50	1	—	—	—
30 Other puerperal	F	297	—	—	—	—	42	149	102	4	—	—	—
31 Congenital causes, etc.	M	1,986	1,937	11	6	13	8	3	4	1	3	—	—
	F	1,445	1,410	12	6	4	5	3	3	2	—	—	—
32 Senility	M	1,788	—	—	—	—	—	—	—	1	7	191	1,589
	F	2,386	—	—	—	—	—	—	—	1	11	216	2,158
33 Suicide	M	596	—	—	—	—	58	70	65	127	142	96	38
	F	223	—	—	—	—	14	31	47	53	45	26	7
34 Other violence	M	2,533	56	40	81	183	488	377	272	320	290	218	208
	F	1,040	48	22	50	91	88	64	50	77	105	153	292
35 Other defined causes	M	4,257	274	45	80	205	210	217	243	330	606	1,085	962
	F	3,603	176	47	57	179	162	237	318	545	652	671	559
36 Ill-defined causes	M	252	6	—	—	2	2	7	12	27	35	84	77
	F	159	2	—	—	1	—	3	1	10	23	51	68

Causes of Death <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	24,336	1,919	188	231	455	789	1,032	1,255	2,733	4,836	5,964	4,934
	F	23,511	1,310	177	205	396	767	954	1,158	1,989	3,564	5,568	7,423
1 Typhoid fever, etc.	M	5	—	—	1	—	1	2	1	—	—	—	—
	F	12	—	—	—	—	2	3	4	2	1	—	—
2 Measles	M	8	3	3	2	—	—	—	—	—	—	—	—
	F	11	1	2	6	2	—	—	—	—	—	—	—
3 Scarlet fever	M	7	—	1	2	3	—	—	1	—	—	—	—
	F	17	1	2	4	4	3	1	1	1	—	—	—
4 Whooping cough	M	78	49	18	9	2	—	—	—	—	—	—	—
	F	88	50	26	9	3	—	—	—	—	—	—	—
5 Diphtheria	M	134	4	10	47	69	1	—	—	1	1	1	—
	F	137	4	9	51	65	3	—	—	1	3	1	—
6 Influenza	M	228	9	3	2	6	11	8	11	41	47	54	36
	F	243	1	1	3	4	9	9	19	17	46	65	69
7 Encephalitis lethargica	M	18	—	—	1	1	—	2	3	3	5	3	—
	F	16	—	—	—	—	—	3	4	3	2	4	—
8 Cerebro-spinal fever	M	39	14	5	5	4	6	1	2	1	—	1	—
	F	30	8	4	6	5	3	1	1	1	1	—	—
9 Respiratory tuberculosis	M	1,751	3	5	2	13	237	337	282	385	330	134	23
	F	1,096	3	3	2	21	342	279	179	112	88	50	17
10 Other tuberculosis	M	186	13	12	24	27	43	28	13	7	8	8	3
	F	173	12	11	18	35	37	23	10	8	6	10	3
11 Syphilis	M	136	13	1	—	—	—	3	7	42	45	20	5
	F	57	7	—	—	1	—	4	5	10	16	11	3
12 Gen. paralysis of insane, etc.	M	187	—	—	—	—	1	6	30	53	62	30	5
	F	46	—	—	—	—	—	—	11	11	16	7	1
13 Cancer	M	3,466	2	1	4	7	11	59	129	471	1,041	1,215	526
	F	3,625	1	3	2	4	13	74	218	601	952	1,025	732
14 Diabetes	M	225	—	—	—	1	3	5	5	11	61	95	44
	F	406	—	—	—	1	7	8	7	37	98	174	74
15 Cerebral hæmorrhage	M	834	—	—	—	1	—	1	15	65	201	315	236
	F	1,129	—	—	—	1	3	6	18	73	213	395	420
16 Heart disease	M	6,046	—	—	2	32	72	93	159	504	1,197	1,894	2,093
	F	7,021	1	—	1	54	97	144	172	358	863	1,956	3,375
17 Aneurysm	M	151	—	—	—	1	3	4	13	27	45	50	8
	F	110	—	—	—	2	2	1	6	17	33	27	22
18 Other circulatory	M	998	2	—	—	—	2	3	13	56	199	389	334
	F	1,206	2	—	1	—	—	1	11	64	167	397	563
19 Bronchitis	M	859	58	3	4	3	7	8	41	105	161	219	250
	F	663	48	4	2	—	8	4	13	28	65	149	342
20 Pneumonia	M	1,614	328	58	36	24	31	50	103	206	308	280	190
	F	1,197	218	57	29	22	23	28	51	96	175	239	259
21 Other respiratory	M	259	6	1	5	2	13	22	21	43	53	39	54
	F	222	4	3	6	5	5	9	14	18	25	38	95
22 Peptic ulcer	M	449	—	—	—	—	3	29	44	116	140	89	28
	F	132	—	—	—	—	1	6	14	20	40	36	15
23 Diarrhœa	M	427	358	20	7	2	3	3	2	6	8	13	5
	F	327	234	19	2	2	7	9	10	8	11	10	15
24 Appendicitis	M	193	—	1	19	13	19	24	22	26	42	18	9
	F	157	—	—	6	17	18	16	12	20	34	20	14
25 Cirrhosis of liver	M	102	—	—	—	—	1	2	7	23	29	31	9
	F	71	—	—	—	—	1	1	3	20	25	14	7
26 Other liver diseases	M	83	1	—	—	—	2	5	2	11	16	30	16
	F	165	1	—	—	1	3	6	7	22	46	47	32
27 Other digestive	M	502	48	7	6	16	18	18	25	68	106	106	84
	F	471	23	8	9	11	7	24	32	54	86	109	108
28 Nephritis	M	746	4	1	1	8	24	29	45	98	164	219	153
	F	780	1	1	2	10	18	28	49	69	157	236	209
29 Puerperal sepsis	F	64	—	—	—	—	13	31	19	1	—	—	—
30 Other puerperal	F	80	—	—	—	—	11	39	30	—	—	—	—
31 Congenital causes, etc.	M	875	853	3	3	2	5	1	5	1	2	—	—
	F	603	582	3	5	3	4	4	2	—	—	—	—
32 Senility	M	325	—	—	—	—	—	—	—	—	4	46	275
	F	590	—	—	—	—	—	—	—	—	2	60	528
33 Suicide	M	365	—	—	—	—	14	55	46	85	91	51	23
	F	210	—	—	—	—	9	36	47	41	46	19	12
34 Other violence	M	1,046	59	15	26	104	156	121	83	87	133	126	136
	F	667	34	6	19	32	35	45	36	39	58	141	222
35 Other defined causes	M	1,978	92	20	22	114	102	112	125	190	334	486	381
	F	1,676	74	15	22	91	83	110	153	235	286	324	283
36 Ill-defined causes	M	16	—	—	1	—	—	1	—	1	3	2	8
	F	13	—	—	—	—	—	1	—	2	3	4	3

Causes of Death. See first page of Table.		CITY OF LONDON.												THE INNER AND MIDDLE TEMPLES.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M F	63 40	4 4	- -	- -	1 1	2 1	1 2	1 3	13 7	12 6	16 6	13 10	5 1	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	4 -	- -
1 Typhoid fever, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
2 Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
3 Scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
4 Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
5 Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
6 Influenza	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
7 Encephalitis lethargica	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
8 Cerebro-spinal fever	M F	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
9 Respiratory tuberculosis	M F	6 2	- -	- -	- -	1 -	- -	1 1	3 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 2	- -	- -	- -	- -	
10 Other tuberculosis	M F	2 -	- -	- -	- -	1 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
11 Syphilis	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
12 Gen. paralysis of insane, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
13 Cancer	M F	10 9	- -	- -	- -	- -	- -	- 2	1 4	3 1	4 1	2 1	1 1	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	
14 Diabetes	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
15 Cerebral hæmorrhage	M F	3 1	- -	- -	- -	- -	- -	- -	- 1	- -	- 2	1 -	- 1	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
16 Heart disease	M F	12 12	- -	- -	- -	1 1	1 -	- -	2 1	- 1	5 1	5 7	2 7	2 -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	
17 Aneurysm	M F	2 -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
18 Other circulatory	M F	3 1	- -	- -	- -	- -	- -	- -	- 1	- -	- 2	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
19 Bronchitis	M F	2 2	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	1 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
20 Pneumonia	M F	4 1	- -	- -	- -	- -	- -	- -	2 -	1 -	- 1	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
21 Other respiratory	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
22 Peptic ulcer	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
23 Diarrhœa	M F	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
24 Appendicitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
25 Cirrhosis of liver	M F	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
26 Other liver diseases	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
27 Other digestive	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
28 Nephritis	M F	- 2	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
29 Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31 Congenital causes, etc.	M F	2 1	2 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
32 Senility	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
33 Suicide	M F	2 -	- -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
34 Other violence	M F	5 3	1 2	- -	1 -	- 1	- 1	- -	- -	- 2	- 1	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	
35 Other defined causes	M F	5 3	- 1	- -	- -	- -	- -	- -	- -	2 1	2 1	1 -	1 1	1 -	- -	- -	- -	- -	- 1	- -	- -	- -	1 -	- -	
36 Ill-defined causes	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death. <i>See first page of Table.</i>		BETHNAL GREEN.												CAMBERWELL.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes		M F	548 479	44 30	5 9	5 5	12 13	20 16	19 27	32 26	68 39	119 65	123 120	101 129	1,410 1,359	110 81	14 6	23 13	37 14	54 46	57 62	64 58	139 124	263 203	330 318	319 434
1	Typhoid fever, etc.	M F	- 1	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
2	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	
3	Scarlet fever	M F	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	
4	Whooping cough	M F	1 3	- -	1 2	- 1	- -	- -	- -	- -	- -	- -	- -	4 9	2 6	1 3	1 -	- -	- -	- -	- -	- -	- -	- -	- -	
5	Diphtheria	M F	5 5	- -	1 1	1 2	3 1	- -	- -	- -	- -	- -	- 1	14 6	- -	1 -	5 5	8 1	- -	- -	- -	- -	- -	- -	- -	
6	Influenza	M F	4 1	1 -	- -	- -	- -	- -	- -	- -	- -	3 -	- 1	16 13	- -	- -	- -	- -	1 -	- -	- 3	2 -	5 3	6 2	2 5	
7	Encephalitis lethargica	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -		
8	Cerebro-spinal fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -		
9	Respiratory tuberculosis	M F	32 27	- -	- 1	- -	5 2	6 12	3 2	9 3	5 2	3 -	1 -	93 73	- 2	- -	- -	1 -	18 24	19 21	10 8	21 10	15 3	5 5	4 -	
10	Other tuberculosis	M F	2 2	- -	- 1	- -	- -	1 -	1 -	- -	- -	- -	- 1	18 8	1 -	- -	3 1	6 2	3 1	2 2	2 -	- -	- -	1 1	- 1	
11	Syphilis	M F	3 1	- -	- -	- -	- -	- -	- -	- -	2 1	1 -	- -	8 3	- -	1 -	- -	- -	- -	1 -	2 -	2 -	1 -	- 2	1 1	
12	Gen. paralysis of insane, etc.	M F	2 3	- -	- -	- -	- -	- -	- -	- -	- -	2 2	- -	7 -	- -	- -	- -	- -	- -	- -	1 -	2 -	3 -	- -	1 -	
13	Cancer	M F	85 68	- -	- -	1 1	- -	- -	2 -	4 3	14 17	29 15	27 17	8 15	201 212	- -	- -	- -	- -	- 6	4 7	32 37	62 54	66 61	37 47	
14	Diabetes	M F	8 14	- -	- -	- -	- -	- -	- -	- -	- -	3 5	5 7	15 27	- -	- -	- -	- -	- 1	1 1	- -	1 4	3 4	5 9	5 8	
15	Cerebral hæmorrhage	M F	9 19	- -	- -	- -	- -	- -	- -	- 1	1 3	2 2	3 8	3 5	49 78	- -	- -	- -	- -	- -	2 5	3 5	12 15	20 32	12 26	
16	Heart disease	M F	173 169	- -	- -	- -	1 3	3 5	2 8	6 5	17 7	33 14	51 51	60 76	360 402	- -	- -	- -	2 3	5 8	8 11	9 10	36 22	65 56	106 186	
17	Aneurysm	M F	2 3	- -	- -	- -	- -	- -	- -	- -	1 -	1 2	- 1	11 5	- -	- -	- -	1 -	- -	- 1	2 -	- 1	4 1	4 1	- 1	
18	Other circulatory	M F	10 12	- -	- -	- -	- -	- -	- -	- -	- -	3 2	5 6	2 4	51 62	1 1	- -	- -	- -	- -	1 2	2 5	9 7	23 18	15 29	
19	Bronchitis	M F	21 6	1 -	- -	- -	- -	1 -	1 -	3 -	6 2	3 -	6 4	51 48	6 4	- -	- -	- -	1 -	- 1	3 -	4 3	8 2	7 9	22 29	
20	Pneumonia	M F	44 27	14 5	- 3	1 -	1 1	1 -	- 2	3 1	8 1	8 5	5 7	97 60	16 9	6 2	3 3	2 2	1 1	2 1	3 4	10 4	24 12	18 11	12 11	
21	Other respiratory	M F	3 5	- -	- -	- -	- -	- -	1 -	1 -	1 -	1 2	- 2	10 10	- 1	- -	1 -	- -	1 -	2 -	1 -	1 4	- 3	3 6	2 3	
22	Peptic ulcer	M F	10 1	- -	- -	- -	- -	- -	1 -	2 -	4 1	2 1	2 -	25 6	- -	- -	- -	- -	- -	1 -	1 1	4 1	10 4	6 -	3 -	
23	Diarrhœa	M F	7 10	6 8	1 1	- -	- -	- -	- -	- -	- -	- -	- 1	28 19	22 15	- 1	3 -	- -	- 1	2 -	- 1	- -	1 -	- -	- 1	
24	Appendicitis	M F	5 3	- -	- 1	- -	2 -	- 1	- 1	1 -	1 -	- -	- -	6 7	- -	- -	1 1	- -	2 -	2 -	- -	1 2	- 2	- 1	1 1	
25	Cirrhosis of liver	M F	- 2	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- 1	3 3	- -	- -	- -	- -	- -	- -	- -	- 1	3 1	- 1	- 1	
26	Other liver diseases	M F	- 6	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- 3	4 10	- -	- -	- -	- -	1 -	- -	- -	2 -	1 1	3 2	- 4	
27	Other digestive	M F	8 10	- -	- -	1 -	1 1	- 2	1 1	- -	1 -	- 1	1 4	23 20	3 3	- -	1 -	- -	- -	2 1	1 3	- 3	4 9	5 10	9 14	
28	Nephritis	M F	16 13	- -	- -	- 1	2 1	1 -	1 1	1 -	3 4	5 3	3 3	42 50	- -	- -	- -	- -	2 -	1 3	3 5	3 5	9 10	10 16	14 11	
29	Puerperal sepsis	M F	1 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	6 4	- -	- -	- -	- -	2 -	2 -	2 4	- -	- -	- -	- -	
30	Other puerperal	M F	1 1	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	4 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
31	Congenital causes, etc.	M F	20 13	20 13	- -	- -	- -	- -	- -	- -	- -	- -	- -	51 32	50 30	- -	- -	- -	1 2	- -	- -	- -	- -	- -	- -	
32	Senility	M F	3 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	3 1	30 43	- -	- -	- -	- -	- -	- -	- -	- -	- -	6 8	24 35	
33	Suicide	M F	8 4	- -	- -	- -	- -	- 1	4 1	3 -	- -	- -	- 2	17 7	- -	- -	- -	- -	1 1	- 1	2 1	5 3	3 -	5 1	1 -	
34	Other violence	M F	14 13	- 1	- -	- -	2 1	1 1	3 1	2 1	- -	2 3	1 3	67 33	4 -	2 -	1 2	5 1	12 1	13 2	7 3	4 2	6 2	8 8	7 12	
35	Other defined causes	M F	53 31	2 2	2 -	- -	4 3	6 3	2 1	8 6	6 7	8 4	10 4	5 1	104 100	5 10	1 -	3 -	12 4	6 3	3 7	10 6	6 16	13 18	27 19	
36	Ill-defined causes	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 2	

Causes of Death. <i>See first page of Table.</i>		FINSBURY.													FULHAM.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	435	34	3	5	5	13	15	22	42	95	127	74	833	61	2	7	14	34	34	44	110	167	193	167		
	F	359	21	4	4	7	23	16	21	20	61	72	110	832	40	5	12	13	30	39	39	72	131	202	249		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
4 Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	4	1	1	2	-	-	-	-	-	-				
	F	3	2	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-				
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	1	5	-	-	-	-	-				
	F	1	-	-	-	1	-	-	-	-	-	-	-	6	1	-	1	4	-	-	-	-	-				
6 Influenza	M	2	1	-	-	-	-	-	-	1	-	-	-	13	1	-	-	-	-	1	4	3	2				
	F	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	1	2	4	4				
7 Encephalitis lethargica	M	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-				
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-				
9 Respiratory tuberculosis	M	23	-	-	-	-	-	5	4	8	4	2	-	66	-	-	-	15	6	12	18	9	4				
	F	27	-	1	-	1	11	8	2	1	-	3	-	45	-	-	-	1	12	15	7	2	4				
10 Other tuberculosis	M	3	-	1	-	-	2	-	-	-	-	-	-	6	1	-	1	1	1	-	-	1	1				
	F	1	-	-	1	-	-	-	-	-	-	-	-	11	1	1	4	1	-	2	-	-	-				
11 Syphilis	M	2	-	-	-	-	-	-	-	-	1	1	-	4	1	-	-	-	-	-	2	1	-				
	F	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	-	1	-				
12 Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	-	1	3	-	-	10	-	-	-	-	-	1	1	5	3				
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	2				
13 Cancer	M	76	-	-	-	-	-	-	3	5	21	33	14	104	-	-	-	-	1	5	13	36	34				
	F	45	-	-	-	-	-	-	2	3	12	15	13	118	-	-	-	-	1	2	10	19	37				
14 Diabetes	M	2	-	-	-	-	-	-	-	-	1	1	-	8	-	-	-	-	-	-	1	-	5				
	F	1	-	-	-	-	-	-	-	-	1	-	-	19	-	-	-	-	-	-	1	3	9				
15 Cerebral hæmorrhage	M	24	-	-	-	-	-	-	-	1	8	12	3	36	-	-	-	-	-	1	1	9	16				
	F	23	-	-	-	-	-	-	1	1	2	12	7	34	-	-	-	-	-	-	2	5	15				
16 Heart disease	M	109	-	-	-	-	2	1	4	6	22	45	29	212	-	-	-	2	3	4	22	45	62				
	F	101	-	-	-	-	5	2	8	5	18	21	42	260	-	-	-	3	3	4	3	15	33				
17 Aneurysm	M	3	-	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	1	-	2				
	F	3	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	1	-	-	-	-				
18 Other circulatory	M	30	-	-	-	-	-	-	1	1	5	11	12	30	-	-	-	-	-	1	-	2	5				
	F	9	-	-	-	-	-	-	-	-	3	1	5	43	-	-	-	-	-	1	2	5	14				
19 Bronchitis	M	25	2	-	1	-	1	-	2	3	7	5	4	23	1	-	-	-	1	1	4	4	3				
	F	16	-	-	-	-	-	-	-	1	1	4	10	28	3	-	-	-	2	-	2	1	4				
20 Pneumonia	M	28	4	-	1	2	2	-	2	8	6	1	1	47	6	1	1	2	1	3	9	10	5				
	F	21	4	1	-	1	-	1	1	2	3	1	7	37	7	2	1	1	1	3	2	8	7				
21 Other respiratory	M	3	-	-	-	-	-	-	-	-	-	1	2	5	-	-	-	-	1	-	1	2	1				
	F	5	-	-	1	-	1	-	-	-	-	-	3	4	-	-	-	-	-	-	1	1					
22 Peptic ulcer	M	6	-	-	-	-	1	-	4	1	-	-	-	24	-	-	-	-	3	2	7	5					
	F	1	-	-	-	-	-	-	-	1	-	-	-	6	-	-	-	-	-	2	1	2	1				
23 Diarrhoea	M	9	6	1	-	-	-	-	-	-	1	-	1	11	11	-	-	-	-	-	-	-	-				
	F	7	5	1	-	-	1	-	-	-	-	-	-	11	8	-	-	-	-	1	1	-	1				
24 Appendicitis	M	3	-	-	1	1	1	-	-	-	-	-	-	7	-	-	2	-	1	-	1	2	1				
	F	5	-	-	-	1	-	1	-	2	1	-	-	7	-	-	-	-	1	-	1	2	2				
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	1				
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	1	-				
26 Other liver diseases	M	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	1	-	-	1	1				
	F	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	2				
27 Other digestive	M	4	1	-	-	-	1	-	-	1	-	1	-	22	2	-	-	1	1	1	6	4	3				
	F	9	-	-	-	-	-	-	1	-	1	3	4	12	-	-	-	1	2	-	1	4	2				
28 Nephritis	M	9	-	-	-	-	1	1	3	2	1	1	1	26	-	-	-	2	-	2	7	7	6				
	F	11	-	-	-	-	-	2	1	6	2	-	-	25	-	-	-	-	1	1	3	4	8				
29 Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	2	1	-	-	-	-				
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	1	-	-	-				
31 Congenital causes, etc.	M	19	19	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-				
	F	10	8	-	-	-	-	2	-	-	-	-	-	19	17	-	1	-	-	-	-	-	3				
32 Senility	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-				
	F	7	-	-	-	-	-	-	-	-	-	2	5	17	-	-	-	-	-	-	-	4	13				
33 Suicide	M	7	-	-	-	-	1	2	1	3	-	-	-	15	-	-	-	1	3	2	2	3	3				
	F	4	-	-	-	-	1	-	3	3	-	-	-	8	-	-	-	-	3	3	1						

Causes of Death. See first page of Table.		GREENWICH.													HACKNEY.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes		M	531	43	4	3	11	23	29	28	56	98	127	109	1,110	87	7	9	20	32	55	60	138	202	280	220	
		F	512	37	1	1	13	18	17	36	30	77	117	165	1,124	54	6	7	22	38	37	55	93	192	259	360	
1	Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
2	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
4	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	
		F	1	-	-	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	
5	Diphtheria	M	3	-	-	1	2	-	-	-	-	-	-	-	9	-	-	4	5	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-	-	-	-	
6	Influenza	M	6	-	-	-	-	-	-	2	1	3	-	-	9	-	-	-	-	-	-	2	3	2	-	-	
		F	6	-	-	-	1	-	1	1	1	1	1	11	-	1	-	-	1	-	1	-	5	1	-	-	
7	Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	
		F	1	-	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	
9	Respiratory tuberculosis	M	50	-	1	-	-	9	17	8	11	3	1	-	89	-	1	-	1	7	15	18	20	19	7	-	
		F	21	-	-	-	1	7	5	5	-	2	1	-	32	1	-	-	-	15	6	2	4	2	2	-	
10	Other tuberculosis	M	3	-	-	1	1	1	1	-	-	-	-	-	7	-	-	-	2	1	3	-	1	-	-	-	
		F	4	1	1	-	1	1	-	-	-	-	-	-	11	-	-	-	4	3	1	1	1	1	1	-	
11	Syphilis	M	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	2	1	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	-	
12	Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	1	-	1	-	-	-	7	-	-	-	-	1	2	4	-	-	-	-	
		F	3	-	-	-	-	-	-	-	2	1	-	-	7	-	-	-	-	-	2	1	3	-	-	-	
13	Cancer	M	77	-	-	1	-	-	1	5	11	24	21	14	165	-	-	-	1	1	2	6	28	46	60	22	
		F	82	-	-	-	-	1	2	12	10	24	20	13	192	-	-	-	-	4	14	29	59	45	4	-	
14	Diabetes	M	3	-	-	-	-	-	1	-	-	1	1	-	14	-	-	-	1	-	-	-	4	6	3	-	
		F	13	-	-	-	-	-	-	-	2	3	5	3	25	-	-	-	-	-	1	1	6	4	11	-	
15	Cerebral hæmorrhage	M	27	-	-	-	-	1	-	1	10	8	7	-	25	-	-	-	-	-	-	4	6	9	6	-	
		F	36	-	-	-	-	-	-	3	4	18	11	-	35	-	-	-	-	1	1	3	7	11	15	-	
16	Heart disease	M	110	-	-	-	-	2	3	1	12	20	43	29	270	-	-	-	2	5	3	7	29	55	76	93	
		F	139	-	-	-	-	2	2	7	4	17	37	70	348	-	-	-	8	5	10	14	10	46	93	165	
17	Aneurysm	M	3	-	-	-	-	-	1	-	2	-	-	-	6	-	-	-	-	1	-	1	2	2	-	-	
		F	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	3	-	-	-	
18	Other circulatory	M	16	-	-	-	-	-	-	-	2	9	5	-	95	-	-	-	-	-	1	7	13	43	3	-	
		F	10	-	-	-	-	-	-	1	-	1	8	106	-	-	-	-	-	-	-	2	9	31	6	-	
19	Bronchitis	M	18	-	-	-	-	2	-	-	-	3	3	10	27	-	-	-	-	-	2	4	4	8	1	-	
		F	20	2	-	-	-	2	-	-	1	4	11	-	27	3	-	-	-	-	-	1	4	8	1	-	
20	Pneumonia	M	27	10	-	-	1	1	-	3	3	2	5	2	79	15	3	2	1	-	8	4	13	13	12	-	
		F	24	6	-	-	-	-	1	1	3	3	6	4	59	15	1	2	1	-	3	3	6	8	10	1	
21	Other respiratory	M	8	-	-	-	-	-	-	2	2	4	-	-	11	1	-	-	-	4	1	1	-	2	-	-	
		F	2	1	-	-	-	-	-	-	-	-	-	1	7	1	-	-	1	-	2	-	-	-	-	-	
22	Peptic ulcer	M	7	-	-	-	-	-	-	1	2	2	2	-	13	-	-	-	-	-	2	3	5	2	-	-	
		F	4	-	-	-	-	-	-	-	1	3	-	-	4	-	-	-	-	1	-	1	-	2	-	-	
23	Diarrhœa	M	10	8	1	-	-	-	-	-	-	1	-	-	13	13	-	-	-	-	-	-	-	-	-	-	
		F	4	4	-	-	-	-	-	-	-	-	-	-	10	8	-	-	-	-	-	-	2	-	-	-	
24	Appendicitis	M	4	-	-	-	1	1	1	-	-	1	-	-	7	-	-	-	1	1	-	1	1	1	-	-	
		F	1	-	-	-	1	-	-	-	-	-	-	-	4	-	-	-	1	-	1	-	1	1	-	-	
25	Cirrhosis of liver	M	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	-	1	4	-	-	
		F	4	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-	1	-	1	-	-	
26	Other liver diseases	M	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	1	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	3	3	-	-	-	
27	Other digestive	M	10	1	-	-	-	-	-	6	1	1	1	-	23	2	1	-	-	-	3	2	4	5	-	-	
		F	11	-	-	-	-	1	-	2	4	3	1	-	23	-	1	-	1	-	-	1	6	5	-	-	
28	Nephritis	M	15	-	-	-	1	-	1	1	1	5	4	-	18	-	-	-	1	2	2	3	2	2	-	-	
		F	16	-	-	-	1	-	2	-	7	2	4	-	35	-	-	-	1	1	5	5	7	7	-	-	
29	Puerperal sepsis	F	3	-	-	-	1	-	2	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	
30	Other puerperal	F	2	-	-	-	-	2	-	-	-	-	-	-	7	-	-	-	2	4	1	-	-	-	-	-	
31	Congenital causes, etc.	M	20	20	-	-	-	-	-	-	-	-	-	-	44	43	-	-	1	-	-	-	-	-	-	-	
		F	21	21	-	-	-	-	-	-	-	-	-	-	24	22	1	-	-	-	-	-	-	-	-	-	
32	Senility	M	24	-	-	-	-	-	-	-	-	4	20	-	8	-	-	-	-	-	-	-	-	1	-	-	
		F	27	-	-	-	-	-	-	-	-	4	23	-	8	-	-	-	-	-	-	-	-	1	-	-	
33	Suicide	M	4	-	-	-	-	1	1	1	-	-	1	-	20	-	-	-	2	2	2	2	8	4	-	-	
		F	4	-	-	-	-	-	1	-	1	2	-	-	14	-	-	-	2	-	3	4	4	1	-	-	
34	Other violence	M	26	2	2	-	5	5	-	1	3	5	3	-	41	7	1	-	2	8	4	3	2	3	6	-	
		F	10	2	-	-	3	1	-	-	-	1	3	-	26	2	-	2	1	2	1	-	1	5	1	-	
35	Other defined causes	M	53	2	-	-	1	2	3	4	3	11	14	13	95	5	-	1	4	4	9	6	10	10	28	1	
		F	40	-	-	-	5	-	3	5	2	9	6	10	82	1	-	-	2	3	4	4	16	17	19	1	
36	Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Causes of Death.		HAMMERSMITH.												HAMPSTEAD.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	786	85	7	10	23	28	35	50	97	152	148	151	449	31	-	1	1	14	16	28	45	86	117	110
	F	738	46	2	3	12	34	26	39	67	103	147	259	569	18	1	-	4	9	19	26	66	84	145	197
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	6	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	M	2	-	-	-	-	1	-	-	-	-	1	-	5	-	-	-	-	-	1	2	1	1	1	-
	F	6	-	-	-	-	-	-	-	-	2	-	4	7	-	-	-	-	-	-	1	1	2	3	-
Encephalitis lethargica	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	62	-	-	-	-	12	13	11	15	9	2	-	16	-	-	-	2	3	4	-	4	3	-	-
	F	48	-	-	-	-	20	11	10	5	2	-	-	13	-	-	-	2	4	2	3	1	1	-	-
Other tuberculosis	M	6	-	-	2	1	2	1	-	-	-	-	-	5	-	-	1	2	-	-	-	-	1	-	-
	F	3	-	-	-	1	1	1	-	-	-	-	-	4	-	-	-	1	1	1	-	-	-	-	-
Syphilis	M	6	2	-	-	-	-	-	-	1	3	-	-	7	-	-	-	-	-	-	-	4	2	1	-
	F	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	1	-	-	-	2	-	-
Gen. paralysis of insane, etc.	M	8	-	-	-	-	-	-	2	1	4	1	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	117	-	-	-	-	-	1	7	20	37	38	14	64	-	-	-	-	1	-	10	19	22	12	-
	F	99	-	-	-	-	-	1	6	16	29	26	21	106	-	-	-	-	1	-	8	17	26	32	22
Diabetes	M	8	-	-	-	-	-	-	3	-	2	-	3	8	-	-	-	-	-	1	1	1	2	3	-
	F	7	-	-	-	-	-	-	-	-	2	3	2	14	-	-	-	-	1	-	3	-	5	5	-
Cerebral hæmorrhage	M	25	-	-	-	-	-	-	-	2	6	11	6	19	-	-	-	-	-	1	5	6	4	3	-
	F	34	-	-	-	-	-	-	-	1	6	11	16	28	-	-	-	-	-	2	5	7	14	7	-
Heart disease	M	147	-	-	1	2	-	1	7	19	24	41	52	119	-	-	-	1	1	6	9	20	36	46	-
	F	213	-	-	-	2	1	4	6	15	23	60	102	146	-	-	-	-	3	3	7	18	43	72	-
Aneurysm	M	7	-	-	-	-	-	-	-	3	4	-	-	2	-	-	-	-	-	-	-	1	-	1	-
	F	4	-	-	-	-	1	-	1	-	1	1	-	3	-	-	-	-	-	-	-	1	2	-	-
Other circulatory	M	42	-	-	-	-	1	-	1	1	9	12	18	25	-	-	-	-	-	1	1	7	9	7	-
	F	47	-	-	-	-	-	-	-	3	4	11	29	35	-	-	-	-	-	1	3	3	12	16	-
Bronchitis	M	36	3	-	-	-	-	1	2	6	9	6	9	5	1	-	-	-	-	1	1	-	1	1	-
	F	17	-	-	-	-	-	-	1	-	2	2	12	6	-	-	-	-	-	-	-	-	1	5	-
Pneumonia	M	49	11	4	1	1	-	1	4	3	8	10	6	37	7	-	-	1	1	2	-	7	11	5	-
	F	38	7	1	-	1	1	1	2	8	5	4	8	31	1	-	-	-	-	1	6	7	3	13	-
Other respiratory	M	7	-	-	-	-	1	1	-	2	1	1	1	5	-	-	-	1	-	-	1	-	1	2	-
	F	8	-	-	-	-	1	-	-	-	-	4	3	7	-	-	-	-	1	-	2	-	-	4	-
Peptic ulcer	M	13	-	-	-	-	-	2	1	5	1	2	2	6	-	-	-	-	1	-	1	2	-	-	-
	F	6	-	-	-	-	-	-	-	1	2	2	1	2	-	-	-	-	-	-	-	2	-	-	-
Diarrhœa	M	21	21	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	1	-	-	-
	F	9	7	-	-	-	-	-	-	-	1	-	1	5	3	1	-	-	1	-	-	-	-	-	-
Appendicitis	M	9	-	-	1	1	-	1	1	2	2	-	1	2	-	-	-	-	-	1	-	1	-	-	-
	F	7	-	-	-	1	1	-	-	2	2	1	-	5	-	-	-	1	-	1	3	-	-	-	-
Cirrhosis of liver	M	6	-	-	-	-	1	-	-	1	2	1	1	4	-	-	-	-	-	1	-	-	3	-	-
	F	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	2	-	1	-
Other liver diseases	M	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	1	-	-	-
	F	3	-	-	-	-	-	-	-	1	1	-	1	6	-	-	-	-	-	-	-	1	3	2	-
Other digestive	M	16	3	1	1	1	-	1	2	1	2	2	2	12	2	-	-	1	-	1	3	3	1	1	-
	F	16	5	-	-	1	-	-	1	3	2	-	4	16	-	-	-	-	1	2	4	3	3	3	-
Nephritis	M	18	1	-	-	2	1	-	1	2	5	3	3	11	-	-	-	-	-	-	-	3	4	4	-
	F	12	-	-	1	1	1	-	-	1	4	1	3	24	-	-	-	-	-	1	1	3	9	10	-
Puerperal sepsis	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other puerperal	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital causes, etc.	M	40	37	-	-	1	-	1	-	-	1	-	-	15	15	-	-	-	-	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-												

Causes of Death. See first page of Table.			HOLBORN.												ISLINGTON.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	255	17	1	—	5	7	6	13	38	55	71	42	1,695	138	18	21	33	56	60	96	179	339	429		
	F	165	7	1	2	2	2	5	10	14	32	45	45	1,739	104	11	16	23	55	81	92	124	281	435		
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—		
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	6	4	1	1	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	6	4	—	2	—	—	—	—	—	—	—		
5 Diphtheria	M	2	—	—	—	1	1	—	—	—	—	—	—	9	—	2	2	5	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—	—		
6 Influenza	M	1	—	—	—	—	—	—	—	—	—	1	—	16	2	—	—	—	1	—	1	3	4	4		
	F	2	—	—	—	—	—	—	—	1	—	1	—	17	—	—	1	1	2	1	2	—	3	6		
7 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	4	2	—	1	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	1	1	—	—	—	—		
9 Respiratory tuberculosis	M	24	—	—	—	1	2	2	2	4	7	6	—	114	—	—	—	1	17	19	20	28	19	10		
	F	5	—	—	—	—	1	1	2	—	1	—	—	87	—	1	—	—	22	25	13	15	9	2		
10 Other tuberculosis	M	—	—	—	—	—	—	—	—	—	—	—	—	11	2	2	2	1	1	1	—	—	—	1		
	F	1	—	—	—	1	—	—	—	—	—	—	—	10	1	1	1	1	2	1	—	—	1	2		
11 Syphilis	M	3	—	—	—	—	—	—	—	2	1	—	—	11	2	—	—	—	—	—	—	5	3	1		
	F	2	—	—	—	—	—	—	—	—	2	—	—	7	2	—	—	—	—	2	—	1	2	—		
12 Gen. paralysis of insane, etc.	M	3	—	—	—	—	—	—	—	1	2	—	—	16	—	—	—	—	1	—	3	2	9	1		
	F	2	—	—	—	—	—	—	1	—	1	—	—	4	—	—	—	—	—	2	—	2	—	—		
13 Cancer	M	34	—	—	—	—	—	—	1	7	11	8	7	241	—	1	2	2	1	5	7	22	76	89		
	F	24	—	—	—	—	—	1	1	5	8	7	2	266	—	—	—	—	1	9	17	26	79	76		
14 Diabetes	M	2	—	—	—	—	—	—	—	1	1	—	—	11	—	—	—	—	—	—	—	—	5	4		
	F	3	—	—	—	—	—	—	—	—	1	2	—	28	—	—	—	—	1	1	1	1	5	14		
15 Cerebral hæmorrhage	M	10	—	—	—	—	—	—	—	1	3	2	4	45	—	—	—	—	—	—	1	1	7	23		
	F	9	—	—	—	—	—	—	1	—	2	3	3	99	—	—	—	—	—	1	2	7	16	31		
16 Heart disease	M	62	—	—	—	—	—	—	2	5	9	26	20	409	—	—	—	—	8	4	18	39	73	130		
	F	51	—	—	—	—	—	—	2	5	5	18	21	499	—	—	—	4	7	10	11	25	71	146		
17 Aneurysm	M	1	—	—	—	—	—	—	—	—	—	1	—	12	—	—	—	—	1	—	1	4	1	4		
	F	—	—	—	—	—	—	—	—	—	—	—	—	10	—	—	—	—	—	—	—	1	4	2		
18 Other circulatory	M	11	—	—	—	—	—	—	1	—	—	5	3	53	—	—	—	—	—	—	—	5	11	21		
	F	12	—	—	—	—	—	—	—	—	—	6	6	68	1	—	—	—	—	—	—	7	14	28		
19 Bronchitis	M	10	—	—	—	—	—	—	1	3	1	4	1	61	3	—	—	—	—	—	2	9	9	15		
	F	6	—	—	—	—	—	—	1	—	—	2	3	49	2	—	—	—	1	—	1	2	2	21		
20 Pneumonia	M	19	3	1	—	—	—	—	—	2	8	4	1	151	24	7	2	1	5	6	8	14	29	37		
	F	13	3	1	1	—	—	—	—	—	4	3	1	101	20	4	2	2	4	4	4	3	11	27		
21 Other respiratory	M	1	1	—	—	—	—	—	—	—	—	—	—	37	—	—	—	—	—	1	2	2	3	2		
	F	1	—	—	—	—	—	—	—	—	—	—	1	51	—	—	—	—	—	—	2	1	5	2		
22 Peptic ulcer	M	6	—	—	—	—	—	—	1	1	2	2	—	37	—	—	—	—	—	2	6	10	12	6		
	F	1	—	—	—	—	—	—	—	—	1	—	—	12	—	—	—	—	—	1	2	1	2	3		
23 Diarrhœa	M	5	4	—	—	—	—	—	—	—	—	1	—	33	29	2	—	—	—	—	—	2	—	—		
	F	2	—	—	—	—	—	—	—	—	1	—	1	35	20	3	—	1	—	—	1	—	3	4		
24 Appendicitis	M	—	—	—	—	—	—	—	—	—	—	—	—	16	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	—	1	—	—	12	—	—	2	2	2	1	—	—	2	—		
25 Cirrhosis of liver	M	2	—	—	—	—	—	—	—	1	—	—	1	3	—	—	—	—	—	1	—	—	2	—		
	F	2	—	—	—	—	—	—	—	1	1	—	—	7	—	—	—	—	—	—	2	—	4	1		
26 Other liver diseases	M	1	—	—	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	—	—	—	3		
	F	1	—	—	—	—	—	—	—	—	—	—	1	9	—	—	—	—	—	1	2	—	2	4		
27 Other digestive	M	4	—	—	—	—	—	—	—	1	1	2	—	29	2	1	1	—	1	—	—	4	10	5		
	F	1	—	—	—	—	—	—	1	—	—	—	—	28	2	—	2	1	—	1	4	2	7	5		
28 Nephritis	M	2	—	—	—	—	—	—	—	—	2	—	—	54	1	—	—	1	2	4	4	8	12	16		
	F	1	—	—	—	—	—	—	—	—	—	—														

TABLE 24—contd. Metropolitan Boroughs.

Causes of Death. first page of Table.		KENSINGTON.												LAMBETH.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	953	110	6	8	12	29	33	37	85	174	228	231	1,729	128	10	13	41	55	64	95	193	354	440	336
	F	1,201	65	13	12	11	22	36	56	100	156	307	423	1,673	97	9	10	24	59	58	72	147	258	376	563
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	1	-	-	1	-	-	-	-	-	-	-	-	11	8	2	1	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	7	2	4	-	1	-	-	-	-	-	-	-
Diphtheria	M	7	2	-	3	2	-	-	-	-	-	-	-	6	1	-	4	1	-	-	-	-	-	-	-
	F	12	-	-	6	4	1	-	-	1	-	-	-	10	1	-	5	2	1	-	-	-	1	-	-
Influenza	M	10	-	-	-	-	-	-	1	3	1	2	3	20	2	-	-	-	-	1	-	5	4	6	2
	F	21	-	-	-	1	2	-	3	2	1	6	6	17	1	-	-	-	1	-	1	2	4	5	3
Encephalitis lethargica	M	3	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	1	1	-	-	-	-	-
Cerebro-spinal fever	M	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	47	1	-	-	-	5	14	9	8	6	4	-	127	-	-	-	1	15	21	30	21	27	10	2
	F	31	-	-	-	-	7	7	7	4	4	1	1	69	-	-	-	2	20	9	15	8	9	5	1
Other tuberculosis	M	6	-	-	-	1	3	-	-	-	1	1	-	10	-	-	1	3	3	2	-	1	-	-	-
	F	5	-	1	1	-	-	-	1	1	-	1	-	12	2	-	-	2	4	3	-	1	-	-	-
Syphilis	M	3	-	-	-	-	-	-	-	3	-	-	-	9	1	-	-	-	-	-	-	2	5	1	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	-	1	1	1	2	-	11	-	-	-	-	1	3	3	2	2	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	1	1	-	-	-
Cancer	M	122	-	-	-	-	-	2	1	13	37	42	27	243	-	-	-	-	1	3	10	38	65	85	41
	F	195	1	-	-	-	-	-	10	31	45	66	42	277	-	-	-	-	2	7	12	54	73	67	62
Diabetes	M	14	-	-	-	1	-	-	-	1	2	7	3	7	-	-	-	-	-	-	-	-	3	4	-
	F	19	-	-	-	-	-	1	1	2	5	8	2	23	-	-	-	-	1	-	-	3	3	10	6
Cerebral hæmorrhage	M	23	-	-	-	-	-	-	1	2	8	8	4	93	-	-	-	-	-	2	5	23	35	28	-
	F	46	-	-	-	-	-	-	-	1	8	18	19	113	-	-	-	-	1	-	4	20	42	46	-
Heart disease	M	242	-	-	-	1	1	2	4	13	55	70	96	414	-	-	-	3	5	8	4	33	98	141	122
	F	370	1	-	-	-	1	4	4	17	33	99	211	479	-	-	-	3	6	13	18	25	68	116	230
Aneurysm	M	6	-	-	-	-	1	-	2	-	1	1	1	8	-	-	-	-	-	-	4	1	3	-	-
	F	4	-	-	-	-	-	-	-	1	2	-	1	5	-	-	-	-	-	-	-	3	1	1	-
Other circulatory	M	50	1	-	-	-	-	-	-	4	10	15	20	54	-	-	-	-	-	-	-	2	10	21	21
	F	77	-	-	-	-	-	-	1	6	8	21	41	72	-	-	-	-	-	1	1	3	9	24	34
Bronchitis	M	25	4	-	1	-	1	-	1	-	3	6	9	52	3	1	-	-	-	1	3	6	8	18	12
	F	23	4	-	-	-	-	2	-	-	2	7	8	52	6	-	-	-	-	-	1	7	10	28	-
Pneumonia	M	60	14	4	1	1	2	-	1	5	11	8	13	105	23	1	2	2	1	3	9	10	23	15	16
	F	62	6	4	1	1	-	1	4	5	10	12	18	86	12	1	3	1	3	1	2	7	10	25	21
Other respiratory	M	16	-	-	-	-	3	-	1	-	5	4	3	20	2	-	-	-	2	3	7	3	3	-	-
	F	17	-	-	1	-	-	2	2	2	1	3	6	11	-	-	-	1	-	-	3	2	1	4	-
Peptic ulcer	M	14	-	-	-	-	1	1	-	4	4	4	-	33	-	-	-	-	-	4	8	11	9	1	-
	F	5	-	-	-	-	-	1	1	-	1	2	-	9	-	-	-	-	-	2	-	2	3	2	-
Diarrhoea	M	32	32	-	-	-	-	-	-	-	-	-	-	31	25	1	1	-	-	-	-	1	1	2	-
	F	32	23	2	-	-	1	-	1	1	1	2	1	11	8	-	-	-	1	1	-	-	-	1	-
Appendicitis	M	11	-	-	-	-	-	-	1	3	4	2	1	20	-	-	2	2	1	5	3	2	3	1	1
	F	17	-	-	-	2	3	1	1	1	4	4	1	6	-	-	-	1	1	-	-	1	1	1	1
Cirrhosis of liver	M	8	-	-	-	-	-	-	-	5	2	1	-	6	-	-	-	-	-	-	2	1	2	1	-
	F	5	-	-	-	-	-	1	-	2	1	-	1	3	-	-	-	-	-	-	1	1	1	-	-
Other liver diseases	M	5	-	-	-	-	-	-	-	2	-	2	1	9	1	-	-	-	-	-	1	-	4	3	-
	F	10	1	-	-	-	-	1	1	2	4	1	-	13	-	-	-	1	1	-	1	3	4	2	-
Other digestive	M	23	3	-	-	-	1	2	2	3	1	4	7	30	2	-	-	1	2	-	2	4	8	8	3
	F	33	2	-	-	-	-	-	3	4	7	7	10	41	4	1	1	-	1	3	2	5	7	9	8
Nephritis	M	26	-	-	-	-	3	-	-	1	4	12	6	45	-	1	-	2	1	-	5	7	14	8	7
	F	36	-	-	-	1	-	1	4	3	5	11	11	62	-	1	-	1	3	1	2	4	10	21	19
Puerperal sepsis	F	4	-	-	-	-	-	3	1	-	-	-	-	4	-	-	-	-	2	2	-	-	-	-	-
Other puerperal	F	1	-	-	-	-	-	-	1	-	-	-	-	6	-	-	-	-	1	4	1	-	-	-	-
Congenital causes, etc.	M	42	41	-	-	-	-	-	1	-	-	-	-	52	51	-	-	-	1	-	-	-	-	-	-
	F	25	23	1	1	-	-	-	-	-	-	-	-	51	51	-	-	-	-	-	-	-	-	-	-
Senility	M	9	-	-	-	-	-	-	-	-	1	1	7	48	-	-	-	-	-	-	-	-	1	8	39
	F	20	-	-	-	-	-	-	-	-	-	1	19	70	-	-	-	-	-	-	-	-	5	-	65
Suicide	M	13	-	-	-	-	1	-	2	4	2	4	-	28	-	-	-	-	1	3	3	6	8	5	2
	F	13	-	-	-	-	1	1	-	5	1	2	3	7	-	-	-	-	-	1	2	3	1	-	-
Other violence	M	47	5	-	1	4	7	6	4	1	6	4	9	74	2	1	1	10	14	6	5	11	7	11	6
	F	36	1	2	2	1	1	3	3	1	3	12	7	37	3	-	-	2	4	3	4	1	3	6	11
Other defined causes	M	80	6	1	1	2	2	2	5	9	7	24	21	158	6	3	1	16	9	8	8	14	28	38	27
	F	74	2	2	-	1	3	6	7	7	9	22	15	109	6	1	-	7	8	8	7	20	18	16	18
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death. See first page of Table.			LEWISHAM.												PADDINGTON.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	1,070	74	8	13	27	32	42	71	115	198	256	234	775	85	9	5	8	18	32	34	84	159	179		
	F	1,144	45	8	12	17	30	66	56	85	136	257	432	900	55	2	6	18	18	31	39	84	138	196		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-		
	F	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	3	3	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	9	-	-	-	9	-	-	-	-	-	-	-	4	-	-	3	-	-	-	-	-	1	-		
	F	5	-	-	3	2	-	-	-	-	-	-	-	9	-	-	2	7	-	-	-	-	-	-		
6 Influenza	M	10	1	1	-	-	-	1	1	1	1	1	3	7	-	-	-	-	-	-	-	2	2	4		
	F	16	-	-	-	-	-	-	1	-	1	6	8	13	-	-	-	-	-	1	-	2	2	3		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	2	1	-	-	-	-	1	-	-	-	-	-	3	2	-	-	-	-	1	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-		
9 Respiratory tuberculosis	M	70	-	2	-	2	9	14	19	13	7	4	-	42	-	-	-	1	5	4	7	12	9	4		
	F	61	-	-	-	2	20	19	12	3	3	1	1	33	-	-	-	10	7	4	5	6	-	-		
10 Other tuberculosis	M	10	1	-	1	2	2	1	1	2	-	-	-	5	1	-	-	1	1	-	1	1	1	-		
	F	6	-	1	-	1	1	2	1	-	-	-	-	8	-	1	-	1	1	1	1	1	2	-		
11 Syphilis	M	6	-	-	-	-	-	-	2	3	1	-	-	3	-	-	-	-	-	1	1	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	1	-	2	-	-	6	-	-	-	-	1	-	3	-	2	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	1	-	-	-		
13 Cancer	M	164	-	-	-	1	2	3	9	22	44	58	25	94	-	-	-	-	6	1	9	29	33	-		
	F	180	-	1	1	-	-	8	13	28	41	42	46	141	-	-	-	1	-	1	9	25	37	38		
14 Diabetes	M	11	-	-	-	-	-	1	-	-	5	4	1	3	-	-	-	-	-	-	-	-	-	3		
	F	13	-	-	-	-	-	-	-	1	2	3	7	9	-	-	-	-	-	-	-	2	2	4		
15 Cerebral hæmorrhage	M	38	-	-	-	-	-	-	-	7	6	6	19	31	-	-	-	-	-	-	2	8	10	-		
	F	62	-	-	-	-	-	1	1	3	8	21	28	35	-	-	-	-	-	1	4	6	7	-		
16 Heart disease	M	238	-	-	-	2	4	6	10	19	51	70	76	192	-	-	-	3	2	1	19	53	50	-		
	F	306	-	-	-	2	7	5	17	35	97	143	244	244	-	-	-	3	2	5	3	13	23	68		
17 Aneurysm	M	9	-	-	-	-	-	1	-	1	3	4	-	7	-	-	-	-	-	1	-	3	3	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	8	-	-	-	-	-	1	4	-	2	-		
18 Other circulatory	M	59	-	-	-	-	-	-	-	2	17	27	13	26	-	-	-	-	-	1	2	8	9	-		
	F	68	-	-	-	-	-	-	1	4	6	16	41	67	-	-	-	-	-	1	2	15	19	-		
19 Bronchitis	M	31	-	-	-	-	1	-	1	-	6	8	15	26	8	-	-	-	-	1	-	2	7	-		
	F	21	1	-	-	-	-	-	2	1	-	4	13	28	4	-	-	-	-	-	-	2	4	-		
20 Pneumonia	M	61	8	1	4	2	1	2	7	4	10	11	11	54	9	3	-	1	3	7	6	9	9	-		
	F	48	7	2	1	-	2	3	3	3	6	7	14	49	7	1	2	1	-	1	3	10	8	-		
21 Other respiratory	M	10	-	-	1	-	1	-	-	2	3	1	2	8	-	-	-	-	1	1	2	-	4	-		
	F	9	-	1	2	-	-	1	-	-	-	3	2	12	-	-	-	-	-	-	2	1	2	-		
22 Peptic ulcer	M	16	-	-	-	-	-	-	-	4	7	4	1	18	-	-	-	-	2	-	8	2	4	-		
	F	4	-	-	-	-	-	-	-	-	-	2	2	8	-	-	-	1	1	-	3	2	-	-		
23 Diarrhœa	M	13	9	1	1	-	-	-	-	-	-	1	-	20	18	1	-	-	-	-	-	-	1	-		
	F	12	7	1	-	-	-	-	-	1	-	1	2	16	13	-	-	-	-	-	1	-	1	-		
24 Appendicitis	M	7	-	-	1	1	1	-	-	-	3	-	1	6	-	-	-	-	1	2	1	2	-	-		
	F	9	-	-	1	1	-	1	1	-	2	1	2	7	-	-	-	2	-	-	-	2	1	-		
25 Cirrhosis of liver	M	5	-	-	-	-	-	-	-	1	1	3	-	2	-	-	-	-	-	-	2	-	-	-		
	F	5	-	-	-	-	1	-	-	1	1	2	-	4	-	-	-	-	-	4	-	-	-	-		
26 Other liver diseases	M	3	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	1	-	-	-	-		
	F	9	-	-	-	-	-	-	-	1	2	1	5	5	-	-	-	-	-	-	-	2	3	-		
27 Other digestive	M	23	3	-	-	1	-	1	1	3	5	5	4	21	3	2	-	1	-	1	2	3	6	-		
	F	21	-	-	1	-	2	1	2	1	2	4	8	17	1	-	1	-	1	-	1	6	3	-		
28 Nephritis	M	42	-	-	1	1	-	1	3	12	6	14	4	20	-	-	-	-	1	1	3	5	6	-		
	F	50	-	-	-	-	-	1	2	5	11	17	14	21	1	-	-	-	-	2	2	3	7	-		
29 Puerperal sepsis	F	3	-	-	-	-	-	2	-	1	-	-	-	3	-	-	-	-	3	-	-	-	-	-		
30 Other puerperal	F	9	-	-	-	-	-	6	3	-	-	-	-	5	-	-	-	1	3	1	-	-	-	-		
31 Congenital causes, etc.	M	42	42	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-		
	F	29	27	-	1	1	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-		
32 Senility	M	25	-	-	-	-	-	-	-	-	-	1	24	6	-	-	-	-	-	-	-	-	-	-		
	F	72	-	-	-	-	-	-	-	-	-	-	9	63	25	-	-	-	-	-	-	-	2	-		
33 Suicide	M	14	-	-	-	-	-	3	1	4	3	2	1	18	-	-	-	-	4	2	4	5	1	-		
	F	7	-	-	-	-	2	3	-	-	-	1	1	9	-	-	-	1	2	2	3	1	-	-		
34 Other violence	M	50	2	1	1	3	5	5	8	2	6	6	11	46	5	1	1	4	7	4	3	2	4	5		
	F	27	1	-	-	1	1	4	2	-	1	6	11	37	1	-	-	-	1	3	3	2	5	6		
35 Other defined causes	M	95	4	2	3	2	6	2	7	12	10	26	21	69	4	1	-	2	1	1	2	5	12	18		
	F	85	2	1	1	5	2	8	4	15	15	11	21	56	1	-	1	3	1	2	7	6	11	16		
36 Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death. first page of Table.		POPLAR.													ST. MARYLEBONE.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	887	66	2	9	23	35	52	44	99	168	195	194	533	23	2	1	8	13	21	34	62	122	147	100		
	F	701	37	6	9	19	37	27	35	58	109	199	165	561	27	2	2	3	11	23	32	51	83	141	186		
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-		
Measles	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping cough	M	4	2	-	1	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-		
	F	2	1	1	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-		
Diphtheria	M	7	-	1	3	3	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-		
	F	4	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza	M	2	-	-	-	-	-	1	-	-	-	-	1	4	-	-	-	-	-	-	1	1	1	1	1		
	F	6	-	-	1	-	-	-	1	-	1	3	-	5	-	-	-	-	-	-	2	-	2	1	1		
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cerebro-spinal fever	M	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Respiratory tuberculosis	M	68	-	-	-	-	10	17	11	17	11	1	1	40	-	-	-	-	6	7	6	11	4	5	1		
	F	49	-	-	-	1	21	12	6	4	4	1	-	23	-	-	-	3	6	3	4	3	4	-	-		
Other tuberculosis	M	4	-	-	-	-	3	-	-	1	-	-	-	6	-	-	1	1	2	2	-	-	-	-	-		
	F	9	-	2	1	1	3	1	1	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-		
Syphilis	M	8	1	-	-	-	-	1	1	2	2	-	1	1	-	-	-	-	-	-	-	1	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	1	2	1	-	-	5	-	-	-	-	-	1	1	1	1	1	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
Cancer	M	129	-	-	-	-	1	1	5	29	48	34	11	73	-	-	-	-	1	4	14	25	24	-	-		
	F	92	-	-	-	-	-	1	7	15	21	35	13	108	-	-	-	-	3	6	17	28	30	24	-		
Diabetes	M	5	-	-	-	-	-	-	-	-	-	5	-	6	-	-	-	-	-	-	-	1	2	3	-		
	F	11	-	-	-	-	-	1	1	-	5	4	-	12	-	-	-	-	-	-	1	3	7	1	-		
Cerebral hæmorrhage	M	27	-	-	-	-	-	-	-	-	6	13	8	23	-	-	-	-	-	-	3	3	13	4	-		
	F	24	-	-	-	-	-	-	-	2	7	11	4	27	-	-	-	-	-	1	2	7	6	11	-		
Heart disease	M	283	-	-	1	3	1	10	5	13	38	88	124	135	-	-	-	2	1	3	5	35	43	46	-		
	F	275	-	-	-	5	5	3	5	12	32	105	108	172	-	-	-	1	1	3	13	20	45	89	-		
Aneurysm	M	5	-	-	-	-	1	1	-	3	-	-	-	5	-	-	-	-	-	1	1	1	2	-	-		
	F	2	-	-	-	1	-	-	1	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-		
Other circulatory	M	35	-	-	-	-	-	1	2	9	8	15	28	28	-	-	-	-	-	-	2	3	16	7	-		
	F	19	-	-	-	-	-	-	3	4	7	5	40	40	-	-	-	-	-	1	1	5	14	19	-		
Bronchitis	M	46	3	-	2	-	-	-	1	7	8	18	7	12	-	-	-	-	-	2	1	1	2	6	-		
	F	20	1	-	-	-	-	-	-	1	3	7	8	7	1	-	-	-	-	-	-	1	1	4	-		
Pneumonia	M	44	11	1	1	3	3	1	3	5	8	7	1	24	-	-	-	1	-	1	5	8	5	4	-		
	F	25	8	2	1	2	-	-	-	2	2	5	3	17	2	-	-	1	-	2	1	2	4	5	-		
Other respiratory	M	8	-	-	-	1	-	-	3	3	1	-	-	9	-	-	-	-	1	-	-	3	2	3	-		
	F	6	-	-	1	-	1	-	-	-	-	1	3	3	-	-	-	-	-	-	-	-	2	1	-		
Peptic ulcer	M	12	-	-	-	-	-	2	2	2	5	1	-	10	-	-	-	-	1	-	1	5	3	-	-		
	F	6	-	-	-	-	-	1	1	2	2	-	-	6	-	-	-	-	2	1	1	1	1	1	-		
Diarrhoea	M	9	7	-	-	-	-	-	-	1	1	-	-	8	8	-	-	-	-	-	-	-	-	-	-		
	F	6	2	-	1	-	-	-	-	1	-	1	1	10	9	-	-	-	-	-	-	-	-	-	1		
Appendicitis	M	7	-	-	-	1	1	2	1	1	-	1	-	6	-	-	-	1	-	2	2	1	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-		
Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-		
	F	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
Other liver diseases	M	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	1	2	1	-		
	F	4	-	-	-	-	1	-	1	1	1	1	-	4	-	-	-	-	-	-	1	1	1	1	-		
Other digestive	M	17	1	-	-	-	1	1	-	3	5	-	6	20	1	-	-	1	1	1	5	5	5	1	-		
	F	14	1	-	-	-	-	2	3	2	3	3	3	9	-	1	-	-	1	2	1	1	2	1	-		
Nephritis	M	14	-	-	-	-	1	-	3	4	5	1	-	18	-	-	-	-	1	2	3	2	7	3	-		
	F	20	-	-	-	2	2	1	1	5	5	3	3	14	-	-	-	-	2	1	-	1	5	5	-		
Puerperal sepsis	F	5	-	-	-	-	1	4	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-		
Other puerperal	F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital causes, etc.	M	37	37	-	-	-	-	-	-	-	-	-	-	11	9	1	-	-	-	-	1	-	-	-	-		
	F	20	20	-	-	-	-	-	-	-	-	-	-	12	11	-	1	-	-	-	-	-	-	-	-		
Senility	M	4	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	-	-	1	2	-		
	F	2	-	-	-	-	-	-	-	-	-	-	2	10	-	-	-	-	-	-	-	-	3	7	-		
Suicide	M	11	-	-	-	-	3	-	1	4	1	2	5	-	-	-	-	-	2	1	1	-	1	-	-		
	F	4	-	-	-	-	2	1	-	1	-	-	6	-	-	-	-	-	4	2	-	-	-	-	-		
Other violence	M	29	1	-	1	5	7	1	3	4	4	1	2	19	2	1	-	1	2	3	1	5	1	2	-		
	F	17	1	-	-	2	-	-	4	-	3	7	7	29	1	-	1	-	2	5	2	2	6	9	-		
Other defined causes	M	61	1	-	-	6	7	9	6	2	10	10	10	49	1	-	-	3	1	1	7	3	14	10	9		
	F	52	3	1	1	5	2	3	4	5	18	5	5	30	2	-	1	1	3	1	4	4	5	6	3		
Ill-defined causes	M	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death. See first page of Table.		ST. PANCRAS.												SHOREDITCH.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	1,205	85	11	4	30	37	49	63	154	259	291	222	551	35	11	11	12	17	33	23	75	98	142	
	F	1,042	70	7	12	20	29	48	58	80	156	258	304	450	32	5	10	9	16	19	17	43	64	106	
1 Typhoid fever, etc.	M	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
4 Whooping cough	M	6	4	1	-	1	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	
	F	6	5	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
5 Diphtheria	M	2	-	-	1	1	-	-	-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-	
	F	6	-	-	1	5	-	-	-	-	-	-	-	6	-	-	4	2	-	-	-	-	-	-	
6 Influenza	M	11	-	1	-	-	2	-	-	2	1	1	4	8	-	-	-	-	1	1	-	1	3	2	
	F	2	-	-	-	-	-	-	-	-	1	1	-	6	-	-	-	-	1	-	-	3	1	-	
7 Encephalitis lethargica	M	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 Cerebro-spinal fever	M	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	88	1	-	-	1	6	12	16	21	18	11	2	44	-	-	-	-	6	9	8	13	6	2	
	F	37	-	-	1	-	12	10	4	4	2	-	4	20	-	-	-	-	7	4	3	4	2	-	
10 Other tuberculosis	M	10	1	-	1	2	2	4	-	-	-	-	-	7	-	2	3	-	-	-	-	-	-	1	
	F	4	-	-	-	2	1	1	-	-	-	-	-	5	-	-	1	-	2	-	1	1	-	-	
11 Syphilis	M	14	1	-	-	-	-	-	-	4	5	3	1	6	2	-	-	-	-	1	-	2	-	1	
	F	9	1	-	-	-	-	-	3	1	1	2	1	1	-	-	-	-	-	-	1	-	-	-	
12 Gen. paralysis of insane, etc.	M	13	-	-	-	-	-	-	2	5	5	1	-	10	-	-	-	-	-	1	2	3	4	-	
	F	3	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	
13 Cancer	M	170	-	-	-	1	-	3	7	23	64	54	18	76	-	-	-	-	-	2	4	12	19	29	
	F	156	-	-	-	1	2	5	8	20	33	51	36	71	-	-	-	-	2	-	17	16	23	-	
14 Diabetes	M	10	-	-	-	-	-	-	-	1	3	4	2	1	-	-	-	-	-	-	-	-	-	-	
	F	12	-	-	-	-	-	-	-	-	6	4	2	10	-	-	-	-	-	-	1	4	4	-	
15 Cerebral hæmorrhage	M	34	-	-	-	1	-	-	1	3	7	12	10	18	-	-	-	-	-	1	3	2	8	-	
	F	60	-	-	-	-	1	-	3	6	14	13	23	20	-	-	-	-	-	-	1	4	10	-	
16 Heart disease	M	302	-	-	-	1	6	3	4	26	73	91	98	136	-	-	-	3	3	6	1	5	18	54	
	F	305	-	-	-	1	3	8	6	18	42	90	137	122	-	-	-	2	1	3	3	6	16	34	
17 Aneurysm	M	6	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
	F	13	-	-	-	-	-	-	-	2	3	4	4	1	-	-	-	-	-	-	-	1	-	-	
18 Other circulatory	M	38	-	-	-	-	-	-	1	2	7	12	16	21	-	-	-	-	-	-	1	5	9	-	
	F	46	-	-	-	-	-	-	-	1	5	26	14	31	-	-	-	-	-	-	1	4	7	-	
19 Bronchitis	M	40	3	1	-	1	-	1	-	7	5	14	8	22	-	-	-	-	-	3	7	6	1	-	
	F	28	1	-	1	-	-	-	-	2	3	9	12	21	1	-	-	-	-	-	2	3	5	-	
20 Pneumonia	M	98	20	4	1	1	-	5	5	17	17	19	9	43	11	3	1	-	-	2	2	7	9	5	
	F	58	14	3	2	-	1	1	2	3	9	14	9	16	3	2	1	-	1	2	1	-	5	-	
21 Other respiratory	M	9	-	-	-	-	1	3	1	2	2	-	-	11	-	-	-	-	1	-	2	3	2	-	
	F	8	-	-	-	2	-	1	-	-	1	2	2	1	-	-	-	-	-	1	1	-	-	-	
22 Peptic ulcer	M	23	-	-	-	-	-	1	2	9	8	2	1	14	-	-	-	-	1	1	2	6	3	-	
	F	6	-	-	-	-	-	1	1	1	4	-	-	2	-	-	-	-	-	1	1	-	-	-	
23 Diarrhoea	M	17	15	2	-	-	-	-	-	-	-	-	-	8	6	1	-	-	-	-	-	-	1	-	
	F	18	13	3	-	-	-	-	1	1	-	-	-	3	3	-	-	-	-	-	-	-	-	-	
24 Appendicitis	M	10	-	-	-	1	1	1	1	1	4	-	1	7	-	-	2	-	1	1	1	1	-	-	
	F	7	-	-	-	-	1	2	1	1	2	-	-	3	-	-	-	-	1	1	-	1	-	-	
25 Cirrhosis of liver	M	15	-	-	-	-	-	-	4	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-	
	F	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	1	-	
26 Other liver diseases	M	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	1	-	-	1	1	-	
	F	8	-	-	-	-	-	-	-	1	2	1	4	2	-	-	-	-	1	-	-	-	-	-	
27 Other digestive	M	21	-	-	-	3	-	-	2	1	5	8	2	11	1	1	-	-	1	1	1	2	2	-	
	F	25	-	1	-	1	-	3	2	5	4	8	1	8	1	-	1	-	-	-	-	-	4	-	
28 Nephritis	M	34	-	-	-	-	-	-	1	4	9	12	8	22	-	-	-	-	1	1	-	6	5	5	
	F	26	-	-	-	-	-	2	1	2	3	10	8	14	-	-	-	2	1	1	1	2	4	-	
29 Puerperal sepsis	F	5	-	-	-	-	1	2	2	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	
30 Other puerperal	F	7	-	-	-	-	1	1	5	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	
31 Congenital causes, etc.	M	34	33	-	-	-	-	-	1	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	
	F	31	31	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	
32 Senility	M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	21	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	
33 Suicide	M	23	-	-	-	-	1	4	2	5	5	4	2	3	-	-	-	-	-	-	2	-	1	-	
	F	14	-	-	-	-	2	2	2	2	6	2	-	8	-	-	-	1	2	-	-	1	-	-	
34 Other violence	M	49	-	-	1	7	6	7	7	4	7	4	4	24	1	1	2	2	3	4	-	2	3	3	
	F	34	1	-	-	3	2	3	3	2	3	4	13	14	-	-	2	2	1	-	-	-	-	4	
35 Other defined causes	M	99	7	2	-	9	10	4	4	8	12	26	17	33	-	-	1	6	1	1	5	6	8	-	
	F	80	4	-	4	4	4	7	12	7	10	14	14	33	5	2	1	-	1	2	5	6	4	-	
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	

Causes of Death. first page of Table.		SOUTHWARK.												STEPNEY.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,082	87	12	13	23	25	42	49	145	225	263	198	1,290	119	11	15	14	47	51	64	143	288	317	221
	F	855	65	14	6	15	33	29	43	74	123	211	242	1,103	67	20	10	36	40	41	51	95	201	290	252
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	7	2	5	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
	F	8	4	4	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-
Diphtheria	M	7	-	1	1	5	-	-	-	-	-	-	-	6	1	1	3	1	-	-	-	-	-	-	-
	F	7	-	2	3	2	-	-	-	-	-	-	-	10	1	1	5	3	-	-	-	-	-	-	-
Influenza	M	10	-	-	1	1	1	2	-	4	-	1	-	5	1	-	-	-	-	-	-	-	2	2	-
	F	3	-	-	-	-	-	-	-	1	-	1	1	9	-	-	-	-	-	-	-	-	4	5	-
Encephalitis lethargica	M	3	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cerebro-spinal fever	M	4	1	1	1	1	-	-	-	-	-	-	-	4	2	-	1	-	-	-	-	-	1	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Respiratory tuberculosis	M	87	1	-	1	1	9	11	11	17	28	7	1	99	-	-	-	1	13	12	12	22	26	12	1
	F	43	-	-	-	-	10	8	10	5	6	4	-	48	-	-	-	4	17	9	5	4	2	4	3
Other tuberculosis	M	10	2	2	1	1	2	-	2	-	-	-	-	8	2	-	-	1	3	-	-	-	1	-	-
	F	6	1	-	-	1	1	1	-	-	2	-	-	15	1	1	1	5	4	2	-	1	-	-	-
Syphilis	M	8	2	-	-	-	-	-	-	3	1	1	1	8	1	-	-	-	-	-	-	5	1	1	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Gen. paralysis of insane, etc.	M	9	-	-	-	-	-	-	1	4	3	1	-	17	-	-	-	-	1	2	4	5	3	2	-
	F	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	2	-	-	-	-
Cancer	M	150	-	-	-	-	-	4	4	26	44	52	20	177	-	-	-	-	4	8	27	53	60	25	-
	F	134	-	-	-	1	1	1	10	29	30	34	28	156	-	-	-	1	-	3	6	31	46	24	-
Diabetes	M	6	-	-	-	-	1	-	-	-	2	1	2	23	-	-	-	-	1	-	-	12	9	1	-
	F	15	-	-	-	-	1	-	-	-	3	8	3	38	-	-	-	-	1	1	4	14	16	2	-
Cerebral haemorrhage	M	35	-	-	-	-	-	-	1	2	13	14	5	28	-	-	-	-	-	-	2	7	11	8	-
	F	49	-	-	-	-	-	1	2	1	15	17	13	31	-	-	-	-	-	1	2	7	16	5	-
Heart disease	M	267	-	-	-	1	1	5	7	24	42	93	94	337	-	-	-	2	3	9	10	25	77	109	102
	F	246	-	-	-	2	6	3	8	10	29	73	115	367	-	-	-	4	6	10	12	21	60	121	133
Aneurysm	M	6	-	-	-	-	-	-	-	-	-	5	1	11	-	-	-	-	1	2	2	3	2	1	-
	F	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	1	-	-	-	1	2	1	-
Other circulatory	M	38	-	-	-	-	-	-	-	2	9	11	16	51	-	-	-	-	-	-	-	3	7	24	17
	F	32	-	-	-	-	-	-	-	1	4	11	16	45	-	-	-	-	-	-	-	3	11	18	13
Bronchitis	M	39	3	-	-	1	1	1	2	8	9	10	4	54	5	-	-	1	-	1	2	9	14	12	10
	F	24	2	1	-	-	-	-	-	1	1	5	14	24	3	-	-	-	1	-	2	3	7	2	6
Pneumonia	M	83	28	1	1	-	1	1	2	15	14	13	7	87	14	4	2	1	1	1	7	17	18	11	11
	F	67	15	5	1	2	4	-	3	5	5	15	12	76	17	7	-	-	1	-	2	1	14	18	16
Other respiratory	M	10	-	-	-	-	-	2	-	3	3	2	-	12	1	1	2	1	1	-	2	-	2	-	-
	F	3	-	-	-	-	-	-	-	1	-	2	-	8	-	2	-	-	-	1	1	-	1	2	1
Peptic ulcer	M	23	-	-	-	-	-	3	4	5	7	4	-	21	-	-	-	-	-	1	5	3	9	3	-
	F	5	-	-	-	-	-	-	-	1	1	3	-	8	-	-	-	-	-	1	-	1	2	3	1
Diarrhoea	M	16	12	2	1	-	-	-	-	-	-	1	-	37	32	-	-	-	3	-	-	1	-	1	-
	F	12	11	-	-	-	-	-	1	-	-	-	-	17	10	2	-	-	3	-	1	-	-	-	-
Appendicitis	M	5	-	-	-	2	-	-	-	1	-	1	-	10	-	-	2	-	2	1	3	1	-	1	-
	F	4	-	-	-	-	2	-	-	-	1	1	-	5	-	-	-	1	-	1	1	-	1	-	-
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-
	F	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Other liver diseases	M	4	-	-	-	-	-	-	-	1	-	2	1	6	-	-	-	-	-	-	-	1	2	1	2
	F	5	-	-	-	-	-	-	-	1	2	1	1	8	-	-	-	-	-	-	-	1	2	2	3
Other digestive	M	25	1	-	2	1	2	2	3	3	6	2	3	25	3	-	-	-	2	2	-	1	8	5	4
	F	17	1	-	-	-	-	-	1	4	2	3	6	19	1	2	-	1	-	2	3	-	4	4	2
Nephritis	M	47	-	-	-	1	-	-	-	4	11	18	13	40	1	-	-	1	2	1	1	4	7	11	12
	F	46	-	-	-	-	1	1	-	5	5	18	16	43	-	-	1	-	-	1	-	3	12	15	11
Puerperal sepsis	F	2	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Other puerperal	F	5	-	-	-	-	-	4	1	-	-	-	-	3	-	-	-	-	1	2	-	-	-		

TABLE 24—contd. Metropolitan Boroughs.

Causes of Death. See first page of Table.		STOKE NEWINGTON.														WANDSWORTH.													
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-					
All Causes	M	268	21	4	-	5	-	15	23	24	50	72	54	1,802	127	13	15	21	55	82	82	204	355	453					
	F	289	15	-	2	2	9	15	18	29	41	66	92	1,984	81	9	14	39	71	76	97	161	295	471					
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-						
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-						
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-						
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	8	5	-	3	-	-	-	-	-	-						
5 Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	5	-	1	2	1	-	-	-	-	1						
	F	-	-	-	-	-	-	-	-	-	-	-	-	9	-	1	1	7	-	-	-	-	-						
6 Influenza	M	3	-	-	-	-	-	-	1	-	1	-	1	23	-	-	-	1	-	2	1	2	6						
	F	2	-	-	1	-	-	-	1	-	-	-	-	24	-	-	-	1	1	2	1	2	3						
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-						
	F	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	1	-	1	-	1						
8 Cerebro-spinal fever	M	1	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-						
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-						
9 Respiratory tuberculosis	M	15	-	-	-	-	-	6	3	2	2	2	-	113	-	-	-	1	17	28	15	25	22						
	F	19	-	-	-	-	2	7	4	1	2	2	1	104	-	-	-	4	38	26	21	7	5						
10 Other tuberculosis	M	4	-	1	-	-	-	2	1	-	-	-	-	12	1	1	1	2	4	2	-	-	1						
	F	1	-	-	-	-	1	-	-	-	-	-	-	20	1	1	2	4	5	3	1	1	1						
11 Syphilis	M	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	2	2	1						
	F	3	-	-	-	-	-	-	1	-	1	1	-	3	1	-	-	1	-	-	1	-	-						
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	1	-	-	-	-	16	-	-	-	-	-	2	6	2	5						
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1						
13 Cancer	M	42	1	-	-	-	-	1	3	3	13	18	3	273	-	-	-	-	1	6	10	39	80						
	F	41	-	-	-	-	-	1	4	8	7	13	8	298	-	-	-	-	1	7	16	42	94						
14 Diabetes	M	1	-	-	-	-	-	-	-	-	-	1	-	21	-	-	-	-	-	1	3	4	9						
	F	7	-	-	-	-	-	-	-	-	3	3	1	24	-	-	-	-	-	-	1	5	12						
15 Cerebral hæmorrhage	M	7	-	-	-	-	-	-	-	1	2	2	2	45	-	-	-	-	-	1	4	8	16						
	F	13	-	-	-	-	-	-	1	3	-	5	4	59	-	-	-	1	-	-	3	7	17						
16 Heart disease	M	66	-	-	1	-	1	2	8	7	20	27	27	483	-	-	-	2	5	5	11	39	86						
	F	86	-	-	-	4	3	2	4	10	19	44	44	638	-	-	-	2	9	7	7	30	59						
17 Aneurysm	M	3	-	-	-	-	-	-	-	-	3	-	-	11	-	-	-	-	1	-	1	3	4						
	F	1	-	-	-	-	-	-	-	-	-	1	-	13	-	-	-	-	-	3	4	4							
18 Other circulatory	M	19	-	-	-	-	-	-	-	2	5	5	7	80	-	-	-	-	-	2	3	16	32						
	F	23	-	-	-	-	-	-	-	1	5	7	10	117	-	-	1	-	-	1	9	17	39						
19 Bronchitis	M	8	-	-	-	-	-	-	-	1	2	2	3	73	8	-	-	-	-	1	4	7	14						
	F	6	-	-	-	-	-	-	-	-	-	2	4	55	1	1	-	-	-	2	3	8							
20 Pneumonia	M	27	5	3	-	-	-	6	2	7	3	1	-	89	17	2	3	-	3	2	9	9	16						
	F	17	4	-	-	-	-	2	4	2	1	4	4	88	12	2	2	3	2	3	3	9	14						
21 Other respiratory	M	1	-	-	-	-	-	-	-	-	1	-	-	12	-	-	-	-	1	1	-	5	2						
	F	3	-	-	-	1	-	-	-	-	1	1	-	17	-	-	-	-	2	3	2	2							
22 Peptic ulcer	M	4	-	-	-	-	-	-	2	1	1	-	-	23	-	-	-	-	-	1	11	3							
	F	2	-	-	-	-	-	-	-	-	-	2	-	7	-	-	-	-	-	1	2	3							
23 Diarrhœa	M	1	1	-	-	-	-	-	-	-	-	-	-	25	17	2	1	-	-	2	1	1							
	F	3	3	-	-	-	-	-	-	-	-	-	-	27	17	1	1	1	-	5	1	1							
24 Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-	-	15	-	1	2	-	2	1	3	6							
	F	2	-	-	-	2	-	-	-	-	-	-	-	15	-	-	-	1	1	2	2	5							
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	2	2	2							
	F	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	3	3							
26 Other liver diseases	M	1	-	-	-	-	-	1	-	-	-	-	-	8	-	-	-	-	-	-	1	2							
	F	2	-	-	-	-	-	-	-	2	-	-	-	19	-	-	-	-	-	2	3	5							
27 Other digestive	M	5	-	-	-	-	-	-	-	-	3	1	1	35	5	1	-	2	-	2	1	5							
	F	1	-	-	-	-	-	-	-	1	-	-	-	46	1	1	1	1	-	1	3	8							
28 Nephritis	M	7	-	-	-	-	2	2	1	1	1	1	-	74	-	-	-	-	5	2	5	7							
	F	10	-	-	-	-	-	-	1	2	3	4	4	74	-	-	-	-	3	1	6	10							
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	3	2	-	-							
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	2	2	-	-							
31 Congenital causes, etc.	M	13	13	-	-	-	-	-	-	-	-	-	-	68	65	1	1	-	-	-	-	1							
	F	8	8	-	-	-	-	-	-	-	-	-	-	37	35	-	1	-	-	1	-	-							
32 Senility	M	2	-	-	-	-	-	-	-	-	-	1	1	19	-	-	-	-	-	-	-	-							
	F	3	-	-	-	-	-	-	-	-	-	1	2	52	-	-	-	-	-	-	-	-							
33 Suicide	M	6	-	-	-	-	-	-	1	-	3	1	1	24	-	-	-	-	1	4	1	4							
	F	3	-	-	-	-	-	1	-	-	1	1	-	16	-	-	-	-	1	2	5								
34 Other violence	M	7	-	-	2	-	1	-	-	-	2	1	1	81	4	2	-	4	10	13	6	9							
	F	5	-	-	-	-	1	-	-	-	-	-	4	58															

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death. first page of Table.		WESTMINSTER.													WOOLWICH.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	754	49	2	3	5	17	28	43	77	171	200	159	791	50	1	4	14	39	45	41	77	153	197	170		
	F	697	28	3	6	5	17	26	33	65	126	159	229	709	41	9	9	20	24	38	42	59	111	150	206		
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—		
Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Diphtheria	M	3	—	—	2	—	—	—	—	1	—	—	—	4	—	—	2	2	—	—	—	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	—	—	—	9	—	2	1	6	—	—	—	—	—	—	—		
Influenza	M	6	—	—	—	—	—	—	1	3	—	1	1	9	—	—	—	—	2	—	—	1	3	2	1		
	F	10	—	—	—	—	—	1	—	—	4	1	4	14	—	—	—	—	2	2	2	2	3	3	3		
Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	3	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Respiratory tuberculosis	M	49	—	—	—	—	5	11	9	8	11	5	—	81	—	—	—	1	12	17	15	14	13	6	3		
	F	15	—	—	—	1	4	3	4	2	—	—	1	40	—	—	—	—	14	9	10	3	3	1	—		
Other tuberculosis	M	4	—	—	—	—	—	1	1	—	—	—	1	8	—	—	—	—	3	2	—	1	2	—	—		
	F	2	—	—	—	—	1	—	—	—	—	1	—	7	1	—	2	2	—	1	1	—	—	—	—		
Syphilis	M	2	—	—	—	—	—	—	1	—	1	—	—	4	—	—	—	—	—	—	1	2	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—		
Gen. paralysis of insane, etc.	M	6	—	—	—	—	—	—	1	2	2	1	—	7	—	—	—	—	1	1	3	2	—	—	—		
	F	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Cancer	M	107	—	—	—	—	1	1	6	10	34	37	18	106	—	—	—	2	2	4	5	7	22	52	12		
	F	109	—	—	—	—	—	1	5	22	30	31	20	107	—	—	—	—	1	1	9	18	30	22	26		
Diabetes	M	7	—	—	—	—	—	—	—	—	1	4	2	7	—	—	—	—	—	1	—	—	1	5	—		
	F	12	—	—	—	—	1	—	—	1	1	6	3	8	—	—	—	—	1	—	—	2	5	—	—		
Cerebral hæmorrhage	M	27	—	—	—	—	—	—	2	3	6	8	8	30	—	—	—	—	—	—	2	11	9	8			
	F	42	—	—	—	—	1	1	—	3	11	13	13	46	—	—	—	—	—	1	2	13	16	14			
Heart disease	M	217	—	—	—	—	1	1	7	17	52	72	67	173	—	—	—	—	3	1	7	14	35	52	61		
	F	198	—	—	1	—	3	1	7	11	26	49	100	189	—	—	—	2	—	7	5	5	28	56	86		
Aneurysm	M	6	—	—	—	—	—	—	—	2	—	2	2	6	—	—	—	—	—	—	2	2	2	—	—		
	F	5	—	—	—	—	—	—	1	1	1	1	1	4	—	—	—	—	—	—	1	1	1	1	1		
Other circulatory	M	31	—	—	—	—	—	—	2	1	4	13	11	19	—	—	—	—	—	—	—	4	7	8	8		
	F	36	—	—	—	—	—	—	—	—	3	15	18	24	—	—	—	—	—	—	1	2	7	14	14		
Bronchitis	M	20	1	—	—	—	—	—	1	—	4	9	5	24	—	—	—	—	—	—	2	6	8	8			
	F	25	—	1	—	—	—	—	—	—	4	4	16	21	1	—	1	—	1	—	1	2	6	9	9		
Pneumonia	M	46	9	2	—	—	—	—	—	8	12	9	6	54	12	—	2	1	—	3	5	10	9	5	7		
	F	41	4	—	3	—	1	2	3	3	9	3	13	30	8	3	3	—	—	1	—	5	2	4	4		
Other respiratory	M	6	—	—	—	—	1	—	—	—	3	1	1	10	1	—	—	—	—	1	2	1	1	4	4		
	F	6	—	—	—	—	—	—	—	1	2	2	1	5	—	—	—	—	—	1	—	—	2	2	2		
Peptic ulcer	M	21	—	—	—	—	—	—	—	4	9	4	4	17	—	—	—	—	2	—	2	7	6	—	—		
	F	6	—	—	—	—	—	1	—	2	1	1	1	1	—	—	—	—	—	—	—	—	1	—	—		
Diarrhoea	M	6	6	—	—	—	—	—	—	—	—	—	—	11	7	—	—	—	—	—	—	—	5	1	1		
	F	6	5	—	—	—	—	1	—	—	—	—	—	10	7	1	—	—	2	—	—	—	—	—	—		
Appendicitis	M	8	—	—	—	—	1	1	1	—	2	1	2	2	—	—	—	1	—	1	—	—	—	—	—		
	F	6	—	—	—	1	1	—	1	—	2	1	—	5	—	—	—	1	1	—	1	1	—	1	1		
Cirrhosis of liver	M	5	—	—	—	—	—	—	—	—	2	2	1	2	—	—	—	—	1	—	—	—	—	1	1		
	F	5	—	—	—	—	—	—	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other liver diseases	M	5	—	—	—	—	—	1	—	1	1	1	1	1	—	—	—	—	—	—	—	—	—	1	1		
	F	6	—	—	—	—	—	—	—	—	6	—	—	6	—	—	—	—	1	—	1	2	1	1	1		
Other digestive	M	10	1	—	—	—	1	—	1	2	1	4	—	21	1	—	—	2	1	—	2	6	5	4	4		
	F	23	—	—	—	—	—	2	1	5	3	7	5	18</													

Causes of Death. <i>See first page of Table.</i>		BARNSELY.													BARROW-IN-FURNESS.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	424	43	7	10	13	14	17	34	47	79	103	57	452	33	6	1	13	26	21	18	64	86	103			
	F	385	31	5	5	17	20	19	25	35	59	92	77	391	28	4	9	7	19	17	17	31	65	88			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
4 Whooping cough	M	3	2	-	1	-	-	-	-	-	-	-	-	3	-	2	-	1	-	-	-	-	-	-			
	F	2	2	-	-	-	-	-	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	-			
5 Diphtheria	M	3	-	-	1	-	-	-	1	-	1	-	-	2	-	-	-	2	-	-	-	-	-	-			
	F	4	-	-	-	4	-	-	-	-	-	-	-	5	-	-	1	3	1	-	-	-	-	-			
6 Influenza	M	6	1	-	-	-	-	-	-	2	3	-	-	11	-	-	-	-	-	1	1	4	2	2			
	F	7	-	-	-	-	-	-	1	1	3	1	1	11	-	-	-	-	2	2	-	4	1	1			
7 Encephalitis lethargica	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
8 Cerebro-spinal fever	M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	23	-	-	-	-	5	3	5	4	6	-	-	26	-	-	-	-	7	8	3	5	1	2			
	F	14	-	-	-	-	5	6	2	1	-	-	-	21	-	-	-	-	8	5	2	4	-	2			
10 Other tuberculosis	M	4	-	-	1	-	2	1	-	-	-	-	-	11	-	1	-	4	5	-	1	-	-	-			
	F	6	-	-	-	1	3	1	-	1	-	-	-	3	-	-	-	1	1	1	-	-	-	-			
11 Syphilis	M	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	1	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	1	1	-	2			
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
13 Cancer	M	46	-	-	-	-	-	2	4	8	10	18	4	56	-	-	-	-	-	1	2	9	21	17			
	F	60	-	-	-	-	1	1	5	16	16	14	7	39	-	-	-	-	-	1	2	6	13	10			
14 Diabetes	M	7	-	-	-	-	2	-	-	2	-	3	-	4	-	-	-	-	2	-	-	-	-	-			
	F	13	-	-	-	2	-	-	-	-	4	5	2	2	-	-	-	-	-	1	-	-	-	1			
15 Cerebral hæmorrhage	M	30	-	-	-	-	-	1	3	2	6	13	5	23	-	-	-	-	-	-	-	3	5	10			
	F	18	-	-	-	-	-	1	-	1	2	8	6	27	-	-	-	-	-	-	-	2	7	9			
16 Heart disease	M	87	-	-	-	1	-	2	6	9	18	31	20	96	-	-	-	1	3	-	-	10	22	36			
	F	98	-	-	-	-	3	1	4	5	14	42	29	112	-	-	-	1	1	4	-	8	20	38			
17 Aneurysm	M	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-			
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
18 Other circulatory	M	29	-	-	-	-	-	-	-	2	5	14	8	30	-	-	-	-	-	-	-	2	5	11			
	F	16	-	-	-	-	-	-	-	1	4	2	9	21	-	-	-	-	-	-	-	-	4	7			
19 Bronchitis	M	19	5	3	-	-	-	-	-	1	2	5	3	23	3	-	-	-	-	-	-	5	3	3			
	F	17	2	1	1	-	-	-	1	1	1	3	7	30	-	-	-	1	-	-	-	1	3	9			
20 Pneumonia	M	32	9	2	3	3	3	-	-	3	2	7	-	33	5	2	-	-	2	5	3	4	4	6			
	F	21	5	4	2	1	1	-	2	1	2	3	-	10	2	2	2	-	-	-	1	2	-	-			
21 Other respiratory	M	5	-	-	-	1	-	-	-	1	3	-	-	9	-	-	-	-	-	1	2	3	1	-			
	F	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-			
22 Peptic ulcer	M	9	-	-	-	-	-	-	2	3	4	-	-	7	-	-	-	-	-	-	-	5	1	1			
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
23 Diarrhoea	M	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-			
	F	2	2	-	-	-	-	-	-	-	-	-	-	6	4	-	-	-	-	-	-	-	-	-			
24 Appendicitis	M	1	-	-	-	1	-	-	-	-	-	-	-	4	1	-	-	2	-	-	-	1	-	-			
	F	2	-	-	-	-	1	-	-	-	1	-	-	5	-	-	-	-	1	-	3	-	-	1			
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-			
26 Other liver diseases	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	3	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
27 Other digestive	M	4	1	1	-	-	-	-	2	-	-	-	-	4	-	-	-	1	-	-	-	1	1	-			
	F	7	-	-	-	1	-	-	1	-	1	2	2	6	-	-	-	-	1	-	1	2	2	1			
28 Nephritis	M	15	-	-	-	-	-	-	1	1	3	6	3	11	-	-	-	-	-	1	1	3	2	3			
	F	13	-	-	-	1	1	1	-	2	2	5	1	9	-	-	-	-	1	-	1	2	2	3			
29 Puerperal sepsis	F	3	-	-	-	-	-	1	2	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-			
30 Other puerperal	F	1	-	-	-	-	-	1	-	-	-	-	-	5	-	-	-	-	1	1	3	-	-	-			
31 Congenital causes, etc.	M	21	19	-	2	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-			
	F	18	18	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-			
32 Senility	M	10	-	-	-	-	-	-	-	-	-	-	2	14	-	-	-	-	-	-	-	-	-	1			
	F	11	-	-	-	-	-	-	-	-	-	-	4	20	-	-	-	-	-	-	-	-	-	2			
33 Suicide	M	6	-	-	-	-	-	-																			

TABLE 24—*contd.* County Boroughs.

Causes of Death. first page of Table.		BATH.												BIRKENHEAD.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	395	14	1	3	7	12	14	17	32	71	103	121	988	93	24	11	34	33	53	56	128	194	193	169
	F	566	13	-	7	3	7	12	17	32	66	134	275	878	79	20	12	23	28	41	44	83	121	199	228
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	1	3	-	-	-	-	-	-	-
	F	2	-	-	1	1	-	-	-	-	-	-	-	9	-	2	1	4	-	1	-	-	1	-	-
Influenza	M	5	-	-	-	-	-	-	2	-	-	1	2	16	-	-	-	-	2	1	3	2	2	3	3
	F	5	-	-	1	-	-	-	1	-	1	1	1	13	-	-	-	1	-	-	-	1	3	1	7
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	1	-	2	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	16	-	-	-	-	2	5	3	5	1	-	-	68	-	-	-	-	8	16	13	13	12	5	1
	F	19	-	-	-	-	4	4	4	1	3	1	2	25	-	-	-	-	4	9	6	3	2	1	-
Other tuberculosis	M	3	-	-	1	-	2	-	-	-	-	-	-	9	-	2	-	4	1	1	-	1	-	-	-
	F	3	-	-	-	-	-	-	1	-	2	-	-	8	-	-	1	2	3	2	-	-	-	-	-
Syphilis	M	3	-	-	-	-	-	-	1	-	1	1	-	3	2	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	-	1	2	-	1	11	-	-	-	-	-	1	3	6	1	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Cancer	M	70	-	-	-	1	1	2	1	4	10	26	25	118	-	-	-	2	-	1	4	18	31	38	24
	F	85	-	-	-	-	-	2	3	6	13	34	27	117	-	-	-	-	1	1	8	19	34	36	18
Diabetes	M	7	-	-	-	-	-	-	1	1	-	4	1	3	-	-	-	-	-	-	-	1	2	-	-
	F	10	-	-	-	-	-	-	-	-	1	6	3	11	-	-	-	-	1	-	1	5	4	-	-
Cerebral hæmorrhage	M	21	-	-	-	-	-	-	-	2	6	5	8	34	-	-	-	-	-	1	3	11	12	7	7
	F	23	-	-	-	-	-	-	-	2	-	4	17	49	-	-	-	-	-	1	10	10	15	13	13
Heart disease	M	87	-	-	1	-	-	-	2	8	16	23	37	192	-	-	-	3	2	4	10	24	35	54	60
	F	173	-	-	-	-	-	-	1	6	16	44	106	203	-	-	-	2	2	8	5	12	29	55	90
Aneurysm	M	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	2	2	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Other circulatory	M	15	-	-	-	-	-	-	-	5	5	5	5	61	-	-	-	-	-	1	5	15	17	23	23
	F	29	-	-	-	-	-	-	1	3	9	16	16	59	-	-	-	-	-	-	4	7	26	22	22
Bronchitis	M	14	-	-	-	-	1	-	-	-	2	4	7	30	4	-	-	-	-	-	2	4	3	9	8
	F	16	-	-	-	-	-	-	1	-	-	2	13	24	3	-	-	-	-	1	-	4	4	12	12
Pneumonia	M	35	3	1	1	1	-	-	5	3	6	4	11	84	21	10	2	6	3	6	5	13	7	8	3
	F	29	2	-	2	-	-	1	-	2	4	5	13	87	21	11	8	4	2	1	6	3	4	13	14
Other respiratory	M	3	-	-	-	-	-	-	1	-	1	1	1	13	1	-	-	1	-	1	-	3	6	-	1
	F	8	-	-	-	1	-	-	1	1	1	4	4	9	-	1	-	-	2	1	1	1	2	1	1
Peptic ulcer	M	4	-	-	-	-	-	-	1	-	-	1	2	14	-	-	-	-	2	-	3	6	2	-	1
	F	4	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-	-	-	-	-	2	-	-	-
Diarrhœa	M	4	2	-	1	-	-	1	-	-	-	-	-	11	8	1	-	-	-	-	-	1	1	-	-
	F	2	1	-	-	-	-	-	-	-	-	1	-	6	4	1	-	-	-	-	-	-	-	-	-
Appendicitis	M	2	-	-	-	-	-	-	-	1	1	-	-	12	-	-	2	2	2	-	1	3	2	-	-
	F	3	-	-	-	-	-	-	2	-	-	-	1	4	-	-	-	-	1	-	3	-	-	-	-
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	2	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	2	-	-
Other liver diseases	M	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-
	F	4	-	-	-	-	1	-	-	1	-	-	2	8	-	-	-	-	-	-	1	3	1	3	3
Other digestive	M	10	-	-	-	-	-	-	1	2	6	1	1	20	1	1	1	3	-	2	1	3	2	4	2
	F	11	-	-	1	-	-	1	-	1	3	3	2	19	1	-	1	2	2	3	1	2	3	4	4
Nephritis	M	14	-	-	-	-	1	-	-	2	7	2	4	51	-	-	-	-	2	3	2	4	16	14	10
	F	30	-	-	-	-	-	-	1	5	5	19	19	28	-	-	-	-	2	1	5	2	10	8	8
Puerperal sepsis	F	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	-
Other puerperal	F	2	-	-	-	-	-	1	1	-	-	-	-	10	-	-	-	-	4	5	1	-	-	-	-
Congenital causes, etc.	M	6	6	-	-	-	-	-	-	-	-	-	-	47	46	-	1	-	-	-	-	-	-	-	-
	F	9	9	-	-	-	-	-	-	-	-	-	-	48	46	-	-	1	-	-	-	-	-	-	-
Senility	M	4	-	-	-	-	-	-	-	-	-	4	-	13	-	-	-	-	-	-	-	-	4	9	9
	F	18	-	-	-	-	-	-	-	-	-	1	17	19	-	-	-	-	-	-	-	-	3	16	16
Suicide	M	9	-	-	-	-	3	-	1	5	-	-	-	7	-	-	-	-	1	-	3	2	1	-	-
	F	6	-	-	-	-	3	-	1	-	2	-	-	5	-	-	-	-	-	1	3	1	-	-	-
Other violence	M	20	2	-	4	1	1	1	1	3	3	1	1	52	3	3	2	2	5	10	6	4	6	3	8
	F	15	-	2	1	1	1	-	1	2	1	6	6	31	-	1	-	1	4	-	1	4	1	6	13
Other defined causes	M	35	1	-	-	2	1	-	3	8	10	10	10	89	3	3	-	6	7	4	6	14	24	13	9
	F	57	1	-	-	2	1	1	6	10	12	24	24	70	2	2	-	7	3	6	6	11	10	16	7
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 24—contd. County Boroughs.

Causes of Death. See first page of Table.		BIRMINGHAM.													BLACKBURN.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes		M F	5,804 5,419	573 453	72 60	82 84	135 130	196 184	285 242	352 335	691 511	1136 802	1309 1243	973 1375	890 838	60 30	5 10	18 14	24 17	28 19	29 31	58 49	92 73	157 155	261 227	157 210	
1	Typhoid fever, etc.	M F	2 1	- -	- -	- -	1 1	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
2	Measles	M F	29 23	7 4	14 8	5 8	3 3	- -	- -	- -	- -	- -	- -	- -	6 2	1 -	2 -	3 1	- 1	- -	- -	- -	- -	- -	- -	- -	
3	Scarlet fever	M F	6 7	- 1	- -	2 3	3 1	1 1	- 1	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	
4	Whooping cough	M F	34 32	13 13	7 7	12 12	2 -	- -	- -	- -	- -	- -	- -	- -	5 3	3 -	- 2	2 1	- -	- -	- -	- -	- -	- -	- -	- -	
5	Diphtheria	M F	40 43	3 1	1 2	7 12	27 26	2 2	- 3	- 4	- 6	- 20	- 13	- 10	13 11	- 1	- 2	6 4	7 5	- -	- 2	- 2	- 2	- 3	- 1	- 6	
6	Influenza	M F	81 72	1 4	1 -	- 1	- 1	3 -	4 6	6 3	20 10	20 15	13 13	10 19	18 25	1 1	- -	- -	1 1	- -	- 3	2 1	3 7	6 5	- -	- -	
7	Encephalitis lethargica	M F	12 11	- -	- -	- -	- -	3 1	1 3	- 2	2 5	3 -	- -	- -	5 3	- -	- -	- -	1 -	2 -	- -	1 -	- 2	- -	- -		
8	Cerebro-spinal fever	M F	8 6	5 1	1 2	1 2	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
9	Respiratory tuberculosis	M F	438 291	1 3	2 2	1 -	6 7	64 84	78 75	94 52	89 39	70 20	30 9	3 2	46 31	- -	- -	- -	- -	7 9	8 14	11 5	14 1	5 2	1 -	- -	
10	Other tuberculosis	M F	44 44	4 3	2 3	10 5	10 16	4 2	3 3	2 4	4 -	4 6	- 2	1 -	8 11	- 2	- -	- -	5 3	- 1	1 1	1 1	2 2	1 1	- -	- -	
11	Syphilis	M F	44 19	1 3	1 -	- 1	- 1	- -	6 3	18 7	8 1	7 3	2 -	5 -	3 -	1 -	- -	- -	- -	- -	1 -	- -	- -	1 -	- -	- -	
12	Gen. paralysis of insane, etc.	M F	27 11	- -	- -	- -	- -	- -	1 4	6 6	9 -	7 1	3 -	1 -	6 -	- -	- -	- -	- -	- -	- -	1 -	3 -	1 -	- -	- -	
13	Cancer	M F	780 787	- -	- -	1 1	2 2	4 3	15 11	43 87	115 137	250 196	250 210	100 140	97 99	- -	- -	- -	- 1	- 2	1 4	9 20	31 30	37 29	1 1		
14	Diabetes	M F	62 93	- -	- -	- -	1 -	- 1	1 -	2 1	5 9	14 23	29 42	10 17	12 16	- -	- -	- -	- 2	1 1	2 2	1 1	2 1	5 4	- -	- -	
15	Cerebral hæmorrhage	M F	245 300	- -	- -	- -	- -	- 3	3 1	14 2	51 24	107 48	67 103	31 122	31 54	- -	- -	- 1	- -	- -	2 7	3 11	8 17	11 17	1 4		
16	Heart disease	M F	1,272 1,388	- -	- -	- 1	2 7	21 19	29 37	28 44	119 98	273 215	422 421	378 546	170 246	- -	- -	- -	3 2	4 4	1 5	4 18	13 40	36 89	66 89	4 8	
17	Aneurysm	M F	34 18	1 -	- -	- -	- 2	- 2	2 2	8 5	9 6	8 1	4 -	3 -	- -	- -	- -	- -	- -	1 -	- -	- -	1 -	1 -	- -	- -	
18	Other circulatory	M F	225 250	- -	- -	- -	- -	- -	3 2	3 2	12 12	49 36	76 89	82 111	74 42	- -	1 -	- -	- -	- -	1 1	2 -	11 8	39 15	2 1		
19	Bronchitis	M F	184 147	8 5	1 1	2 -	- -	1 -	6 -	2 3	21 10	28 11	52 38	63 79	36 30	5 1	1 1	- -	- -	1 1	5 1	4 1	4 5	9 12	- -		
20	Pneumonia	M F	482 270	95 51	22 18	12 8	7 7	14 12	24 18	52 22	78 36	86 59	61 32	31 32	73 40	10 5	1 2	3 1	1 1	3 -	6 2	10 7	13 2	6 10	14 7		
21	Other respiratory	M F	47 40	3 1	2 1	- 2	1 1	5 3	2 1	9 4	13 7	7 9	5 10	6 7	- -	- -	- -	- -	- 1	1 -	2 -	- 1	1 4	2 3	- -		
22	Peptic ulcer	M F	88 35	- -	- -	- -	2 2	5 -	13 4	23 4	27 8	11 13	7 4	17 3	- -	- -	- -	- -	- -	1 1	9 -	4 1	3 1	- -	- -		
23	Diarrhoea	M F	91 76	71 48	4 4	2 3	- 1	- 1	3 4	1 4	5 1	1 3	2 2	2 5	2 4	1 3	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	
24	Appendicitis	M F	35 37	- -	- -	4 4	4 6	3 3	3 3	4 3	7 4	6 5	4 6	- 3	6 3	- -	- -	1 -	2 -	- 1	2 -	- -	- 2	- -	- -		
25	Cirrhosis of liver	M F	27 12	- -	- -	- -	- 1	- -	- -	- -	7 4	11 3	8 4	1 -	3 -	- -	- -	- -	- -	- -	1 -	- -	1 -	1 -	- -		
26	Other liver diseases	M F	17 43	- -	- -	- -	- 1	- 1	1 3	2 2	2 2	4 13	5 14	3 9	6 14	- -	- -	- -	- -	- -	- 2	- 1	1 5	5 4	- -		
27	Other digestive	M F	91 104	13 4	2 2	1 -	4 7	3 3	4 7	9 8	11 11	16 17	17 29	11 16	18 13	2 1	- -	1 1	- 1	- 1	2 -	3 1	2 3	3 4	5 4		
28	Nephritis	M F	156 146	- 1	1 -	2 -	2 1	5 5	12 6	11 15	23 19	35 23	38 45	27 31	41 39	- -	- 1	- -	- -	1 -	- -	2 3	4 4	17 8	14 14		
29	Puerperal sepsis	F	23	-	-	-	-	2	13	8	-	-	-	-	3	-	-	-	-	1	2	-	-	-	-		
30	Other puerperal	F	24	-	-	-	-	5	14	5	-	-	-	-	4	-	-	-	1	2	1	-	-	-	-		
31	Congenital causes, etc.	M F	303 282	297 280	2 -	- 2	- -	1 -	2 -	1 -	- -	- -	- -	- -	30 17	30 17	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
32	Senility	M F	58 135	- -	- -	- -	- -	- -	- -	- -	- -	- -	8 22	50 113	35 27	- -	- -	- -	- -	- -	- -	- -	- -	6 4	2 2		
33	Suicide	M F	89 49	- -	- -	- -	- 6	- 3	8 5	14 11	18 16	27 7	14 5	2 2	14 7	- -	- -	- -	- -	- -	1 2	5 3	6 2	2 -	- -		
34	Other violence	M F	244 158	6 5	2 1	7 6	23 13	24 12	33 4	17 5	21 9	42 26	38 26	31 51	35 18	2 -	- -	2 4	4 1	- -	1 -	4 1	2 2	7 2	- -		
35	Other defined causes	M F	506 441	44 25	7 9	13 13	36 27	34 25	36 35	28 40	50 56	83 72	94 77	81 62	65 65	4 -	1 1	- -	2 4	7 2	4 2	4 7	7 9	10 12	19 16		
36	Ill-defined causes	M F	3 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	1 1	5 3	- -	- -	- -	- -	- -	- -	- -	2 1	2 1	- -		

Causes of Death. first page of Table.		BLACKPOOL.													BOLTON.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	789	29	2	11	11	14	27	54	86	182	232	141	1,194	82	21	12	27	45	49	83	127	217	316	215		
	F	888	29	2	8	13	17	32	60	77	170	237	243	1,165	63	16	18	17	21	58	58	113	199	293	309		
Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	1	1	-	-	-	-	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	3	1	-	1	1	-	-	-	-	-	-	-		
Scarlet fever	M	2	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-		
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	9	4	3	1	1	-	-	-	-	-	-	-		
Diphtheria	M	3	-	-	2	1	-	-	-	-	-	-	-	4	-	-	-	4	-	-	-	-	-	-	-		
	F	3	-	-	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
Influenza	M	13	1	-	1	-	-	2	1	2	2	3	1	36	2	4	1	-	1	2	3	3	10	6	4		
	F	14	-	-	-	-	-	1	2	2	2	3	4	30	-	1	-	-	-	3	3	4	7	8	4		
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	2	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-		
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
Respiratory tuberculosis	M	39	-	-	-	1	4	8	11	7	6	2	-	49	-	-	-	1	8	9	9	11	7	3	1		
	F	24	-	-	-	-	5	8	6	1	3	1	-	32	-	-	-	2	8	11	4	2	4	1	-		
Other tuberculosis	M	2	-	-	-	1	1	-	-	-	-	-	-	8	-	-	-	2	1	1	2	-	1	1	-		
	F	2	-	-	-	-	-	-	-	-	-	1	1	9	-	2	1	2	1	1	2	-	-	-	-		
Syphilis	M	6	-	-	-	1	-	-	-	3	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-		
Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	-	1	2	2	-	-	8	-	-	-	-	-	2	1	4	1	-	-		
	F	4	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer	M	110	-	-	-	-	-	1	4	14	35	36	20	129	-	-	-	-	1	1	14	11	36	53	13		
	F	144	-	-	-	2	-	-	10	26	40	40	26	171	-	-	-	-	-	3	10	38	42	51	27		
Diabetes	M	13	-	-	1	-	-	1	-	1	5	3	2	9	-	-	-	-	-	-	-	-	4	4	1		
	F	26	-	-	1	-	-	-	2	-	6	13	4	26	-	-	-	1	1	-	-	4	8	10	2		
Cerebral haemorrhage	M	44	-	-	-	-	-	-	1	7	13	15	8	62	-	-	-	-	2	1	1	3	14	26	15		
	F	65	-	-	-	-	-	-	4	3	17	23	18	99	-	-	-	-	1	-	4	14	19	26	35		
Heart disease	M	213	-	-	-	-	1	3	8	19	53	77	52	275	-	-	-	3	6	6	12	37	58	94	59		
	F	229	-	-	-	2	2	4	8	11	37	74	91	239	-	-	-	-	1	10	15	13	47	69	84		
Aneurysm	M	3	-	-	-	-	-	-	-	1	1	1	-	7	-	-	-	-	-	1	-	3	3	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other circulatory	M	52	-	-	-	-	-	-	2	-	11	25	14	54	-	-	-	-	-	-	-	1	9	24	20		
	F	43	-	-	-	-	-	-	-	-	5	18	20	53	-	-	-	-	-	-	-	4	6	21	22		
Bronchitis	M	26	1	-	-	-	-	-	-	1	5	12	7	41	3	2	-	-	-	2	2	2	7	11	12		
	F	21	-	-	-	-	-	-	-	1	4	7	9	54	1	-	-	1	-	1	-	3	3	20	25		
Pneumonia	M	41	7	1	3	-	2	4	4	4	7	9	-	80	10	8	-	-	8	9	10	15	11	8	1		
	F	50	5	-	2	3	1	4	4	7	10	9	5	68	9	8	7	4	2	3	4	3	7	12	9		
Other respiratory	M	8	-	-	-	-	-	-	1	1	1	3	2	14	1	1	-	-	-	3	-	2	5	2	2		
	F	4	-	-	-	-	-	-	-	1	-	1	2	11	-	-	-	-	-	1	-	5	2	3	3		
Peptic ulcer	M	11	-	-	-	-	-	-	3	5	2	1	-	14	-	-	-	-	1	1	-	9	3	-	-		
	F	6	-	-	-	-	-	-	2	1	3	-	-	4	-	-	-	-	-	1	-	1	-	2	-		
Diarrhoea	M	3	2	-	-	-	-	-	-	-	-	1	-	8	6	-	-	-	-	-	1	-	1	-	-		
	F	4	2	-	-	-	-	2	-	-	-	-	-	9	3	-	-	1	-	2	-	-	2	1	1		
Appendicitis	M	7	-	-	-	2	1	1	2	1	-	-	-	6	-	-	1	2	-	2	-	-	1	-	-		
	F	9	-	-	-	1	-	-	-	3	2	2	1	5	-	-	-	-	-	1	2	1	1	-	-		
Cirrhosis of liver	M	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	1	-	2	1	-	-		
	F	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-		
Other liver diseases	M	4	-	-	-	-	-	-	-	-	2	2	-	5	-	-	-	-	-	1	-	1	2	1	-		
	F	14	-	-	-	-	-	1	3	-	6	2	2	13	1	-	-	-	-	-	3	-	5	4	4		
Other digestive	M	14	-	-	1	-	-	1	-	3	2	4	3	18	3	1	1	1	3	-	2	4	-	3	-		
	F	16	-	-	-	1	1	-	2	3	3	4	2	30	1	-	2	-	1	2	4	2	6	10	2		
Nephritis	M	29	-	-	1	1	-	1	4	3	7	10	2	36	1	-	-	1	1	1	2	5	12	8	5		
	F	36	-	-	-	1	2	2	5	8	13	5	-	44	-	-	-	-	2	-	3	16	14	5	9		
Puerperal sepsis	F	3	-	-	-	-	2	-	1	-	-	-	-	7	-	-	-	-	5	2	-	-	-	-	-		
Other puerperal	F	8	-	-	-	-	2	3	3	-	-	-	-	9	-	-	-	2	6	1	-	-	-	-	-		
Congenital causes, etc.	M	14	13	-	1	-																					

Causes of Death. See first page of Table.			BOOTLE.													BOURNEMOUTH.												
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	526	85	17	6	14	18	30	33	61	84	108	70	690	33	6	4	8	12	26	28	82	117	170	20			
	F	453	65	14	19	13	22	31	22	45	60	84	78	880	19	4	7	6	14	20	34	55	110	262	34			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	10	3	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	16	1	6	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-			
4 Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-			
	F	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
5 Diphtheria	M	4	-	-	2	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-			
	F	4	-	-	2	2	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-			
6 Influenza	M	5	-	-	-	-	-	1	-	1	-	3	-	8	-	-	-	-	1	-	1	3	1	1	2			
	F	6	-	-	-	-	1	-	-	1	1	-	3	10	-	-	1	-	1	1	1	1	1	2	-			
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-			
	F	2	-	-	-	-	-	1	-	1	-	-	-	3	-	-	-	-	-	-	-	1	-	1	-			
8 Cerebro-spinal fever	M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	45	-	-	-	-	5	14	10	8	3	5	-	31	-	-	-	-	1	9	7	10	3	1	-			
	F	33	-	-	-	1	12	14	4	2	-	-	-	31	-	-	-	2	10	8	4	4	3	-	-			
10 Other tuberculosis	M	4	-	1	1	1	-	-	-	1	-	-	-	12	-	3	-	2	2	-	1	2	2	-	-			
	F	7	1	-	2	2	1	1	-	-	-	-	-	4	-	-	1	1	1	1	-	-	-	-	-			
11 Syphilis	M	4	-	-	-	-	-	-	1	-	3	-	-	3	-	-	-	-	2	-	-	-	-	1	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
13 Cancer	M	60	-	-	-	-	-	-	2	14	21	17	6	97	-	-	1	-	-	1	2	9	26	33	2			
	F	63	-	-	-	-	1	2	4	13	15	19	9	158	-	-	-	-	1	-	5	11	28	52	6			
14 Diabetes	M	2	-	-	-	-	1	-	-	-	1	-	-	12	-	-	-	-	-	-	-	2	1	5	-			
	F	11	-	-	-	-	-	-	1	1	2	5	2	19	-	-	-	-	1	-	-	5	4	6	-			
15 Cerebral hæmorrhage	M	22	-	-	-	-	-	-	1	2	6	9	4	32	-	-	-	-	-	-	-	1	4	10	1			
	F	16	-	-	-	-	-	-	-	2	3	6	5	72	-	-	-	-	1	-	-	3	10	21	3			
16 Heart disease	M	85	-	-	-	1	5	2	2	9	15	31	20	187	-	-	-	1	-	4	5	15	30	48	8			
	F	82	-	-	-	2	2	7	6	8	14	21	22	227	-	-	-	-	2	1	1	9	21	74	11			
17 Aneurysm	M	4	-	-	-	-	-	-	-	3	1	-	-	5	-	-	-	-	-	-	1	-	2	2	-			
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
18 Other circulatory	M	16	-	-	-	-	-	-	1	2	3	5	5	35	-	-	-	-	-	-	-	3	4	11	1			
	F	13	-	-	-	-	-	-	-	2	2	4	5	61	-	-	-	-	-	-	1	-	2	23	3			
19 Bronchitis	M	24	4	-	-	-	-	-	2	2	2	4	10	15	-	-	-	-	-	-	2	2	2	4	-			
	F	11	1	-	-	-	-	-	-	-	3	4	3	15	-	-	-	-	-	-	1	-	-	3	1			
20 Pneumonia	M	60	23	4	-	1	-	2	8	9	8	2	3	36	5	2	1	-	-	1	2	5	7	7	-			
	F	41	15	4	5	1	-	1	2	4	4	5	4	33	2	4	-	-	1	1	2	6	12	-	-			
21 Other respiratory	M	6	1	-	1	-	-	-	-	-	1	3	-	13	-	-	-	-	-	1	1	3	-	4	-			
	F	3	-	-	-	-	-	-	-	1	1	-	1	12	-	-	-	-	-	1	1	-	2	4	-			
22 Peptic ulcer	M	2	-	-	-	-	-	-	-	-	1	-	-	9	-	-	-	-	-	1	2	2	1	1	-			
	F	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	2	1	-	-			
23 Diarrhœa	M	7	6	-	-	-	-	-	1	-	-	-	-	5	4	-	-	-	-	1	-	-	-	-	-			
	F	3	3	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	1	2	-	-	2	-			
24 Appendicitis	M	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-			
	F	2	-	-	-	-	-	-	-	2	-	-	-	5	-	-	1	-	-	1	-	1	2	-	-			
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-			
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-			
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	1	-			
	F	5	-	-	-	-	-	-	-	2	-	2	1	8	-	-	-	-	-	-	1	1	3	-	-			
27 Other digestive	M	9	-	-	-	1	-	1	1	1	2	3	-	20	-	1	1	1	2	-	1	7	1	4	-			
	F	8	1	1	-	-	2	-	-	-	-	2	2	27	-	-	1	1	-	-	2	2	5	8	-			
28 Nephritis	M	6	-	-	-	1	-	-	-	-	2	1	2	30	-	-	-	2	-	-	6	6	10	-	-			
	F	19	-	-	-	-	1	-	2	3	7	3	3	35	-	-	-	-	-	2	3	3	10	17	-			
29 Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30 Other puerperal	F	1	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	4	-	-	-	-	-	-			
31 Congenital causes, etc.	M	33	33	-	-	-	-	-	-	-	-	-	-	20	19	-	-	-	-	-	1	-	-	-	-			
	F	36	36	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-			
32 Senility	M	17	-	-	-	-	-	-	-	-	-	2	6	7	-	-	-	-	-	-	-	-	-	-	-			
	F	14	-	-	-	-	-	-	-	-	-	2	12	20	-	-	-	-	-	-	-	-	3	17	-			
33 Suicide	M	8	-	-	-	-	-	1	-	1	4	2	-	8	-	-	-	-	1	1	1	3	1	-	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	12	-	-	-	-	1	-	3	2	-	-	-			
34 Other violence	M	28	-	2	-	3	4	4	2	3	3	4	3	20	-	-	1	-	1	-	1	5	4	3	-			
	F	11	2	1	-	-	-	-	-	1	1	2	4	12	-	-	-	-	1	-	1	1	4	-	-			
35 Other defined causes	M	54	12	4	1	2	3	5	1	3	4	11	8	70	4	-	-	2	1	5	1	6	14	21	16			
	F	33	4	1	1	-	2	4	4	3	6	7	1	79	3	-	1	2	3	1	4	10	15	26	14			
36 Ill-defined causes	M	3	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-			

TABLE 24—*contd.* County Boroughs.

233

Causes of Death. first page of Table.		BRADFORD.												BRIGHTON.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	2,073	153	28	33	44	51	74	94	232	455	548	361	986	59	9	8	21	22	27	38	101	168	256	277
	F	2,100	100	30	37	43	52	66	110	165	363	575	559	1,070	53	6	7	17	12	37	40	88	147	286	377
Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	7	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	2	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
	F	5	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	4	3	-	1	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-
	F	10	4	4	2	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-
Diphtheria	M	26	3	1	10	12	-	-	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-	-
	F	32	-	5	13	14	-	-	-	-	-	-	-	5	-	1	1	3	-	-	-	-	-	-	-
Influenza	M	24	1	-	-	1	2	2	1	3	5	7	4	11	-	-	1	-	-	1	1	3	2	2	1
	F	33	1	-	1	4	2	2	6	1	4	9	3	12	-	-	1	-	-	1	1	1	1	4	3
Encephalitis lethargica	M	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
	F	5	-	-	-	-	2	-	-	1	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-
Cerebro-spinal fever	M	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	120	-	-	-	1	15	23	26	25	25	5	-	56	-	-	-	1	6	5	9	18	11	5	1
	F	62	1	1	-	2	13	16	10	11	4	3	1	40	-	-	-	3	4	14	8	2	8	1	-
Other tuberculosis	M	11	-	1	1	2	-	2	1	2	1	-	1	8	-	1	1	3	2	-	-	-	1	-	-
	F	8	-	1	2	2	2	-	1	-	-	-	-	5	-	-	1	1	1	-	1	-	-	-	1
Syphilis	M	13	1	-	-	-	-	-	3	2	6	1	-	2	-	-	-	-	-	-	1	1	-	-	-
	F	7	1	-	-	-	-	-	-	1	1	4	-	2	1	-	-	1	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	13	-	-	-	-	1	1	-	4	7	-	-	4	-	-	-	-	-	-	-	-	4	-	-
	F	4	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cancer	M	258	-	-	-	2	2	1	10	32	73	104	34	132	1	-	-	-	-	2	2	19	29	49	30
	F	297	-	-	-	-	2	6	20	46	87	89	47	182	-	-	-	-	-	1	7	24	44	67	39
Diabetes	M	15	-	-	-	-	-	-	-	2	4	6	3	12	-	-	-	1	-	-	-	-	1	7	3
	F	38	-	-	-	-	1	-	-	3	8	17	9	14	-	-	-	-	-	-	1	2	3	3	5
Cerebral hæmorrhage	M	114	-	-	-	-	-	3	-	12	22	52	25	46	-	-	-	-	1	-	-	3	12	16	14
	F	140	-	-	-	-	-	-	1	8	30	51	50	65	-	-	-	-	-	-	3	10	28	24	24
Heart disease	M	501	-	-	-	2	7	5	10	53	123	169	132	223	-	-	-	5	2	2	6	13	34	75	86
	F	579	-	-	-	4	6	7	20	38	85	205	214	269	-	-	-	2	-	3	7	14	28	97	118
Aneurysm	M	10	-	-	-	-	-	-	1	-	6	2	1	4	-	-	-	-	-	-	1	1	-	2	-
	F	4	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	1	1	-	-	1	-
Other circulatory	M	102	-	-	-	-	-	-	-	2	23	38	39	58	-	-	-	-	-	-	-	4	11	29	14
	F	117	-	-	-	-	-	-	1	3	23	39	51	67	-	-	-	-	-	-	-	1	10	19	37
Bronchitis	M	64	4	-	-	-	3	-	3	3	16	17	18	17	-	-	-	-	-	-	2	-	3	6	6
	F	62	2	-	-	1	-	-	1	3	4	16	35	27	2	1	-	-	-	-	-	2	2	6	14
Pneumonia	M	141	22	11	8	4	3	3	6	26	31	17	10	64	8	4	1	1	2	-	1	7	12	13	15
	F	101	18	10	6	4	3	6	10	4	10	18	12	56	8	1	1	5	-	2	3	2	5	8	21
Other respiratory	M	23	-	-	-	-	-	1	4	1	5	6	6	16	1	-	-	1	-	-	1	4	5	2	2
	F	21	-	-	2	-	-	-	3	2	5	6	3	7	-	-	-	-	-	1	-	1	2	1	2
Peptic ulcer	M	21	-	-	-	-	-	4	2	5	7	3	-	13	-	-	-	-	-	1	-	3	5	2	2
	F	3	-	-	-	-	-	1	-	-	-	2	-	7	-	-	-	1	-	-	-	2	3	-	1
Diarrhœa	M	17	7	2	2	1	-	-	1	1	-	2	1	8	8	-	-	-	-	-	-	-	-	-	-
	F	15	9	1	-	-	-	-	1	1	1	2	-	15	13	-	-	-	-	-	-	-	1	-	1
Appendicitis	M	7	-	-	1	1	1	2	1	-	1	-	-	8	-	-	-	-	-	-	-	2	2	3	1
	F	7	-	-	-	1	1	1	1	2	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Cirrhosis of liver	M	5	-	-	-	-	-	-	1	1	2	1	-	7	-	-	-	-	-	-	-	1	3	2	1
	F	4	-	-	-	-	1	-	-	1	1	1	-	4	-	-	-	-	-	1	1	-	2	-	-
Other liver diseases	M	11	-	-	-	-	1	-	2	1	1	4	2	1	-	-	-	-	-	-	-	-	-	1	1
	F	25	-	-	-	-	-	-	1	2	6	11	5	13	-	-	-	-	-	-	1	1	2	5	4
Other digestive	M	34	1	3	3	-	1	2	3	8	4	7	2	21	1	-	1	1	-	2	-	3	5	6	2
	F	35	1	1	2	-	1	1	6	5	8	4	6	16	-	-	-	-	1	1	1	1	3	4	5
Nephritis	M	73	-	-	-	-	2	-	2	14	22	21	12	34	-	-	-	-	-	-	3	5	9	6	11
	F	77	-	-	-	-	4	6	6	8	22	15	16	34	-	-	-	1	-	1	3	4	10	10	5
Puerperal sepsis	F	7	-	-	-	-	-	5	2	-	-	-	-	5	-	-	-	-	-	4	1	-	-	-	-
Other puerperal	F	4	-	-	-	-	-	2	2	-	-	-	-	3	-	-	-	-	1	1	-	-	-	-	-
Congenital causes, etc.	M	94	93	-	-	1	-	-	-	-	-	-	-	37	34	1	1	-	-	-	1	-	-	-	-
	F	53	53	-	-	-	-	-	-	-	-	-	-	25	24	1	-	-	-	-	-	-	-	-	-
Senility	M	37	-	-	-	-	-	-	-	-	-	-	11	60	-	-	-	-	-	-	-	-	-	3	57
	F	80	-	-	-	-	-	-	-	-	2	19	59	77	-	-	-	-	-	-	-	-	-	8	69
Suicide	M	47	-	-	-	-	1	9	8	8	10	8	3	15	-	-	-	-	-	2	2	1	5	3	2
	F	19	-	-	-	-	2	5	2	2	3	4	1	14	-	-	-	-	-	1	2	6	3	1	1
Other violence	M	58	4	2	5	4	4	3	5	6	12	5	8	39	4	1	1	3	4	8	3	6	3	2	4
	F	73	-	1	1	5	4	2	2	4	10	20	24	23	2	-	1	-	1	1	-	4	1	4	9
Other defined causes	M	192	11	4	1	10	9	12	3	18	45	47	32	80	1	1	-	2	4	4	5	6	11	22	24
	F	149	8	4	5	4	5	5	13	13	40	31	21	68	1	1	1	-	4	3	1	15	9	16	17
Ill-defined causes	M	24	-	-	-	-	-	-	1	2	4	15	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	2	5	7	2	2	-	-	-	-	-	1	-	-	-	-	1

TABLE 24—contd. County Boroughs.

Causes of Death. See first page of Table.		BRISTOL.												BURNLEY.											
		All Ages.	0	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	2,214	156	20	24	33	69	90	121	250	392	559	500	692	43	16	12	14	21	32	40	75	139	198	102
	F	2,291	98	24	33	37	67	94	156	196	324	536	726	672	28	6	7	15	25	27	30	67	121	177	169
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	6	3	1	2	—	—	—	—	—	—	—	—	6	—	4	2	—	—	—	—	—	—	—	—
	F	9	—	6	1	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
3 Scarlet fever	M	5	—	1	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	5	—	1	2	1	—	1	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—	—	—
	F	6	—	—	4	2	—	—	—	—	—	—	—	10	—	1	5	4	—	—	—	—	—	—	—
6 Influenza	M	18	1	—	1	—	—	—	1	4	4	4	3	14	—	—	1	—	1	2	3	2	5	4	5
	F	13	1	1	—	—	—	—	2	1	1	3	4	18	—	1	—	—	2	—	1	—	—	—	—
7 Encephalitis lethargica	M	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	1	—	—	2	1	—	2	—	—	—	—	1	—	—	—	—	1	—
8 Cerebro-spinal fever	M	1	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
	F	6	1	1	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Respiratory tuberculosis	M	157	—	1	2	3	26	35	32	20	30	5	3	38	—	—	—	—	3	11	8	3	11	2	—
	F	142	—	—	3	3	36	35	27	19	13	4	2	25	—	—	—	1	7	9	4	3	—	1	—
10 Other tuberculosis	M	17	—	2	5	3	2	2	1	—	2	—	—	6	1	—	—	2	1	—	2	—	—	—	—
	F	18	—	4	4	1	3	1	2	1	1	—	1	5	—	1	—	1	1	1	1	—	—	—	—
11 Syphilis	M	15	1	—	—	—	—	1	—	6	2	3	2	3	—	—	—	—	1	—	—	1	1	—	—
	F	5	1	—	—	—	—	—	—	2	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—
12 Gen. paralysis of insane, etc.	M	9	—	—	—	—	—	—	—	4	3	2	—	6	—	—	—	—	—	1	4	1	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	1	1	—	—	—
13 Cancer	M	302	—	—	—	2	2	2	8	37	86	110	55	71	—	—	—	—	—	2	2	12	28	23	4
	F	381	—	—	—	—	1	6	29	45	102	107	91	74	—	—	—	—	—	4	16	29	13	12	—
14 Diabetes	M	24	—	—	—	1	1	3	2	1	3	11	2	9	—	—	—	—	—	2	—	—	2	4	1
	F	43	—	—	—	—	—	1	1	4	9	19	9	11	—	—	—	—	—	1	—	7	3	—	—
15 Cerebral hæmorrhage	M	113	—	—	—	—	—	—	2	7	21	40	43	32	—	—	—	1	—	—	—	1	7	17	6
	F	166	—	—	—	—	—	1	6	12	30	53	64	42	—	—	—	—	—	1	6	8	18	9	—
16 Heart disease	M	559	—	—	—	—	2	8	13	60	96	193	187	202	—	—	—	1	1	3	5	21	46	80	45
	F	587	—	—	—	—	7	12	19	33	66	165	285	208	—	—	—	2	4	4	8	12	28	74	76
17 Aneurysm	M	9	—	—	—	—	—	—	1	4	1	3	—	3	—	—	—	—	—	—	2	—	1	—	—
	F	7	—	—	—	—	—	1	1	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
18 Other circulatory	M	90	—	—	—	—	—	1	1	6	25	34	23	29	—	—	—	—	—	—	—	1	6	12	10
	F	109	1	—	—	—	—	—	1	5	10	34	58	37	—	—	—	—	—	—	2	8	9	18	—
19 Bronchitis	M	65	5	2	1	—	1	—	2	7	6	14	27	23	1	—	—	—	—	1	1	3	3	9	5
	F	58	1	1	—	—	—	1	1	3	7	15	29	31	1	—	—	—	1	—	4	6	10	9	—
20 Pneumonia	M	128	19	7	2	6	2	4	16	18	18	21	15	47	7	6	2	—	—	2	5	8	6	8	3
	F	86	7	6	4	1	—	3	9	4	9	16	27	33	8	1	—	—	1	3	4	8	6	2	—
21 Other respiratory	M	46	—	—	—	1	3	—	2	2	5	6	27	2	—	1	—	—	—	—	1	—	—	—	—
	F	45	—	1	—	—	2	2	—	—	3	11	26	11	1	—	—	—	—	—	2	1	2	5	—
22 Peptic ulcer	M	43	—	—	—	—	—	2	7	8	13	10	3	9	—	—	—	—	—	3	4	—	—	—	—
	F	7	—	—	—	—	—	—	1	2	—	2	2	2	—	—	—	—	—	1	1	—	—	—	—
23 Diarrhœa	M	22	14	1	—	—	—	1	—	4	1	—	1	5	2	—	—	—	—	2	—	—	—	—	1
	F	8	1	—	—	—	—	—	2	1	3	—	1	4	2	—	—	1	—	—	—	—	—	—	1
24 Appendicitis	M	15	—	—	—	3	—	—	1	2	2	5	2	9	—	—	—	2	3	1	—	1	1	—	1
	F	15	—	—	1	2	—	1	3	—	4	4	—	3	—	—	1	1	—	—	—	—	1	—	—
25 Cirrhosis of liver	M	5	—	—	—	—	—	—	—	1	1	3	—	1	—	—	—	—	—	—	—	—	1	—	—
	F	5	—	—	—	—	—	—	—	1	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
26 Other liver diseases	M	10	—	—	—	—	1	—	1	4	—	1	3	7	—	—	—	—	—	—	1	1	3	2	—
	F	20	—	—	—	—	—	1	1	2	4	7	5	14	—	—	—	—	1	—	—	3	8	2	—
27 Other digestive	M	42	4	—	1	2	1	—	5	9	4	8	8	17	3	1	2	—	—	—	—	5	4	2	—
	F	30	2	—	—	—	—	4	2	4	4	12	2	14	1	—	—	1	—	1	2	3	4	1	—
28 Nephritis	M	69	—	—	1	—	—	5	3	9	14	24	13	15	—	—	—	—	1	1	2	5	5	1	—
	F	103	—	—	2	4	—	3	5	11	20	34	24	15	—	—	—	—	1	1	—	4	5	3	—
29 Puerperal sepsis	F	7	—	—	—	—	1	3	3	—	—	—	—	3	—	—	—	—	2	—	1	—	—	—	—
30 Other puerperal	F	10	—	—	—	—	1	4	5	—	—	—	—	3	—	—	—	—	2	1	—	—	—	—	—
31 Congenital causes, etc.	M	99	98	—	1	—	—	—	—	—	—	—	—	26	25	—	1	—	—	—	—	—	—	—	—
	F	73	72	—	1	—	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—	—	—
32 Senility	M	26	—	—	—	—	—	—	—	—	—	—	—	10	—	—	—	—	—	—	—	—	1	9	—
	F	53	—	—	—	—	—	—	—	—	—	1	52	15	—	—	—	—	—	—	—	—	2	13	—
33 Suicide	M	37	—	—	—	—	3	4	3	10	10	1	6	11	—	—	—	—	1	2	2	3	3	—	—
	F	24	—	—	—	—	2	3	6	6	4	3	—	6	—	—	—	—	3	—	1	1	1	—	—
34 Other violence	M	96	3	2	1	3	17	11	13	12	12	10	12	28	—	2	2	3	3	1	3	1	3	8	2
	F	46	—	2	3	8	3	1	2	3	3	9	12	17	1	—	1	1	1	—	—	1	3	3	6
35 Other defined causes	M	179	7	2	3	6	8	10	6	14	33	51	39	58	4	1	1	2	7	3	7	2	8	13	10
	F	196	11	2	6	13	11	11	26	32	25	32	27	50	3	1	—	2	4	2	7	8	5	11	7
36 Ill-defined causes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	—	1	—	—	3	3	—	—	—	—	—	—	—	1	1	1	—

Causes of Death. first page of Table.		BURTON-ON-TRENT.													BURY.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	349	26	1	5	8	10	21	22	37	62	80	77	465	26	2	10	10	8	16	21	63	110	129	70		
	F	263	15	1	1	4	10	17	9	19	46	59	82	432	21	1	4	9	12	17	19	43	85	119	102		
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—	—			
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Diphtheria	M	2	—	—	1	1	—	—	—	—	—	—	—	5	—	—	4	1	—	—	—	—	—	—			
	F	2	—	—	1	1	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—	—			
Influenza	M	6	—	—	—	—	—	1	2	1	2	—	—	7	—	—	—	—	—	1	2	3	1	—			
	F	3	—	—	—	—	—	—	—	—	1	1	1	10	—	—	—	2	1	2	3	1	—	1			
Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Respiratory tuberculosis	M	18	—	—	—	4	3	4	3	4	—	—	—	20	—	—	—	—	2	5	1	4	5	3	—		
	F	9	—	—	—	2	2	1	4	—	—	—	—	9	—	—	—	—	3	2	1	1	—	2	—		
Other tuberculosis	M	5	—	—	—	—	4	1	—	—	—	—	—	3	—	—	1	—	2	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	3	—	1	—	2	—	—			
Syphilis	M	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—			
	F	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Gen. paralysis of insane, etc.	M	3	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Cancer	M	45	—	—	—	—	—	—	—	6	12	21	6	59	—	—	—	1	—	—	2	8	19	25	4		
	F	35	—	—	—	—	—	—	2	5	10	12	6	58	—	—	—	—	—	—	4	9	20	16	9		
Diabetes	M	5	—	—	—	2	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—			
	F	8	—	—	—	—	—	—	—	1	3	4	—	6	—	—	—	—	—	—	1	1	1	3			
Cerebral hæmorrhage	M	23	—	—	—	—	—	—	1	4	8	6	4	29	—	—	—	—	—	1	1	9	11	7			
	F	17	—	—	—	—	—	—	—	3	4	7	3	25	—	—	—	—	—	—	1	8	13	3			
Heart disease	M	68	—	—	—	1	2	—	2	9	16	20	18	97	—	—	—	—	1	5	13	32	23	23			
	F	60	—	—	—	1	3	1	3	2	10	15	25	86	—	—	—	—	3	2	3	6	9	30	33		
Aneurysm	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			
Other circulatory	M	9	—	—	1	—	—	—	—	—	1	5	2	31	—	—	—	—	—	—	—	6	16	9			
	F	8	—	—	—	—	—	—	—	—	1	3	4	38	—	—	—	—	—	—	1	7	17	13			
Bronchitis	M	15	—	—	—	—	—	—	—	1	3	4	7	33	2	—	—	—	—	—	4	9	12	6			
	F	9	—	—	—	—	—	—	—	—	1	6	2	34	2	—	—	—	1	1	—	2	8	10	10		
Pneumonia	M	24	3	1	2	1	1	1	1	1	5	6	2	47	7	—	1	—	1	2	8	10	7	6			
	F	6	2	—	—	—	—	1	—	1	1	—	1	16	1	—	—	—	—	1	1	3	2	5	3		
Other respiratory	M	2	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	—	1	1			
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	2			
Peptic ulcer	M	7	—	—	—	—	—	1	4	2	—	—	—	8	—	—	—	—	—	—	4	2	2	—			
	F	1	—	—	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—	—	1	—	1	—			
Diarrhoea	M	1	—	—	—	—	—	—	—	—	1	—	—	2	1	—	1	—	—	—	—	—	—	—			
	F	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—			
Appendicitis	M	3	—	—	—	1	—	—	1	1	—	—	—	4	—	—	—	1	—	1	1	—	—	—			
	F	4	—	—	—	—	—	—	—	—	3	1	—	3	—	—	—	1	—	1	—	—	—	—			
Cirrhosis of liver	M	3	—	—	—	—	—	—	1	—	2	—	—	5	—	—	—	—	—	—	—	2	2	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other liver diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—			
	F	3	—	—	—	—	—	1	—	—	1	—	1	7	—	—	—	—	—	—	2	1	2	2			
Other digestive	M	7	—	—	1	1	—	—	1	2	1	1	—	8	—	1	1	—	2	—	1	—	3	—			
	F	10	1	—	—	1	2	1	—	—	3	—	2	11	1	—	1	—	1	—	1	5	1	—			
Nephritis	M	10	—	—	—	1	—	1	—	1	1	3	3	13	—	—	—	—	1	—	2	5	3	—			
	F	8	—	—	—	—	2	—	2	2	2	2	—	16	—	—	—	1	2								

Causes of Death. <i>See first page of Table.</i>		CANTERBURY.														CARLISLE.													
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-				
All Causes	M	163	7	1	1	-	4	6	5	16	28	52	43	361	36	7	9	8	12	13	24	27	58	101	6				
	F	172	10	2	1	3	3	4	9	8	29	41	62	352	26	4	6	14	11	10	16	32	53	81	9				
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-				
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-				
5 Diphtheria	M	2	-	1	1	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-				
	F	1	-	-	-	1	-	-	-	-	-	-	-	4	-	-	3	1	-	-	-	-	-	-	-				
6 Influenza	M	3	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	1	-	1	-	-				
	F	4	1	-	-	-	-	-	-	1	1	1	-	5	-	1	-	-	-	-	1	1	1	-	-				
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-				
9 Respiratory tuberculosis	M	7	-	-	-	-	1	1	-	3	1	1	-	19	1	-	-	-	4	5	4	3	2	-	-				
	F	7	-	-	-	-	1	3	-	-	3	-	-	10	-	-	1	-	3	3	1	-	2	-	-				
10 Other tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	1	-	2	-	-	1	-	-	1	-				
	F	1	-	1	-	-	-	-	-	-	-	-	-	5	-	-	1	2	1	-	1	-	-	-	-				
11 Syphilis	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-				
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
13 Cancer	M	26	-	-	-	-	-	-	-	3	11	10	2	40	-	-	-	-	-	-	-	4	12	22	-				
	F	23	-	-	-	-	-	-	1	1	10	5	6	44	-	-	-	-	-	1	2	9	12	12	-				
14 Diabetes	M	2	-	-	-	-	-	-	1	-	-	-	-	5	-	-	-	-	-	-	-	-	-	4	-				
	F	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	-	-	-	5	-				
15 Cerebral hæmorrhage	M	9	-	-	-	-	-	-	-	1	1	4	3	14	-	-	-	-	-	-	-	-	7	5	-				
	F	9	-	-	-	-	-	-	-	-	-	4	5	12	-	-	-	-	-	-	-	4	5	-	-				
16 Heart disease	M	26	-	-	-	-	-	1	-	2	4	10	9	103	-	-	-	1	2	2	7	15	34	3	-				
	F	38	-	-	-	-	1	-	-	1	4	14	18	117	-	-	-	3	-	4	4	7	13	34	5				
17 Aneurysm	M	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-				
	F	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
18 Other circulatory	M	11	-	-	-	-	-	-	-	1	1	3	6	28	-	-	-	-	-	-	-	-	4	13	1				
	F	15	-	-	-	-	-	-	-	-	3	3	9	31	-	-	-	-	-	-	-	1	7	9	1				
19 Bronchitis	M	9	-	-	-	-	-	-	-	-	1	4	4	8	-	-	-	-	-	-	-	1	1	3	-				
	F	6	1	-	-	-	-	-	-	-	-	1	4	6	2	-	-	-	-	-	1	-	2	2	-				
20 Pneumonia	M	7	1	-	-	-	-	-	1	2	-	3	-	25	4	3	3	1	2	-	1	2	3	4	-				
	F	11	-	1	-	-	-	-	1	2	3	3	1	14	3	1	-	3	-	-	-	1	4	-	-				
21 Other respiratory	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-				
	F	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-				
22 Peptic ulcer	M	1	-	-	-	-	-	-	-	-	1	-	-	8	-	-	-	-	-	1	-	4	1	2	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	-	-	-	3	-	-	-				
23 Diarrhoea	M	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	1	1	-	-	1	-	-	-	-				
	F	1	1	-	-	-	-	-	-	-	-	-	-	5	3	1	-	-	-	-	1	-	-	-	-				
24 Appendicitis	M	2	-	-	-	-	-	-	1	-	-	1	-	6	-	-	2	1	1	-	2	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-				
25 Cirrhosis of liver	M	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	-	-				
27 Other digestive	M	3	-	-	-	-	-	-	-	1	2	-	-	4	-	-	-	-	-	-	1	-	1	1	-				
	F	6	1	-	1	-	-	1	-	-	2	1	-	9	1	-	-	1	-	-	1	1	1	1	-				
28 Nephritis	M	10	-	-	-	-	1	-	-	-	2	-	-	13	-	-	-	-	-	1	-	3	4	-	-				
	F	6	-	-	-	-	1	-	2	1	-	1	1	6	-	-	-	-	-	-	2	2	-	-	-				
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-				
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
31 Congenital causes, etc.	M	6	6	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-				
	F	6	6	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-				
32 Senility	M	11	-	-	-	-	-	-	-	-	-	2	9	-	-	-	-	-	-	-	-	-							

TABLE 24—*contd.* County Boroughs.

Causes of Death. See first page of Table.		CHESTER.												COVENTRY.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	265	22	11	8	8	4	10	12	33	59	55	43	970	76	9	19	22	37	57	66	132	188	214	150
	F	287	21	4	7	5	7	11	16	27	38	72	79	872	52	5	12	19	35	50	61	99	146	186	207
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	10	1	6	3	-	-	-	-	-	-	-	-	4	2	-	2	-	-	-	-	-	-	-	-
	F	5	1	1	3	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Diphtheria	M	7	-	-	4	3	-	-	-	-	-	-	-	5	-	-	4	1	-	-	-	-	-	-	-
	F	3	-	-	1	2	-	-	-	-	-	-	-	8	-	-	3	3	-	1	-	-	-	-	1
Influenza	M	4	-	-	-	-	-	-	-	-	1	3	-	19	-	-	-	-	1	2	7	2	5	2	
	F	2	-	-	-	-	-	-	-	-	1	-	1	15	-	-	-	-	2	2	4	1	4	2	
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	2	-	2	-	-	-	
	F	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	
Respiratory tuberculosis	M	8	-	-	-	-	1	1	2	3	-	1	-	87	-	-	-	-	12	21	14	20	16	3	
	F	12	-	-	-	-	1	5	3	1	-	2	-	58	-	-	-	1	11	15	14	10	6	1	
Other tuberculosis	M	4	-	2	1	-	-	1	-	-	-	-	-	16	-	-	3	3	4	2	2	-	-	-	
	F	1	-	-	-	1	-	-	-	-	-	-	-	6	1	1	-	-	1	1	1	-	-	-	
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	1	-	3	3	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	
Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	-	3	1	-	-	3	-	-	-	-	-	2	-	1	-	-	
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	
Cancer	M	41	-	-	-	-	-	-	3	6	12	13	7	114	-	-	1	-	1	2	8	15	29	42	
	F	39	-	-	-	-	-	-	4	9	8	12	6	134	-	-	-	-	1	5	14	27	41	30	
Diabetes	M	2	-	-	-	-	-	-	-	-	-	-	2	5	-	-	-	-	-	-	-	-	4	1	
	F	2	-	-	-	-	-	-	-	2	-	-	-	20	-	-	-	-	1	-	-	9	7	2	
Cerebral hæmorrhage	M	10	-	-	-	-	-	-	-	1	4	3	2	43	-	-	-	-	-	-	9	10	10	14	
	F	18	-	-	-	-	-	1	2	2	4	4	5	55	-	-	-	-	-	-	4	13	19	19	
Heart disease	M	61	-	-	-	1	-	-	1	9	18	17	15	246	-	-	1	2	2	3	9	26	58	81	
	F	79	-	-	-	-	-	1	2	5	8	31	32	225	-	-	-	3	4	7	10	18	39	65	
Aneurysm	M	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	1	-	-	-	-	3	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	
Other circulatory	M	14	-	-	-	-	-	-	-	-	6	4	4	31	-	-	-	-	-	-	1	3	7	10	
	F	21	-	-	-	-	-	-	-	1	4	7	9	36	-	-	-	-	-	-	2	11	9	14	
Bronchitis	M	4	1	-	-	-	-	-	-	-	1	1	1	13	-	-	-	-	1	1	2	-	5	4	
	F	11	-	-	-	-	1	-	-	-	1	3	6	23	-	-	-	-	-	1	1	2	5	14	
Pneumonia	M	20	4	3	-	1	-	-	1	6	4	-	1	71	8	2	3	2	3	2	9	10	15	14	
	F	21	3	3	1	1	2	1	1	1	2	1	5	46	11	3	2	1	2	1	3	5	3	7	
Other respiratory	M	2	-	-	-	-	-	1	-	-	-	1	-	10	-	-	-	1	-	1	2	2	2	2	
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	2	-	-	1		
Peptic ulcer	M	4	-	-	-	-	-	1	1	-	1	-	1	15	-	-	-	-	3	3	3	3	3	-	
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	
Diarrhœa	M	3	3	-	-	-	-	-	-	-	-	-	-	7	4	-	-	1	-	-	1	-	-	1	
	F	3	3	-	-	-	-	-	-	-	-	-	-	9	2	-	-	-	2	1	-	1	2	-	
Appendicitis	M	2	-	-	-	-	-	1	-	1	-	-	-	9	-	-	1	1	1	2	1	2	-	-	
	F	3	-	-	-	-	-	-	-	-	2	1	-	6	-	-	-	2	-	1	1	1	-	1	
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	2	1	-	-	
Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	1	-	1	1	-	
	F	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	
Other digestive	M	2	-	-	-	-	-	-	-	-	2	-	-	18	2	-	1	1	1	1	2	5	4	-	
	F	3	-	-	-	-	-	1	1	-	-	1	-	14	-	-	-	1	1	3	2	7	4	2	
Nephritis	M	10	-	-	-	-	-	1	-	-	5	2	2	19	-	-	-	-	2	1	2	7	6	1	
	F	10	-	-	-	-	-	-	-	2	2	4	2	25	-	-	1	1	2	2	6	5	4	2	
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	4	1	1	-	-	-	
Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	2	2	1	-	-	-	
Congenital causes, etc.	M	11	11	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	
	F	11	11	-	-	-	-	-	-	-	-	-	-	34	32	-	1	-	1	-	-	-	-	-	
Senility	M	2	-	-	-	-	-	-	-	-	-	-	2	15	-	-	-	-	-	-	-	-	2	13	
	F	7	-	-	-	-	-	-	-	-	-	-	7	39	-	-	-	-	-	-	-	-	10	29	
Suicide	M	3	-	-	-	-	1	1	-	-	-	1	-	22	-	-	-	-	1	3	3	5	5	4	
	F	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	2	3	2	1	1	-	
Other violence	M	11	1	-	-	2	1	2	2	-	1	1	1	41	1	1	-	2	7	7	3	6	2	5	
	F	8	-	-	-	1	-	-	-	-	2	2	3	24	1	-	1	3	2	2	-	1	6	8	
Other defined causes	M	23	1	-	-	1	1	1	2	2	2	8	5	75	4	5	2	6	4	3	4	11	19	9	
	F	20	2	-	1	-	3	1	2	2	3	3	3	52	2	-	2	4	1	4	4	8	9	10	
Ill-defined causes	M	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Causes of Death. <i>See first page of Table.</i>		CROYDON.												DARLINGTON.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,160	93	4	9	23	42	43	60	115	218	286	267	460	38	8	6	18	17	26	18	44	74	102	108
	F	1,285	53	4	12	23	30	49	70	110	169	273	492	452	27	6	11	18	17	16	25	40	75	107	110
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
4 Whooping cough	M	2	-	1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	1	2	1	1	-	-	-	-	-	-	-
5 Diphtheria	M	4	-	-	3	1	-	-	-	-	-	-	-	4	1	-	-	2	-	-	-	1	-	-	-
	F	8	-	-	2	4	2	-	-	-	-	-	-	9	-	-	2	7	-	-	-	-	-	-	-
6 Influenza	M	15	1	-	-	-	1	1	-	-	3	3	6	7	-	-	1	-	-	1	-	2	1	1	1
	F	10	-	-	-	-	-	-	1	2	1	4	2	5	-	-	-	-	-	-	-	2	2	1	-
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 Cerebro-spinal fever	M	3	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	87	-	-	-	-	18	18	17	16	12	4	2	22	-	-	-	1	6	3	2	6	3	1	-
	F	61	-	-	-	-	17	22	11	2	4	2	3	25	-	-	-	-	10	5	5	1	3	1	-
10 Other tuberculosis	M	9	1	-	-	2	2	-	1	1	-	2	-	7	1	-	2	3	1	-	-	-	-	-	-
	F	19	1	2	1	2	2	4	1	3	2	1	-	10	1	-	-	1	2	2	1	1	1	1	-
11 Syphilis	M	5	1	-	-	-	-	-	-	2	2	-	-	5	-	-	-	-	1	-	-	1	1	2	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	-	1	-	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
13 Cancer	M	144	-	-	1	1	2	-	4	22	40	52	22	42	-	-	-	-	-	3	1	3	12	17	6
	F	182	-	-	-	-	-	2	16	31	41	55	37	70	-	-	-	-	-	4	18	15	24	9	-
14 Diabetes	M	8	-	-	-	1	-	-	-	-	3	2	2	6	-	-	-	-	-	-	1	2	3	-	-
	F	15	-	-	-	-	1	-	-	1	2	6	5	4	-	-	-	-	-	-	-	-	3	-	-
15 Cerebral hæmorrhage	M	29	-	-	-	-	-	-	1	4	5	12	7	21	-	-	-	-	-	-	1	3	3	9	-
	F	57	-	-	-	-	-	-	1	1	10	20	25	36	-	-	-	-	-	-	3	5	13	13	-
16 Heart disease	M	340	-	-	-	2	1	1	10	19	54	117	136	107	-	-	-	1	2	2	4	7	22	32	37
	F	440	-	-	1	2	-	4	8	27	35	97	266	84	-	-	-	1	-	-	4	2	14	29	34
17 Aneurysm	M	8	-	-	-	-	-	-	1	-	5	2	-	3	-	-	-	-	-	-	-	1	1	1	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
18 Other circulatory	M	57	-	-	-	-	-	-	-	2	10	22	23	33	-	-	-	-	-	-	-	1	7	6	15
	F	88	-	-	-	-	-	-	-	6	17	26	39	27	-	-	-	-	-	-	1	1	5	10	10
19 Bronchitis	M	19	1	-	-	-	-	1	-	1	5	5	6	8	-	-	-	-	-	-	-	1	-	2	-
	F	26	2	-	-	-	1	-	1	1	2	1	18	6	-	-	-	-	-	-	1	-	1	-	-
20 Pneumonia	M	71	13	-	1	-	2	2	1	9	18	15	10	33	7	4	-	2	-	3	2	3	2	4	-
	F	49	4	1	2	1	1	-	2	4	7	9	18	33	2	3	2	1	1	-	5	2	4	6	-
21 Other respiratory	M	7	-	-	-	-	-	-	1	1	1	2	2	6	-	1	-	-	1	1	1	-	-	1	-
	F	6	-	-	1	-	-	-	-	1	-	2	2	4	-	-	-	-	-	-	-	-	2	1	-
22 Peptic ulcer	M	21	-	-	-	-	-	1	2	8	4	5	1	5	-	-	-	-	-	2	1	2	-	-	-
	F	9	-	-	-	-	-	-	1	1	4	2	1	2	-	-	-	-	-	-	-	1	1	-	-
23 Diarrhœa	M	12	7	1	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	17	8	1	-	-	-	-	-	2	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-
24 Appendicitis	M	13	-	-	-	2	1	1	3	2	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	1	-	-	2	1	1	-	3	-	-	-	1	-	-	-	2	-	-	-
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
	F	15	-	-	-	-	-	-	2	1	6	3	3	2	-	-	-	-	-	-	-	1	-	-	-
27 Other digestive	M	41	6	1	1	2	2	4	3	3	9	7	3	7	-	-	1	1	-	1	-	2	1	1	-
	F	25	-	-	-	3	-	2	3	2	3	3	9	9	-	-	-	2	1	-	-	2	1	1	-
28 Nephritis	M	29	-	-	-	-	1	-	4	4	7	9	4	16	-	-	-	-	2	-	-	2	4	1	-
	F	37	-	-	-	1	2	-	2	7	7	14	4	17	-	-	2	-	-	1	2	-	5	5	-
29 Puerperal sepsis	F	7	-	-	-	-	1	3	3	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
30 Other puerperal	F	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
31 Congenital causes, etc.	M	59	58	-	-	-	-	-	1	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
	F	28	28	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
32 Senility	M	10	-	-	-	-	-	-	-	-	1	-	9	9	-	-	-	-	-	-	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	3	19	21	-	-	-	-	-	-	-	-	-	4	1
33 Suicide	M	15	-	-	-	-	3	3	-	3	4	2	-	10	-	-	-	-	-	1	3	1	3	2	-
	F	11	-	-	-	-	2	2	-	7	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
34 Other violence	M	44	-	-	2	4	4	7	3	6	7	2	9	21	1	1	1	1	2	3	1	4	2	4	-
	F	41	2	-	1	3	-	3	4	2	3	6	17	7	-	-	1	1	-	-	-	1	1	-	-
35 Other defined causes	M	101	4	1	-	8	4	4	5	11	20	20	24	46	3	1	-	6	1	6	1	3	8	8	-
	F	100	8	-	4	7	2	6	9	14	15	17	18	39	5	-	2	1	3	2	2	4	8	7	-
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	1	3	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	2	1	-	-

Causes of Death. See first page of Table.			DONCASTER.												DUDLEY.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	363	33	4	4	10	18	12	11	28	67	101	75	368	42	6	13	12	21	21	24	44	55	76	5	
	F	340	29	3	3	11	9	22	15	28	49	65	106	299	29	6	7	9	16	14	21	25	44	54	7	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-	
4 Whooping cough	M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 Diphtheria	M	4	-	-	1	3	-	-	-	-	-	-	-	7	-	-	2	4	1	-	-	-	-	-	-	
	F	3	-	-	-	3	-	-	-	-	-	-	-	3	-	-	-	2	1	-	-	-	-	-	-	
6 Influenza	M	7	2	1	-	-	1	-	-	1	1	-	1	9	-	-	1	-	1	2	2	1	2	2	1	
	F	6	-	-	-	1	-	-	-	-	3	1	1	8	-	-	-	1	-	1	2	1	2	1	-	
7 Encephalitis lethargica	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	17	-	-	-	-	3	4	6	2	1	1	-	27	-	-	-	-	3	7	5	8	3	1	-	
	F	10	-	-	-	-	3	3	1	-	3	-	-	17	-	-	-	-	6	5	4	2	-	-	-	
10 Other tuberculosis	M	3	-	-	1	1	-	1	-	-	-	-	-	4	-	-	2	-	2	-	-	-	-	-	-	
	F	1	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	
11 Syphilis	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 Cancer	M	47	-	-	-	-	3	-	1	5	18	15	5	38	-	-	-	1	1	1	1	4	14	12	4	
	F	48	-	-	-	-	-	3	4	6	15	11	9	46	-	-	-	-	-	4	7	17	12	6	6	
14 Diabetes	M	5	-	-	-	1	-	-	-	-	1	3	-	3	-	-	-	-	1	-	-	1	-	-	1	
	F	4	-	-	-	-	1	-	-	-	-	3	-	4	-	-	-	-	-	-	-	-	2	-	2	
15 Cerebral hæmorrhage	M	19	-	-	-	-	-	-	-	2	9	4	4	25	-	-	-	-	-	1	1	4	14	5	5	
	F	20	-	-	-	-	-	-	1	2	5	7	5	23	-	-	-	-	-	-	4	6	4	9	9	
16 Heart disease	M	100	-	-	-	1	-	1	3	2	18	43	35	50	-	-	1	3	1	5	4	9	13	14	14	
	F	91	-	-	-	1	1	3	2	9	8	21	46	60	-	-	-	1	3	2	3	3	11	16	21	
17 Aneurysm	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18 Other circulatory	M	16	-	-	-	-	-	-	-	1	2	9	4	9	-	-	-	-	-	-	-	1	4	4	4	
	F	17	-	-	-	-	-	-	-	1	5	3	8	13	-	1	-	-	-	-	-	-	4	-	8	
19 Bronchitis	M	15	1	-	-	-	-	-	1	1	-	7	5	35	3	1	-	1	-	1	2	5	11	11	11	
	F	12	-	-	-	-	-	-	1	-	-	3	8	19	2	-	-	-	-	2	-	1	6	8	8	
20 Pneumonia	M	12	6	-	-	-	1	-	1	1	1	2	-	42	6	4	2	4	3	2	3	7	4	6	1	
	F	11	2	1	-	1	-	4	-	1	2	-	-	25	10	3	3	1	1	1	2	1	1	2	2	
21 Other respiratory	M	1	-	-	-	-	-	-	-	-	-	1	-	5	1	-	1	-	-	1	1	1	-	-	1	
	F	2	-	-	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	
22 Peptic ulcer	M	5	-	-	-	-	-	-	3	-	-	2	-	7	-	-	-	-	-	1	1	4	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	1	-	-	-	-	
23 Diarrhœa	M	4	3	1	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	
	F	3	1	-	-	-	1	-	-	-	1	-	-	3	2	-	1	-	-	-	-	-	-	-	-	
24 Appendicitis	M	3	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
	F	6	-	-	-	-	-	2	-	-	2	2	-	1	-	-	-	-	1	-	-	-	-	-	-	
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
26 Other liver diseases	M	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27 Other digestive	M	8	1	-	1	-	1	-	-	1	2	-	2	5	2	-	-	-	-	-	-	1	2	-	-	
	F	6	1	-	-	-	-	1	1	1	-	1	1	2	-	-	-	1	-	-	-	-	-	1	1	
28 Nephritis	M	10	-	-	-	-	1	-	-	1	2	3	3	7	-	-	-	-	-	1	2	1	3	-	-	
	F	10	-	-	-	-	1	-	-	1	1	4	3	9	-	-	-	-	1	1	3	1	2	1	1	
29 Puerperal sepsis	F	3	-	-	-	-	-	1	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	
30 Other puerperal	F	2	-	-	-	-	-	1	1	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-	-	
31 Congenital causes, etc.	M	18	18	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-	
	F	21	21	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-	
32 Senility	M	11	-	-	-	-	-	-	-	-	-	1	10	14	-	-	-	-	-	-	-	-	5	9	9	
	F	17	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	1	-	10	10	
33 Suicide	M	4	-	-	-	-	-	-	-	1	3	-	-	4	-	-	-	-	1	1	1	1	-	-	-	
	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	
34 Other violence	M	18	-	-	-	1	4	2	1	-	5	1	4	16	-	-	3	-	3	1	1	4	1	-	3	
	F	13	1	-	-	1	1	2	-	-	-	3	5	3	1	-	-	-	-	-	-	1	-	-	1	
35 Other defined causes	M	24	1	1	1	3	2	-	3	3	7	2	2	29	3	-	-	2	4	1	4	6	4	3	2	
	F	22	2	-	1	3	-	1	2	5	2	4	2	23	1	1	1	3	3	1	1	2	3	3	4	
36 Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	

TABLE 24—contd. County Boroughs.

241

Causes of Death.		EASTBOURNE.													EAST HAM.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes		M	326	12	1	-	3	9	9	15	37	50	91	99	719	55	5	10	10	28	35	39	74	143	172	148	
		F	392	8	1	1	2	6	5	15	29	51	101	173	669	30	9	8	21	15	26	39	64	98	169	190	
1	Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
4	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	
		F	2	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
5	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	3	3	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	10	-	-	3	7	-	-	-	-	-	-	-	-	
6	Influenza	M	2	-	-	-	-	-	-	-	1	1	-	-	7	-	-	1	-	-	1	1	-	2	-	2	
		F	2	-	-	-	-	-	-	-	-	-	2	7	-	-	-	-	-	-	-	3	-	2	-	2	
7	Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-	-	
8	Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	Respiratory tuberculosis	M	14	-	-	-	-	1	4	2	2	5	-	46	1	-	-	1	12	10	7	9	3	3	-	-	
		F	11	-	-	-	-	2	1	2	2	1	2	34	-	1	1	2	7	5	12	2	3	1	-	-	
0	Other tuberculosis	M	4	-	1	-	-	-	1	-	1	-	-	9	-	1	-	1	1	3	1	2	-	-	-	-	
		F	2	-	-	-	1	-	-	-	-	-	1	7	1	2	1	-	-	-	1	1	-	1	-	-	
1	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	1	-	2	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	
2	Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	2	1	-	-	-	3	-	-	-	-	-	1	-	1	-	1	-	
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Cancer	M	45	-	-	-	-	-	-	-	3	9	19	14	100	-	-	-	-	4	3	12	24	34	23	-	
		F	66	-	-	-	-	-	-	4	7	14	21	20	105	-	-	-	1	-	3	9	20	29	30	13	
4	Diabetes	M	4	-	-	-	-	1	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	4	1	-	
		F	11	-	-	-	-	-	-	-	-	2	4	9	-	-	-	-	-	-	-	-	4	4	1	-	
5	Cerebral hæmorrhage	M	28	-	-	-	-	-	-	2	1	4	11	10	31	-	-	-	-	1	-	2	4	18	6	-	
		F	37	-	-	-	-	-	-	-	5	3	9	20	47	-	-	-	-	-	-	4	10	21	12	-	
6	Heart disease	M	92	-	-	-	-	1	1	2	6	17	27	38	184	-	-	-	1	1	1	15	41	56	69	-	
		F	127	-	-	-	-	-	1	4	4	12	36	70	209	-	-	-	2	7	3	8	16	63	110	-	
7	Aneurysm	M	1	-	-	-	-	-	-	-	1	-	-	-	6	-	-	-	-	-	-	1	1	2	2	-	
		F	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	-	-	-	2	2	1	-	
18	Other circulatory	M	15	-	-	-	-	-	-	-	1	2	4	8	15	-	-	-	-	-	-	1	5	3	6	-	
		F	19	-	-	-	-	-	-	-	-	3	5	11	24	-	-	-	-	-	-	2	4	9	9	-	
19	Bronchitis	M	8	1	-	-	-	-	-	-	-	-	2	5	19	-	-	-	-	-	3	-	5	5	6	-	
		F	10	-	-	-	-	-	-	-	-	1	1	8	20	-	-	-	-	1	-	2	2	4	11	-	
20	Pneumonia	M	21	3	-	-	-	-	1	2	3	2	7	3	61	11	2	4	-	4	-	5	7	13	9	6	
		F	10	1	1	-	-	-	-	-	-	2	2	4	28	3	2	-	-	2	2	1	6	8	4	-	
21	Other respiratory	M	6	-	-	-	-	1	-	1	1	-	2	1	12	-	-	-	-	1	1	1	5	3	-	-	
		F	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	1	-	-	1	1	1	1	-	-	
22	Peptic ulcer	M	5	-	-	-	-	-	-	1	4	-	-	-	10	-	-	-	-	-	1	1	3	4	1	-	
		F	5	-	-	-	-	-	-	-	-	-	2	3	5	-	-	-	-	-	1	1	3	1	3	-	
23	Diarrhoea	M	1	1	-	-	-	-	-	-	-	-	-	-	8	6	-	1	-	-	-	-	1	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
24	Appendicitis	M	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	1	1	-	-	-	
		F	4	-	-	-	-	1	-	-	1	2	-	5	-	-	-	1	-	-	-	2	2	-	-	-	
25	Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	2	1	-	-	
		F	3	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
26	Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	-	2	1	1	-	
		F	3	-	-	-	-	-	-	-	1	1	1	-	6	-	-	-	-	-	-	1	-	4	1	-	
27	Other digestive	M	8	-	-	-	-	1	-	-	2	1	3	1	14	1	-	-	-	-	1	2	6	5	-	-	
		F	3	-	-	-	-	1	-	-	-	-	2	-	14	1	-	-	-	-	-	5	2	4	-	-	
28	Nephritis	M	16	-	-	-	-	-	-	-	2	2	7	5	20	-	-	-	-	1	1	4	1	5	6	3	
		F	15	-	-	-	-	-	-	-	-	-	8	7	17	-	-	-	2	-	1	3	4	4	3	-	
29	Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	3	1	-	-	-	-	
30	Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1							

TABLE 24—*contd.* County Boroughs.

Causes of Death. See first page of Table.		EXETER.													GATESHEAD.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes		M F	414 401	24 9	2 2	3 5	4 3	11 11	14 14	18 13	45 35	87 55	109 103	97 151	833 778	116 82	11 12	21 7	23 25	36 41	31 42	67 58	79 75	156 98	180 161	113 177	
1	Typhoid fever, etc.	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
2	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	3 -	1 -	- -	- -	2 -	- -	- -	- -	- -	- -	- -		
3	Scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 2	- -	- -	- -	1 2	1 -	- -	- -	- -	- -	- -		
4	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	6 2	4 1	1 1	1 -	- -	- -	- -	- -	- -	- -	- -		
5	Diphtheria	M F	2 -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -		
6	Influenza	M F	6 4	- -	- -	- -	- 1	- 1	2 -	- 1	2 -	- -	1 1	1 1	8 11	- -	- 1	1 -	- -	1 -	1 2	2 1	2 2	- 1	1 2		
7	Encephalitis lethargica	M F	1 1	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	5 2	- -	- -	- -	- 1	1 1	- -	2 -	1 -	1 -	- -		
8	Cerebro-spinal fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 2	- 1	- -	- -	1 1	1 -	- -	- -	- -	- -	- -		
9	Respiratory tuberculosis	M F	21 21	- -	- -	- -	2 1	5 5	3 4	5 1	3 6	2 2	1 1	73 57	1 -	- -	1 -	1 4	12 17	10 11	24 10	11 9	11 3	2 3	- -		
10	Other tuberculosis	M F	5 2	1 -	- -	- -	1 2	1 -	1 -	1 -	- -	- -	- -	11 14	- 1	- -	3 -	1 3	5 4	- 3	1 -	- -	1 3	- -	- -		
11	Syphilis	M F	2 -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	- -	3 2	1 -	- -	- -	- -	- -	- -	- -	1 1	1 -	- -			
12	Gen. paralysis of insane, etc.	M F	5 1	- -	- -	- -	- -	1 -	- -	2 -	2 1	- -	- -	8 -	- -	- -	- -	- -	- -	1 -	3 -	2 -	2 -	- -			
13	Cancer	M F	61 66	- -	- -	- -	1 2	- 2	- 1	2 9	5 14	15 21	11 17	81 80	- -	- -	- -	- -	- 1	3 2	2 4	15 17	25 15	30 21	6 20		
14	Diabetes	M F	7 4	- -	- -	- -	- -	- -	- -	1 -	2 -	1 -	2 -	13 13	- -	- -	- -	- -	- 1	1 -	1 1	3 3	8 7	- -	- -		
15	Cerebral hæmorrhage	M F	24 32	- -	- -	- -	- -	- -	1 -	- 6	2 3	12 7	9 16	53 61	- -	- -	- -	- -	- 1	- 5	- 8	1 10	12 19	22 18	18 18		
16	Heart disease	M F	83 101	- -	- -	- -	2 1	1 1	5 2	6 1	18 13	29 35	22 49	146 164	- -	- -	- 2	2 2	4 5	4 2	8 7	17 14	45 30	42 42	24 60		
17	Aneurysm	M F	3 -	- -	- -	- -	- -	- -	- -	- -	2 -	1 -	- -	3 2	- -	- -	- -	- -	- -	- -	1 -	2 1	- 1	- -	- -		
18	Other circulatory	M F	22 18	- -	- -	- -	- -	- -	- -	- 1	5 3	9 6	8 8	41 45	- -	- -	- -	- -	- -	- -	- 1	2 2	7 3	17 15	15 24		
19	Bronchitis	M F	12 20	2 -	- -	- -	- -	- -	- -	1 1	1 -	1 1	7 18	32 27	2 1	- -	- -	- 1	2 1	3 1	3 -	4 -	9 12	7 10	7 10		
20	Pneumonia	M F	23 22	1 -	1 1	- 3	1 2	2 1	2 2	5 1	5 4	2 4	6 4	61 57	16 17	4 6	6 3	- 1	3 2	3 2	9 3	5 2	7 8	5 8	3 5		
21	Other respiratory	M F	7 6	- -	- -	1 -	1 -	- -	- -	1 2	- 2	2 2	2 2	11 10	- -	- 1	- -	1 1	1 2	1 2	- 1	1 2	2 -	4 -	4 1		
22	Peptic ulcer	M F	5 -	- -	- -	- -	- -	- -	- -	2 -	1 -	1 -	1 -	8 5	- -	- -	- 1	- -	1 1	1 -	1 2	5 -	- 1	- -	- -		
23	Diarrhœa	M F	3 1	- 1	1 -	- -	- -	- -	- -	- -	- -	- 1	1 -	26 17	21 14	1 1	2 -	- -	- -	- -	- -	1 -	- -	- -	1 -		
24	Appendicitis	M F	1 2	- -	- -	- -	- -	- -	- -	- -	- 2	- -	1 -	3 -	- -	- -	- -	1 -	- -	- -	1 -	1 -	- -	- -	- -		
25	Cirrhosis of liver	M F	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	2 2	- -	- -	- -	- 1	- -	- -	1 1	- -	1 -	- -	- -		
26	Other liver diseases	M F	2 2	- -	- -	- -	- -	- -	- -	1 -	1 1	- 1	- -	3 4	- -	- -	- -	- -	- -	1 1	- -	1 1	- 2	- -	1 -		
27	Other digestive	M F	7 10	- -	- -	1 -	- -	- -	- 1	- 1	2 1	4 5	- 2	15 17	1 1	1 -	1 -	- -	2 1	- 1	1 3	2 2	2 3	4 4	1 2		
28	Nephritis	M F	20 12	- -	- -	- -	- -	- -	- -	3 1	7 2	5 1	5 6	23 26	- -	- -	- -	2 1	- 1	1 4	2 1	1 3	6 4	3 7	8 6		
29	Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	2	1	-	-	-	-		
30	Other puerperal	F	1	-	-	-	-	-	-	1	-	-	-	7	-	-	-	-	3	3	1	-	-	-	-		
31	Congenital causes, etc.	M F	15 7	15 7	- -	- -	- -	- -	- -	- -	- -	- -	- -	57 35	56 35	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -		
32	Senility	M F	7 11	- -	- -	- -	- -	- -	- -	- -	- -	- -	7 11	17 20	- -	- -	- -	- -	- -	- -	- -	- -	- 5	- 5	12 15		
33	Suicide	M F	3 5	- -	- -	- -	- 1	- 1	- -	2 2	1 -	- 1	- -	7 7	- -	- -	- -	- -	1 1	- -	1 1	- 2	3 2	2 1	- -		
34	Other violence	M F	21 13	- -	- -	1 2	2 1	3 -	- 1	2 -	5 1	4 3	4 5	32 15	- -	1 1	4 1	5 5	2 1	2 1	7 -	1 -	3 1	6 1	1 5		
35	Other defined causes	M F	43 33	5 1	- 1	- -	1 2	1 2	3 2	3 4	10 7	10 7	9 7	66 60	13 9	2 1	2 -	5 4	3 4	1 6	3 7	6 8	8 4	14 10	9 7		
36	Ill-defined causes	M F	1 6	- -	- -	- -	- 1	- -	- -	- -	- -	- -	1 4	11 7	- 1	- -	- -	- -	- -	- -	3 1	2 2	4 1	2 2	2 2		

TABLE 24—*contd.* **County Boroughs.**

Causes of Death.		GLOUCESTER.												GREAT YARMOUTH.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes		M	371	25	5	3	10	14	19	24	29	65	81	96	336	15	3	5	9	12	9	10	37	53	84	99
		F	342	17	3	3	2	10	16	26	35	50	83	97	363	14	2	5	8	16	15	20	31	61	65	126
1	Typhoid fever, etc.	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	
4	Whooping cough	M	2	1	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	7	-	1	4	-	-	-	-	-	-	-	
6	Influenza	M	9	2	-	-	-	1	-	1	-	2	3	-	1	-	-	-	-	-	-	-	1	-	-	
		F	2	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-	1	-	-	1	-	-	
7	Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	Respiratory tuberculosis	M	32	-	-	-	1	7	7	7	3	5	1	1	20	-	-	-	4	2	1	10	3	-	-	
		F	19	-	-	-	-	3	5	3	7	1	-	-	24	-	-	-	9	6	5	2	-	2	-	
10	Other tuberculosis	M	4	-	-	1	1	1	-	1	-	-	-	-	6	-	1	1	2	-	-	1	-	-	-	
		F	3	-	-	-	-	-	1	1	1	-	-	-	4	-	-	-	2	1	1	-	-	-	-	
11	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	
12	Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	3	-	-	-	
		F	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
13	Cancer	M	39	-	-	-	-	-	1	1	4	8	18	7	47	-	-	-	-	1	2	5	14	18	7	
		F	56	-	-	-	-	-	-	1	7	12	19	17	40	-	-	-	-	-	1	6	19	9	5	
14	Diabetes	M	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	1	-	-	2	2	-	-	
		F	7	-	-	-	-	-	-	-	2	1	3	1	7	-	-	-	1	-	-	1	5	-	-	
15	Cerebral hæmorrhage	M	17	-	-	-	-	-	-	1	-	3	5	8	16	-	-	-	-	-	-	-	2	11	3	
		F	18	-	-	-	-	-	1	1	-	5	8	3	16	-	-	-	-	-	-	1	5	1	9	
16	Heart disease	M	66	-	-	-	1	-	3	1	4	17	18	22	96	-	-	1	1	1	1	4	12	24	52	
		F	81	-	-	-	-	2	1	1	5	9	25	38	122	-	-	-	-	1	2	6	15	28	70	
17	Aneurysm	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	
18	Other circulatory	M	24	-	-	-	-	-	-	-	2	3	5	14	17	-	-	-	-	-	-	-	4	7	6	
		F	20	-	-	-	-	-	-	-	1	6	7	6	13	-	-	-	-	-	-	1	1	3	8	
19	Bronchitis	M	23	1	-	-	-	-	-	1	1	5	15	8	2	-	-	-	-	1	-	1	1	3	3	
		F	5	-	-	-	-	-	-	-	1	1	3	1	9	-	1	-	-	-	-	2	-	6	1	
20	Pneumonia	M	20	4	2	-	1	-	2	3	-	5	3	14	2	1	2	-	1	-	2	1	2	2	1	
		F	10	1	-	-	-	-	2	-	1	4	2	18	3	1	1	-	1	1	2	2	5	1	1	
21	Other respiratory	M	10	1	-	-	1	-	-	1	2	5	-	2	2	-	-	-	-	-	1	-	-	1	1	
		F	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	2	
22	Peptic ulcer	M	4	-	-	-	-	-	-	2	1	1	-	3	-	-	-	-	-	-	-	-	1	2	1	
		F	2	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	
23	Diarrhœa	M	1	-	-	-	-	-	1	-	-	-	-	4	3	-	-	-	-	-	-	-	-	-	1	
		F	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
24	Appendicitis	M	4	-	-	-	1	-	-	1	-	1	1	4	-	-	-	1	-	-	-	2	1	-	-	
		F	4	-	-	1	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	
25	Cirrhosis of liver	M	1	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	1	1	1	1	
		F	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	
26	Other liver diseases	M	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	1	
		F	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1	
27	Other digestive	M	6	1	1	-	-	-	1	-	2	-	1	9	-	-	1	-	1	-	1	2	1	1	2	
		F	12	2	-	-	-	1	-	2	1	2	3	1	11	-	-	1	-	-	2	2	-	3	3	
28	Nephritis	M	18	-	-	-	-	1	2	3	4	5	3	12	-	-	-	-	1	-	2	3	3	3	3	
		F	17	-	-	-	1	1	1	-	5	4	5	19	-	-	-	-	-	1	5	3	5	5	5	
29	Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	
30	Other puerperal	F	5	-	-	-	-	3	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
31	Congenital causes, etc.	M	12	12	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-	
		F	9	9	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	8	
32	Senility	M	11	-	-	-	-	-	-	-	-	-	-	11	8	-	-	-	-	-	-	-	-	-	8	
		F	16	-	-	-	-	-	-	-	-	-	-	16	7	-	-	-	-	-	-	-	-	1	6	
33	Suicide	M	5	-	-	-	-	2	-	-	2	1	-	-	5	-	-	-	-	1	-	3	1	-	-	
		F	3	-	-	-	-	-	1	1	1	-	-	3	11	-	-	1	3	-	1	1	1	2	2	
34	Other violence	M	18	1	-	1	2	4	2	1	1	3	-	1	12	1	-	1	-	-	1	-	-	4	3	
		F	4	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
35	Other defined causes	M	36	2	1	-	2	-	3	4	2	10	4	8	32	-	1	-	2	-	3	1	7	3	9	6
		F	37	2	2	1	1	2	2	9	7	1	5	5	21	1	-	-	1	2	4	-	4	3	1	5
36	Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 24—contd. County Boroughs.

Causes of Death. See first page of Table.		GRIMSBY.													HALIFAX.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	604	58	12	15	8	14	28	35	58	110	138	128	685	50	1	11	19	14	19	31	69	161	182	123		
	F	510	42	10	5	13	28	31	36	46	61	119	119	739	33	8	4	16	15	26	48	67	128	192	202		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-			
4 Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
	F	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
5 Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	12	-	-	4	8	-	-	-	-	-	-			
	F	2	-	-	1	1	-	-	-	-	-	-	-	4	-	-	1	3	-	-	-	-	-	-			
6 Influenza	M	5	-	-	-	-	-	1	2	-	2	-	-	3	-	-	-	-	-	1	-	1	1	1			
	F	4	-	-	-	-	-	-	1	2	-	1	-	6	-	-	-	1	-	1	-	1	1	2			
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	3	-	-			
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	29	-	-	-	-	4	9	9	5	2	-	-	22	-	-	-	-	1	4	6	5	4	2			
	F	32	-	-	-	3	7	11	4	4	1	2	-	20	-	-	-	-	5	8	3	3	1	-			
10 Other tuberculosis	M	7	-	2	3	1	-	-	-	-	-	-	1	5	-	-	-	2	-	2	-	1	-	-			
	F	7	-	1	-	2	2	-	1	1	-	-	-	8	-	-	1	2	1	1	1	-	1	-			
11 Syphilis	M	3	-	-	-	-	-	-	-	2	1	-	-	3	1	-	-	-	-	-	-	1	-	1			
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-			
12 Gen. paralysis of insane, etc.	M	8	-	-	-	-	1	-	-	2	4	1	-	5	-	-	-	-	-	-	-	4	1	-			
	F	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	2	1	-	-			
13 Cancer	M	78	-	-	1	-	1	-	4	10	22	30	10	86	-	-	-	-	-	-	2	13	32	31			
	F	66	-	-	-	-	1	3	6	11	14	22	9	108	-	-	-	-	-	3	13	18	30	29			
14 Diabetes	M	8	-	-	-	-	-	-	-	2	2	3	1	7	-	-	-	-	-	-	-	3	4	-			
	F	14	-	-	1	-	1	1	-	-	5	3	3	15	-	-	-	-	-	1	2	-	3	7			
15 Cerebral hæmorrhage	M	29	-	-	-	-	-	-	2	1	7	9	10	31	-	-	-	-	-	-	3	8	8	15			
	F	33	-	-	-	-	-	-	-	3	5	12	13	36	-	-	-	-	-	2	-	10	11	13			
16 Heart disease	M	108	-	-	-	1	1	-	3	13	25	38	27	182	-	-	-	-	1	-	4	16	46	60			
	F	104	-	-	-	1	4	1	3	12	19	34	30	224	-	-	-	2	2	1	7	19	36	65			
17 Aneurysm	M	4	-	-	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	-	1	1	-			
	F	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	1	-	-	-	-	1	-			
18 Other circulatory	M	22	1	-	-	-	-	-	-	1	5	5	10	64	-	-	-	-	-	-	-	12	31	27			
	F	21	-	-	-	-	-	-	-	-	3	6	12	60	-	-	-	-	-	-	1	-	9	22			
19 Bronchitis	M	40	3	1	-	-	-	-	3	4	6	12	11	24	2	-	-	-	-	1	2	2	5	6			
	F	19	2	-	-	-	-	-	-	1	3	4	9	15	-	-	-	-	-	1	-	2	3	3			
20 Pneumonia	M	46	9	5	3	3	-	-	1	8	6	6	5	35	5	-	1	2	2	2	3	12	5	5			
	F	39	14	4	-	2	3	2	2	-	2	5	5	34	4	5	-	1	1	-	3	4	9	3			
21 Other respiratory	M	5	-	-	-	-	-	-	-	-	2	-	3	9	-	-	-	-	-	2	-	-	4	3			
	F	3	-	-	1	-	-	-	-	-	-	1	1	3	-	-	1	-	-	-	-	-	2	-			
22 Peptic ulcer	M	4	-	-	-	-	-	1	-	-	1	2	-	12	-	-	-	-	-	2	3	3	1	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	2	1	-	1	-			
23 Diarrhoea	M	9	6	2	-	-	-	-	-	-	1	-	-	5	5	-	-	-	-	-	-	-	-	-			
	F	7	2	1	2	-	-	1	1	-	-	-	-	10	4	-	-	-	-	1	2	1	-	1			
24 Appendicitis	M	7	-	-	1	1	-	-	-	1	3	1	-	8	-	-	-	2	1	1	-	2	-	-			
	F	3	-	-	-	2	1	-	-	-	-	-	-	3	-	-	-	1	-	-	-	1	1	-			
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	2	-	-			
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
26 Other liver diseases	M	4	-	-	1	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	1	1	-			
	F	2	-	-	-	-	-	-	1	-	-	-	1	6	-	-	-	-	-	1	1	1	1	-			
27 Other digestive	M	12	2	-	1	-	1	3	-	-	3	1	1	8	-	-	-	-	-	1	1	-	3	1			
	F	4	-	-	-	-	-	-	1	1	2	-	-	15	-	1	1	-	-	2	1	2	4	2			
28 Nephritis	M	14	-	1	-	-	1	2	-	2	3	4	1	22	-	-	-	1	1	-	1	5	4	5			
	F	10	-	-	-	-	2	2	-	2	-	2	2	27	-	-	-	-	-	-	4	1	6	14			
29 Puerperal sepsis	F	6	-	-	-	-	2	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
30 Other puerperal	F	7	-	-	-	-	1	2	4	-	-	-	-	7	-	-	-	-	1	3	3	-	-	-			
31 Congenital causes, etc.	M	33	30	1	1	1	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-			
	F	18	18	-	-	-	-	-	-	-	-	-	-	22	21	1	-	-	-	-	-	-	-	-			
32 Senility	M	47	-	-	-	-	-	-	-	-	-	12	35	8	-	-	-	-	-	-	-	-	-	-			
	F	37																									

TABLE 24—contd. County Boroughs.

Causes of Death. first page of Table.		HASTINGS.													HUDDERSFIELD.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	421	20	1	2	2	5	16	19	27	74	103	152	809	41	3	15	24	19	30	39	95	190	211	142		
	F	602	23	4	2	4	6	19	17	39	65	144	279	795	22	4	9	23	29	32	41	77	126	238	194		
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Scarlet fever	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—		
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	11	—	—	6	4	—	1	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	19	—	—	4	10	1	1	—	2	1	—	—		
Influenza	M	5	—	1	—	—	—	—	—	—	—	2	2	17	—	—	—	—	1	—	3	3	7	2	1		
	F	6	—	—	—	—	—	—	—	—	—	4	2	8	—	—	—	—	1	1	1	—	3	1	1		
Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	1	1	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Respiratory tuberculosis	M	29	—	—	—	1	2	8	3	8	4	3	—	38	—	—	1	—	7	4	7	12	6	1	—		
	F	24	—	—	—	—	2	7	3	3	5	2	2	28	—	—	—	—	12	7	4	1	2	—	2		
Other tuberculosis	M	3	2	—	—	—	—	1	—	—	—	—	—	10	—	—	—	3	1	2	2	—	1	—	—		
	F	4	—	—	—	1	1	—	—	—	—	1	1	7	—	1	2	1	1	1	—	—	—	—	1		
Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
Gen. paralysis of insane, etc.	M	2	—	—	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	—	1	1	1	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	1	1	—	—	—		
Cancer	M	42	—	—	—	—	1	1	5	3	10	11	11	95	—	—	—	—	—	—	2	16	30	36	11		
	F	89	—	—	—	—	—	1	2	9	15	33	29	106	—	—	—	—	—	1	5	20	30	35	15		
Diabetes	M	9	—	—	—	—	—	1	—	—	1	5	2	15	—	—	—	—	—	—	—	7	4	3	—		
	F	9	—	—	—	—	—	—	—	2	—	5	2	21	—	—	—	—	—	1	—	3	1	13	3		
Cerebral hæmorrhage	M	21	—	—	—	—	—	—	—	2	6	4	9	33	—	—	—	—	—	—	—	2	7	15	9		
	F	36	—	—	—	—	—	—	1	5	3	7	20	40	—	—	—	—	—	—	1	2	—	22	15		
Heart disease	M	132	—	—	—	—	—	1	1	5	15	36	74	183	—	—	—	1	—	1	5	23	47	65	41		
	F	171	—	—	—	—	—	1	1	5	14	43	107	199	—	—	—	—	3	4	4	18	36	68	66		
Aneurysm	M	2	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—		
Other circulatory	M	21	—	—	—	—	—	—	—	1	2	8	10	63	—	—	—	—	—	—	—	3	15	24	21		
	F	34	—	—	—	—	—	—	—	2	2	7	23	56	—	—	—	—	—	—	1	1	10	24	20		
Bronchitis	M	10	1	—	—	—	—	—	—	1	1	1	6	38	2	—	—	—	—	1	—	2	5	11	17		
	F	17	—	—	—	—	—	—	—	—	—	4	13	29	1	—	—	—	—	1	—	—	2	9	16		
Pneumonia	M	20	4	—	—	—	—	1	—	2	8	3	2	48	9	—	2	—	1	3	9	5	13	6	—		
	F	24	4	2	—	—	—	—	2	3	4	3	6	37	1	2	1	1	—	1	4	3	6	11	7		
Other respiratory	M	4	—	—	—	—	1	—	—	—	2	—	1	12	—	—	—	—	2	2	2	3	2	1	—		
	F	5	—	—	—	1	—	1	—	1	—	1	1	7	—	—	—	—	1	—	—	2	2	2	—		
Peptic ulcer	M	6	—	—	—	—	—	—	—	1	4	1	—	16	—	—	—	—	—	1	—	8	5	2	—		
	F	7	—	—	—	—	—	—	1	—	2	3	1	2	—	—	—	—	—	—	—	1	1	—	—		
Diarrhœa	M	—	—	—	—	—	—	—	—	—	—	—	—	6	4	1	—	—	—	—	—	1	—	—	—		
	F	2	—	—	—	—	—	—	—	—	—	—	—	6	3	—	—	—	—	—	—	—	—	—	—		
Appendicitis	M	2	—	—	—	—	—	1	—	—	—	—	—	8	—	—	2	1	—	1	2	1	—	1	—		
	F	3	—	—	1	—	—	—	—	—	1	—	1	2	—	—	—	—	1	1	—	—	—	—	—		
Cirrhosis o liver	M	4	—	—	—	—	—	—	1	—	—	2	1	3	—	—	1	—	—	—	—	—	—	1	1		
	F	2	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
Other liver diseases	M	4	—	—	—	—	—	—	1	—	1	2	—	3	—	—	—	—	—	—	—	—	2	1	—		
	F	5	—	—	—	—	—	1	—	—	4	—	—	11	—	—	—	—	—	—	1	—	2	4	4		
Other digestive	M	13	—	—	—	—	—	—	2	—	4	4	3	15	—	—	—	2	1	1	—	1	3	4	3		
	F	9	1	—	—	—	—	—	—	—	1	—	7	19	—	—	—										

Causes of Death. See first page of Table.		IPSWICH.												KINGSTON UPON HULL.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	485	18	4	1	11	11	9	29	50	103	122	127	2,093	252	34	48	55	80	103	107	211	394	460	34
	F	493	26	1	6	8	14	19	18	40	73	112	176	1,819	176	34	41	59	71	80	122	170	259	375	48
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	1	-	1	-	-	-	-	-	-	-	-	-	12	3	3	5	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	16	7	1	5	3	-	-	-	-	-	-	-
3 Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	1	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-	1	-	-	-	-	-	-
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	9	4	4	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	18	8	4	4	2	-	-	-	-	-	-	-
5 Diphtheria	M	2	-	-	-	2	-	-	-	-	-	-	-	17	1	2	8	6	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	16	-	2	8	5	-	-	-	-	-	-	-
6 Influenza	M	2	-	-	-	-	-	-	1	1	-	-	-	10	-	-	-	-	2	3	-	-	3	1	-
	F	4	-	-	-	-	-	-	-	-	1	1	2	11	-	-	1	-	-	-	1	2	2	1	-
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
	F	3	-	-	-	1	1	-	-	-	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-
8 Cerebro-spinal fever	M	1	-	-	-	1	-	-	-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	-	-	1	-	-	-	-
9 Respiratory tuberculosis	M	27	-	1	-	-	3	4	6	10	3	-	-	146	1	1	1	3	27	28	22	31	26	6	-
	F	22	-	-	-	-	6	8	5	1	2	-	-	98	-	-	2	3	30	28	21	7	4	2	-
10 Other tuberculosis	M	4	1	1	-	1	-	-	-	-	1	-	-	34	1	1	7	7	8	7	1	2	-	-	-
	F	3	-	-	1	1	-	-	-	-	-	1	-	29	5	4	2	7	6	3	-	1	1	-	-
11 Syphilis	M	10	2	-	-	-	-	-	1	1	3	2	1	23	3	-	-	1	-	-	1	2	10	6	-
	F	3	-	-	-	-	-	-	1	1	-	-	-	11	-	-	-	1	1	1	4	2	1	-	-
12 Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	1	-	3	-	-	16	-	-	-	-	1	2	6	4	2	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	1	4	3	1	1	-	-
13 Cancer	M	81	-	-	-	-	1	1	3	12	22	23	19	249	-	-	-	-	2	3	7	35	91	78	3
	F	85	-	-	-	-	1	-	2	13	18	32	19	232	-	1	-	1	1	3	20	45	72	65	2
14 Diabetes	M	8	-	-	-	1	-	-	-	1	-	4	2	20	-	-	2	-	-	1	-	1	5	7	-
	F	6	-	-	-	-	-	-	1	-	2	3	-	22	-	-	-	1	-	1	2	1	6	11	-
15 Cerebral hæmorrhage	M	24	-	-	-	-	-	-	-	-	6	7	11	91	-	-	-	-	-	-	-	12	15	33	3
	F	20	-	-	-	-	-	-	-	-	3	7	10	121	-	-	-	-	-	-	4	8	29	35	4
16 Heart disease	M	120	-	-	-	-	1	1	3	4	23	38	50	436	-	-	1	3	4	5	14	41	100	159	10
	F	155	-	-	-	-	2	2	1	8	18	34	90	389	-	-	1	9	5	8	18	30	52	121	14
17 Aneurysm	M	5	-	-	-	-	-	-	1	1	3	-	-	11	-	-	-	-	-	-	-	5	3	3	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	5	-	-	-	-	-	-	-	3	1	1	-
18 Other circulatory	M	29	-	-	-	-	-	-	-	3	5	13	8	93	-	-	-	-	-	-	-	1	19	41	3
	F	25	-	-	-	-	-	-	-	1	8	6	10	56	1	-	-	-	1	-	-	1	12	19	2
19 Bronchitis	M	9	-	-	-	-	-	-	-	-	2	2	5	56	5	1	2	-	1	-	6	8	10	9	-
	F	18	1	-	-	-	-	-	-	-	1	3	13	52	5	-	1	-	-	2	-	-	5	9	-
20 Pneumonia	M	24	1	1	-	-	-	-	2	4	10	5	1	158	51	19	6	4	1	5	10	16	27	10	-
	F	14	3	1	2	-	-	3	-	-	1	1	3	124	41	9	6	5	5	6	6	8	12	13	-
21 Other respiratory	M	4	-	-	-	-	1	-	-	-	2	1	-	22	1	1	2	1	1	-	4	3	3	4	-
	F	7	-	-	-	-	-	-	-	-	1	3	3	15	-	-	-	-	-	1	-	4	1	5	-
22 Peptic ulcer	M	-	-	-	-	-	-	-	-	-	-	-	-	35	-	-	-	1	-	2	7	12	8	5	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	11	-	-	-	-	-	-	1	2	6	1	-
23 Diarrhoea	M	2	-	-	-	-	-	-	-	-	1	-	1	50	41	-	2	1	-	-	-	-	3	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	34	26	4	2	1	-	-	-	1	-	-	-
24 Appendicitis	M	2	-	-	-	1	-	1	-	-	-	-	-	12	-	-	1	2	-	1	2	1	3	2	-
	F	4	-	-	-	2	-	-	-	2	-	-	-	8	-	-	-	4	-	-	-	1	2	1	-
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	-	12	-	-	-	-	-	-	1	2	2	6	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	-	1	-
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	-	2	4	1	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	1	17	-	-	-	-	-	4	4	3	2	-	-
27 Other digestive	M	13	1	-	-	-	-	1	3	2	3	3	-	42	5	1	1	1	1	3	2	5	7	11	-
	F	14	-	-	-	-	2	-	1	3	3	1	4	32	1	1	2	3	1	1	3	4	6	7	-
28 Nephritis	M	16	-	-	-	-	-	-	1	3	5	3	4	66	1	-	1	2	2	5	2	3	17	16	-
	F	18	-	-	1	1	1	-	-	2	4	5	4	67	-	-	-	-	2	6	3	10	15	14	-
29 Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	6	-	-	-	-	-	4	2	-	-	-	-
30 Other puerperal	F	2	-	-	-	-	-	2	-	-	-														

TABLE 24—*contd.* County Boroughs.

Causes of Death. See first page of Table.		LEEDS.												LEICESTER.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	3,263	250	65	49	82	79	133	206	355	662	810	572	1,500	127	9	14	26	41	68	95	148	278	367	327
	F	3,167	211	36	42	85	119	144	173	289	499	763	806	1,474	85	23	22	26	45	87	74	136	237	330	409
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	2	-	2	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F	2	1	-	1	-	-	-	-	-	-	-	-	7	3	1	1	2	-	-	-	-	-	-	-
Scarlet fever	M	2	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	18	7	8	1	2	-	-	-	-	-	-	-	7	4	-	2	1	-	-	-	-	-	-	-
	F	32	20	6	5	1	-	-	-	-	-	-	-	9	4	3	-	2	-	-	-	-	-	-	-
Diphtheria	M	33	-	-	11	22	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-
	F	26	1	3	6	11	4	-	-	1	-	-	-	5	-	-	3	2	-	-	-	-	-	-	-
Influenza	M	57	1	-	-	2	-	2	3	9	18	8	14	16	-	-	-	-	-	3	-	4	6	3	3
	F	45	-	-	1	1	-	2	6	6	7	12	10	10	-	-	-	-	-	-	2	2	4	2	2
Encephalitis lethargica	M	4	-	-	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	F	5	-	-	-	-	1	1	1	1	1	1	-	2	-	-	-	-	-	-	2	-	-	-	-
Cerebro-spinal fever	M	14	3	1	1	1	-	5	2	-	1	-	-	4	2	1	-	-	-	-	1	-	-	-	-
	F	12	2	-	3	1	3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	216	-	2	-	1	23	36	53	54	37	10	-	129	-	-	-	1	22	23	26	19	27	10	1
	F	142	-	-	-	9	48	36	20	15	8	5	1	99	-	3	1	2	22	35	12	15	8	1	-
Other tuberculosis	M	46	3	7	8	6	5	5	4	6	1	1	-	12	-	1	2	4	2	1	-	1	-	-	-
	F	29	2	4	2	7	4	2	3	-	2	2	1	12	-	1	2	2	1	-	3	2	-	1	-
Syphilis	M	11	3	-	-	1	-	-	-	5	1	-	1	10	1	-	-	-	-	1	-	-	6	1	1
	F	5	1	-	-	-	-	-	2	2	-	-	-	8	-	-	-	-	-	-	3	3	2	-	-
Gen. paralysis of insane, etc.	M	20	-	-	-	-	1	2	4	3	6	3	1	11	-	-	-	-	-	1	4	5	1	-	-
	F	5	-	-	-	-	-	2	1	2	-	-	-	4	-	-	-	-	-	1	2	-	1	-	-
Cancer	M	387	-	-	1	1	-	5	19	43	120	146	52	200	-	-	-	-	-	4	13	21	44	74	44
	F	416	-	-	-	-	1	12	30	79	113	121	60	208	-	-	-	1	-	5	10	40	52	58	42
Diabetes	M	34	-	-	-	1	1	3	-	2	9	12	6	14	-	-	-	-	-	2	-	2	-	7	3
	F	69	-	-	-	1	-	2	4	4	21	27	10	21	-	-	-	-	-	-	-	9	7	4	4
Cerebral hæmorrhage	M	177	-	-	-	-	-	2	5	13	38	67	52	82	-	-	-	-	-	1	2	5	19	33	22
	F	210	-	-	-	1	-	2	2	13	37	81	76	128	-	-	-	-	-	1	8	36	38	45	45
Heart disease	M	715	-	1	-	6	11	12	22	80	168	228	187	293	-	-	-	4	4	9	8	28	63	92	85
	F	741	-	-	1	9	18	18	31	60	120	230	254	295	-	-	-	1	5	6	11	13	51	97	111
Aneurysm	M	15	1	-	-	-	-	1	4	3	3	1	2	6	-	-	-	-	-	-	2	3	1	-	-
	F	13	-	-	-	-	2	1	1	3	2	3	1	3	-	-	-	-	-	-	-	2	1	-	-
Other circulatory	M	296	-	1	-	-	-	2	9	36	122	126	51	51	-	-	-	-	-	-	1	8	21	21	29
	F	317	-	-	-	-	-	2	5	26	107	177	59	59	-	-	-	-	1	2	5	3	19	7	21
Bronchitis	M	129	3	3	1	1	1	4	8	11	37	32	28	50	3	-	-	1	-	-	-	6	14	12	14
	F	106	4	2	2	1	-	2	4	12	32	47	50	50	2	-	1	1	-	1	2	3	11	6	29
Pneumonia	M	207	29	25	9	5	3	10	21	28	39	26	12	73	16	3	2	1	2	5	15	12	10	6	11
	F	158	25	12	7	5	1	12	16	10	19	28	23	62	9	8	8	-	1	4	4	7	6	11	11
Other respiratory	M	21	-	-	-	1	-	3	2	2	8	2	3	13	-	-	-	-	1	-	2	2	4	2	2
	F	23	2	-	-	3	4	2	2	3	3	-	4	11	-	-	-	1	-	1	1	2	1	5	5
Peptic ulcer	M	46	-	-	-	1	6	5	13	13	6	2	13	13	-	-	-	-	3	2	1	3	2	2	2
	F	15	-	-	-	-	-	1	2	5	4	3	8	8	-	-	-	-	-	2	1	2	3	-	-
Diarrhœa	M	43	33	3	1	1	-	-	-	1	1	3	13	12	12	-	-	-	-	-	-	1	-	-	-
	F	40	21	1	1	3	1	5	1	2	2	2	1	19	11	-	-	-	2	2	1	2	1	-	-
Appendicitis	M	23	-	-	1	1	2	3	5	4	3	4	-	12	-	1	-	-	4	3	-	3	1	-	-
	F	8	-	-	1	-	-	1	-	4	1	-	1	7	-	-	-	1	-	-	1	3	-	1	1
Cirrhosis of liver	M	14	-	-	-	-	-	-	1	3	5	5	-	9	-	-	-	-	-	-	2	6	1	-	-
	F	5	-	-	-	-	-	-	1	1	2	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Other liver diseases	M	13	-	-	-	-	1	1	1	2	6	2	4	4	-	-	-	-	1	-	-	1	2	-	3
	F	34	-	-	-	-	1	1	-	5	12	8	7	8	-	-	-	-	1	-	-	-	4	-	-
Other digestive	M	40	2	-	1	-	2	2	6	9	9	7	2	27	2	1	-	-	1	2	8	3	8	2	2
	F	46	2	1	2	1	2	6	2	5	12	9	4	31	1	1	1	3	5	6	5	6	5	4	1
Nephritis	M	82	1	-	1	5	3	3	3	11	21	26	8	54	-	-	-	1	3	4	12	21	11	14	14
	F	101	-	-	1	3	3	7	8	18	19	25	17	66	-	-	-	1	4	7	15	21	21	14	14
Puerperal sepsis	F	10	-	-	-	-	2	8	-	-	-	-	-	8	-	-	-	1	5	2	-	-	-	-	-
Other puerperal	F	13	-	-	-	-	5	2	4	2	-	-	-	14	-	-	-	2	8	4	-	-	-	-	-
Congenital causes, etc.	M	134	131	-	2	-	-	-	-	-	1	-	-	77	75	-	-	1	-	-	1	-	-	-	-
	F	108	107	-	-	-	-	-	-	-	-	-	-	49	46	1	-	-	-	-	-	-	-	-	-
Senility	M	36	-	-	-	-	-	-	-	-	-	3	33	79	-	-	-	-	-	-	-	2	18	59	59
	F	65	-	-	-	-	-	-	-	-	-	9	56	91	-	-	-	-	-	-	-	-	11	80	80
Suicide	M	41	-	-	-	-	3	4	4	13	10	6	1	31	-	-	-	-	6	3	5	7	5	5	5
	F	23	-	-	-	-	3	2	2	7	8	1	-	17	-	-	-	1	2	2	5	4	2	1	1
Other violence	M	117	9	6	4	13	10	11	13	9	16	18	8	61	2	-	1	7	7	2	10	3	5	5	19
	F	87	7	4	4	1	4	4	3	3	10	17	30	43	2	2	-	2	1	4	1	2	4	9	16
Other defined causes	M	266	23	6	6	12	13	12	17	22	58	69	28	140	9	2	4	4	3	7	11	16	27	32	25
	F	252	16	3	5	26	12	19	28	31	54	37	21	118	7	3	5	5	9	8	12	23	26	12	12
Ill-defined causes	M	4	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-

Causes of Death. See first page of Table.		LINCOLN.													LIVERPOOL.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	386	15	7	4	4	10	12	18	48	75	104	89	5,973	820	152	142	177	239	260	372	711	1096	1238			
	F	386	22	5	3	4	11	11	25	40	62	84	119	5,495	629	143	126	163	236	276	298	484	825	1136	1		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-			
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	74	21	36	14	3	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	81	17	40	22	2	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-			
4 Whooping cough	M	1	-	-	1	-	-	-	-	-	-	-	-	24	11	7	6	-	-	-	-	-	-	-			
	F	1	-	1	-	-	-	-	-	-	-	-	-	39	16	13	9	1	-	-	-	-	-	-			
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	72	1	5	30	36	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	76	2	5	26	38	3	1	-	1	-	-			
6 Influenza	M	7	-	-	-	-	-	-	1	1	-	4	1	72	5	1	1	-	2	6	3	10	17	19			
	F	3	-	-	-	-	-	-	-	1	1	1	1	79	2	-	-	-	3	1	5	12	18	16			
7 Encephalitis lethargica	M	1	-	-	-	-	1	-	-	-	-	-	-	11	-	-	-	-	3	1	3	1	-	3			
	F	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	2	4	3	2	-			
8 Cerebro-spinal fever	M	1	1	-	-	-	-	-	-	-	-	-	-	23	8	1	4	8	-	1	-	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	13	5	2	2	2	-	1	-	1	-	-			
9 Respiratory tuberculosis	M	17	-	-	-	-	3	4	3	3	3	-	1	470	1	1	1	5	78	76	96	107	74	25			
	F	13	-	-	-	-	3	5	2	1	2	-	-	341	-	-	2	12	119	89	38	38	22	16			
10 Other tuberculosis	M	7	1	2	2	-	-	1	-	1	-	-	-	70	5	5	15	13	12	7	3	4	2	3			
	F	6	-	1	1	2	-	-	-	-	1	-	1	53	2	8	6	7	9	6	6	2	1	3			
11 Syphilis	M	1	1	-	-	-	-	-	-	-	-	-	-	32	7	-	-	-	-	2	5	7	5	5			
	F	-	-	-	-	-	-	-	-	-	-	-	-	10	3	-	-	-	-	-	2	3	1	1			
12 Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	-	3	1	-	-	32	-	-	-	-	-	-	10	5	15	2			
	F	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	1	-	4	1	1			
13 Cancer	M	39	-	-	-	-	-	-	1	-	13	14	11	687	1	-	-	3	8	20	35	111	216	221			
	F	70	-	-	-	-	1	-	9	14	16	16	14	649	1	-	1	2	2	18	52	127	182	171			
14 Diabetes	M	4	-	-	-	-	-	-	1	-	-	2	1	31	-	-	-	-	-	2	2	3	8	9			
	F	9	-	-	-	-	-	-	-	1	1	3	4	75	-	-	-	1	2	1	3	9	22	29			
15 Cerebral hæmorrhage	M	11	-	-	-	-	-	-	-	-	3	5	3	217	-	-	-	-	1	-	6	13	58	88			
	F	22	-	-	-	-	-	1	2	1	4	6	8	234	-	-	-	-	-	2	2	14	64	81			
16 Heart disease	M	111	-	-	-	-	-	1	2	9	25	38	36	1,112	-	-	-	15	16	24	38	124	257	384			
	F	99	-	-	-	1	-	1	5	8	15	28	41	1,300	-	-	-	17	27	42	46	77	212	402			
17 Aneurysm	M	2	-	-	-	-	-	-	-	1	1	-	-	21	-	-	-	-	-	-	1	5	8	6			
	F	2	-	-	-	-	-	-	-	1	-	1	-	8	-	-	-	-	-	-	1	1	6	-			
18 Other circulatory	M	24	-	-	-	-	-	-	1	-	5	9	9	220	-	1	1	-	2	-	5	18	53	77			
	F	28	-	-	-	-	-	-	-	1	3	9	15	198	1	-	-	-	1	3	1	15	30	65			
19 Bronchitis	M	19	1	-	-	-	1	-	-	-	3	7	7	214	25	3	-	-	3	3	15	28	28	52			
	F	19	2	1	1	-	-	-	-	-	2	3	10	166	22	3	-	-	2	2	3	12	22	37			
20 Pneumonia	M	17	-	3	-	-	-	2	2	5	2	3	-	725	200	59	32	15	21	38	50	94	101	79			
	F	12	1	2	1	-	-	-	2	-	2	1	3	538	164	47	23	17	5	23	28	38	54	82			
21 Other respiratory	M	3	-	-	-	-	-	-	-	1	-	2	-	61	3	2	2	1	5	2	4	11	7	11			
	F	4	-	-	-	-	-	1	-	1	1	-	-	46	-	1	3	-	2	4	3	2	5	13			
22 Peptic ulcer	M	7	-	-	-	-	-	1	-	5	1	-	-	67	-	-	-	-	3	2	12	19	23	8			
	F	3	-	-	-	-	-	-	-	-	1	1	1	32	-	-	-	-	-	1	3	5	11	8			
23 Diarrhœa	M	1	1	-	-	-	-	-	-	-	-	-	-	129	109	6	5	1	-	1	2	2	1	2			
	F	2	-	-	-	-	-	-	1	-	1	-	-	116	77	11	4	1	2	1	3	7	6	-			
24 Appendicitis	M	1	-	-	-	-	-	-	-	1	-	-	-	29	-	-	1	7	4	3	1	3	6	3			
	F	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	2	2	4	1	1	3	3	-			
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	-	-	2	-	7	-	-	-	-	-	-	1	2	2	2			
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	1	1	1	3			
26 Other liver diseases	M	3	1	-	-	-	-	-	-	-	1	1	-	19	-	-	-	-	-	-	1	3	8	4			
	F	1	-	-	-	-	-	1	-	-	-	-	-	34	-	-	-	-	2	3	2	7	5	12			
27 Other digestive	M	6	1	-	-	-	-	-	-	-	3	-	2	98	14	4	3	3	4	8	6	10	17	18			
	F	4	-	-	-	-	2	-	1	-	1	-	-	99	7	-	4	8	-	5	8	8	19	28			
28 Nephritis	M	20	-	-	-	-	-	-	-	7	5	5	3	224	-	1	2	5	9	7	14	35	60	62			
	F	14	-	-	-	-	1	-	1	-	4	4	4	186	2	-	2	3	3	6	17	23	43	51			
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	29	-	-	-	-	11	7	11	-	-	-			
30 Other puerperal	F	1	-	-	-	-																					

TABLE 24—*contd.* County Boroughs.

Causes of Death. First page of Table.			MANCHESTER.												MIDDLESBROUGH.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M F	5,283 4,837	451 358	83 86	94 77	110 100	185 202	241 222	356 327	697 491	1113 748	1208 1121	745 1105	1,013 839	143 102	30 26	30 28	24 34	42 51	56 47	76 42	105 76	188 108	197 169	122 156	
Typhoid fever, etc.	M F	1 3	- -	- -	- -	1 1	- 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
Measles	M F	51 48	7 10	29 23	14 14	1 1	- -	- -	- -	- -	- -	- -	- -	2 7	- 4	2 -	- 3	- -	- -	- -	- -	- -	- -	- -	- -	
Scarlet fever	M F	10 3	1 -	- -	6 2	2 1	1 -	- -	- -	- -	- -	- -	- -	1 1	- -	- -	1 -	- 1	- -	- -	- -	- -	- -	- -	- -	
Whooping cough	M F	16 34	7 12	4 13	4 7	1 2	- -	- -	- -	- -	- -	- -	- -	15 9	10 1	1 5	3 3	1 -	- -	- -	- -	- -	- -	- -	- -	
Diphtheria	M F	37 23	- -	3 1	11 7	23 14	- -	- -	- 1	- -	- -	- -	- -	11 12	- -	2 -	3 3	6 6	- 1	- -	- -	- 1	- -	- -	- -	
Influenza	M F	109 113	1 1	1 3	- 2	4 3	6 3	8 10	11 13	25 18	29 23	14 14	10 23	21 26	- -	- -	1 -	- 1	2 1	2 2	2 2	5 5	5 4	3 10	2 5	
Encephalitis lethargica	M F	8 17	- -	- -	- -	- -	3 2	1 2	1 2	1 4	1 5	1 1	- 1	2 -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	
Cerebro-spinal fever	M F	13 15	6 4	- 4	2 2	3 2	- 1	1 2	- -	1 -	- -	- -	- -	4 3	1 2	- -	1 -	1 1	- -	1 -	- -	- -	- -	- -	- -	
Respiratory tuberculosis	M F	428 286	4 -	- 2	- -	3 8	54 97	78 75	87 39	116 37	59 18	22 10	5 -	90 71	- 1	1 -	1 -	- 3	15 27	18 17	20 16	20 3	11 4	4 -	- -	
Other tuberculosis	M F	47 47	2 1	2 3	7 5	7 8	11 9	5 4	4 9	5 3	4 4	1 -	- -	15 9	- -	3 1	5 -	4 2	3 4	2 -	- -	- -	- -	- -	- -	
Syphilis	M F	25 12	3 4	- -	- -	- -	1 -	2 -	2 1	7 3	9 4	1 -	- -	9 2	3 1	- -	- -	- -	- 1	- -	- -	3 -	2 -	1 -	- -	
Gen. paralysis of insane, etc.	M F	26 9	- -	- -	- -	- -	- -	- -	2 4	8 4	13 1	3 -	- -	10 1	- -	- -	- -	- -	- -	- -	5 -	1 -	3 1	1 -	- -	
Cancer	M F	719 619	- -	- -	1 1	- -	4 3	13 14	30 56	112 107	236 171	246 174	77 93	102 101	- -	- -	- -	- -	2 -	2 2	8 6	10 22	36 24	32 34	12 13	
Diabetes	M F	49 97	- -	- -	- -	1 -	1 1	- 1	4 2	6 5	16 33	17 43	4 12	3 12	- -	- -	- -	- -	- -	- -	- -	1 5	5 6	2 -	- -	
Cerebral haemorrhage	M F	217 313	- -	- -	- -	- -	- -	2 1	2 7	23 30	61 63	78 125	51 87	52 39	- -	- -	- -	- -	- -	- -	1 1	2 6	18 41	19 69	12 35	
Heart disease	M F	958 1,021	- -	- -	- 1	13 12	16 23	19 24	52 54	103 91	238 171	309 314	208 331	173 175	- -	- -	- -	2 4	3 2	2 3	7 5	14 17	41 31	69 59	35 54	
Aneurysm	M F	21 4	- -	- -	- -	- -	- -	1 -	- 1	5 2	6 -	9 1	- -	3 3	- -	- -	- -	- -	- -	- -	1 1	- -	1 1	1 -	1 -	
Other circulatory	M F	158 190	- -	- -	- -	- -	- -	- 2	2 4	12 12	37 27	65 70	42 77	42 41	1 -	- -	1 -	- -	- -	- -	1 1	2 4	9 10	12 10	17 25	
Bronchitis	M F	274 211	11 12	1 4	2 2	1 2	1 1	3 6	9 9	44 25	59 66	85 83	58 83	43 20	10 6	- -	1 2	- -	1 -	- -	1 -	7 1	8 1	8 4	7 6	
Pneumonia	M F	483 282	61 45	25 20	17 10	7 6	25 14	23 19	57 22	92 27	109 44	50 45	17 30	126 87	30 26	14 15	11 11	4 4	6 -	8 6	11 2	15 4	15 8	5 6	7 5	
Other respiratory	M F	64 46	3 -	1 -	1 1	2 3	2 1	4 1	3 5	11 6	19 7	8 11	10 11	5 7	- 1	- -	- -	- -	- 1	- -	- -	1 -	3 1	1 2	- 2	
Peptic ulcer	M F	62 16	- -	- -	- -	- -	- -	6 3	18 5	10 4	19 3	8 -	1 1	8 2	- -	- -	- -	- -	- -	- -	2 -	1 1	3 1	2 -	- -	
Diarrhoea	M F	61 42	49 22	2 1	2 2	1 2	1 2	1 4	1 1	1 1	1 4	- 3	3 3	8 12	8 6	- 2	- -	- 1	- -	- -	- -	- 2	- -	- -	- 1	
Appendicitis	M F	32 21	- -	- -	3 1	4 1	4 4	1 3	8 6	5 2	3 3	- -	- -	2 3	- -	- -	- 1	- 1	- -	1 -	1 -	- 1	- -	- -	- -	
Cirrhosis of liver	M F	12 6	- -	- -	- -	1 -	- -	- -	- 1	1 2	5 2	4 1	1 -	4 -	- -	- -	- -	- -	- -	- -	- -	1 -	2 -	1 -	1 -	
Other liver diseases	M F	14 27	- -	- -	- -	- -	- 2	- 3	- 2	2 7	3 8	6 5	3 -	1 4	- -	- -	- -	- -	- -	- -	- 1	1 2	- 1	- -	- -	
Other digestive	M F	102 86	10 2	2 -	6 6	2 5	6 1	6 4	8 5	11 19	17 33	20 37	14 13	15 25	1 1	1 -	- -	1 -	- 1	5 3	2 1	3 3	- 1	2 5	- 1	
Nephritis	M F	112 146	- -	- -	2 3	3 2	2 8	5 9	5 13	12 20	33 33	37 34	13 24	25 19	- -	1 1	1 -	- 2	1 1	3 1	1 1	2 2	9 4	5 2	2 6	
Puerperal sepsis	F	23	-	-	-	-	1	15	7	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-	
Other puerperal	F	21	-	-	-	-	4	5	11	1	-	-	-	10	-	-	-	-	3	5	2	-	-	-	-	
Congenital causes, etc.	M F	241 203	237 195	1 5	- 2	- -	- -	- -	1 -	- -	- -	- -	- -	58 45	58 43	- -	- 1	- -	- 1	- -	- -	- -	- -	- -	- -	
Idiocy enility	M F	255 338	- -	- -	- -	- -	- -	- -	- -	- -	11 7	85 78	159 253	23 23	- -	- -	- -	- -	- -	- -	- -	- -	- -	7 5	16 18	
suicide	M F	63 36	- -	- -	- -	6 6	9 9	9 9	16 10	10 8	13 3	- -	- -	13 7	- -	- -	- -	- -	1 1	2 1	2 -	4 2	1 2	1 1	2 -	
Other violence	M F	172 114	10 11	2 1	11 3	6 5	19 5	25 3	18 4	20 9	24 14	19 25	18 34	51 15	3 -	2 -	2 2	2 3	5 4	6 5	7 -	10 5	12 1	11 9	5 3	
Other defined causes	M F	432 360	39 39	10 6	5 8	22 22	22 21	24 20	27 37	45 56	87 58	103 68	48 25	74 58	16 10	3 2	1 1	2 5	2 4	6 7	6 3	10 8	12 6	11 7	5 5	
Un- defined causes	M F	11 5	- -	- -	- -	- -	1 -	- -	- -	1 -	- -	1 1	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	

Causes of Death. See first page of Table.		NEWCASTLE-UPON-TYNE.													NORTHAMPTON.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,958	231	32	34	53	82	78	101	224	385	417	321	545	35	2	8	10	19	22	21	47	88	148	148		
	F	1,745	170	36	46	63	70	88	93	160	265	380	374	521	24	5	8	6	12	25	23	41	78	124	117		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	6	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	15	1	5	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	4	-	1	-	1	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
4 Whooping cough	M	8	4	1	2	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-		
	F	15	7	5	3	-	-	-	-	-	-	-	-	5	1	1	3	-	-	-	-	-	-	-	-		
5 Diphtheria	M	19	1	1	7	9	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	14	-	-	3	11	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-		
6 Influenza	M	33	2	-	-	1	5	2	2	3	5	8	5	10	-	-	-	1	-	-	-	2	3	2	2		
	F	21	1	1	1	-	-	1	3	2	2	5	5	9	-	-	-	-	-	1	1	1	3	3	3		
7 Encephalitis lethargica	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	4	1	1	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	142	-	-	1	3	27	31	23	29	21	6	1	35	-	-	-	-	5	6	9	9	2	3	3		
	F	97	1	1	1	4	28	27	13	10	8	3	1	18	-	-	1	5	6	3	-	2	1	1	1		
10 Other tuberculosis	M	29	1	2	3	9	4	1	3	4	-	2	-	6	-	-	-	2	3	-	-	-	-	-	-		
	F	34	2	3	6	6	6	2	2	1	4	1	1	5	1	-	-	1	2	-	1	-	-	-	-		
11 Syphilis	M	16	4	-	-	-	-	-	-	4	6	2	-	1	-	-	-	-	-	-	1	-	-	-	-		
	F	4	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	10	-	-	-	-	1	-	-	-	5	4	-	1	-	-	-	-	-	-	-	-	-	1	-		
	F	6	-	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	222	1	-	1	2	2	2	19	29	77	64	25	77	-	-	-	-	1	2	5	15	34	34	34		
	F	223	-	-	-	-	1	3	14	45	60	66	34	88	-	-	-	-	-	3	16	24	27	27	27		
14 Diabetes	M	15	-	-	-	1	-	-	2	-	2	6	4	2	-	-	-	-	-	-	-	1	1	1	1		
	F	31	-	-	-	-	2	-	-	4	7	14	4	19	-	-	-	-	1	-	2	4	5	5	5		
15 Cerebral hæmorrhage	M	74	-	-	-	-	1	1	1	5	20	29	17	32	-	-	-	-	-	-	-	7	15	15	15		
	F	91	-	-	-	-	1	1	7	10	14	32	26	30	-	-	-	-	-	-	4	5	9	9	9		
16 Heart disease	M	391	-	-	1	2	8	8	45	87	127	105	142	142	-	-	-	1	2	3	11	19	51	51	51		
	F	366	-	-	1	4	5	13	12	30	72	106	123	156	-	-	-	-	6	6	6	21	47	47	47		
17 Aneurysm	M	7	-	-	-	1	-	-	-	3	3	-	-	4	-	-	-	-	-	-	1	2	1	1	1		
	F	5	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	173	-	-	-	-	-	-	-	7	34	70	62	30	-	-	-	-	-	-	3	7	8	8	8		
	F	139	-	-	-	-	-	-	2	8	19	51	59	18	-	-	-	-	-	1	1	4	2	2	2		
19 Bronchitis	M	46	10	-	-	-	1	1	2	2	7	8	15	9	1	-	-	-	-	-	-	1	2	2	2		
	F	44	7	-	-	-	1	1	1	1	4	10	19	8	1	-	-	-	-	-	-	-	1	1	1		
20 Pneumonia	M	147	35	15	4	3	2	9	10	22	23	16	8	22	3	-	3	-	2	-	1	2	5	5	5		
	F	106	23	9	12	6	2	4	6	6	10	16	12	21	5	2	2	-	-	-	2	2	4	4	4		
21 Other respiratory	M	22	2	1	2	-	-	1	1	3	4	4	4	1	-	-	-	-	-	-	-	1	-	-	-		
	F	18	2	-	1	1	1	2	1	2	2	4	2	6	1	-	-	-	-	-	1	1	2	2	2		
22 Peptic ulcer	M	28	-	-	-	-	-	2	4	12	6	3	1	4	-	-	-	-	1	-	2	1	-	-	-		
	F	8	-	-	-	-	-	-	1	1	3	3	-	2	-	-	-	-	-	-	2	-	-	-	-		
23 Diarrhœa	M	32	21	3	-	1	-	-	1	2	3	1	-	3	-	1	-	-	-	-	-	-	2	2	2		
	F	36	29	2	-	2	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-		
24 Appendicitis	M	10	-	-	1	3	2	2	-	1	-	-	1	2	-	-	-	-	1	1	-	-	-	-	-		
	F	11	1	-	-	2	2	1	1	-	1	3	-	2	-	-	-	-	-	2	-	-	-	-	-		
25 Cirrhosis of liver	M	8	-	-	-	-	-	-	-	1	4	2	1	1	-	-	-	-	-	-	1	-	-	-	-		
	F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	7	-	-	-	-	-	-	-	-	1	6	-	4	-	-	-	-	-	-	2	-	-	-	-		
	F	13	-	-	-	-	-	1	-	3	2	3	4	3	-	-	-	-	-	-	-	2	-	-	-		
27 Other digestive	M	29	3	1	-	1	-	2	2	4	11	3	2	12	2	-	1	-	3	-	-	2	3	3	3		
	F	35	3	1	2	4	4	-	2	4	4	5	6	9	-	-	1	1	1	-	-	1	1	1	1		
28 Nephritis	M	64	-	-	-	2	-	-	4	12	16	14	16	19	-	-	1	1	-	1	2	5	6	6	6		
	F	77	-	-	1	2	2	4	2	9	18	18	21	33	-	-	-	-	1	5	2	3	13	13	13		
29 Puerperal sepsis	F	13	-	-	-	-	3	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30 Other puerperal	F	13	-	-	-	-	2	7	4	-	-	-	-	4	-	-	-	2	1	1	-	-	-	-	-		
31 Congenital causes, etc.	M	125	124	-	1	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-		
	F	79	78	-	-	1	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-		
32 Senility	M	26	-	-	-	-	-	-	-	-	-	-	-	6	20	-	-	-	-	-	-	1	1	1	1		
	F	38	-	-	-	-	-	-	-	-	-	-	-	7	31	-	-	-	-	-	-	-	-	-	-		
33 Suicide	M	17	-	-	-	-	1	2	1	3	7	2	1	14	-	-	-	-	-	1	2	4	5	5	5		
	F	11	-	-	-	-	-	1	2	3	4	1	-	5	-	-	-	-	1	1	1	2	-	-	-		
34 Other violence	M	67	2	1	3	6	13	5	9	10	8	7	3	19	-	-	1	1	4	5	1	1	3	1	1		
	F	43	3	-	3	5	-	5	1	1	6	7	12	7	-	-	-	-	-	-	-	1	2	2	2		
35 Other defined causes	M	175	18	5	5	7	12	9	9	19	35	26	30	43	4	-	1	3	2	2	3	12	7	7	7		
	F	127	11	6	4	12	8	6	14	15	19	20	12	39	2	2	1	1	1	2	2	5	-	-	-		
36 Ill-defined causes	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		

Causes of Death. See first page of Table.		NORWICH.													NOTTINGHAM.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	703	47	4	14	22	22	18	26	79	98	174	199	1,783	206	34	27	40	51	83	101	186	317	385	353		
	F	716	36	7	4	14	18	17	30	44	105	165	276	1,721	151	30	33	32	70	99	93	129	246	357	481		
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	14	3	5	4	2	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	4	2	1	1	—	—	—	—	—	—	—	—		
Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	4	—	1	1	2	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	5	2	1	2	—	—	—	—	—	—	—	—		
Diphtheria	M	7	—	—	2	5	—	—	—	—	—	—	—	8	—	—	3	4	—	—	—	—	1	—	—		
	F	6	—	1	—	5	—	—	—	—	—	—	—	6	—	—	—	3	2	1	—	—	—	—	—		
Influenza	M	13	—	—	—	—	—	—	1	4	1	4	3	17	1	1	—	1	1	2	1	—	3	5	1		
	F	7	1	—	—	—	1	—	—	1	1	3	—	24	—	—	1	—	3	1	—	3	—	4	7		
Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—		
Cerebro-spinal fever	M	2	—	—	1	1	—	—	—	—	—	—	—	3	—	1	—	1	—	—	—	1	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	—	—	5	1	1	3	—	—	—	—	—	—	—	—		
Respiratory tuberculosis	M	44	—	—	—	7	4	9	15	4	5	—	—	121	—	—	—	1	17	23	20	27	22	11	—		
	F	33	—	—	—	1	10	5	5	4	2	5	1	115	1	1	1	4	35	35	21	8	4	3	2		
Other tuberculosis	M	2	—	—	—	1	1	—	—	—	—	—	—	14	2	3	2	4	1	2	—	—	—	—	—		
	F	7	1	1	—	1	—	—	1	1	1	—	—	25	1	2	4	5	4	2	2	3	2	—	—		
Syphilis	M	4	1	—	—	1	—	—	—	—	—	2	—	13	1	—	—	1	—	—	—	5	3	3	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—	—	—		
Gen. paralysis of insane, etc.	M	2	—	—	—	—	—	—	—	2	—	—	—	8	—	—	—	—	1	2	3	2	—	—	—		
	F	2	—	—	—	—	—	—	2	—	—	—	—	4	—	—	—	—	—	1	1	2	—	—	—		
Cancer	M	104	—	—	—	1	—	1	3	13	27	35	24	180	—	—	—	—	2	9	37	47	55	30	—		
	F	110	—	—	—	—	—	1	7	13	30	31	28	229	—	—	—	—	1	4	12	40	62	68	42		
Diabetes	M	10	—	—	—	1	—	1	—	—	—	—	—	22	—	—	—	—	—	—	1	7	5	6	—		
	F	7	—	—	1	—	—	—	—	4	2	—	—	32	—	—	—	—	—	—	2	11	12	7	—		
Cerebral hæmorrhage	M	42	—	—	—	—	—	—	—	—	5	13	24	82	—	—	—	—	—	4	5	16	35	22	—		
	F	66	—	—	—	—	—	—	1	2	4	27	32	99	—	—	—	—	—	6	9	21	26	37	—		
Heart disease	M	148	—	—	—	2	1	—	2	14	25	51	53	427	—	—	—	—	2	3	14	32	106	124	146		
	F	175	—	—	—	—	1	2	2	4	21	42	103	473	—	—	—	2	8	7	19	16	73	128	220		
Aneurysm	M	1	—	—	—	—	—	—	—	—	1	—	—	13	—	—	—	—	1	2	—	2	5	3	—		
	F	2	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	—	1	—	—	—		
Other circulatory	M	36	—	—	—	—	—	—	—	3	3	12	18	63	—	—	—	—	—	—	2	12	24	25	—		
	F	32	—	—	—	—	—	—	1	2	3	10	16	53	—	—	—	—	1	1	1	3	3	24	20		
Bronchitis	M	21	—	—	—	1	—	—	—	2	2	6	10	70	5	—	—	1	—	1	2	4	9	25	23		
	F	34	2	—	—	—	—	1	—	—	1	4	26	78	4	—	—	—	1	1	4	10	19	39	—		
Pneumonia	M	29	6	1	—	1	1	2	1	4	2	9	2	218	70	10	10	4	6	11	14	27	18	32	16		
	F	35	3	2	1	1	1	—	2	—	4	6	15	112	38	12	10	2	1	3	4	4	9	16	13		
Other respiratory	M	9	—	—	2	—	—	—	—	3	—	3	1	16	—	—	—	—	2	—	1	3	4	2	4		
	F	9	—	—	—	—	—	2	—	1	4	2	—	11	—	1	—	—	3	—	2	1	1	3	—		
Peptic ulcer	M	8	—	—	—	—	—	1	2	—	4	1	—	18	—	—	—	—	2	3	6	3	2	2	—		
	F	2	—	—	—	—	—	—	—	1	—	1	—	5	—	—	—	—	—	2	1	1	1	—	—		
Diarrhoea	M	5	1	2	—	—	—	—	—	—	—	1	1	29	22	5	—	—	—	—	—	1	—	1	—		
	F	5	2	—	—	—	—	—	—	—	—	—	—	33	18	6	2	—	—	—	—	3	—	—	—		
Appendicitis	M	7	—	—	2	1	1	—	1	—	—	—	—	8	—	1	1	—	1	1	—	1	1	—	—		
	F	3	—	—	—	1	1	—	—	—	1	—	—	7	—	—	2	1	—	—	1	—	—	—	—		
Cirrhosis of liver	M	3	—	—	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—	2	—	1	—	—		
	F	1	—	—	—	—	—	—	—	—	1	—	—	3	—	—	—	1	—	—	1	—	—	—	—		
Other liver diseases	M	1	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	1	—	—	1	—	—	—		
	F	9	—	—	—	—	—	—	1	1	1	3	3	9	—	—	—	—	—	—	1	4	1	3	—		
Other digestive	M	13	—	—	—	1	—	1	—	2	1	4	4	22	2	1	—	3	2	1	2	4	5	1	1		

Causes of Death. See first page of Table.		OLDHAM.												OXFORD.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,027	69	6	18	34	24	44	71	124	243	251	143	417	23	2	4	6	15	16	17	53	61	105	
	F	931	39	5	7	28	29	44	45	104	191	246	193	476	18	4	5	8	15	18	15	46	61	114	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-		
5 Diphtheria	M	15	-	-	3	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	14	-	1	1	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Influenza	M	24	-	-	1	-	-	1	2	5	8	5	2	5	1	-	-	-	-	-	-	2	-	2	
	F	10	-	-	-	-	1	1	1	2	3	2	-	6	-	-	-	-	-	-	1	1	1		
7 Encephalitis lethargica	M	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	62	-	-	-	2	6	12	12	14	12	4	-	28	1	-	1	-	2	6	4	6	4	2	
	F	32	-	-	-	1	10	9	5	6	-	1	-	23	-	-	-	2	8	8	2	-	1	1	
10 Other tuberculosis	M	11	-	-	1	1	3	3	2	-	-	1	-	2	-	-	-	1	-	-	-	-	-	1	
	F	3	-	-	-	-	-	2	1	-	-	-	-	4	-	-	2	1	-	1	-	-	-	-	
11 Syphilis	M	2	1	-	-	-	1	-	-	-	-	-	-	4	-	-	-	-	-	-	-	2	2	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	
12 Gen. paralysis of insane, etc.	M	9	-	-	-	-	-	-	3	1	2	3	-	6	-	-	-	-	-	1	2	3	-	-	
	F	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	
13 Cancer	M	117	-	-	-	2	-	2	6	12	46	35	14	49	-	-	-	-	-	1	-	11	11	18	
	F	139	-	-	-	1	-	3	7	23	46	41	17	83	-	-	-	-	-	1	4	12	22	25	
14 Diabetes	M	6	-	-	-	-	-	-	-	1	3	2	-	4	-	-	-	-	-	-	1	2	1	1	
	F	19	-	-	-	-	1	-	-	1	6	8	3	6	-	-	-	-	-	-	1	3	1	1	
15 Cerebral hæmorrhage	M	40	-	-	-	-	-	-	-	3	11	20	6	11	-	-	-	-	-	-	1	3	4	4	
	F	56	-	-	-	-	-	-	-	3	11	25	17	24	-	-	-	-	-	-	2	2	6	6	
16 Heart disease	M	260	-	-	-	1	2	3	12	27	67	88	60	101	-	-	-	-	2	2	-	7	15	27	
	F	252	-	-	-	2	4	5	10	18	57	79	77	110	-	-	-	-	1	2	2	7	8	35	
17 Aneurysm	M	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	1	-	-	2	-	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	2	-	-	
18 Other circulatory	M	53	-	1	-	-	-	-	1	5	12	14	20	31	-	-	-	-	-	-	-	2	7	11	
	F	52	-	-	-	-	-	-	1	4	8	19	20	35	-	-	-	-	-	1	1	3	2	11	
19 Bronchitis	M	44	5	-	-	1	-	-	2	5	9	12	10	5	-	-	-	-	-	-	1	-	1	1	
	F	43	1	-	-	-	-	-	-	9	4	13	16	12	-	-	-	-	1	-	-	-	-	1	
20 Pneumonia	M	76	8	2	1	4	2	7	11	16	10	11	4	27	4	2	1	-	-	-	1	4	4	5	
	F	39	9	1	1	2	2	1	1	4	6	10	2	19	1	2	-	-	-	-	1	2	1	7	
21 Other respiratory	M	8	-	-	-	1	-	-	-	-	1	6	-	5	-	-	-	-	-	2	1	1	1	1	
	F	5	-	-	-	-	-	1	1	-	1	2	-	3	-	-	-	1	-	-	-	-	1	1	
22 Peptic ulcer	M	12	-	-	-	-	1	1	1	3	4	2	-	5	-	-	-	-	-	-	-	1	3	3	
	F	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	2	-	1	1	
23 Diarrhœa	M	10	7	1	1	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	
	F	13	6	2	1	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	
24 Appendicitis	M	5	-	-	2	-	-	-	-	1	-	1	1	2	-	-	-	-	1	-	1	-	-	-	
	F	6	1	-	-	1	1	-	3	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	
25 Cirrhosis of liver	M	5	-	-	-	-	-	-	-	1	2	1	1	2	-	-	-	-	-	-	1	1	-	-	
	F	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	1	-	-	-	
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	13	-	-	-	-	-	-	-	-	6	6	1	5	-	-	-	-	1	-	-	1	2	2	
27 Other digestive	M	18	1	-	1	2	-	1	1	1	5	5	1	6	-	-	1	-	-	1	1	-	1	1	
	F	23	-	-	1	1	1	2	2	2	1	5	8	13	1	-	1	-	-	1	1	4	3	3	
28 Nephritis	M	39	-	-	1	1	1	3	1	2	15	13	2	24	-	-	-	-	1	2	4	2	9	9	
	F	42	-	-	-	3	2	3	6	10	11	7	7	21	-	-	-	-	1	1	2	3	3	6	
29 Puerperal sepsis	F	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30 Other puerperal	F	7	-	-	-	-	-	4	3	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	
31 Congenital causes, etc.	M	36	36	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	
	F	19	19	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	
32 Senility	M	9	-	-	-	-	-	-	-	1	-	1	7	4	-	-	-	-	-	-	-	-	-	1	
	F	16	-	-	-	-	-	-	-	-	-	2	14	14	-	-	-	-	-	-	-	-	-	-	
33 Suicide	M	21	-	-	-	-	-	2	4	6	4	5	-	3	-	-	-	-	1	1	-	-	-	-	
	F	11	-	-	-	-	1	-	-	4	5	1	-	8	-	-	-	-	1	-	5	1	1	1	
34 Other violence	M	35	-	2	5	4	4	2	2	6	6	2	2	23	-	-	-	2	5	2	-	3	5	5	
	F	22	-	1	1	-	1	4	-	4	4	4	3	12	1	-	-	1	-	-	-	1	2	2	
35 Other defined causes	M	91	11	-	1	3	4	7	11	12	18	14	10	50	5	-	-	3	1	1	6	3	2	12	
	F	68	3	-	-	8	4	6	5	12	16	8	6	45	3	2	2	3	1	2	1	3	7	10	
36 Ill-defined causes	M	15	-	-	-	-	-	-	-	1	5	6	3	-	-	-	-	-	-	-	-	-	-	-	
	F	13	-	-	-	-	-	-	-	3	4	5	1	-	-	-	-	-	-	-	-	-	-	-	

TABLE 24—contd. County Boroughs.

253

Causes of Death. first page of Table.		PLYMOUTH.												PORTSMOUTH.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,269	123	12	19	25	35	49	64	111	269	296	266	1,489	105	11	19	48	59	67	79	161	262	341	337
	F	1,279	61	13	16	29	32	53	54	115	202	311	393	1,470	66	13	6	34	43	65	80	141	223	371	428
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-	1	-	-	-	-	-	
	F	1	-	-	1	-	-	-	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	-	
Whooping cough	M	3	2	1	-	-	-	-	-	-	-	-	-	6	2	2	2	-	-	-	-	-	-	-	
	F	3	3	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	
Diphtheria	M	12	-	2	6	3	1	-	-	-	-	-	-	25	-	-	5	20	-	-	-	-	-	-	
	F	11	1	1	2	7	-	-	-	-	-	-	-	14	-	-	1	13	-	-	-	-	-	-	
Influenza	M	6	-	-	-	-	-	-	1	2	1	1	1	19	-	1	-	-	1	1	2	3	3	2	
	F	10	1	-	-	-	-	-	-	-	2	1	6	26	1	-	-	1	-	1	2	5	6	10	
Encephalitis lethargica	M	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	3	-	-	1	-	1	-	
	F	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	1	1	-	1	-	-	-	
Cerebro-spinal fever	M	3	-	1	-	-	1	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Respiratory tuberculosis	M	58	-	-	-	1	10	15	11	9	10	2	-	113	-	1	-	-	17	22	28	26	12	7	
	F	60	-	1	1	1	17	17	8	5	7	2	1	79	1	1	-	-	18	25	13	7	9	4	
Other tuberculosis	M	17	-	-	4	2	2	2	1	-	3	-	-	15	7	-	3	2	1	2	-	-	-	-	
	F	13	1	-	1	2	2	2	3	2	-	-	-	4	-	1	-	1	-	1	-	1	-	-	
Syphilis	M	9	-	-	-	-	-	-	1	1	3	4	-	13	-	-	-	-	-	-	3	5	4	1	
	F	3	-	-	-	1	-	-	-	1	-	1	-	3	1	-	-	-	-	1	-	1	-	-	
Gen. paralysis of insane, etc.	M	8	-	-	-	-	-	-	3	-	3	2	-	12	-	-	-	-	-	2	4	2	3	1	
	F	5	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	M	153	-	-	-	-	1	3	1	19	53	53	23	189	-	-	-	-	2	2	7	21	60	61	
	F	178	-	-	-	-	-	2	7	34	44	58	33	221	-	-	-	1	1	5	12	38	63	67	
Diabetes	M	21	-	-	-	-	-	1	-	5	3	6	6	19	-	-	-	-	2	-	-	1	5	6	
	F	24	-	-	-	1	-	1	2	-	8	7	5	23	-	-	-	-	-	-	4	5	8	5	
Cerebral haemorrhage	M	50	-	-	-	-	-	-	1	4	13	13	19	50	-	-	-	-	-	2	3	10	20	15	
	F	87	-	-	-	-	-	-	3	4	16	25	39	95	-	-	-	-	-	2	7	21	25	40	
Heart disease	M	314	-	-	-	1	1	3	6	23	74	108	98	316	-	-	-	-	4	2	7	29	55	111	
	F	363	-	-	-	2	1	6	9	17	55	109	164	361	-	-	-	3	2	4	12	30	54	132	
Aneurysm	M	7	-	-	-	-	-	-	1	2	4	-	-	10	-	-	-	-	2	-	-	1	5	1	
	F	6	-	-	-	-	-	-	-	-	3	2	-	5	-	-	-	-	-	-	1	2	2	-	
Other circulatory	M	54	-	-	-	-	-	-	-	2	16	17	19	51	-	-	-	-	-	1	2	3	9	12	
	F	60	-	-	-	-	-	-	-	4	6	23	27	52	-	-	-	-	-	1	3	10	25	13	
Bronchitis	M	50	3	-	-	-	1	2	2	4	6	13	19	35	1	1	-	-	-	1	4	9	6	13	
	F	50	2	-	-	-	-	-	-	2	4	15	27	42	2	-	1	-	-	1	2	3	13	19	
Pneumonia	M	77	15	1	2	2	1	6	9	12	13	8	7	87	17	3	3	5	3	3	9	8	12	13	
	F	48	7	4	2	2	-	2	-	7	9	5	10	68	10	7	1	2	5	3	9	10	6	9	
Other respiratory	M	17	1	-	1	-	2	1	2	-	3	5	2	15	-	-	-	-	-	4	5	4	1	1	
	F	9	-	-	1	-	-	1	1	1	1	1	3	14	-	-	-	-	-	1	2	2	4	5	
Peptic ulcer	M	23	-	-	-	-	-	-	5	4	10	3	1	23	-	-	-	-	-	2	-	5	12	3	
	F	7	-	-	-	-	-	-	-	2	3	1	1	10	-	-	-	-	-	-	1	3	2	3	
Diarrhoea	M	17	12	1	1	-	-	-	1	1	-	1	-	12	9	-	1	-	-	-	-	1	5	1	
	F	10	5	1	-	-	-	-	-	-	1	1	1	15	7	-	-	-	-	-	2	-	-	3	
Appendicitis	M	14	-	-	2	1	4	2	1	1	2	-	1	6	-	-	-	2	1	-	2	1	-	-	
	F	6	-	-	-	1	-	-	-	1	2	2	-	4	-	-	-	1	-	-	3	-	-	-	
Cirrhosis of liver	M	7	-	-	-	-	-	-	-	1	1	2	3	7	-	-	-	-	1	-	1	2	3	-	
	F	5	-	-	-	-	-	-	-	2	3	-	-	4	-	-	-	-	-	-	-	1	2	1	
Other liver diseases	M	5	-	-	-	-	-	-	-	-	3	2	-	4	-	-	-	-	-	-	-	-	2	2	
	F	11	-	-	-	-	-	-	1	1	2	5	2	10	-	-	-	-	-	1	1	2	2	4	
Other digestive	M	22	1	-	1	2	1	1	2	4	5	3	3	29	2	1	1	3	3	3	1	2	5	7	
	F	33	2	-	2	2	1	2	2	3	7	3	9	21	3	-	-	2	-	2	3	-	2	4	
Nephritis	M	48	-	-	-	-	1	1	4	5	10	15	12	70	-	-	-	2	1	4	1	5	16	28	
	F	33	-	1	1	-	1	-	1	4	5	14	6	70	-	-	-	3	1	2	2	10	12	20	
Puerperal sepsis	F	6	-	-	-	-	-	5	-	1	-	-	-	11	-	-	-	-	2	8	1	-	-	-	
Other puerperal	F	7	-	-	-	-	1	4	2	-	-	-	-	4	-	-	-	-	2	2	-	-	-	-	
Congenital causes, etc.	M	74	73	1	-	-	-	-	-	-	-	-	-	58	57	-	-	-	1	-	-	-	-	-	
	F	37	37	-	-	-	-	-	-	-	-	-	-												

TABLE 24—*contd.* County Boroughs.

Causes of Death. first page of Table.		ROCHDALE.												ROTHERHAM.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	642	49	3	4	12	15	22	40	73	142	168	114	398	38	4	4	11	13	17	18	40	72	106	75
	F	669	44	5	6	15	14	28	34	71	101	176	175	390	42	6	13	13	14	20	20	44	53	71	94
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	2	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	-	-
Diphtheria	M	2	-	-	-	2	-	-	-	-	-	-	-	4	-	1	-	3	-	-	-	-	-	-	-
	F	4	-	-	1	2	-	1	-	-	-	-	-	6	-	-	-	2	1	-	-	-	-	1	-
Influenza	M	11	-	-	-	-	-	1	3	3	2	1	1	4	-	-	-	2	1	-	1	1	1	1	-
	F	10	-	-	-	-	1	2	1	1	1	3	1	2	-	-	-	-	-	-	-	2	-	-	-
Encephalitis lethargica	M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	32	-	-	-	-	5	5	7	5	9	1	-	20	-	-	-	-	4	4	4	4	4	-	-
	F	25	-	-	-	2	4	9	3	3	2	2	-	20	-	-	-	-	6	6	2	2	3	1	-
Other tuberculosis	M	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	1	-	-	1	-	-	3	-	1	-	1	-	-	-	-	-	-	1
Syphilis	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	1	2	1	-	-	3	-	-	-	-	-	1	1	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Cancer	M	73	-	-	-	-	-	-	-	13	25	23	12	44	-	-	-	-	-	1	4	18	16	5	-
	F	103	-	-	-	1	-	3	10	29	31	19	10	56	-	-	-	-	1	1	7	13	10	13	11
Diabetes	M	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	1	1	1	1	1
	F	9	-	-	-	-	-	-	1	-	-	7	1	9	-	-	-	-	1	-	2	-	4	2	2
Cerebral hæmorrhage	M	22	-	-	-	-	-	-	1	2	3	11	5	20	-	-	-	-	-	-	1	8	8	3	3
	F	35	-	-	-	-	-	-	1	-	4	18	12	23	-	-	-	-	-	-	3	4	8	8	8
Heart disease	M	154	-	-	-	2	3	7	17	30	53	42	102	76	-	-	-	2	1	3	8	15	39	34	34
	F	173	-	-	-	3	3	4	1	10	23	52	77	76	-	-	-	1	1	4	9	12	21	28	28
Aneurysm	M	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	1	-	1	2	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	86	1	-	-	-	-	-	-	3	17	36	29	17	-	-	-	-	-	-	2	1	5	9	9
	F	56	-	-	-	-	-	-	-	5	5	23	23	18	-	-	-	-	-	-	-	-	5	13	13
Bronchitis	M	32	-	-	-	-	-	-	3	1	6	16	6	19	1	-	-	-	1	-	1	3	9	4	4
	F	45	1	1	-	-	-	-	1	4	6	15	17	9	2	-	-	-	-	-	1	1	3	2	2
Pneumonia	M	38	5	2	1	1	4	1	8	6	3	6	1	24	6	1	1	2	1	-	3	6	4	-	-
	F	30	7	2	3	1	1	1	2	2	4	5	2	30	9	2	3	1	1	3	2	2	1	1	5
Other respiratory	M	10	-	-	-	1	-	-	1	1	4	3	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	1	-	-	-	1	-	-	-	2
Peptic ulcer	M	12	-	-	-	-	-	3	2	3	3	1	-	5	-	-	-	-	2	1	1	1	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diarrhœa	M	5	3	-	-	-	-	-	-	-	2	-	-	7	5	-	-	-	-	-	1	1	-	-	-
	F	11	7	-	-	-	1	1	-	1	-	1	-	3	2	-	1	-	-	-	-	-	-	-	-
Appendicitis	M	4	-	-	-	1	1	1	-	1	-	-	-	4	-	-	1	1	1	-	-	-	1	-	-
	F	10	-	-	-	1	1	1	-	3	1	3	-	1	-	-	1	-	-	-	-	-	-	-	-
Cirrhosis of liver	M	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other liver diseases	M	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
	F	11	-	-	-	-	1	-	-	-	6	1	3	7	-	-	-	-	-	-	1	2	2	2	2
Other digestive	M	7	-	-	-	1	-	-	1	-	3	2	-	12	1	-	-	2	-	1	2	2	3	1	1
	F	17	1	-	-	1	-	1	1	2	4	5	2	8	2	-	-	1	-	1	1	2	1	-	-
Nephritis	M	23	-	-	1	-	-	1	2	4	11	3	1	13	-	-	-	-	2	1	3	3	4	-	-
	F	18	-	-	-	-	-	-	1	4	5	5	3	9	-	-	-	-	-	-	2	2	1	4	4
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	2	-	-	-	-	-	-
Other puerperal	F	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Congenital causes, etc.	M	35	35	-	-	-	-	-	-	-	-	-	-	23	22	-	-	-	1	-	-	-	-	-	-
	F	25	24	-	-	1	-	-	-	-	-	-	-	25	24	-	1	-	-	-	-	-	-	-	-
Senility	M	5	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	-	-	-	-	3	11	11
	F	19	-	-	-	-	-	-	-	-	-	3	16	14	-	-	-	-	-	-	-	-	3	11	11
Suicide	M	14	-	-	-	-	-	-	5	5	1	3	6	-	-	-	-	-	1	-	1	2	1	1	1
	F	3	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other violence	M	22	1	-	1	2	1	4	1	3	4	-	5	19	-	-	1	2	3	4	2	2	2	2	-
	F	11	1	1	-	-	1	1	-	-	-	3	4	14	-	1	1	3	1	-	1	-	2	1	1
Other defined causes	M	35	3	-	-	2	1	2	3	3	9														

TABLE 24—*contd.* County Boroughs.

Causes of Death. <i>See first page of Table.</i>		ST. HELENS.													SALFORD.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	705	105	26	20	24	19	27	52	84	104	159	85	1,457	139	20	15	36	57	72	96	195	321	338			
	F	610	86	15	14	21	27	24	46	53	77	144	103	1,277	105	14	21	41	61	61	72	109	200	331			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-			
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-			
2 Measles	M	7	1	4	2	-	-	-	-	-	-	-	-	5	2	1	1	1	-	-	-	-	-	-			
	F	7	2	1	2	1	-	-	-	1	-	-	-	2	-	-	2	-	-	-	-	-	-	-			
3 Scarlet fever	M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
4 Whooping cough	M	5	4	1	-	-	-	-	-	-	-	-	-	8	6	1	-	1	-	-	-	-	-	-			
	F	10	5	3	2	-	-	-	-	-	-	-	-	7	4	2	1	-	-	-	-	-	-	-			
5 Diphtheria	M	13	-	-	3	9	-	-	1	-	-	-	-	14	-	2	3	8	1	-	-	-	-	-			
	F	4	-	-	2	2	-	-	-	-	-	-	-	21	-	1	6	12	1	1	-	-	-	-			
6 Influenza	M	20	2	-	-	1	-	2	5	6	2	1	1	21	1	1	2	-	2	1	-	4	8	-			
	F	19	2	-	1	2	1	1	2	1	3	4	2	28	1	-	-	-	2	-	2	2	4	11			
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	2	-	-			
	F	2	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	-	1	-	-	2	-			
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	2	1	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	-	1	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	34	-	-	-	-	4	8	11	6	4	1	-	117	-	-	-	1	20	24	26	27	14	5			
	F	31	-	-	-	3	11	5	7	4	1	-	-	73	-	-	-	4	28	18	12	8	1	2			
10 Other tuberculosis	M	3	1	-	1	-	-	1	-	-	-	-	-	11	-	-	1	1	2	1	1	3	1	1			
	F	6	1	1	2	-	-	-	1	1	-	-	-	13	-	2	-	3	4	2	-	-	-	-			
11 Syphilis	M	2	1	-	-	-	-	-	-	1	-	-	-	8	-	-	-	-	-	1	4	3	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	2	-	-			
12 Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	1	2	1	-	-	5	-	-	-	-	-	-	4	1	-	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	1	-	-	-			
13 Cancer	M	58	-	-	-	-	1	-	3	8	17	24	5	191	-	-	-	-	3	4	8	26	63	72			
	F	63	-	-	-	-	1	1	8	13	15	20	5	157	-	-	-	1	-	2	9	25	43	53			
14 Diabetes	M	6	-	-	-	-	-	-	-	1	1	3	1	12	-	-	-	-	-	-	2	2	6	-			
	F	6	-	-	-	-	-	-	-	-	2	4	-	24	-	-	-	-	-	-	1	11	10	-			
15 Cerebral hæmorrhage	M	35	-	-	-	-	-	-	2	4	9	12	8	47	-	-	-	-	-	2	5	8	22	-			
	F	37	-	-	-	-	-	-	2	1	7	15	12	87	-	-	-	-	-	2	9	14	37	-			
16 Heart disease	M	129	-	-	1	2	1	1	6	20	24	53	21	340	-	-	-	1	6	6	11	38	99	114			
	F	122	-	-	-	3	5	6	5	12	18	48	25	316	-	-	-	4	6	9	18	26	51	104			
17 Aneurysm	M	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	1	-	2	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-			
18 Other circulatory	M	35	-	-	-	-	-	-	-	2	4	18	11	49	-	-	-	-	-	-	1	1	7	24			
	F	18	-	-	-	-	-	-	-	4	1	11	2	58	1	-	-	-	-	-	1	1	5	19			
19 Bronchitis	M	35	7	1	-	-	-	-	1	5	3	12	6	75	5	-	-	-	1	2	2	13	11	31			
	F	31	4	-	-	-	1	-	-	2	3	11	10	56	1	-	-	-	1	-	1	2	6	19			
20 Pneumonia	M	52	14	7	5	2	-	2	5	9	4	3	1	148	30	10	2	3	2	9	15	22	33	16			
	F	49	16	5	3	5	-	1	5	2	3	5	4	88	18	6	5	7	3	3	5	6	14	17			
21 Other respiratory	M	9	-	-	1	-	2	-	2	1	1	2	-	14	1	-	-	-	-	3	5	2	2	-			
	F	5	-	-	-	-	1	-	1	-	2	-	1	11	-	-	-	-	2	1	-	1	2	2			
22 Peptic ulcer	M	8	-	-	-	-	-	2	1	-	3	-	-	28	-	-	-	-	1	1	3	9	9	4			
	F	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	1	2	2	1	1			
23 Diarrhœa	M	14	9	2	1	-	-	-	-	-	-	1	1	12	10	-	-	-	-	-	1	-	-	1			
	F	7	6	-	-	-	1	-	-	-	-	-	-	9	7	1	-	-	1	-	-	-	-	-			
24 Appendicitis	M	3	-	-	-	1	-	-	1	-	1	-	-	8	-	-	-	3	1	1	-	1	1	1			
	F	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	1	-	1	1	-	-	-	-			
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	1	3	1	1			
	F	2	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-			
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	1	-	-	-			
	F	4	-	-	-	-	-	-	1	-	1	2	-	11	-	-	-	-	-	2	1	-	3	4			
27 Other digestive	M	14	6	-	-	2	-	-	-	1	2	1	2	22	6	1	-	2	-	1	2	1	5	2			
	F	15	3	1	-	-	-	-	-	5	5	-	1	22	2	-	-	-	3	-	1	1	5	6			
28 Nephritis	M	23	-	-	1	-	3	2	-	5	3	5	4	38	-	-	-	1	1	-	5	7	12	6			
	F	13	-	-	-	-	1	3	-	-	3	3	3	48	-	-	-	3	-	4	7	4	13	12			
29 Puerperal sepsis	F	2	-	-	-	-	-	2	-	-	-	-	-	5	-	-	-	-	1	1	2	1	-	-			
30 Other puerperal	F	3	-	-	-	-	-	3	-	-	-	-	-	10	-	-	-	-	1	7	2	-	-	-			
31 Congenital causes, etc.	M	57	55	1	1	-	-	-	-	-	-	-	-	59	57	-	-	-	1	-	1	-	-	-			
	F	42	40	-	-	-	1	-	1	-	-	-	-	59	59	-	-	-	-	-	-	-	-	-			
32 Senility</																											

257

[illegible]

Causes of Death. <i>See first page of Table.</i>		SOUTHAMPTON.													SOUTHEND-ON-SEA.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M F	1,115 924	76 50	9 7	18 19	23 23	33 31	48 39	46 43	134 74	227 129	283 203	218 306	769 861	35 26	3 3	6 4	15 14	22 16	23 23	31 34	78 71	156 125	216 213			
1 Typhoid fever, etc.	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -			
2 Measles	M F	1 2	1 -	- -	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -			
3 Scarlet fever	M F	2 -	- -	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	2 1	- -	- -	- -	1 1	- -	- -	- -	- -	1 -	- -			
4 Whooping cough	M F	3 2	1 -	1 1	- 1	1 -	- -	- -	- -	- -	- -	- -	- -	1 2	1 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -			
5 Diphtheria	M F	19 18	- -	3 1	7 6	9 11	- -	- -	- -	- -	- -	- -	- -	5 5	1 -	- -	1 1	3 4	- -	- -	- -	- -	- -	- -			
6 Influenza	M F	8 7	- -	- -	1 -	- -	- -	1 -	- -	2 2	1 1	- -	3 4	3 7	- 1	- -	- -	- -	- -	1 -	- -	- -	1 2	- 2			
7 Encephalitis lethargica	M F	2 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -				
8 Cerebro-spinal fever	M F	2 2	- -	- -	- -	- 2	- -	1 -	- -	- -	- -	1 -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -				
9 Respiratory tuberculosis	M F	94 51	- -	- -	- 1	2 -	17 20	20 11	12 10	16 4	20 4	7 1	- -	53 44	- -	- -	- -	- -	9 6	11 11	8 7	18 8	6 7	1 4			
10 Other tuberculosis	M F	6 8	- -	- -	1 -	1 1	1 3	2 3	- -	- -	1 -	- -	- -	2 5	- -	- -	1 1	1 -	- -	- -	- -	1 1	1 1	- -			
11 Syphilis	M F	18 5	- 2	- -	- -	- -	- -	- -	2 1	7 -	4 2	5 -	- -	2 -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -				
12 Gen. paralysis of insane, etc.	M F	8 -	- -	- -	- -	- -	- -	- -	- -	5 -	2 -	1 -	- -	8 2	- -	- -	- -	- -	1 -	1 -	2 1	2 1	1 -				
13 Cancer	M F	161 143	- -	- -	1 -	- -	- 1	5 -	6 8	17 25	47 32	58 38	27 39	101 131	- -	- -	- -	- -	- 1	- 1	3 5	13 11	35 34	30 47			
14 Diabetes	M F	15 18	- -	- -	- -	- -	- -	1 1	- -	2 1	6 2	3 11	3 3	6 7	- -	- -	- -	- -	- -	- -	- -	- 2	6 3				
15 Cerebral hæmorrhage	M F	44 37	- -	- -	- -	- -	- -	- -	1 -	3 3	11 5	16 15	13 14	53 84	- -	- -	- -	- -	- -	- -	1 2	4 7	11 17	22 22			
16 Heart disease	M F	280 265	- -	- -	- -	2 1	1 -	4 9	26 11	60 34	97 71	90 138	209 251	- -	- -	- -	- -	1 1	1 1	2 6	8 14	41 22	86 68				
17 Aneurysm	M F	3 4	- -	- -	- -	- -	- 2	- -	- 2	- -	- -	2 -	- -	6 1	- -	- -	- -	- -	- -	- -	1 -	4 1	1 -				
18 Other circulatory	M F	52 36	- -	- -	- -	- -	- -	- -	1 1	12 3	23 8	16 24	28 57	- -	- -	- -	- -	- -	- -	- -	1 1	7 8	8 18				
19 Bronchitis	M F	13 17	1 2	- 1	- -	- -	2 -	- -	- -	- 1	1 -	2 2	7 11	14 27	- 1	- 1	- -	- -	- -	- -	- -	3 2	1 -	2 5			
20 Pneumonia	M F	48 33	8 2	2 1	2 4	2 -	1 -	- -	5 -	7 2	7 6	9 10	5 8	31 23	- 2	1 -	- 1	1 1	1 1	2 -	2 2	4 1	7 4	2 5			
21 Other respiratory	M F	13 3	- -	- -	1 -	1 -	- -	- -	- 1	4 -	4 -	2 2	1 -	7 5	- -	- -	- -	- -	- -	- -	1 -	1 -	3 1	1 3			
22 Peptic ulcer	M F	20 3	- -	- -	- -	- -	- -	- 3	- 1	7 1	6 1	3 -	1 1	14 4	- -	- -	- -	- -	- -	- -	1 -	2 2	7 1	4 -			
23 Diarrhoea	M F	10 8	7 5	1 -	- 1	- -	- -	- -	1 -	- 2	1 -	- -	- -	9 6	3 3	1 -	- -	- -	- -	1 1	1 -	- -	- 1	2 1			
24 Appendicitis	M F	4 7	- -	- -	- 1	- -	- -	1 -	1 2	2 1	- -	- 2	- 1	6 6	- -	- -	- -	- 1	- -	1 -	1 1	1 2	2 1				
25 Cirrhosis of liver	M F	4 -	- -	- -	- -	- -	- -	- -	- -	1 -	2 -	1 -	- -	5 4	- -	- -	- -	- -	- -	- -	1 -	- 1	4 2				
26 Other liver diseases	M F	6 6	1 -	- -	- -	- -	- 2	- 1	- -	1 -	1 1	- 4	1 -	2 11	- -	- -	- -	- 1	- -	- -	1 3	1 2	- 3				
27 Other digestive	M F	18 14	- 1	- -	- -	- 2	- 1	- 1	- 2	2 2	3 4	7 2	4 1	22 21	1 -	- -	1 1	- 1	1 -	1 2	1 1	3 2	4 6	7 7			
28 Nephritis	M F	41 45	- -	- -	- 1	- -	- -	- 1	- 1	7 4	10 9	14 13	8 17	21 19	- -	- -	- -	1 1	- -	1 -	2 3	2 2	6 5				
29 Puerperal sepsis	F	4	-	-	-	-	-	4	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-				
30 Other puerperal	F	12	-	-	-	-	2	9	1	-	-	-	-	4	-	-	-	2	1	-	1	-	-				
31 Congenital causes, etc.	M F	51 33	49 33	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	23 14	22 14	- -	- -	1 -	- -	- -	- -	- -	- -				
32 Senility	M F	15 26	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 1	13 25	13 30	- -	- -	- -	- -	- -	- -	- -	- -	1 1				
33 Suicide	M F	28 7	- -	- -	- -	- -	- 7	2 1	6 3	- 3	5 1	6 -	2 -	14 8	- -	- -	- -	- -	- 2	2 1	5 2	3 1	2 2				
34 Other violence	M F	39 25	4 1	- 1	1 1	3 2	4 1	3 1	3 -	3 2	7 3	5 8	6 5	30 13	4 1	1 -	3 -	3 1	2 1	1 1	2 1	6 2	5 3				
35 Other defined causes	M F	86 80	4 4	1 1	2 2	4 3	3 4	2 4	4 7	14 7	15 19	19 15	18 14	70 65	2 3	- 1	- -	4 3	7 3	3 3	3 7	5 11	8 10	19 13			
36 Ill-defined causes	M F	1 2	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	7 3	- -	- -	- -	- -	- -	- -	- -	- -	1 1				

Causes of Death. See first page of Table.		SOUTHPORT.													SOUTH SHIELDS.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M F	502 659	27 25	3 3	2 -	6 6	11 11	10 20	23 31	46 46	95 103	147 179	132 235	740 669	82 72	13 13	25 10	23 25	38 31	39 45	58 44	64 68	141 89	143 128	114 144		
1 Typhoid fever, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
2 Measles	M F	- 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	10 6	5 -	3 6	2 -	- -	- -	- -	- -	- -	- -	- -	- -		
3 Scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	4 1	1 -	- -	1 1	1 -	- -	- -	- -	- -	- -	- -	- -		
4 Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Diphtheria	M F	3 3	- -	1 -	- -	2 1	- 2	- -	- -	- -	- -	- -	- -	4 8	- -	- -	2 2	2 5	- 1	- -	- -	- -	- -	- -	- -		
Influenza	M F	7 17	- -	- -	- -	- -	- 2	1 4	- 1	- 2	3 2	2 4	1 4	10 14	2 3	- -	1 1	1 -	- 1	1 1	- 1	1 3	6 2	- 1	- -		
Encephalitis lethargica	M F	4 2	- -	- -	- -	- -	- -	- 1	1 -	- 2	- -	2 -	- -	2 1	- -	- -	1 -	- -	1 -	- -	- -	- 1	- -	- -	- -		
Cerebro-spinal fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -		
Respiratory tuberculosis	M F	13 18	- -	- -	- -	- 1	1 4	2 9	2 9	3 2	2 2	1 -	2 -	63 56	- -	- -	3 1	- 6	17 10	16 20	17 8	3 7	6 4	1 -	- -		
Other tuberculosis	M F	4 3	1 -	- 1	- -	1 -	- 1	- -	- -	- 1	- -	- -	- -	27 14	2 3	2 -	4 1	8 3	4 3	3 1	1 2	1 1	2 -	- -	- -		
Syphilis	M F	1 2	- 2	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -		
Gen. paralysis of insane, etc.	M F	4 1	- -	- -	- -	- -	- -	- -	- 1	3 1	- -	- -	- -	5 5	- -	- -	- -	- -	- -	2 3	3 1	- -	- 1	- -	- -		
Cancer	M F	71 101	- -	- -	- -	- -	- -	1 4	5 15	23 25	32 37	10 20	- -	72 71	- -	- -	- 1	- -	1 1	3 5	11 20	23 18	27 20	6 7			
Diabetes	M F	9 8	- -	- -	- -	- -	- -	1 -	1 1	5 2	2 1	- 4	- -	1 5	- -	- -	- -	1 -	- 1	- -	- 1	3 -	1 -	- -	- -		
Cerebral hæmorrhage	M F	36 40	- -	- -	- -	- -	- -	- -	2 3	7 5	15 11	12 21	- -	33 40	- -	- -	- -	- -	- -	- -	3 3	12 9	8 17	10 11			
Heart disease	M F	131 153	- -	- -	2 1	1 -	1 3	2 5	7 2	28 24	47 49	44 69	- -	143 141	- -	- -	1 3	- 3	1 7	5 3	14 9	35 23	45 37	42 56			
Aneurysm	M F	3 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	2 -	- -	2 -	- -	- -	- -	- -	- -	- -	- 1	1 -	- -	- -	- -		
Other circulatory	M F	31 48	- -	- -	- -	- 1	- -	- -	- 3	10 1	17 20	- 27	- -	39 29	- -	- -	- -	- -	- -	- 1	3 3	5 4	13 11	18 10			
Bronchitis	M F	20 30	1 -	- -	- -	- -	- -	- 1	3 -	1 3	2 7	13 19	- -	37 33	6 5	- -	- 1	- -	- -	1 1	5 1	5 6	8 7	12 12			
Pneumonia	M F	21 24	1 2	1 1	- -	1 2	- 1	6 1	5 2	1 2	4 6	2 7	- -	39 33	5 12	4 4	5 2	1 2	1 2	8 2	7 3	4 3	2 2	1 1			
Other respiratory	M F	8 7	- -	- -	- -	- 1	1 -	1 -	2 -	- 2	2 2	2 2	- -	9 2	- -	- -	- 1	- -	1 -	2 1	1 1	1 -	2 -	1 -			
Peptic ulcer	M F	5 6	- -	- -	- -	- 1	- -	- -	- 1	3 2	1 1	- 1	- -	4 2	- -	- -	- -	- 1	2 1	- -	- 2	- -	- -	- -			
Diarrhoea	M F	2 6	1 1	- -	- -	- -	1 1	- -	- 1	- -	- -	- -	- 3	15 13	14 11	- -	- 1	- -	- -	- -	1 -	- -	- 1	- -	- -		
Appendicitis	M F	2 2	- -	- -	- 1	- -	- -	- -	- -	- 1	- -	- -	- -	3 2	- -	- -	- 1	- -	- -	1 1	- -	- 1	1 -	- -	- -		
Cirrhosis of liver	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 2	- -	- -	- -	- -	- -	- -	2 2	- -	- -	- -	- -		
Other liver diseases	M F	2 2	- -	- -	- -	1 -	- -	- -	- -	- 1	1 -	- -	- -	- 3	- -	- -	- -	- -	- -	- -	1 1	1 1	1 -	- -	- -		
Other digestive	M F	10 14	- -	- -	- -	- 1	- 1	- 2	3 1	2 4	1 5	3 3	- -	19 14	7 1	- 1	2 -	- 3	2 1	1 -	2 2	4 3	1 3	- -	- -		
Nephritis	M F	16 40	- -	- -	- 1	- 1	2 2	1 -	- -	3 6	5 11	3 18	- -	17 24	- -	- -	- 2	1 2	1 1	- 1	2 5	4 3	7 10	2 3	- -		
Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-		
Other puerperal	F	2	-	-	-	-	1	1	-	-	-	-	-	7	-	-	-	1	3	3	-	-	-	-	-		
Congenital causes, etc.	M F	15 18	15 18	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	27 33	27 30	- -	- 2	- 1	- -	- -	- -	- -	- -	- -	- -		
Senility	M F	11 25	- -	- -	- -	- -	- -	- -	- -	- 1	- 2	10 22	- -	15 38	- -	- -	- -	- -	- -	- -	- -	- -	2 6	13 32	- -		
Suicide	M F	8 3	- -	- -	- -	2 -	- -	1 -	2 2	2 1	1 -	- -	- -	12 8	- -	- -	- -	1 -	4 2	3 3	- 2	4 -	- 1	- -	- -		
Other violence	M F	7 12	1 -	- -	- -	2 1	- -	1 -	1 1	- 2	2 4	- 4	- -	37 7	- 2	2 -	2 -	3 1	7 -	3 -	5 -	4 -	6 -	2 -	3 4		
Other defined causes	M F	53 63	7 1	1 -	1 2	1 3	3 3	3 4	6 12	8 13	12 16	10 9	- -	74 45	13 4	- 2	3 1	3 2	5 4	5 3	7 7	2 6	16 6	15 6	5 4		
Ill-defined causes	M F	5 7	- 1	- -	- -	- -	- -	- -	1 1	- 2	1 1	- 2	- -	13 8	- 1	- -	- -	- -	- -	- -	1 1	3 1	8 2	1 3	- -		

Causes of Death. See first page of Table.		STOCKPORT.													STOKE-ON-TRENT.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	795	61	5	3	16	23	23	57	91	162	223	131	1,780	211	30	34	54	76	91	97	226	364	380	21		
	F	772	35	4	8	16	26	32	39	79	136	221	176	1,615	165	33	28	53	61	92	82	156	270	382	29		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
2 Measles	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	4	3	1	-	-	-	-	-	-	-	-	-	14	10	2	2	-	-	-	-	-	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	22	10	10	2	-	-	-	-	-	-	-	-		
5 Diphtheria	M	6	2	1	1	1	-	-	-	1	-	-	-	5	1	-	3	1	-	-	-	-	-	-	-		
	F	3	-	-	1	1	1	-	-	-	-	-	-	8	-	-	-	8	-	-	-	-	-	-	-		
6 Influenza	M	14	1	-	-	-	1	-	4	1	3	3	1	31	7	-	-	1	3	1	2	5	7	5	-		
	F	15	-	-	-	-	1	1	-	1	4	5	3	45	4	1	-	1	1	2	1	8	7	13	-		
7 Encephalitis lethargica	M	2	-	-	-	-	-	-	-	1	-	-	1	5	-	-	-	1	2	1	-	-	1	-	-		
	F	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	9	3	1	2	-	2	-	-	1	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	2	1	2	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	40	-	-	-	-	7	6	9	7	4	6	1	138	-	1	-	2	12	19	26	36	31	11	-		
	F	27	-	-	-	-	6	6	7	4	4	-	-	107	1	2	-	1	26	28	17	17	11	4	-		
10 Other tuberculosis	M	5	-	1	-	1	-	1	1	-	1	-	-	23	4	1	-	5	6	1	3	1	2	-	-		
	F	9	-	-	3	-	1	1	1	-	2	1	-	19	2	4	-	3	2	5	-	1	2	-	-		
11 Syphilis	M	1	-	-	-	-	-	-	1	-	-	-	-	6	-	1	-	-	-	-	3	1	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	2	1	-			
12 Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	2	1	1	-	-	8	-	-	-	-	-	2	3	2	1	-	-		
	F	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	107	-	-	-	-	-	-	5	16	32	43	11	180	-	-	-	1	2	-	6	37	65	55	-		
	F	120	-	-	-	-	1	4	7	27	32	33	16	174	-	-	-	-	3	12	23	56	56	1	-		
14 Diabetes	M	8	-	-	-	-	-	1	-	1	2	3	1	15	-	-	-	-	1	1	1	1	8	3	-		
	F	11	-	-	-	-	-	2	-	-	2	6	1	23	-	-	-	-	-	1	-	2	9	7	-		
15 Cerebral hæmorrhage	M	21	-	-	-	1	-	-	1	1	6	4	8	67	-	-	-	-	-	-	-	8	15	30	-		
	F	43	-	-	-	-	-	-	-	2	8	17	16	108	-	-	-	-	2	3	12	28	38	2	-		
16 Heart disease	M	228	-	-	-	3	3	1	7	24	49	90	51	431	-	-	-	6	8	12	8	41	111	150	9		
	F	217	-	-	-	2	3	3	10	15	39	85	60	406	-	-	-	6	8	8	12	41	72	139	15		
17 Aneurysm	M	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-		
18 Other circulatory	M	63	-	-	-	-	-	1	-	2	9	26	25	50	-	-	-	-	-	1	-	2	13	21	-		
	F	60	-	-	-	-	-	-	-	1	8	27	24	51	-	-	-	-	-	-	-	4	5	23	-		
19 Bronchitis	M	18	-	-	-	1	1	-	-	2	6	5	3	66	11	3	1	2	1	2	2	4	13	18	-		
	F	24	2	-	-	1	1	-	-	-	2	8	10	43	7	-	-	-	1	1	1	7	10	-	-		
20 Pneumonia	M	43	8	-	2	1	-	2	5	4	13	3	5	157	38	13	12	4	4	14	12	32	14	11	-		
	F	43	10	2	1	2	1	2	3	1	6	7	8	109	32	9	12	3	-	4	9	8	8	15	-		
21 Other respiratory	M	8	1	-	-	-	-	-	-	2	2	2	1	29	1	1	-	-	-	-	2	5	12	7	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	8	-	1	-	-	-	2	-	2	2	-	-		
22 Peptic ulcer	M	16	-	-	-	-	-	1	7	6	1	1	-	8	-	-	-	-	-	4	2	2	-	-	-		
	F	2	-	-	-	-	-	-	-	-	-	1	1	10	-	-	-	-	2	1	2	2	1	-	-		
23 Diarrhoea	M	6	5	-	-	-	-	-	-	-	-	-	1	22	18	2	-	-	-	-	-	-	-	1	-		
	F	3	3	-	-	-	-	-	-	-	-	-	-	24	17	1	-	1	-	-	-	1	1	1	-		
24 Appendicitis	M	4	-	-	-	-	2	-	-	-	-	-	2	10	-	-	-	4	1	1	-	-	-	4	-		
	F	6	-	-	-	1	-	-	-	2	1	2	-	13	-	-	-	1	2	3	2	2	1	1	-		
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	-	1	4	1	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-		
26 Other liver diseases	M	4	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-	-	-	1	-	1	-		
	F	9	-	-	-	-	-	-	-	2	2	2	3	8	-	-	1	-	1	-	-	-	3	1	-		
27 Other digestive	M	8	-	1	-	-	-	-	1	-	4	1	1	38	3	-	2	3	-	4	5	7	5	6	-		
	F	10	-	-	-	-	-	-	-	1	2	4	3	41	5	-	1	2	3	-	5	1	7	12	-		
28 Nephritis	M	29	-	-	-	1	1	-	1	7	7	6	6	47	-	-	1	1	1	3	2	11	14	9	-		
	F	29	-	-	-	-	-	1	1	7	7	8	5	62	-	-	-	1	2	6	6	6	16	15	-		
29 Puerperal sepsis	F	3	-	-	-	-	1	2	-	-	-	-	-	12	-	-	-	-	3	5	4	-	-	-	-		
30 Other puerperal	F	7	-	-	-	-	1	3	3	-	-	-	-	10	-	-	-	-	4	4	1	1	-	-	-		
31 Congenital causes, etc.	M	37	36	-	-	1	-	-	-	-	-	-	-	94	91	-	-	1	1	1	-	-	-	-	-		
	F	17	17	-	-	-	-	-	-	-	-	-	-	75	71	1	1	2	-	-	-	-	-	-	-		
32 Senility	M	5	-	-	-	-	-	-	-	-	-	-	1	48	-	-	-	-	-	-	-	-	1	12	-		
	F	16	-	-	-	-	-	-	-	-	-	3	13	52	-	-	-	-	-	-	-	-	2	19	-		
33 Suicide	M	9	-	-	-	-	-	1	2	2	4	-	-	24	-	-	-	-	2	2	1	5	11	3	-		
	F	5	-	-	-	-	1	1	1	1	1	-	-	14	-	-	-	-	5	2	4	2	1	-	-		
34 Other violence	M	19	1	1	-	-	5	2	2	2	1	3	2	86	-	2	6	10	20	17	5	6	9	4	-		
	F	19	1	-	1	1	2	1	-	2	2	4	5	44	-	-	6	7	4	2	-	1	4	11	-		
35 Other defined causes	M	81	4	-	-	6	3	7	8	10	14	20	9	156	24	3	5	12	10	10	13	16	23	27	-		
	F	63	1	1	2	7	6	5	3	11	12	8	7	111	15	2	3	15	5	11	4	18	22	10	-		
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

TABLE 24—*contd.* County Boroughs.

Causes of Death. See first page of Table.		SUNDERLAND.													TYNEMOUTH.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,252	184	43	34	37	60	64	78	103	193	249	207	439	48	6	8	12	18	21	28	43	86	95	74		
	F	1,165	156	45	29	37	49	60	87	82	140	221	259	377	27	7	7	14	22	21	19	31	59	76	94		
Typhoid fever, etc.	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	5	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles	M	17	6	7	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	25	8	8	8	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
Scarlet fever	M	2	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping cough	M	19	10	8	-	1	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-		
	F	31	15	10	4	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-		
Diphtheria	M	20	1	2	7	10	-	-	-	-	-	-	-	4	-	1	1	2	-	-	-	-	-	-	-		
	F	12	-	-	2	9	1	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-		
Influenza	M	36	1	1	2	1	3	3	4	4	8	4	5	6	2	-	-	-	2	1	1	-	-	-	-		
	F	26	-	1	-	-	1	1	5	1	8	4	5	5	1	-	-	1	-	2	1	-	-	-	-		
Encephalitis lethargica	M	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	7	-	-	-	-	-	2	1	2	1	1	-	2	-	-	-	-	-	1	-	1	-	-	-		
Cerebro-spinal fever	M	4	-	1	-	2	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	4	2	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
Respiratory tuberculosis	M	93	-	-	1	1	27	28	18	13	4	1	-	34	-	-	-	7	5	11	4	6	1	-	-		
	F	61	-	2	2	2	21	17	9	5	3	-	-	37	-	-	-	5	11	2	1	6	1	-	-		
Other tuberculosis	M	21	1	1	2	4	6	5	2	-	-	-	-	7	1	-	1	3	2	-	-	-	-	-	-		
	F	11	-	-	1	5	3	1	1	-	-	-	-	3	-	-	-	1	1	-	-	-	-	-	-		
Syphilis	M	10	1	-	-	-	-	-	1	1	6	1	-	1	-	-	-	-	-	-	1	-	-	-	-		
	F	8	3	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Gen. paralysis of insane, etc.	M	13	-	-	-	-	-	1	2	3	5	2	-	4	-	-	-	-	-	1	2	-	1	-	-		
	F	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer	M	132	-	-	-	-	-	-	4	14	52	49	13	53	-	-	-	-	3	1	10	21	14	4	-		
	F	132	-	-	-	-	-	3	15	19	28	45	22	41	-	-	-	1	1	3	6	13	10	7	-		
Diabetes	M	9	-	-	-	1	-	1	-	2	4	1	-	4	-	-	-	-	-	-	3	-	1	-	-		
	F	19	-	-	-	-	-	1	1	1	6	9	1	6	-	-	-	-	-	1	-	2	2	1	-		
Cerebral hæmorrhage	M	47	-	-	-	-	-	1	1	5	11	20	9	24	-	-	-	-	-	-	4	5	7	8	-		
	F	50	-	1	-	-	-	-	1	2	6	16	24	23	-	-	-	-	-	-	7	3	6	7	-		
Heart disease	M	247	-	-	-	3	2	7	6	16	45	82	86	72	-	-	-	-	1	1	6	14	33	17	-		
	F	233	-	-	-	4	7	10	16	13	34	60	89	93	-	-	-	1	2	6	7	15	30	32	-		
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other circulatory	M	73	-	-	-	-	-	-	1	2	9	22	39	25	-	-	-	-	-	-	1	7	5	12	-		
	F	75	-	-	-	1	-	-	1	2	8	20	43	16	-	-	-	-	-	-	1	3	5	7	-		
Bronchitis	M	47	14	-	-	2	2	1	4	1	7	4	12	26	8	-	-	-	-	1	2	5	5	5	-		
	F	47	12	1	-	-	-	-	3	1	1	11	18	22	3	1	-	-	1	-	1	2	6	8	-		
Pneumonia	M	86	34	13	7	1	2	1	12	5	4	5	2	27	3	2	1	-	1	2	2	6	5	3	-		
	F	71	21	14	6	3	2	4	5	1	5	7	3	22	5	1	3	1	2	1	-	2	3	3	-		
Other respiratory	M	8	-	2	-	-	2	2	-	-	2	-	-	2	-	-	-	-	-	-	2	-	-	-	-		
	F	9	-	-	-	-	1	-	1	1	3	-	3	3	-	-	-	1	-	-	-	-	2	-	-		
Peptic ulcer	M	10	-	-	-	-	-	-	4	2	2	2	-	5	-	-	-	-	1	1	1	1	1	-	-		
	F	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
Diarrhœa	M	34	29	4	-	-	-	-	-	1	-	-	-	7	5	-	-	-	1	-	-	-	-	-	1		
	F	25	18	4	-	1	1	-	-	-	-	1	-	4	2	1	-	-	-	-	-	-	1	-	-		
Appendicitis	M	4	-	-	-	-	-	-	2	-	2	-	-	6	-	-	-	3	1	1	-	1	-	-	-		
	F	3	-	-	-	2	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-		
Cirrhosis of liver	M	7	-	-	-	-	1	-	-	1	1	4	-	1	-	-	-	-	-	-	-	-	-	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
Other liver diseases	M	3	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-		
	F	10	-	-	-	-	-	-	1	-	4	3	2	5	-	-	-	-	-	-	1	1	3	-	-		
Other digestive	M	16	3	-	1	1	1	1	1	-	2	3	3	5	-	-	-	1	-	-	1	-	1	2	-		
	F	18	1	-	2	-	1	3	4	2	1	3	1	6	-	-	-	1	-	-	-	2	1	2	-		
Nephritis	M	58	-	-	-	1	1	1	1	11	14	20	9	10	-	-	1	1	-	1	-	1	3	3	-		
	F	47	-	-	-	-	1	4	2	9	15	9	7	7	-	-	-	1	-	-	1	3	1	1	-		
Puerperal sepsis	F	6	-	-	-	-	1	3	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
Other puerperal	F	12	-	-	-	-	2	3	7	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-		
Congenital causes, etc.	M	72	69	2	1	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-		
	F	70	69	1	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-		
Senility	M	13	-	-	-	-	-	-	-	-	-	3	10	16	-	-	-	-	-	-	-	-	5	11	-		
	F	26	-	-	-	-	-	-	-	-	-	4	22	19	-	-	-	-	-	-	-	-	-	19	-		
Suicide	M	19	-	-	-	-	-	3	5	5	3	3	-	3	-	-	-	-	-	-	1	-	1	1	-		
	F	6	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other violence	M	43	5	-	3	2	4	5	3	7	4	3	7	20	-	-	2	1	4	-	2	5	3	2	-		
	F	32	3	1	-	1	-	1	3	-	4	7	12	6	1	-	2	-	-	-	1	1	-	1	-		
Other defined causes	M	86	10	2	5	6	7	4	5	10	10	17	10	41	6	-	-	4	2	3	4	8	10	2	-		
	F	74	4	1	1	5	5	4	7	14	9	17	7	28	2	2	1	3	-	3	3	4	4	3	-		
Ill-defined causes	M	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	1	2	2	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	-	-	-		

Causes of Death. first page of Table.		WALSALL.												WARRINGTON.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	633	83	15	13	9	20	25	37	65	107	143	116	508	49	12	10	21	23	24	38	57	102	107	65
	F	557	52	9	12	15	27	18	33	46	82	122	141	458	38	6	16	15	23	28	25	39	69	91	108
Typhoid fever, etc.	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	7	3	2	2	-	-	-	-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	-	-
	F	7	1	3	3	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	4	-	-	4	-	-	-	-	-	-	-	-	16	-	1	3	12	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	11	-	1	4	5	-	-	-	1	-	-	-
Influenza	M	10	-	-	-	-	2	-	3	4	-	-	1	8	-	-	-	-	-	-	-	3	1	2	2
	F	6	-	-	-	-	-	-	-	-	2	1	3	10	1	-	-	2	-	-	-	1	2	1	3
Encephalitis lethargica	M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Cerebro-spinal fever	M	1	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	36	-	-	-	-	6	8	8	7	4	3	-	42	-	-	-	1	7	8	10	4	12	-	-
	F	31	-	1	-	3	12	4	4	4	3	-	-	27	-	-	1	1	12	5	4	1	2	1	-
Other tuberculosis	M	7	3	1	-	-	2	-	1	-	-	-	-	7	-	1	-	1	2	2	-	-	-	-	-
	F	6	1	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	1	-	-	1	-	-	-	-
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	2	-	1	-
	F	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	84	-	-	-	-	-	1	2	10	32	26	13	66	-	-	-	-	1	6	9	20	23	7	7
	F	77	-	-	-	-	-	2	8	10	18	26	13	49	-	-	-	-	1	3	4	10	15	11	5
Diabetes	M	6	-	-	-	-	-	1	-	-	1	3	1	7	-	-	-	-	-	2	-	2	3	-	-
	F	11	-	-	-	-	-	-	1	2	3	2	3	12	-	-	-	-	-	1	-	2	2	5	2
Cerebral hæmorrhage	M	36	-	-	-	-	-	-	-	9	8	10	9	16	1	-	-	-	-	-	-	1	5	6	3
	F	32	-	-	-	-	-	-	-	2	6	12	12	32	-	-	-	-	-	-	-	2	9	10	11
Heart disease	M	100	-	-	-	-	1	1	1	2	19	42	34	103	-	-	-	2	2	1	6	15	26	30	21
	F	124	-	-	-	-	2	3	8	20	42	49	105	105	-	-	-	2	2	6	3	7	17	31	37
Aneurysm	M	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	1	-	1	1	-	-
	F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	22	-	-	-	-	-	-	-	1	5	9	7	13	-	-	-	-	-	-	-	1	3	5	4
	F	22	-	-	-	-	-	1	1	3	10	7	11	11	-	-	-	-	-	-	-	1	2	1	7
Bronchitis	M	30	2	-	1	-	-	-	2	4	3	9	9	14	2	-	1	-	-	1	-	2	3	2	3
	F	30	2	1	-	1	1	-	1	3	3	4	14	15	2	-	1	-	-	-	1	-	1	3	7
Pneumonia	M	58	12	5	1	4	4	-	7	4	8	11	2	37	5	5	3	1	-	5	6	6	2	3	1
	F	33	10	3	4	1	3	1	2	1	2	3	3	27	4	2	2	1	2	1	1	2	2	5	5
Other respiratory	M	7	-	1	-	-	-	1	3	-	-	1	1	6	-	-	-	-	-	-	-	-	2	3	1
	F	3	-	-	-	2	-	1	-	-	-	-	-	12	-	-	1	1	-	-	-	3	1	1	5
Peptic ulcer	M	13	-	-	-	-	-	1	2	3	6	1	-	4	-	-	-	-	-	-	1	2	1	-	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	M	11	9	-	1	-	-	1	-	-	-	-	-	3	2	-	-	-	-	1	-	-	-	-	-
	F	6	5	-	-	-	-	-	-	-	-	1	-	4	2	-	2	-	-	-	-	-	-	-	-
Appendicitis	M	5	-	-	1	-	-	1	-	1	1	-	1	3	-	-	-	-	1	-	-	-	2	-	-
	F	4	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Cirrhosis of liver	M	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other liver diseases	M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other digestive	M	13	-	-	-	-	-	1	2	5	4	1	15	4	1	-	-	2	-	1	2	1	3	1	1
	F	9	-	1	-	-	-	-	2	3	2	1	7	-	-	1	-	-	-	1	3	-	1	1	1
Nephritis	M	10	-	-	-	1	1	1	1	1	1	4	1	16	-	-	-	1	-	-	2	5	4	4	4
	F	14	-	-	-	1	-	1	1	6	4	1	9	-	1	-	-	1	-	-	1	1	4	1	1
Puerperal sepsis	F	4	-	-	-	-	1	2	1	-	-	-	-	4	-	-	-	-	3	1	-	-	-	-	-
Other puerperal	F	4	-	-	-	-	3	1	-	-	-	-	-	11	-	-	-	2	7	2	-	-	-	-	-
Congenital causes, etc.	M	49	49	-	-	-	-	-	-	-	-	-	-	34	32	-	1	-	-	-	1	-	-	-	-
	F	27	27	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
Senility	M	24	-	-	-	-	-	-	-	-	-	4	20	11	-	-	-	-	-	-	-	-	4	7	7
	F	31	-	-	-	-	-	-	-	-	-	3	28	20	-	-	-	-	-	-	-	-	4	16	16
Suicide	M	9	-	-	-	-	1	2	2	3	1	-	-	4	-	-	-	-	-	1	1	2	-	-	-
	F	2	-	-	-	-	-	-	2	2	-	-	-	4	-	-	-	-	-	4	-	-	-	-	-
Other violence	M	26	1	3	1	1	3	4	2	4	1	3	3	30	2	-	1	3	6	3	2	2	3	4	4
	F	14	-	-	1	2	3	2	2	-	-	2	2	9	-	-	1	1	-	-	-	1	2	4	4
Other defined causes	M	50	2	2	2	3	1	2	1	8	7	11	11	33	-	-	1	1	1	1	2	4	7	11	5
	F	46	3	-	1	4	3	-	6	7	8	9	5	37	3	1	1	1	3	-	2	2	11	10	3
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	3	1	2	2
	F	-	-	-	-	-	-	-	-	-	-	-	-	8	-	1	1	-	-	-	-	2	2	1	1

Causes of Death. <i>See first page of Table.</i>		WEST BROMWICH.													WEST HAM.												
		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—		
All Causes	M	525	75	17	14	24	20	22	31	57	86	90	89	1,551	100	24	26	34	78	76	89	163	295	376	29		
	F	480	56	14	10	24	30	25	36	43	65	74	103	1,363	91	22	25	34	58	77	76	123	195	282	38		
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Measles	M	4	—	3	1	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—		
	F	7	—	4	—	3	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—	—	—		
3 Scarlet fever	M	1	1	—	—	—	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—		
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	5	—	4	—	1	—	—	—	—	—	—	—		
	F	5	3	1	1	—	—	—	—	—	—	—	—	7	4	2	1	—	—	—	—	—	—	—	—		
5 Diphtheria	M	9	—	1	3	4	1	—	—	—	—	—	—	16	1	—	9	5	1	—	—	—	—	—	—		
	F	7	—	—	3	4	—	—	—	—	—	—	—	23	1	2	8	11	—	—	—	1	—	—	—		
6 Influenza	M	9	—	—	—	—	—	1	1	2	4	1	—	6	1	—	—	—	—	—	—	1	1	3	—		
	F	8	—	—	—	—	—	1	1	2	1	2	1	13	—	—	1	—	—	—	1	2	3	2	—		
7 Encephalitis lethargica	M	1	—	—	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	1	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—		
8 Cerebro-spinal fever	M	3	—	2	—	—	—	1	—	—	—	—	—	4	—	1	—	1	1	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—		
9 Respiratory tuberculosis	M	26	—	—	—	—	4	4	6	7	5	—	—	128	—	—	—	1	21	25	22	24	27	8	—		
	F	31	—	—	1	1	15	5	3	5	—	1	—	96	—	1	—	3	26	32	13	7	9	4	—		
10 Other tuberculosis	M	2	—	—	—	1	—	—	1	—	—	—	—	21	1	1	4	1	4	4	1	2	3	—	—		
	F	4	1	—	—	1	2	—	—	—	—	—	—	5	—	1	—	1	3	—	—	—	—	—	—		
11 Syphilis	M	1	—	—	—	—	—	1	—	—	—	—	—	9	1	—	—	—	—	1	1	3	3	—	—		
	F	2	1	—	—	—	1	—	—	—	—	—	—	3	1	—	—	—	—	—	1	1	—	—	—		
12 Gen. paralysis of insane, etc.	M	2	—	—	—	—	—	—	—	1	1	—	—	13	—	—	—	—	—	—	3	5	3	2	—		
	F	2	—	—	—	—	—	—	1	1	—	—	—	6	—	—	—	—	—	1	1	3	1	—	—		
13 Cancer	M	60	—	—	—	—	—	—	2	15	16	20	7	219	—	—	—	2	—	4	11	26	72	76	—		
	F	54	—	—	—	—	—	1	7	13	16	9	8	196	1	—	1	—	—	6	10	34	51	55	—		
14 Diabetes	M	3	—	—	—	—	—	—	2	—	—	—	—	14	—	—	—	—	—	—	—	1	6	5	—		
	F	9	—	—	—	—	—	—	1	—	4	3	1	27	—	—	—	—	—	—	—	2	6	17	—		
15 Cerebral hæmorrhage	M	18	—	—	—	—	1	—	—	—	2	5	10	93	—	—	—	—	—	2	—	8	17	41	—		
	F	30	—	—	—	—	—	—	—	4	5	7	14	84	—	—	—	—	—	—	—	4	22	22	—		
16 Heart disease	M	70	—	—	—	2	3	—	1	8	23	16	17	374	—	—	—	2	7	5	13	28	65	119	1		
	F	73	1	—	—	2	2	3	3	4	18	19	21	378	—	—	—	1	8	10	14	27	45	103	1		
17 Aneurysm	M	1	—	—	—	—	—	—	—	—	—	1	—	11	—	—	—	—	—	—	1	3	5	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—		
18 Other circulatory	M	18	—	—	—	—	—	—	—	—	1	13	4	42	—	—	—	—	—	—	1	2	7	15	—		
	F	13	—	—	—	—	—	—	1	1	3	3	5	48	—	—	—	—	—	—	1	3	7	17	—		
19 Bronchitis	M	36	7	—	—	1	—	—	1	3	5	8	11	57	1	—	—	—	2	2	2	5	9	14	—		
	F	20	2	1	1	—	—	—	—	—	5	6	5	39	2	—	—	—	2	1	1	1	2	8	—		
20 Pneumonia	M	65	15	5	6	7	3	3	6	9	7	2	2	90	21	8	2	1	3	—	3	10	16	15	—		
	F	45	14	7	4	3	2	2	3	3	3	3	1	82	16	9	4	1	—	4	4	8	8	12	—		
21 Other respiratory	M	7	—	—	—	—	—	—	—	2	2	1	2	22	1	1	1	1	2	3	4	1	2	5	—		
	F	7	2	—	—	—	—	—	1	—	1	—	3	9	—	—	1	—	—	2	1	—	—	3	—		
22 Peptic ulcer	M	7	—	—	—	—	—	1	1	1	1	3	—	31	—	—	—	—	1	4	4	7	11	4	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	7	—	—	—	—	—	—	2	2	2	1	—		
23 Diarrhœa	M	17	14	2	—	—	—	—	—	—	—	—	1	8	8	—	—	—	—	—	—	—	—	—	—		
	F	21	11	1	—	—	—	—	1	—	1	1	6	13	11	—	—	—	—	—	—	—	—	—	—		
24 Appendicitis	M	2	—	—	—	—	1	1	—	—	—	—	—	15	—	—	1	2	2	4	1	1	3	1	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	9	—	—	—	1	2	1	—	2	—	—	—		
25 Cirrhosis of liver	M	1	—	—	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	—	—	—	1	5	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	2	—	—	—		
26 Other liver diseases	M	1	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	1	—	1	—		
	F	3	—	—	—	1	—	—	—	1	1	—	—	8	—	—	—	—	—	—	1	3	2	—	—		
27 Other digestive	M	10	2	1	—	—	—	2	—	2	1	2	—	28	1	2	1	1	2	3	3	3	2</				

Causes of Death. See first page of Table.		WOLVERHAMPTON.													WORCESTER.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	840	87	20	20	16	33	29	51	88	142	192	162	335	20	3	5	8	9	18	17	30	67	80	7		
	F	748	50	12	16	24	28	34	42	66	110	165	201	386	20	1	1	13	12	18	19	35	52	86	12		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	9	1	4	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	F	13	-	5	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	3	1	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	5	-	-	-	3	2	-	-	-	-	-	-	5	1	-	1	3	-	-	-	-	-	-	-		
	F	6	-	-	1	5	-	-	-	-	-	-	-	12	-	-	1	8	2	-	-	-	-	-	-		
6 Influenza	M	6	-	-	-	-	2	-	-	2	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-		
	F	8	2	-	-	1	-	-	1	1	-	2	1	3	-	-	-	-	-	-	-	1	1	1	-		
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	55	-	-	-	-	11	11	10	11	9	2	1	24	-	-	-	-	4	7	5	6	1	1	-		
	F	38	-	-	-	1	6	10	4	11	2	3	1	11	-	-	-	1	3	3	2	-	2	-	-		
10 Other tuberculosis	M	8	1	1	3	-	1	1	-	1	-	-	-	4	-	1	-	1	1	-	-	-	-	-	-		
	F	7	-	1	-	1	1	3	-	1	-	-	-	3	-	-	-	-	2	1	-	-	-	-	-		
11 Syphilis	M	4	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	7	-	-	-	-	-	-	-	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
13 Cancer	M	96	-	-	-	-	1	1	7	12	30	36	9	47	-	-	-	-	-	1	1	5	15	16	-		
	F	105	-	-	-	-	1	1	11	17	28	24	23	51	-	-	-	-	-	2	3	13	12	10	-		
14 Diabetes	M	7	-	-	-	-	-	-	-	1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
	F	15	-	-	-	-	-	-	1	2	4	6	2	10	-	-	-	-	-	-	1	2	-	5	-		
15 Cerebral hæmorrhage	M	42	-	-	-	-	-	-	1	3	12	13	13	27	-	-	-	-	-	-	-	1	7	10	-		
	F	32	-	-	-	-	-	-	2	4	8	8	10	35	-	-	-	-	-	-	1	2	3	9	-		
16 Heart disease	M	198	1	-	-	3	4	3	5	14	38	59	71	72	-	-	-	-	1	3	2	22	16	-	-		
	F	203	-	-	-	3	5	4	4	7	33	69	78	110	-	-	-	-	1	3	4	4	17	30	-		
17 Aneurysm	M	5	-	-	-	-	-	-	1	-	2	1	1	4	-	-	-	-	-	-	2	1	1	-	-		
	F	4	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	39	-	-	-	-	-	-	-	1	9	16	13	15	-	-	-	-	-	-	-	1	1	10	-		
	F	44	-	-	-	-	-	-	1	3	3	14	23	14	-	-	-	-	-	-	-	1	3	6	-		
19 Bronchitis	M	32	3	2	1	-	-	-	1	3	4	7	11	9	1	-	-	-	-	-	-	-	1	2	-		
	F	35	1	1	-	-	-	-	1	-	1	11	20	7	-	-	-	-	-	-	-	-	-	-	-		
20 Pneumonia	M	69	17	7	3	1	2	2	7	8	6	9	7	19	5	-	-	1	-	1	3	3	1	1	-		
	F	36	6	3	2	-	1	4	4	2	3	5	6	13	1	1	-	-	2	1	1	4	2	-	-		
21 Other respiratory	M	10	-	-	-	1	1	-	-	2	2	2	2	4	-	-	-	-	-	-	-	1	3	-	-		
	F	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	1	-	-	-	-		
22 Peptic ulcer	M	14	-	-	-	-	-	1	2	6	4	1	-	5	-	-	-	-	-	-	-	-	3	1	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-		
23 Diarrhœa	M	15	7	2	2	-	-	-	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-		
	F	11	5	-	-	1	1	-	-	-	2	-	2	2	1	-	-	-	-	-	-	-	-	-	-		
24 Appendicitis	M	6	-	-	1	1	-	-	-	-	1	2	-	2	-	-	-	1	-	-	-	-	-	-	-		
	F	5	-	-	-	-	-	-	-	2	2	1	-	3	-	-	-	-	1	1	-	-	-	-	-		
25 Cirrhosis of liver	M	4	-	-	-	-	-	-	1	2	-	1	-	2	-	-	-	-	-	-	1	-	-	1	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	2	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-		
	F	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	1	1	-		
27 Other digestive	M	9	1	-	1	-	-	-	-	-	2	4	1	7	1	1	1	-	-	-	1	-	-	2	-		
	F	7	1	-	2	2	-	-	-	-	1	-	1	4	-	-	-	1	1	3	2	-	-	-	-		
28 Nephritis	M	17	-	-	-	-	1	-	2	1	2	7	4	11	-	-	-	-	1	1	-	2	1	1	-		
	F	15	-	1	-	-	-	-	1	2	5	2	4	14	-	-	-	1	1	-	1	2	1	6	-		
29 Puerperal sepsis	F	3	-	-	-	-	2	1	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-		
30 Other puerperal	F	7	-	-	-	-	1	4	2	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-	-		
31 Congenital causes, etc.	M	48	48	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-		
	F	29	28	-</																							

TABLE 24—*contd.* County Boroughs.

Causes of Death. first page of Table.			YORK.												CARDIFF.															
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-				
All Causes	M	F	541 489	33 36	7 7	8 6	16 10	16 14	26 20	32 33	58 39	83 72	129 109	133 143	1525 1196	120 79	29 17	30 20	40 30	55 66	64 62	119 68	152 122	242 157	394 261	280 314				
Typhoid fever, etc.	M	F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -					
Measles	M	F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	19 9	4 -	8 4	4 4	1 1	1 -	- -	- -	- -	- -	- -					
Scarlet fever	M	F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	2 -	- -	- -	- -	- -	- -	- -					
Whooping cough	M	F	5 5	1 4	3 1	1 -	- -	- -	- -	- -	- -	- -	- -	- -	4 7	2 3	1 2	1 1	- 1	- -	- -	- -	- -	- -	- -					
Diphtheria	M	F	3 1	- -	- -	- 2	1 1	- -	- -	- -	- -	- -	- -	- -	11 8	- -	- -	8 2	3 6	- -	- -	- -	- -	- -	- -					
Influenza	M	F	10 14	- 1	- 2	2 1	- -	- 1	- 1	- -	- 2	- 1	3 4	4 2	12 20	1 1	- 1	- -	1 1	- -	- -	2 -	1 2	2 -	4 8	1 7				
Encephalitis lethargica	M	F	1 -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -					
Cerebro-spinal fever	M	F	1 3	- 2	- -	- 1	- -	- -	- -	1 -	- -	- -	- -	- -	1 2	- 1	- -	1 -	- 1	- -	- -	- -	- -	- -	- -					
Respiratory tuberculosis	M	F	34 17	- -	- -	- -	6 3	4 6	7 3	11 1	2 1	4 1	- 2	1 1	130 86	1 -	- -	- 1	25 30	26 17	30 19	23 6	19 6	3 4	1 -					
Other tuberculosis	M	F	4 3	- -	- -	1 -	1 -	- -	- -	- -	- 1	- 2	- -	- -	20 29	2 3	2 3	3 4	5 5	1 5	2 5	4 2	1 -	- 2	- -					
Syphilis	M	F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	7 -	1 -	- -	- -	- -	- -	- -	3 -	2 -	1 -	- -					
Gen. paralysis of insane, etc.	M	F	2 -	- -	- -	- -	- -	- -	- -	- 1	- 1	- -	- -	- -	9 1	- -	- -	- -	- -	- -	2 -	3 1	3 -	1 -	- -					
Cancer	M	F	63 68	- -	- -	- -	- -	- 1	2 7	3 10	20 17	23 18	14 14	178 148	- 1	- -	- -	- -	2 1	2 4	14 9	18 31	38 37	72 53	32 12					
Diabetes	M	F	6 10	- -	- -	- 1	- -	- -	- -	1 1	- 3	- 2	- 3	- 22	- -	- -	- -	- -	1 1	2 1	1 1	1 1	1 6	3 8	5 4					
Cerebral hæmorrhage	M	F	28 39	- -	- -	- -	- -	- 1	- 1	3 2	5 6	10 13	10 16	29 57	- -	- -	- -	- -	1 3	1 7	2 14	5 7	12 14	8 19						
Heart disease	M	F	104 120	- -	- -	- 1	1 4	- 1	4 4	11 9	24 23	32 34	31 44	387 304	- -	- -	- -	- -	4 7	4 11	14 8	30 25	80 36	142 80	113 137					
Aneurysm	M	F	3 2	- -	- -	- 1	- -	- -	- -	1 -	1 2	- -	- -	- -	9 -	- -	- -	- -	- -	- -	- -	4 -	2 -	3 -	- -					
Other circulatory	M	F	20 14	- -	- -	- -	- -	- -	- -	- -	1 -	11 7	8 7	103 77	- -	- -	- -	- -	- -	- -	2 1	7 4	18 16	46 26	30 30					
Bronchitis	M	F	14 12	- -	- -	- -	1 -	- -	1 1	- 1	2 1	4 3	6 7	37 37	4 3	- 1	1 -	- -	1 -	- -	1 2	2 4	6 8	9 7	17 17					
Pneumonia	M	F	28 13	4 2	2 1	1 1	- 1	- 1	7 -	3 -	2 -	2 -	4 5	3 46	13 7	11 3	5 4	4 2	3 5	2 1	10 2	10 5	14 4	7 5	7 8					
Other respiratory	M	F	7 9	- 1	- -	- -	- -	- 1	- -	- 2	2 2	2 1	2 3	7 9	- -	- 1	1 -	- -	- 1	1 1	2 2	2 1	1 1	1 2	- -					
Peptic ulcer	M	F	8 3	- -	- -	- -	1 -	1 -	1 2	5 -	- -	- 1	- -	20 8	- -	- -	- -	- -	1 1	- 1	4 2	7 2	4 2	4 2	- -					
Diarrhoea	M	F	4 9	4 3	- 2	- -	- 1	- 1	- -	- -	- 1	- -	- -	24 10	14 5	3 -	- 1	1 -	1 1	1 -	- -	- -	1 -	1 -	2 1					
Appendicitis	M	F	1 2	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- 1	14 4	- -	- -	1 -	1 -	- -	3 -	1 -	2 1	2 2	3 1	1 -					
Cirrhosis of liver	M	F	1 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	3 4	- -	- -	- -	- -	- -	- 1	2 1	- 1	- 1	- 2	- -					
Other liver diseases	M	F	1 4	- -	- -	- -	- -	- -	- 1	1 1	- -	- -	- 2	6 7	- -	- -	- -	- -	1 -	- -	- 1	1 1	1 3	3 2	- -					
Other digestive	M	F	7 8	1 -	- -	- 1	- -	- 1	- 1	- -	1 3	1 4	4 4	37 17	3 -	1 -	- -	- 1	- 1	3 1	4 3	3 1	13 5	7 6	3 11					
Nephritis	M	F	22 15	- -	- -	- 1	1 -	2 1	- 1	3 1	8 3	4 2	4 3	51 55	- -	1 -	- -	1 1	2 2	6 6	8 8	5 5	21 16	11 15	6 15					
Puerperal sepsis	F	F	1 4	- -	- -	- -	- 1	1 1	2 -	- -	- -	- -	- -	10 6	- -	- -	- -	- -	1 3	8 3	1 3	- -	- -	- -	- -					
Other puerperal	F	F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -						
Congenital causes, etc.	M	F	23 18	21 18	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	69 51	68 47	- -	- 2	1 1	- -	- 1	- -	- -	- -	- -	- -					
Senility	M	F	39 34	- -	- -	- -	- -	- -	- -	- 1	- -	- 5	33 7	24 27	- -	- -	- -	- -	- -	- -	- -	- -	- -	5 4	19 34					
Suicide	M	F	9 5	- -	- -	- -	- -	- 2	2 1	2 1	2 -	2 1	1 -	15 8	- -	- -	- -	- -	- 1	1 1	3 1	8 -	1 2	1 2	1 1					
Other violence	M	F	31 10	1 3	1 -	1 1	5 -	1 -	2 -	4 2	4 -	8 -	1 2	68 21	1 2	1 -	3 1	9 4	7 2	9 -	11 -	6 1	4 -	13 4	4 7					
Other defined causes	M	F	59 45	1 2	- 1	2 2	5 2	3 4	3 6	7 2	8 5	3 7	14 8	13 6	129 92	6 6	1 2	2 -	11 2	7 5	6 9	11 9	12 20	16 15	32 14					
Ill-defined causes	M	F	2 -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -					

Causes of Death. See first page of Table.		MERTHYR TYDFIL.												NEWPORT.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	543	43	13	12	16	22	17	21	51	110	161	77	650	64	17	10	13	28	31	32	68	128	148	111
	F	446	33	8	13	17	28	26	26	35	80	108	72	522	49	11	10	16	21	22	33	50	81	105	124
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	5	-	3	2	-	-	-	-	-	-	-	-	13	3	8	2	-	-	-	-	-	-	-	-
	F	5	-	3	1	1	-	-	-	-	-	-	-	14	4	6	3	1	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	7	4	2	1	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	6	4	1	1	-	-	-	-	-	-	-	-
5 Diphtheria	M	9	-	-	4	4	1	-	-	-	-	-	-	4	-	-	3	1	-	-	-	-	-	-	-
	F	11	1	1	3	6	-	-	-	-	-	-	-	4	-	-	1	3	-	-	-	-	-	-	-
6 Influenza	M	13	-	-	-	-	1	-	-	1	7	3	1	3	-	-	-	1	-	-	-	-	-	1	1
	F	9	-	-	-	-	-	-	-	2	2	4	1	9	-	-	-	-	2	-	2	-	-	1	4
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	1	-	-
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	21	-	-	-	6	4	3	2	6	-	-	-	51	-	-	-	1	10	9	10	10	9	2	-
	F	24	-	-	1	13	7	-	1	1	1	-	-	38	1	-	-	4	13	7	6	2	2	3	-
10 Other tuberculosis	M	13	1	1	1	6	3	-	1	-	-	-	-	9	-	-	3	1	2	2	1	-	-	-	-
	F	6	1	-	1	2	-	1	-	1	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	2	1	-	-	-
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 Cancer	M	50	-	-	-	-	-	3	11	14	16	6	88	-	-	-	-	1	3	1	13	36	26	8	
	F	46	-	-	-	1	-	9	6	7	18	5	53	-	-	-	-	-	-	3	7	14	19	10	
14 Diabetes	M	4	-	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	-	1	-	1	-	-
	F	10	-	-	1	-	-	1	1	3	2	2	9	-	-	-	-	-	-	-	1	3	3	2	
15 Cerebral hæmorrhage	M	38	-	-	-	-	-	2	5	10	16	5	15	-	-	-	1	-	1	1	1	1	4	6	
	F	35	-	-	-	-	-	-	1	11	19	4	37	-	-	-	-	-	2	2	2	13	7	13	
16 Heart disease	M	142	-	-	1	2	2	3	9	29	69	27	169	-	-	-	1	1	4	3	11	35	62	52	
	F	123	-	-	2	4	10	4	11	31	36	25	127	-	-	-	1	-	4	6	10	16	34	56	
17 Aneurysm	M	1	-	-	-	-	-	1	-	-	-	-	5	-	-	-	-	-	-	-	1	2	2	-	
	F	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-	
18 Other circulatory	M	21	-	-	-	-	-	-	2	2	12	5	25	-	-	-	-	-	-	-	1	1	14	9	
	F	15	-	-	-	-	-	-	-	6	3	6	12	-	-	-	-	-	-	-	1	4	6	1	
19 Bronchitis	M	36	5	1	2	-	-	-	1	12	9	6	16	1	-	-	-	1	-	1	3	2	2	6	
	F	17	3	-	-	-	1	1	1	-	3	8	16	2	-	-	-	-	-	-	1	3	7	3	
20 Pneumonia	M	32	7	5	1	1	1	1	3	8	4	1	49	15	3	-	1	-	3	2	7	10	6	2	
	F	14	1	1	2	-	1	2	2	-	1	2	35	12	2	3	1	3	-	3	2	5	1	3	
21 Other respiratory	M	5	-	-	1	-	-	-	2	2	-	-	6	-	-	-	-	1	-	-	2	-	3	-	
	F	1	-	-	-	-	-	-	1	-	-	-	7	-	-	-	-	-	1	-	3	1	2		
22 Peptic ulcer	M	3	-	-	-	-	-	-	2	1	-	-	7	-	-	-	-	-	-	-	2	4	-	1	
	F	1	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	1	2	-	1	
23 Diarrhœa	M	2	2	-	-	-	-	-	-	-	-	-	12	8	2	-	-	-	-	-	-	1	1	-	
	F	1	-	1	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-	1	-	1	-	
24 Appendicitis	M	3	-	-	1	-	1	1	-	-	-	-	8	-	-	1	2	1	1	-	1	2	-	-	
	F	4	-	2	-	1	-	1	-	-	-	-	3	-	-	-	1	-	1	1	-	-	-	-	
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	2	1	-	
	F	4	-	-	-	-	-	-	1	2	1	-	5	-	-	-	-	-	1	1	1	2	-	1	
27 Other digestive	M	5	1	-	1	-	-	-	2	-	1	-	9	-	-	-	-	1	1	2	3	2	-	-	
	F	12	-	-	1	1	1	1	2	4	2	-	11	-	-	-	-	1	1	1	1	4	6	2	
28 Nephritis	M	16	-	-	-	-	2	1	5	5	3	-	13	-	-	-	2	-	-	-	2	4	2	3	
	F	13	-	-	-	1	-	1	6	5	-	-	21	-	-	-	-	-	1	5	3	6	-	6	
29 Puerperal sepsis	F	2	-	-	-	-	1	1	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	-	
30 Other puerperal	F	5	-	-	-	-	2	3	-	-	-	-	5	-	-	-	-	2	3	-	-	-	-	-	
31 Congenital causes, etc.	M	20	20	-	-	-	-	-	-	-	-	-	27	25	-	-	-	1	1	-	-	-	-	-	
	F	20	20	-	-	-	-	-	-	-	-	-	21	20	1	-	-	-	-	-	-	-	-	-	
32 Senility	M	27	-	-	-	-	-	-	-	-	6	21	8	-	-	-	-	-	-	-	-	-	2	6	
	F	24	-	-	-	-	-	-	-	-	6	18	18	-	-	-	-	-	-	-	-	1	3	14	
33 Suicide	M	5	-	-	-	-	-	-	1	2	1	1	7	-	-	-	-	-	-	1	2	3	1	-	
	F	3	-	-	-	1	-	1	-	1	1	-	2	-	-	-	-	-	-	1	1	1	-	-	
34 Other violence	M	16	1	1	5	3	3	1	1	1	-	-	25	-	-	-	2	9	4	1	2	2	2	3	
	F	4	-	1	1	-	-	-	-	-	2	-	4	-	-	1	1	-	-	1	1	-	-	-	
35 Other defined causes	M	47	6	-	2	2	3	4	5	6	16	1	59	6	2	-	1	-	2	8	5	10	11	14	
	F	30	7	-	2	2	3	5	4	4	2	1	43	4	-	1	2	4	4	3	7	5	7	6	
36 Ill-defined causes	M	6	-	2	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	
	F	4	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	

Causes of Death.			SWANSEA.												
See first page of Table.			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes	M	1026	88	11	16	18	47	52	64	118	200	250	162		
	F	906	66	16	15	10	41	53	57	91	119	207	231		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	3	1	-	1	1	-	-	-	-	-	-	-		
	F	5	1	2	2	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	1	-	1	-	-	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	2	1	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	5	-	1	2	2	-	-	-	-	-	-	-		
	F	3	1	1	1	-	-	-	-	-	-	-	-		
6 Influenza	M	19	-	-	-	-	1	1	1	7	3	5	1		
	F	22	1	-	1	-	-	2	1	3	4	4	6		
7 Encephalitis lethargica	M	1	-	-	-	-	-	1	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	2	1	1	-	-	-	-	-	-	-	-	-		
	F	3	2	-	-	-	1	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	81	-	-	-	-	20	18	11	18	11	3	-		
	F	52	-	-	-	-	24	15	7	5	1	-	-		
10 Other tuberculosis	M	10	-	3	1	-	2	2	-	2	-	-	-		
	F	5	-	2	-	-	-	1	1	-	1	-	-		
11 Syphilis	M	2	-	1	-	-	-	-	-	-	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	7	-	-	-	-	1	-	1	3	2	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-		
13 Cancer	M	138	-	-	1	1	2	1	10	22	43	44	14		
	F	114	-	-	1	-	1	5	6	24	24	34	19		
14 Diabetes	M	7	-	-	-	-	-	-	-	-	1	3	3		
	F	21	-	-	-	-	1	1	2	1	3	9	4		
15 Cerebral hæmorrhage	M	44	-	-	-	-	-	-	-	3	13	20	8		
	F	60	-	-	-	-	-	1	1	4	11	23	20		
16 Heart disease	M	223	-	-	-	1	3	6	11	19	53	88	42		
	F	214	-	-	-	2	3	5	11	17	31	69	76		
17 Aneurysm	M	4	-	-	-	-	1	1	-	-	1	1	-		
	F	4	1	-	-	-	1	-	-	1	-	1	-		
18 Other circulatory	M	63	-	-	-	-	-	-	1	6	16	14	26		
	F	52	-	-	-	-	-	-	-	4	9	17	22		
19 Bronchitis	M	52	7	-	-	-	1	1	2	2	10	16	13		
	F	22	4	-	-	-	1	-	-	-	2	8	7		
20 Pneumonia	M	69	14	4	2	1	2	6	2	8	12	13	5		
	F	58	14	4	5	4	5	2	4	1	6	6	7		
21 Other respiratory	M	13	1	-	1	1	-	1	1	5	1	-	2		
	F	6	-	1	-	-	-	2	1	-	1	1	-		
22 Peptic ulcer	M	9	-	-	-	-	-	-	1	5	2	-	1		
	F	1	-	-	-	-	-	-	1	-	-	-	-		
23 Diarrhœa	M	6	5	-	-	-	-	-	-	-	1	-	-		
	F	5	1	1	-	-	-	-	-	1	1	-	1		
24 Appendicitis	M	5	-	-	-	2	-	-	1	-	-	2	-		
	F	5	-	-	-	-	1	-	2	2	-	-	-		
25 Cirrhosis of liver	M	1	-	-	-	-	-	1	-	-	-	-	-		
	F	4	-	-	-	-	-	-	-	3	1	-	-		
26 Other liver diseases	M	4	-	-	-	-	-	-	2	-	-	1	1		
	F	12	1	-	-	-	-	-	-	3	4	2	2		
27 Other digestive	M	17	1	-	-	-	-	1	1	3	4	4	3		
	F	21	2	1	-	-	-	5	2	4	4	6	1		
28 Nephritis	M	45	-	-	2	3	-	2	3	8	9	15	15		
	F	36	-	-	-	-	2	1	3	8	4	8	10		
29 Puerperal sepsis	F	2	-	-	-	-	-	2	-	-	-	-	-		
30 Other puerperal	F	11	-	-	-	-	1	8	2	-	-	-	-		
31 Congenital causes, etc.	M	51	49	-	1	-	1	-	-	-	-	-	-		
	F	31	31	-	-	-	-	-	-	-	-	-	-		
32 Senility	M	18	-	-	-	-	-	-	-	-	-	4	14		
	F	47	-	-	-	-	-	-	-	-	-	5	42		
33 Suicide	M	13	-	-	-	-	3	2	4	1	2	1	-		
	F	4	-	-	-	-	-	3	-	-	1	-	-		
34 Other violence	M	38	-	-	1	1	7	5	6	5	5	5	3		
	F	20	1	2	1	1	-	-	2	1	-	4	8		
35 Other defined causes	M	75	9	1	3	5	3	3	6	6	11	17	11		
	F	59	3	1	3	2	-	5	8	10	11	10	6		
36 Ill-defined causes	M	1	-	-	1	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-		

Causes of Death. See first page of Table.			Aggregate of Urban Districts.													Aggregate of Rural Districts.												
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	853	55	7	12	26	22	44	60	96	136	194	201	410	20	3	3	7	14	12	11	32	55	113	14			
	F	882	51	5	4	14	26	38	63	86	120	183	292	463	19	4	3	7	10	12	11	28	59	127	18			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-			
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-			
5 Diphtheria	M	16	-	1	3	12	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-			
	F	11	-	1	1	8	-	-	1	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-			
6 Influenza	M	24	-	-	1	-	-	1	5	7	2	4	4	10	-	-	-	1	-	-	-	1	3	3	-			
	F	14	-	-	-	-	1	-	1	1	1	4	6	6	-	-	-	-	1	-	-	-	2	3	-			
7 Encephalitis lethargica	M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-			
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	60	-	-	-	-	10	14	9	17	7	3	-	21	-	1	-	-	6	3	2	5	2	2	-			
	F	46	-	-	-	-	8	14	8	9	5	2	-	13	-	-	-	1	4	4	1	1	2	-	-			
10 Other tuberculosis	M	7	-	1	-	3	-	1	1	1	-	-	-	3	1	1	-	-	-	-	1	-	-	-	-			
	F	9	-	-	1	-	3	2	1	-	-	2	-	3	-	2	-	1	-	-	-	-	-	-	-			
11 Syphilis	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	-	1	1	-	3	-	2	-	-	-	-	-	-	-	1	-	1	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
13 Cancer	M	112	-	-	-	-	-	2	8	13	21	45	23	63	-	-	-	-	-	1	1	3	10	23	2			
	F	133	-	-	-	-	-	1	14	19	26	44	29	76	-	-	-	-	-	1	3	9	23	25	1			
14 Diabetes	M	10	-	-	-	1	-	1	1	1	3	3	-	2	-	-	-	-	-	-	-	1	1	-	-			
	F	19	-	-	-	-	-	1	3	-	4	6	5	7	-	-	-	-	-	-	-	1	-	3	-			
15 Cerebral hæmorrhage	M	43	-	-	-	-	-	-	1	2	4	20	16	19	-	-	-	-	-	-	-	-	2	11	-			
	F	68	-	-	-	-	1	-	2	7	7	19	32	33	-	-	-	-	-	-	-	2	3	13	1			
16 Heart disease	M	169	-	-	-	-	3	4	4	11	42	53	52	98	-	1	-	-	1	-	1	7	15	33	4			
	F	195	-	-	-	1	1	4	13	10	36	46	84	108	-	-	-	-	-	-	4	7	9	35	5			
17 Aneurysm	M	2	-	-	-	-	-	-	-	-	1	1	-	4	1	-	-	-	-	-	-	-	-	2	-			
	F	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
18 Other circulatory	M	54	-	-	-	-	-	-	-	3	7	20	24	40	-	-	-	-	-	-	-	2	3	13	2			
	F	46	-	-	1	-	-	-	-	4	4	15	22	38	-	-	-	-	-	-	1	-	2	9	2			
19 Bronchitis	M	20	-	1	-	1	-	-	-	4	2	1	11	16	1	-	1	-	-	1	-	1	-	4	-			
	F	24	1	-	-	-	-	1	1	2	1	2	16	24	-	1	-	-	-	-	-	1	3	3	1			
20 Pneumonia	M	36	4	2	2	-	1	2	6	5	5	4	5	13	-	-	-	1	-	-	2	2	2	3	-			
	F	31	5	2	-	1	1	-	3	6	3	5	5	17	2	-	-	-	-	2	-	2	3	7	-			
21 Other respiratory	M	6	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	5	-	-	-	-	-	-	1	2	1	-	1	2	1	-	-	-	-	-	-	-	1	-	-			
22 Peptic ulcer	M	22	-	-	-	-	-	5	2	5	6	2	2	3	-	-	-	1	-	-	2	-	-	-	-			
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-			
23 Diarrhœa	M	9	5	-	-	-	-	1	1	-	1	1	1	6	4	-	-	1	-	-	-	-	-	-	-			
	F	6	1	-	-	-	1	-	-	2	-	2	2	2	1	-	-	-	1	-	-	-	-	-	-			
24 Appendicitis	M	7	-	-	-	-	2	2	2	1	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-			
	F	11	-	-	-	1	-	-	1	3	1	3	2	3	-	-	-	-	-	-	2	-	-	-	-			
25 Cirrhosis of liver	M	4	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-			
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
	F	10	-	-	-	-	-	-	-	1	3	2	4	4	-	-	-	-	-	-	-	-	-	4	-			
27 Other digestive	M	14	2	-	-	1	-	2	3	-	2	2	2	9	-	-	1	-	1	1	2	1	-	-	-			
	F	10	1	-	1	-	-	-	-	2	1	4	1	15	-	1	-	2	1	1	1	-	1	-	-			
28 Nephritis	M	33	-	-	1	2	2	3	6	4	6	6	3	16	-	-	-	1	1	-	1	-	4	5	-			
	F	26	-	-	-	1	2	2	1	7	8	5	14	-	-	-	-	-	1	-	-	3	3	-	-			
29 Puerperal sepsis	F	6	-	-	-	-	1	3	1	1	-	-	-	3	-	-	-	2	-	1	-	-	-	-	-			
30 Other puerperal	F	7	-	-	-	-	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
31 Congenital causes, etc.	M	39	39	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-			
	F	31	30	-	-	-	-	1	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-			
32 Senility	M	37	-	-	-	-	-	-	-	-	-	-	2	35	-	-	-	-	-	-	-	-	-	2	1			
	F	74	-	-	-	-	-	-	-	-	1	9	64	35	-	-	-	-	-	-	-	-	-	2	3			
33 Suicide	M	17	-	-	-	-	1	2	3	7	1	3	-	5	-	-	-	-	2	-	-	3	-	-	-			
	F	9	-	-	-	-	-	2	2	4	1	-	-	2	-	-	-	1	-	-	-	-	-	1	-			
34 Other violence	M	33	-	2	2	1	3	4	3	8	2	5	16	-	-	-	1	-	4	2	1	1	5	-	-			
	F	18	1	-	-	2	2	-	3	3	2	5	10	-	-	-	1	2	1	-	1	-	2	-	-			
35 Other defined causes	M	61	5	-	2	4	-	3	5	13	14	15	26	3	-	-	-	-	1	-	5	5	5	-	-			
	F	60	10	1	-	3	3	4	9	11	9	7	27	-	-	-	1	-	2	1	2	6	8	-	-			
36 Ill-defined causes	M	7	-	-	-	-	-	1	-	2	2	2	3	-	-	-	-	-	-	-	-	1	1	-	-			
	F	3	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-			

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	450	29	5	3	6	16	11	21	40	77	114	128	768	55	3	6	10	17	29	36	70	145	173	224
	F	486	15	1	4	8	11	18	20	36	62	101	210	760	37	6	3	8	18	19	34	67	108	175	285
Typhoid fever, etc.	M	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	3	-	-	1	2	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
	F	2	-	-	-	2	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	1	-	-
Influenza	M	5	-	-	-	-	-	-	1	1	-	3	-	4	-	-	-	-	-	-	1	2	1	-	-
	F	6	-	-	-	-	-	-	-	1	-	2	3	6	-	-	-	-	-	-	-	-	2	-	4
Encephalitis lethargica	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	14	-	-	-	-	3	3	5	1	-	2	-	41	-	-	-	-	6	8	8	9	9	1	-
	F	21	-	1	-	-	6	7	2	2	2	1	-	35	-	-	-	-	6	4	6	10	5	4	-
Other tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	1	1	-	-	-	-
	F	4	1	-	1	-	-	1	-	-	1	-	-	5	1	1	1	-	1	-	1	-	-	-	-
Syphilis	M	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
	F	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Cancer	M	67	-	-	-	-	1	1	1	10	12	26	16	99	-	-	-	-	-	3	4	9	32	30	21
	F	78	-	-	-	-	-	2	6	9	19	23	19	115	-	-	-	-	1	1	4	24	29	29	27
Diabetes	M	3	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-	-	1	1	3
	F	8	-	-	-	-	-	-	-	2	1	4	1	16	-	-	-	-	-	-	-	1	7	3	5
Cerebral hæmorrhage	M	27	-	-	-	-	-	-	-	-	6	9	12	37	-	-	-	-	-	1	-	-	-	-	-
	F	50	-	-	-	-	-	1	1	1	3	17	27	63	-	-	-	-	-	-	-	3	8	24	28
Heart disease	M	100	-	-	-	1	-	1	3	8	20	26	41	182	-	-	-	-	-	6	11	43	46	76	
	F	112	-	-	-	2	-	2	2	5	12	24	65	172	-	-	-	1	2	1	5	8	24	49	82
Aneurysm	M	4	-	-	-	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Other circulatory	M	39	-	-	-	-	-	-	-	3	10	11	15	42	-	-	-	-	-	-	-	3	6	9	24
	F	40	-	-	-	-	-	-	1	1	4	9	25	54	-	-	-	-	-	-	1	-	6	17	30
Bronchitis	M	23	1	-	-	-	-	-	-	-	3	3	16	26	2	1	1	-	1	-	1	5	4	10	10
	F	16	-	-	-	-	-	-	-	-	-	2	14	25	2	-	-	-	-	1	1	-	2	19	17
Pneumonia	M	33	9	2	-	2	-	2	2	4	3	5	4	28	4	1	1	1	-	-	1	4	2	7	7
	F	15	-	-	1	1	1	-	1	1	4	2	4	31	6	3	-	1	-	1	3	1	4	6	6
Other respiratory	M	4	-	-	-	-	-	-	1	2	-	-	1	9	-	-	-	-	1	-	-	3	2	1	2
	F	3	-	-	-	1	-	-	1	-	-	-	1	3	-	-	-	-	-	-	-	1	-	-	2
Peptic ulcer	M	2	-	-	-	-	-	-	-	1	-	1	-	13	-	-	-	-	-	-	1	4	4	4	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Diarrhœa	M	1	-	-	-	-	1	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	1	-	7	2	-	-	-	1	-	1	-	1	1	1
Appendicitis	M	3	-	-	-	-	-	-	1	-	1	1	-	6	-	-	-	2	-	-	1	2	1	-	-
	F	4	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	1
Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	3	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other liver diseases	M	2	-	-	1	-	-	-	1	-	-	-	-	3	-	-	1	-	-	-	-	-	-	1	1
	F	3	-	-	-	-	1	-	1	-	1	-	-	9	-	-	-	-	-	-	1	-	2	-	6
Other digestive	M	7	1	1	-	-	-	1	-	-	2	1	1	22	-	1	-	-	-	1	3	4	8	5	5
	F	7	-	-	1	-	-	-	-	1	1	2	2	23	-	-	1	1	-	1	1	3	5	5	6
Nephritis	M	15	-	-	-	-	1	-	-	1	6	4	3	29	-	-	-	-	-	-	1	4	4	12	8
	F	18	-	-	-	-	-	1	1	4	4	2	6	24	-	-	-	1	-	1	1	5	9	7	7
Puerperal sepsis	F	3	-	-	-	-	1	1	1	-	-	-	-	5	-	-	-	-	-	2	3	-	-	-	-
Other puerperal	F	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	-
Congenital causes, etc.	M	15	15	-	-	-	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
Senility	M	9	-	-	-	-	-	-	-	-	-	1	8	33	-	-	-	-	-	-	-	-	-	4	29
	F	26	-	-	-	-	-	-	-	-	-	4	22	51	-	-	-	-	-	-	-	-	-	4	47
Suicide	M	8	-	-	-	-	1	-	-	2	5	-	-	7	-	-	-	-	-	1	1	2	2	1	-
	F	4	-	-	-	-	-	-	-	2	1	1	-	7	-	-	-	-	1	3	2	1	-	-	-
Other violence	M	22	1	1	-	1	5	1	3	1	3	5	1	40	1	-	1	1	8	7	6	5	2	4	5
	F	11	2	-	-	-	-	-	1	-	1	1	6	16	3	-	-	-	1	1	-	2	2	4	3
Other defined causes	M	34	2	1	1	-	2	2	2	1	2	13	8	73	4	-	1	3	-	7	4	5	11		

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	710	40	6	6	15	15	42	38	68	127	173	180	778	43	-	14	13	26	26	38	52	145	199	2		
	F	692	33	6	4	7	21	32	44	62	109	148	226	857	34	-	6	13	14	29	40	65	131	224	3		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-		
4 Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	4	-	-	2	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	2	-	2	-	-	-	-	-	-	-	-	-	3	-	-	-	2	-	-	1	-	-	-	-		
6 Influenza	M	9	-	-	-	2	-	-	2	1	4	-	-	10	-	-	-	-	1	1	1	-	1	4	-		
	F	4	-	-	1	-	-	-	1	1	-	-	1	19	1	-	-	-	2	-	2	7	-	-	-		
7 Encephalitis lethargica	M	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
8 Cerebro spinal fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	43	1	-	-	1	2	15	8	12	4	-	-	24	-	-	-	-	2	8	8	3	1	2	-		
	F	23	-	-	-	1	8	5	2	2	2	2	1	17	-	-	-	-	3	7	1	4	2	-	-		
10 Other tuberculosis	M	3	-	-	1	-	1	-	-	1	-	-	-	9	1	-	2	-	1	1	-	2	1	1	-		
	F	4	-	-	2	-	2	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	1	1	-		
11 Syphilis	M	5	1	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1		
12 Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	-	-	-	3	1	-	-		
	F	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	1	-	-	-		
13 Cancer	M	89	-	-	-	-	1	2	9	26	29	22	130	-	-	-	-	-	1	4	10	41	43	-	-		
	F	125	-	-	-	-	2	3	11	23	30	31	25	141	-	-	-	1	-	3	10	18	43	46	-		
14 Diabetes	M	9	-	-	-	-	1	-	-	3	3	2	7	-	-	-	-	2	-	-	-	2	3	-	-		
	F	2	-	-	-	-	1	-	1	-	-	-	12	-	-	-	-	-	-	-	-	-	8	-	-		
15 Cerebral hæmorrhage	M	36	-	-	-	-	1	-	2	9	12	12	43	-	-	-	-	-	-	-	2	8	12	-	-		
	F	41	-	-	-	-	-	-	3	7	11	20	69	-	-	-	-	-	3	5	10	25	-	-	-		
16 Heart disease	M	162	-	-	-	1	-	6	17	28	51	59	167	-	-	-	1	2	-	5	9	29	54	-	-		
	F	155	-	-	-	1	-	5	3	6	19	49	207	-	-	-	-	3	2	6	27	72	-	-	-		
17 Aneurysm	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	32	-	-	-	-	-	-	-	-	3	15	14	59	-	-	-	-	-	-	1	9	18	-	-		
	F	31	-	-	-	-	-	-	-	3	3	8	17	61	-	-	-	1	1	-	1	4	18	-	-		
19 Bronchitis	M	33	1	-	-	-	-	-	1	2	10	19	22	2	-	-	-	-	-	-	-	5	3	-	-		
	F	24	-	1	-	-	1	-	1	-	3	4	14	31	1	-	-	-	-	-	1	1	7	-	-		
20 Pneumonia	M	41	7	2	-	2	2	3	-	3	7	12	3	39	3	-	6	-	-	2	5	7	11	-	-		
	F	36	6	1	-	-	1	-	1	5	6	5	11	42	4	-	3	3	1	1	3	5	4	9	-		
21 Other respiratory	M	8	-	-	-	-	-	1	2	2	1	2	5	-	-	-	-	1	1	1	-	-	2	-	-		
	F	12	-	-	-	-	-	-	2	4	-	6	10	-	-	-	-	-	-	-	-	1	4	-	-		
22 Peptic ulcer	M	9	-	-	-	-	2	2	2	2	1	-	9	-	-	-	-	-	1	1	1	2	4	-	-		
	F	3	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-	-		
23 Diarrhœa	M	4	-	-	1	-	-	1	-	-	1	1	-	2	1	-	-	-	-	-	1	-	-	-	-		
	F	4	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	1	-	-	-		
24 Appendicitis	M	9	-	-	-	-	1	2	2	1	2	1	-	11	-	-	2	-	1	-	3	1	2	2	-		
	F	5	-	-	-	-	-	1	2	-	-	2	-	3	-	-	-	-	-	-	1	1	1	-	-		
25 Cirrhosis of liver	M	5	1	-	-	-	-	-	-	-	2	1	1	5	-	-	-	-	-	-	-	1	2	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-		
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	1	1	-	-		
	F	6	-	-	-	-	-	-	-	3	2	-	1	6	-	-	-	1	-	-	-	1	-	-	-		
27 Other digestive	M	17	1	-	-	-	1	2	1	2	3	4	3	14	-	-	-	-	1	-	1	5	2	-	-		
	F	19	-	-	-	-	1	1	1	3	7	2	4	14	2	-	1	2	-	1	2	3	2	-	-		
28 Nephritis	M	19	-	-	-	-	-	1	1	1	6	6	4	31	-	-	-	1	2	-	2	3	4	7	-		
	F	20	-	-	-	-	-	-	1	1	8	5	5	26	-	-	-	-	2	-	4	3	3	7	-		
29 Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-		
30 Other puerperal	F	8	-	-	-	-	1	4	3	-	-	-	-	6	-	-	-	-	4	2	-	-	-	-	-		
31 Congenital causes, etc.	M	27	27	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-		
	F																										

TABLE 24—*contd.* Administrative County of Cambridge.

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	362	22	1	2	3	10	11	14	33	66	86	114	454	20	3	1	7	9	12	22	43	61	107	169
	F	395	13	3	-	5	11	8	16	23	64	105	147	432	13	3	4	6	11	12	19	27	64	93	180
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	M	4	-	-	-	-	-	-	1	1	1	1	-	9	-	-	-	-	-	-	1	1	4	3	
	F	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	2	4	5	
Encephalitis lethargica	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Respiratory tuberculosis	M	18	-	-	-	-	1	1	1	11	4	-	-	29	-	-	-	-	3	4	6	10	4	1	1
	F	6	-	-	-	-	2	-	3	-	1	-	-	11	-	-	-	2	4	3	1	1	-	-	
Other tuberculosis	M	3	-	-	-	-	-	1	1	-	1	-	-	3	1	-	-	-	-	1	-	1	-	-	
	F	2	-	1	-	-	1	-	-	-	-	-	-	5	-	-	1	-	1	1	-	-	-	1	
Syphilis	M	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	1	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	1	1	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
Cancer	M	48	-	-	-	-	-	-	-	3	11	19	15	73	-	-	-	-	-	3	7	16	26	21	
	F	82	-	-	-	-	1	1	4	8	18	30	20	73	-	-	-	1	1	1	4	4	18	21	
Diabetes	M	4	-	-	-	-	-	-	1	-	-	2	1	6	-	-	-	-	-	-	2	1	1	2	
	F	6	-	-	-	-	-	-	-	-	1	3	2	3	-	-	-	-	-	-	-	1	-	2	
Cerebral hæmorrhage	M	31	-	-	-	-	-	-	1	3	7	12	8	17	-	-	-	-	-	-	2	5	4	6	
	F	38	-	-	-	-	-	-	-	3	10	12	13	31	-	-	-	-	-	-	-	3	7	21	
Heart disease	M	83	-	-	-	-	-	-	-	4	19	26	34	95	-	-	-	1	-	-	6	7	33	48	
	F	101	-	-	-	-	3	-	3	3	11	26	55	99	-	-	-	1	-	-	1	16	28	53	
Aneurysm	M	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	2	-	-	
Other circulatory	M	17	-	-	-	-	-	-	-	-	2	7	8	34	-	-	-	-	-	-	1	3	11	19	
	F	15	-	-	-	-	-	-	-	-	-	8	7	17	-	-	-	-	1	-	2	2	6	6	
Bronchitis	M	9	-	-	-	-	-	-	-	1	1	3	4	11	1	-	-	-	-	-	1	-	3	6	
	F	6	-	-	-	1	-	-	-	-	-	-	5	6	1	-	-	-	-	-	-	1	1	3	
Pneumonia	M	20	2	-	-	-	-	2	4	2	3	1	6	19	2	2	-	1	-	1	2	3	3	4	
	F	17	2	-	-	1	-	1	-	2	4	4	3	19	3	1	1	1	-	-	3	5	1	4	
Other respiratory	M	6	-	-	-	-	-	-	-	-	2	1	3	4	-	-	-	-	-	-	-	-	2	2	
	F	4	1	-	-	-	-	-	1	-	-	-	2	3	-	-	-	-	-	-	-	1	1	2	
Peptic ulcer	M	4	-	-	-	-	-	1	-	-	2	1	-	2	-	-	-	-	-	-	-	1	-	-	
	F	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	1	1	-	-	1	-	-	
Diarrhoea	M	2	2	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	
Appendicitis	M	4	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	
	F	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	2	1	-	1	-	
Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
	F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other liver diseases	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	4	-	-	-	-	-	-	-	1	1	1	1	5	-	-	-	-	-	-	-	1	2	2	
Other digestive	M	6	1	1	-	-	-	1	-	1	-	1	1	18	1	-	-	-	1	3	1	3	2	7	
	F	9	-	-	-	-	1	-	-	1	2	1	4	9	-	-	-	1	-	-	2	-	2	4	
Nephritis	M	5	-	-	-	-	-	-	-	2	-	-	3	22	-	-	1	-	-	1	3	4	4	8	
	F	5	-	-	-	-	-	-	-	1	2	1	1	17	-	-	-	1	-	1	1	3	6	5	
Puerperal sepsis	F	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	
Other puerperal	F	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital causes, etc.	M	10	10	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	
	F	9	9	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	
Senility	M	16	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-	-	-	-	-	2	30	
	F	26	-	-	-	-	-	-	-	-	-	4	16	34	-	-	-	-	-	-	-	-	1	33	
Suicide	M	9	-	-	-	-	1	-	1	-	4	3	-	6	-	-	-	1	-	1	3	1	-	-	
	F	7	-	-	-	-	1	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Other violence	M	14	1	-	-	1	3	2	2	3	-	-	2	15	-	-	-	-	3	4	3	1	1	1	
	F	10	-	1	-	-	1	-	-	-	2	3	3	12	-	-	1	1	2	-	1	2	-	5	
Other defined causes	M	39	6	-	1	2	4	3	1	-	6	8	8	35	1	-	-	4	1	2	1	2	6	8	
	F	36	1	1	-	3	1	1	2	2	9	9	7	51	1	2	1	1	4	7	9	5	11	9	
Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-			
All Causes	M	2,968	222	25	38	54	73	125	156	308	569	774	624	1,097	66	13	8	26	36	43	62	104	184	272			
	F	3,035	161	40	27	60	65	108	166	261	509	807	831	992	50	6	13	24	30	35	49	83	145	243			
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	2	-				
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-				
2 Measles	M	2	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-				
	F	4	-	3	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-				
3 Scarlet fever	M	4	1	-	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
4 Whooping cough	M	10	8	-	1	1	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-				
	F	14	10	2	2	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-				
5 Diphtheria	M	19	-	-	5	12	1	-	1	-	-	-	-	6	-	-	-	5	-	1	-	-	-				
	F	21	-	1	5	15	-	-	-	-	-	-	-	7	-	-	-	7	-	-	-	-	-				
6 Influenza	M	77	2	-	1	4	2	7	10	12	15	14	10	27	1	-	-	4	2	2	6	3	4				
	F	71	3	-	-	-	2	6	10	8	13	17	12	33	-	-	-	-	1	6	3	9	7				
7 Encephalitis lethargica	M	10	-	-	-	-	2	1	1	2	3	1	-	3	-	-	-	-	1	-	2	-	-				
	F	8	-	-	-	1	1	1	2	-	2	1	-	5	-	-	-	-	1	2	-	-	-				
8 Cerebro-spinal fever	M	3	1	-	-	1	-	1	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-				
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-				
9 Respiratory tuberculosis	M	129	-	1	-	-	17	25	26	31	23	5	1	38	-	-	-	4	10	7	10	5	2				
	F	92	-	-	-	2	24	24	23	10	6	2	1	28	-	-	-	6	8	5	2	5	2				
10 Other tuberculosis	M	26	6	2	2	1	4	4	2	3	2	-	-	12	-	3	4	2	1	-	1	-	-				
	F	34	2	5	3	8	4	4	2	1	4	1	-	8	2	1	1	-	3	-	-	-	1				
11 Syphilis	M	11	1	-	-	-	-	-	-	4	3	3	-	2	-	-	-	-	-	-	-	2	-				
	F	3	-	-	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-				
12 Gen. paralysis of insane, etc.	M	10	-	-	-	-	-	-	2	4	3	1	-	4	-	-	-	-	-	-	1	3	-				
	F	4	-	-	-	-	-	-	-	4	4	-	-	2	-	-	-	-	-	-	1	-	1				
13 Cancer	M	398	-	-	-	-	7	19	38	127	154	53	-	133	-	-	-	1	-	6	13	41	49				
	F	465	1	-	-	1	2	4	33	84	119	134	87	142	-	-	-	-	1	6	22	35	45				
14 Diabetes	M	38	-	-	-	-	2	-	2	12	18	4	-	8	-	-	-	1	-	-	2	-	1				
	F	52	-	-	-	-	1	-	2	5	14	20	10	28	-	-	-	1	-	-	2	6	8				
15 Cerebral hæmorrhage	M	158	-	-	-	-	1	2	13	35	54	53	43	-	-	-	-	-	-	-	1	11	11				
	F	207	-	-	-	-	-	9	16	47	77	58	81	-	-	-	-	1	1	4	14	30	-				
16 Heart disease	M	703	-	-	-	2	9	10	16	61	138	223	244	271	-	-	-	1	2	2	11	23	42				
	F	785	-	-	-	4	4	12	14	49	129	271	302	219	-	-	-	1	5	1	4	11	35				
17 Aneurysm	M	12	-	-	-	-	-	1	3	1	7	-	-	2	-	-	-	-	-	-	1	-	1				
	F	4	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-				
18 Other circulatory	M	179	1	-	-	-	-	1	7	32	69	69	50	-	-	-	-	-	-	-	1	11	17				
	F	182	-	-	-	-	-	1	5	22	72	82	39	-	-	-	-	-	-	-	1	2	16				
19 Bronchitis	M	93	8	-	-	-	2	3	11	15	29	25	24	1	1	-	-	-	-	3	2	8	2				
	F	98	7	1	-	-	-	2	4	5	30	49	30	-	-	-	-	-	2	-	-	13	-				
20 Pneumonia	M	155	25	6	4	3	8	12	14	18	26	29	10	75	7	4	1	1	2	8	7	16	15				
	F	133	22	11	6	8	4	5	13	10	17	23	14	33	7	-	5	2	2	4	3	-	8				
21 Other respiratory	M	23	-	-	2	-	-	4	4	3	7	3	7	-	-	-	-	-	-	-	1	3	2				
	F	20	-	-	-	-	2	2	3	5	6	2	8	-	-	-	1	-	-	-	1	-	2				
22 Peptic ulcer	M	31	-	-	-	-	2	3	4	7	6	2	10	-	-	-	-	1	3	2	1	3	3				
	F	7	-	-	-	-	1	-	-	3	3	-	5	-	-	-	-	1	-	2	1	1	1				
23 Diarrhœa	M	25	14	1	-	1	-	1	-	3	3	1	4	3	-	-	-	-	-	-	-	-	1				
	F	13	5	2	-	-	2	-	1	1	1	1	5	-	-	1	-	-	2	1	-	-	-				
24 Appendicitis	M	19	-	2	4	4	3	1	-	2	2	1	-	5	-	-	1	1	1	1	-	-	1				
	F	12	-	-	-	1	-	2	1	3	3	2	-	7	-	-	1	1	-	-	1	1	1				
25 Cirrhosis of liver	M	10	-	-	-	-	-	-	1	4	3	1	1	8	-	-	-	-	-	-	1	1	4				
	F	8	-	-	-	-	-	-	-	-	1	5	2	1	-	-	-	-	-	-	-	-	1				
26 Other liver diseases	M	16	-	-	-	-	-	-	1	2	5	3	4	-	-	1	-	-	-	-	2	-	1				
	F	26	-	-	-	1	1	1	-	3	7	8	5	15	-	-	-	-	1	-	1	3	5				
27 Other digestive	M	57	4	1	1	1	2	3	4	8	8	14	11	31	3	-	-	3	3	4	1	6	4				
	F	64	4	3	2	1	2	6	1	6	12	13	14	15	1	-	-	-	4	3	2	4	4				
28 Nephritis	M	111	-	-	-	1	2	6	4	12	24	37	25	40	-	-	-	1	3	-	5	5	17				
	F	121	-	-	-	2	3	1	8	8	29	41	29	41	-	-	-	2	1	1	4	6	10				
29 Puerperal sepsis	F	13	-	-	-	-	1	9	3	-	-	-	-	2	-	-	-	-	1	1	-	-	-				
30 Other puerperal	F	14	-	-	-	-	3	7	4	-	-	-	-	11	-	-	-	4	4	3	-	-	-				
31 Congenital causes, etc.	M	128	126	1	-	-	-	-	-	1	-	-	-	42	42	-	-	-	-	-	-	-	-				
	F	97	93	2	-	2	-	-	-	-	-	-	-	32	31	-	-	-	-	-	-	-	-				
32 Senility	M	52	-	-	-	-	-	-	-	-	-	-	7	45	43	-	-	-	-	-	-	-	4				
	F	109	-	-	-	-	-	-	-	-	-	-	6	103	46	-	-	-	-	-	-	-	6				
33 Suicide	M	53	-	-	-	-	-	4	6	11	18	13	1	21	-	-	-	4	2	2	4	2	6				
	F	21	-	-	-	-	3	5	4	6	6	3	-	11	-	-	-	-	2	4	2	3	-				
34 Other violence	M	128	1	4	6	13	14	20	13	15	15	10	17	67	3	3	1	9	9	8	7	7	9				
	F	86	6	3	4	6	6	2	6	10	13	24	42	3	2	4	6	1	7	1	-	6	1				
35 Other defined causes	M	274	23	7	10	8	7	15	21	30	45	63	45	106	4	-	1	2	4	5	10	8	18				
	F	241	8	7	4	8	7	14	24	33	47	54	35	87	3	-	-	5	5	3	17	16	31				
36 Ill-defined causes	M	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-				
	F	4	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-	1	-				

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,100	70	5	11	15	23	38	60	112	198	265	303	918	47	5	6	15	28	40	47	77	119	251	283		
	F	1,258	42	3	8	12	32	34	51	111	173	310	482	990	35	4	4	11	25	27	44	85	132	237	386		
Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles	M	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping cough	M	7	4	1	1	-	-	1	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	2	-	-	-	-	-	-	-	-		
Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza	M	10	-	-	-	-	-	1	3	-	3	2	1	14	-	-	-	-	-	-	2	3	1	3	5		
	F	13	-	-	-	1	-	-	1	-	1	3	7	16	-	1	-	-	-	1	2	1	2	4	5		
Encephalitis lethargica	M	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	1	-	-	1	-	-	-		
	F	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-		
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
Respiratory tuberculosis	M	55	-	-	-	1	4	14	7	17	9	3	-	34	-	-	-	-	5	5	10	5	7	2	-		
	F	40	-	-	1	-	11	8	9	7	1	1	2	25	-	-	-	-	6	6	4	5	2	1	1		
Other tuberculosis	M	12	1	-	-	4	3	-	3	-	1	-	-	12	-	-	1	1	4	4	-	-	1	-	-		
	F	17	-	-	-	1	2	3	4	4	2	1	-	8	-	-	-	1	3	-	2	-	2	-	-		
Syphilis	M	2	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	2	-	1	-	-	4	-	-	-	-	-	1	1	-	-	2	-		
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-		
Cancer	M	116	-	-	-	-	1	-	3	12	25	45	30	107	-	-	1	2	1	1	2	7	25	46	22		
	F	192	-	-	-	-	-	2	7	30	44	63	46	141	-	-	-	-	-	1	7	19	34	44	36		
Diabetes	M	20	-	-	-	-	-	-	-	1	2	12	5	19	-	-	-	-	-	-	-	3	2	10	4		
	F	29	-	-	-	1	-	-	-	2	4	16	6	24	-	-	-	-	-	2	-	1	5	11	5		
Cerebral hæmorrhage	M	66	-	-	-	-	-	-	-	6	13	24	23	39	-	-	-	1	-	-	1	1	3	11	22		
	F	108	-	-	-	-	-	-	1	7	15	33	52	73	-	-	-	-	-	-	6	13	21	33			
Heart disease	M	285	-	-	-	-	3	5	4	20	62	92	99	237	-	-	-	-	-	7	14	32	87	97			
	F	349	-	-	-	2	3	5	7	19	46	99	168	255	-	-	-	1	1	1	3	16	25	80	128		
Aneurysm	M	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-		
	F	4	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Other circulatory	M	51	-	-	-	-	-	-	2	2	9	18	20	41	-	-	-	-	-	-	-	1	6	11	23		
	F	48	-	-	-	-	-	-	1	-	7	15	25	37	-	-	-	-	-	-	-	1	6	14	16		
Bronchitis	M	49	3	-	-	-	-	1	1	4	6	12	22	33	2	-	-	-	1	-	1	3	4	7	15		
	F	29	1	-	-	-	-	1	-	-	2	5	20	35	1	-	-	1	-	1	-	1	5	4	22		
Pneumonia	M	44	12	3	1	1	1	-	4	7	7	2	6	32	6	2	-	-	1	1	1	4	4	7	6		
	F	37	5	1	-	-	1	1	-	2	2	11	14	27	1	2	1	-	3	1	2	3	3	4	7		
Other respiratory	M	34	2	-	1	-	-	1	4	10	10	6	-	13	-	-	-	-	1	-	3	6	1	-	2		
	F	8	-	-	1	-	1	-	1	2	1	1	1	8	-	-	-	-	-	-	1	1	2	2	3		
Peptic ulcer	M	10	-	-	-	-	-	1	2	2	3	1	1	10	-	-	-	-	-	-	1	1	4	2	2		
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	1		
Diarrhœa	M	14	3	-	2	-	-	-	1	4	1	-	3	1	-	-	-	-	-	-	-	-	-	-	1		
	F	4	1	1	-	-	-	-	-	-	2	-	-	3	1	-	-	-	-	-	-	-	-	-	2		
Appendicitis	M	10	-	-	1	-	1	-	-	1	6	1	-	8	-	-	-	1	-	3	1	1	1	1	-		
	F	3	-	-	-	-	-	-	-	1	1	-	1	5	-	-	-	1	1	1	1	-	-	1	-		
Cirrhosis of liver	M	3	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-		
	F	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1		
Other liver diseases	M	6	-	-	-	-	-	-	-	-	1	4	1	6	-	-	-	-	-	-	-	-	1	3	4		
	F	11	-	-	-	-	-	-	-	1	3	3	4	7	-	-	-	-	1	-	1	1	-	-	-		
Other digestive	M	17	1	-	1	1	-	1	3	4	2	1	3	21	2	-	-	1	2	1	4	2	2	5	2		
	F	22	2	-	-	2	2	-	2	1	3	6	4	28	-	-	-	1	1	-	5	2	3	7	9		
Nephritis	M	59	-	-	1	-	2	3	2	4	11	14	22	38	-	-	-	-	-	1	3	7	2	16	9		
	F	62	1	-	-	-	4	1	1	8	16	16	15	43	-	-	1	2	1	2	3	6	5	12	11		
Puerperal sepsis	F	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
Other puerperal	F	7	-	-	-	-	2	2	2	1	-	-	-	10	-	-	-	-	4	4	2	-	-	-	-		
Congenital causes, etc.	M	34	33	1	-	-	-	-	-	-	-																

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	526	52	8	7	19	24	20	29	52	72	132	111	818	59	7	9	23	30	27	32	70	135	179	247		
	F	567	35	4	14	16	23	25	37	50	89	123	151	760	56	9	6	10	14	27	34	54	114	196	240		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	-	-			
2 Measles	M	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
	F	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-			
	F	3	-	-	2	1	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-			
5 Diphtheria	M	4	-	-	1	2	1	-	-	-	-	-	-	6	-	-	1	5	-	-	-	-	-	-			
	F	5	-	-	1	4	-	-	-	-	-	-	-	4	-	-	1	2	1	-	-	-	-	-			
6 Influenza	M	7	-	-	-	-	1	1	1	1	1	2	-	14	-	-	-	1	2	-	1	2	4	2			
	F	12	-	-	-	-	2	1	1	1	4	3	1	11	-	-	-	-	1	1	2	2	1	-			
7 Encephalitis lethargica	M	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-			
	F	4	-	-	-	-	-	-	3	-	-	1	-	2	-	-	-	1	-	-	-	1	-	-			
8 Cerebro-spinal fever	M	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	28	-	-	-	-	5	10	6	5	1	1	-	46	-	-	-	-	10	8	7	9	8	2			
	F	24	-	-	-	-	11	6	5	2	-	-	-	26	-	-	-	3	8	5	6	2	2	-			
10 Other tuberculosis	M	4	-	-	-	1	2	-	1	-	-	-	-	9	2	1	1	2	1	1	1	1	-	-			
	F	12	-	-	4	1	3	2	1	1	-	-	-	6	-	1	-	1	1	1	1	1	-	-			
11 Syphilis	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
13 Cancer	M	65	-	-	-	-	-	-	8	9	15	22	11	92	-	-	-	-	1	-	5	8	28	30			
	F	77	-	-	-	-	-	1	4	11	23	23	15	90	-	-	-	-	-	4	4	6	18	39			
14 Diabetes	M	5	-	-	-	-	-	-	-	1	-	4	-	8	-	-	-	-	-	-	2	4	-	-			
	F	9	-	-	-	-	-	-	-	-	7	1	1	12	-	-	-	-	1	-	-	4	3	-			
15 Cerebral hæmorrhage	M	33	-	-	-	-	-	-	-	-	9	16	8	47	-	-	-	-	-	-	5	6	16	2			
	F	42	-	-	-	-	-	-	-	5	8	15	14	74	-	-	-	-	-	-	4	14	27	2			
16 Heart disease	M	105	-	-	-	2	2	-	2	9	17	42	31	186	-	-	-	2	5	3	2	10	31	52			
	F	125	-	-	-	1	2	3	8	9	18	38	46	188	-	-	-	-	4	3	5	9	35	63			
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-			
18 Other circulatory	M	25	-	-	-	-	-	-	-	2	4	5	14	54	-	-	-	-	-	-	-	1	9	16			
	F	17	-	-	-	-	-	-	1	-	1	5	10	40	-	-	-	-	-	-	-	1	5	8			
19 Bronchitis	M	20	4	-	-	-	-	1	1	3	-	2	9	27	3	1	-	-	-	-	-	1	2	4			
	F	20	3	-	-	1	-	-	-	1	1	1	13	32	1	2	-	-	-	1	1	-	2	11			
20 Pneumonia	M	35	9	5	2	1	2	1	-	4	4	4	3	40	5	2	4	2	1	-	4	1	5	8			
	F	30	5	3	3	4	1	2	3	3	2	2	2	33	7	3	-	1	-	2	-	2	4	6			
21 Other respiratory	M	6	2	-	-	-	-	1	1	-	2	-	-	12	-	1	-	-	-	2	-	2	4	2			
	F	6	-	-	1	-	-	1	-	-	1	-	3	6	-	-	-	-	-	1	1	2	-	-			
22 Peptic ulcer	M	5	-	-	-	-	-	-	2	2	1	-	-	10	-	-	-	-	-	1	2	2	2	2			
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	2	-	1	1	-			
23 Diarrhœa	M	3	2	-	-	-	-	-	-	-	-	1	-	4	2	-	-	-	-	-	1	-	-	1			
	F	6	4	-	-	-	1	-	-	1	-	-	-	7	2	-	2	-	1	-	-	1	-	-			
24 Appendicitis	M	5	-	-	-	-	3	-	1	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1			
	F	2	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-			
25 Cirrhosis of liver	M	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	1	-	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-			
26 Other liver diseases	M	4	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	-	1	1			
	F	4	-	-	-	-	-	-	1	-	1	1	1	7	-	-	-	-	-	-	1	-	4	-			
27 Other digestive	M	14	1	1	-	2	-	1	1	2	1	5	-	13	-	-	-	-	1	3	-	-	1	6			
	F	11	1	-	-	1	-	1	-	2	1	3	2	12	1	1	1	-	-	1	2	1	-	-			
28 Nephritis	M	14	-	-	-	1	1	-	1	2	3	4	2	17	-	-	-	-	1	-	-	2	5	6			
	F	34	-	-	-	1	-	-	3	2	11	11	6	13	-	1	-	-	-	1	1	3	2	2			
29 Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
30 Other puerperal	F	6	-	-	-	-	1	3	2	-	-	-	-	6	-	-	-	-	1	2	3	-	-	-			
31 Congenital causes, etc.	M	30	28	-	-	1	1	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-			
	F	19	19	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-			
32 Senility	M	24	-	-	-	-	-	-	-	-	-	4	20	42	-	-	-	-	-	-	-	1	5	3			
	F	36	-	-	-	-	-	-	-	-	-	5	31	53	-	-	-	-	-	-	-	-	8	4			
33 Suicide	M	5	-	-	-	-	-	1	-	2	1	-	1	5	-	-	-	-	-	-	2	1	2	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-			
34 Other violence	M	28	2	-	2	6	5	2	2	1	3	3	2	50	2	-	2	5	7	5	4	8	9	4			
	F	8	1	-	1	-	-	-	2	1	-	2	1	13	2	-	-	3	1	-	1	2	1	1			
35 Other defined causes	M	37	4	2	1	2	1	1	1	5	4	9	7	65	6	1	1	3	1	3	3	11	7	15			
	F	43	2	-	-	2	2	5	3	8	9	9	3	57	3	1	1	2	1	2	4	10	13	14			
36 Ill-defined causes	M	13	-	-	-	-	-	-	-	3	1	6	3	17	-	-	-	-	-	1	-	2	6	3			
	F	8	-	-	-	-	-	-	-	1	2	3	2	11	-	-	-	-	-	-	2	3	5	-			

TABLE 24—*contd.* **Administrative County of Derby.**

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	2,010	162	25	24	40	80	111	101	204	367	485	411	1,623	142	13	20	41	59	61	99	144	260	383	401
	F	1,752	132	19	16	42	58	86	112	136	280	414	457	1,440	98	16	19	26	56	75	85	116	219	343	387
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Measles	M	6	1	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	4	-	3	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever	M	2	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	7	5	1	1	-	-	-	-	-	-	-	-
Diphtheria	M	13	-	1	6	4	1	-	-	-	1	-	-	6	-	-	1	1	1	1	-	1	1	-	-
	F	17	-	-	3	11	-	-	-	2	1	-	-	6	-	1	2	2	-	-	-	-	-	1	-
Influenza	M	43	-	-	-	-	1	7	6	8	8	8	5	21	1	1	-	-	1	5	1	5	2	2	3
	F	21	-	-	-	2	1	1	4	2	2	6	3	14	-	-	-	-	-	2	1	6	2	-	-
Encephalitis lethargica	M	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	7	-	-	-	1	2	1	1	-	1	-	-
Cerebro-spinal fever	M	6	2	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Respiratory tuberculosis	M	82	-	-	-	-	14	25	9	10	20	4	-	54	-	-	-	-	8	9	17	9	9	1	1
	F	68	-	-	-	1	17	27	17	2	2	1	1	55	-	1	-	1	22	13	8	2	4	3	1
Other tuberculosis	M	21	2	2	5	2	3	4	1	1	1	-	-	14	2	-	1	4	2	1	-	1	3	-	-
	F	21	2	3	4	2	5	-	-	3	2	-	-	16	-	3	3	-	3	3	2	-	2	-	-
Syphilis	M	5	1	-	-	-	-	1	-	2	1	-	-	6	2	-	-	-	-	1	1	2	-	-	-
	F	6	2	-	-	-	-	-	-	1	3	-	-	4	1	-	-	-	1	-	1	1	-	-	-
Gen. paralysis of insane, etc.	M	8	-	-	-	1	-	-	-	3	2	-	-	6	-	-	-	-	-	1	-	3	-	2	-
	F	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Cancer	M	236	-	-	1	-	2	4	10	20	81	85	33	184	-	-	-	-	-	2	7	21	59	64	31
	F	230	-	-	-	-	-	5	21	33	51	77	43	195	-	-	-	1	1	3	11	36	52	63	28
Diabetes	M	18	-	-	-	-	-	-	-	3	3	9	3	15	-	-	-	1	-	-	-	-	5	5	4
	F	29	-	-	-	-	1	2	1	-	11	9	5	32	-	-	-	-	-	-	3	3	8	11	7
Cerebral hæmorrhage	M	116	-	-	-	-	-	-	4	10	26	46	30	98	-	-	-	-	1	-	3	6	16	32	40
	F	119	-	1	-	-	-	-	3	3	25	49	38	101	-	-	-	-	1	3	4	16	45	32	32
Heart disease	M	431	-	-	-	3	5	14	19	39	84	143	124	386	-	-	-	5	6	5	12	32	66	130	130
	F	414	-	-	-	3	9	11	7	31	75	139	139	321	-	-	-	5	2	6	11	25	45	104	123
Aneurysm	M	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	1	-	-	1	1	-	-
Other circulatory	M	104	-	-	-	-	-	-	1	2	20	41	40	75	-	-	-	-	-	-	1	3	13	21	37
	F	89	-	-	-	-	-	-	1	4	19	31	34	62	-	-	-	-	-	-	1	1	13	24	23
Bronchitis	M	72	3	1	1	-	1	-	1	8	11	17	29	50	6	-	2	-	-	1	4	2	5	14	10
	F	61	6	3	-	-	-	1	2	1	4	13	31	37	5	-	-	-	1	-	-	1	4	5	21
Pneumonia	M	129	22	6	2	7	6	12	11	22	16	14	11	97	16	6	4	5	3	3	3	11	17	14	13
	F	94	13	4	3	4	3	6	11	6	13	17	14	81	18	7	2	4	5	2	6	7	9	10	11
Other respiratory	M	16	2	1	1	-	1	1	2	2	3	2	1	21	2	-	-	1	1	-	2	2	2	8	3
	F	15	-	-	-	-	1	1	3	1	3	3	3	8	-	-	-	-	1	-	-	2	-	2	-
Peptic ulcer	M	22	-	-	-	-	2	2	7	4	4	3	3	12	-	-	-	-	-	1	1	5	3	2	-
	F	6	-	-	-	-	-	-	1	2	1	2	-	8	-	-	-	-	-	1	-	1	4	-	-
Diarrhœa	M	18	10	2	-	1	-	1	-	-	1	1	2	9	8	-	-	-	-	-	-	-	-	-	-
	F	12	7	1	-	-	1	-	1	1	-	-	1	11	4	-	1	-	-	-	2	-	1	1	-
Appendicitis	M	11	-	-	-	-	2	-	2	-	4	1	2	15	-	-	2	1	1	3	2	-	2	3	-
	F	3	-	-	-	2	-	-	-	-	-	-	1	8	-	-	1	-	-	1	-	2	3	1	-
Cirrhosis of liver	M	10	-	-	-	-	-	-	1	2	3	3	1	7	-	-	-	-	-	-	-	3	3	1	-
	F	4	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	1	-	-	-	-	-	-
Other liver diseases	M	9	-	-	-	-	1	-	-	1	2	2	3	6	-	-	-	-	-	-	-	-	-	4	-
	F	13	-	-	-	-	-	1	-	2	4	5	1	16	-	-	-	-	-	2	1	1	5	4	-
Other digestive	M	35	5	-	-	2	3	1	2	7	4	8	3	36	2	2	-	5	1	-	3	6	3	11	-
	F	36	-	-	2	2	-	3	2	3	12	7	5	30	-	-	1	2	-	2	2	7	7	4	-
Nephritis	M	69	-	1	-	-	7	1	3	8	17	19	13	53	-	-	-	-	4	1	3	3	12	14	1
	F	53	-	-	-	1	-	4	6	4	18	11	9	44	-	-	-	1	-	6	6	4	8	11	-
Puerperal sepsis	F	13	-	-	-	-	5	6	2	-	-	-	-	9	-	-	-	-	3	4	2	-	-	-	-
Other puerperal	F	9	-	-	-	-	2	4	3	-	-	-	-	11	-	-	-	-	2	7	1	1	-	-	-
Congenital causes, etc.	M	106	102	1	1	-	1	1	-	-	-	-	-	82	82	-	-	-	-	-	-	-	-	-	-
	F	87	85	-	1	-	-	-	-	1	-	-	-	51	48	-	1	-	-	1	1	-	-	-	-
Senility	M	91	-	-	-	-	-	-	-	-	-	12	79	72	-	-	-	-	-	-	-	-	10	6	-
	F	111	-	-	-	-	-	-	-	-	-	7	104	116	-	-	-	-	-	-	-	-	17	9	-
Suicide	M	38	-	-	-	-	1	3	3	9	15	6	1	23	-	-	-	-	-	3	4	6	5	3	-
	F	9	-	-	-	-	3	1	1	3	1	-	-	11	-	-	-	-	1	3	2	2	3	-	-
Other violence	M	92	-	1	2	7	15	21	7	17	8	10	4	103	2	-	4	5	21	20	20	14	11	5	-
	F	30	3	-	-	2	3	2	1	3	2	3	11	33	3	1	1	4	2	5	3	-	1	5	-
Other defined causes	M	186	10	6	2	10	16	11	15	21	28	44	23	157	14	4	6	13	8	8	9	12	18	35	3
	F	158	12	3	3	9	7	11	23	26	25	27	12	133	13	2	5	5	8	12	15	13	27	24	-
Ill-defined causes	M	9	-	-	-	-	-	1	-	-	3	4	1	6	-	-	-	-	-	-	-	-	1	2	-
	F	10	-	-	-	-	-	-	-	-	3	5	2	2	-	-	-	-	-	-	-	-	-	1	-

Causes of Death. <i>See first page of Table.</i>			Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,588	75	11	15	12	34	42	62	130	256	441	510	1,449	71	8	9	23	33	48	62	102	233	348	510	
	F	1,641	40	8	6	13	37	41	52	116	209	410	709	1,364	60	2	7	13	32	46	63	119	166	318	530	
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	
2 Measles	M	5	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	3	1	1	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	
4 Whooping cough	M	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
5 Diphtheria	M	5	1	3	1	-	-	-	-	-	-	-	-	5	1	-	1	3	-	-	-	-	-	-	-	
	F	2	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-	
6 Influenza	M	11	-	-	-	-	-	-	1	1	1	2	6	16	-	1	-	1	-	-	2	2	5	2	-	
	F	18	-	-	-	-	2	1	-	-	1	7	7	12	1	-	-	-	-	1	2	2	2	-	-	
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-	
	F	3	-	-	1	-	-	-	1	-	1	-	-	2	-	-	-	-	1	-	-	1	-	-	-	
8 Cerebro-spinal fever	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	70	-	-	-	-	5	17	14	11	14	8	1	60	-	-	-	1	4	10	18	14	8	5	-	
	F	71	-	-	-	-	21	16	7	15	6	6	-	48	-	-	1	-	14	15	3	6	5	3	-	
10 Other tuberculosis	M	14	1	2	2	1	3	2	2	-	1	-	-	7	-	-	-	1	-	2	-	-	1	2	-	
	F	7	1	-	1	1	1	1	1	-	-	1	-	10	-	1	1	-	1	1	1	3	1	-	-	
11 Syphilis	M	3	1	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 Gen. paralysis of insane, etc.	M	9	-	-	-	1	-	-	2	3	1	2	-	4	-	-	-	-	-	-	1	1	1	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	
13 Cancer	M	245	-	-	1	-	-	1	5	24	58	93	63	209	-	-	1	-	-	1	6	16	50	72	6	
	F	275	-	-	-	-	2	3	11	37	53	93	76	216	1	-	-	-	1	4	11	35	44	62	5	
14 Diabetes	M	15	-	-	-	-	-	-	-	1	3	5	6	12	-	-	-	-	1	-	-	2	1	5	-	
	F	23	-	-	-	-	-	-	2	1	7	7	6	17	-	-	-	-	-	-	-	4	11	-	-	
15 Cerebral hæmorrhage	M	102	-	-	-	-	-	-	-	11	13	35	43	86	-	-	-	-	-	-	6	17	25	3	-	
	F	119	-	-	-	-	-	-	2	6	11	27	73	114	-	-	-	-	1	-	1	10	13	32	5	
16 Heart disease	M	385	-	-	-	2	2	2	8	13	59	147	152	321	-	-	-	1	-	2	5	12	51	98	15	
	F	434	-	-	-	-	1	1	5	18	48	127	234	329	-	-	-	1	2	1	6	19	37	93	17	
17 Aneurysm	M	6	-	-	-	-	-	-	-	1	2	1	2	3	-	-	-	-	-	-	2	-	-	-	-	
	F	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	
18 Other circulatory	M	107	-	-	-	-	-	-	-	3	13	32	59	95	-	-	-	-	-	-	-	3	14	28	5	
	F	128	1	-	-	-	-	-	-	2	8	25	92	82	-	-	-	-	-	-	4	6	26	4	-	
19 Bronchitis	M	51	1	1	-	-	-	-	-	2	6	9	32	56	-	1	1	1	-	3	-	-	3	9	3	
	F	53	1	-	-	-	-	-	-	1	4	15	32	54	1	-	-	-	-	-	-	-	1	13	3	
20 Pneumonia	M	57	1	-	3	-	1	-	3	7	13	15	14	62	6	2	2	2	3	1	4	7	10	10	1	
	F	47	1	4	2	3	-	-	2	1	8	12	14	41	11	1	1	1	1	2	2	1	1	13	1	
21 Other respiratory	M	19	-	-	1	-	1	1	1	2	5	4	4	17	1	-	-	-	1	2	3	1	3	2	-	
	F	20	2	-	-	1	-	1	1	-	4	2	9	16	1	-	-	-	-	2	1	-	5	-	-	
22 Peptic ulcer	M	29	-	-	-	-	-	1	2	6	7	10	3	18	-	-	-	-	-	2	3	4	3	5	-	
	F	4	-	-	-	-	-	-	-	2	1	1	-	9	-	-	-	-	-	2	-	4	1	-	-	
23 Diarrhœa	M	11	5	-	-	-	-	1	-	1	-	1	3	7	1	-	-	-	-	1	1	1	-	-	-	
	F	7	2	-	-	-	-	-	1	-	1	-	3	6	-	-	1	-	-	1	1	-	1	1	-	
24 Appendicitis	M	13	-	-	-	1	3	1	4	-	2	2	-	8	-	-	1	1	-	1	2	-	-	3	-	
	F	6	-	-	-	-	1	1	-	-	2	1	1	6	-	-	-	-	2	1	2	-	1	-	-	
25 Cirrhosis of liver	M	8	-	-	-	-	-	-	1	1	5	1	-	9	-	-	-	1	-	-	-	4	4	-	-	
	F	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
26 Other liver diseases	M	11	-	-	-	-	-	-	1	3	2	5	-	9	-	-	-	-	-	-	-	4	3	-	-	
	F	15	-	-	-	-	-	-	-	1	3	7	4	10	-	-	-	1	-	1	-	1	-	4	-	
27 Other digestive	M	32	3	1	-	-	2	1	-	6	3	9	7	31	2	1	-	1	3	1	4	1	6	5	-	
	F	37	-	-	-	-	2	1	2	3	8	8	13	24	3	-	-	-	1	1	2	6	2	-	-	
28 Nephritis	M	58	-	-	-	-	2	1	2	12	12	17	12	59	-	-	-	-	1	-	3	4	13	14	2	
	F	54	-	-	-	-	2	2	2	11	9	14	16	43	-	-	-	-	-	5	4	9	10	1	-	
29 Puerperal sepsis	F	5	-	-	-	-	1	3	1	-	-	-	-	4	-	-	-	-	3	-	1	-	-	-	-	
30 Other puerperal	F	10	-	-	-	-	3	3	4	-	-	-	-													

TABLE 24—*contd.* Administrative County of Dorset.

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	871	49	7	11	16	17	36	47	80	151	206	251	600	25	2	2	12	13	21	29	44	93	162	197
	F	945	38	2	7	10	16	41	43	82	130	241	335	555	20	2	7	14	10	17	21	36	59	138	231
Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever	M	2	-	-	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria	M	6	-	-	4	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	F	2	-	-	-	2	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Influenza	M	8	-	-	-	-	-	1	1	1	2	1	2	12	-	-	-	2	-	1	2	-	2	1	4
	F	9	-	-	-	-	-	1	1	-	2	3	3	11	-	-	-	-	1	1	-	1	6	-	2
Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebro-spinal fever	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	49	-	-	-	2	1	14	12	14	3	3	-	13	-	-	-	2	2	2	4	1	2	-	-
	F	42	-	-	-	3	6	14	5	6	6	1	1	19	-	-	-	4	5	4	3	2	1	-	-
Other tuberculosis	M	7	1	-	-	2	-	1	3	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	1	-	1	-	-	-	-	-	-	4	-	-	1	1	1	-	-	-	-	-	-
Syphilis	M	5	-	-	-	-	-	-	-	-	3	-	2	3	-	-	-	-	-	-	3	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	2	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	137	-	-	-	-	-	2	5	10	34	50	36	96	-	-	-	-	-	4	10	31	32	19	
	F	179	-	-	-	-	-	5	14	30	30	68	32	83	-	-	-	-	1	2	2	13	17	26	22
Diabetes	M	13	-	-	1	-	-	-	-	2	6	2	2	2	-	-	-	-	-	-	-	1	1	-	-
	F	20	-	-	-	-	-	-	-	1	7	7	5	3	-	-	-	-	1	-	-	-	2	-	-
Cerebral hæmorrhage	M	36	-	-	-	-	-	-	-	1	6	11	18	24	-	-	-	-	-	-	1	6	12	5	
	F	69	-	-	-	-	-	1	3	3	9	21	32	46	-	-	-	-	-	-	2	8	12	24	
Heart disease	M	211	-	-	-	1	1	4	4	19	39	68	75	171	-	-	-	1	-	3	2	7	22	57	79
	F	246	-	-	-	1	3	2	3	19	30	60	128	138	-	-	-	-	1	1	6	14	40	76	
Aneurysm	M	6	-	-	-	-	-	-	1	-	3	2	-	2	-	-	-	-	-	-	1	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	7	16	
Other circulatory	M	48	-	-	-	-	-	-	-	2	8	11	27	37	-	-	-	-	-	-	-	-	14	21	
	F	47	-	-	-	-	-	-	-	2	7	15	23	38	-	-	-	-	-	1	3	3	10	-	-
Bronchitis	M	29	1	-	1	-	1	-	-	2	5	5	14	21	2	-	-	1	-	1	-	1	1	14	7
	F	26	-	-	-	-	-	-	1	-	3	3	19	9	-	1	-	-	-	-	-	-	1	4	4
Pneumonia	M	31	6	-	1	-	-	1	3	2	6	5	7	17	1	-	1	-	1	-	4	-	2	4	3
	F	33	2	-	-	-	-	-	7	1	3	8	12	16	1	-	2	-	-	1	1	2	5	-	-
Other respiratory	M	10	-	1	-	-	-	-	1	1	2	3	2	2	-	-	-	-	-	-	-	-	-	2	2
	F	10	1	-	-	-	1	-	1	1	-	3	3	4	-	-	-	-	-	-	1	-	1	-	-
Peptic ulcer	M	11	-	-	-	-	-	2	-	3	1	3	2	3	-	-	-	-	-	-	2	1	-	-	-
	F	4	-	-	-	-	-	-	-	3	-	1	-	3	-	-	-	-	-	-	-	-	3	-	-
Diarrhœa	M	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	-	-	-	1	4	1	-	-	1	-	1	-	-	-	-	-
Appendicitis	M	9	-	-	-	1	4	-	1	1	1	-	1	5	-	-	-	1	1	2	1	-	-	-	-
	F	8	-	-	1	2	-	1	1	-	1	1	1	4	-	-	1	1	-	1	-	-	1	-	-
Cirrhosis of liver	M	6	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	4	-	4	-	-	-	-	-	-	1	1	1	1	-
Other liver diseases	M	6	-	-	-	-	-	-	-	1	2	1	2	1	-	-	-	-	-	-	-	-	1	-	3
	F	7	-	-	-	-	-	-	-	-	3	3	1	7	-	-	-	-	-	-	-	2	2	-	-
Other digestive	M	24	4	1	-	-	-	-	2	5	5	4	3	11	1	-	-	-	1	2	3	1	-	2	1
	F	19	-	1	1	-	1	-	1	7	5	3	3	11	1	-	3	-	-	1	-	-	4	2	2
Nephritis	M	31	-	-	-	2	1	2	6	4	6	4	10	21	-	-	-	-	-	2	1	2	12	4	4
	F	33	-	-	-	-	-	3	4	5	10	11	17	17	-	-	1	-	-	2	2	3	3	6	6
Puerperal sepsis	F	4	-	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other puerperal	F	7	-	-	-	-	1	4	2	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Congenital causes, etc.	M	34	33	-	1	-	-	-	-	-	-	-	-	22	19	-	-	-	1	-	1	1	-	-	-
	F	35	33	-	1	1	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Senility	M	20	-	-	-	-	-	-	-	-	-	-	20	36	-	-	-	-	-	-	-	-	4	32	
	F	47	-	-	-	-	-	-	-	-	-	3	44	44	-	-	-	-	-	-	-	-	4	40	
Suicide	M	12	-	-	-	-	-	1	4	-	4	3	-	11	-	-	-	2	1	-	2	3	3	-	-
	F	7	-	-	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other violence	M	40	-	2	-	3	5	7	5	5	5	4	4	30	-	-	-	5	6	5	4	2	6	2	2
	F	21	1	1	-	1	1	1	-	1	1	7	7	11	-	-	1	-	1	2	1	1	1	4	4
Other defined causes	M	67	1	2	1	3	3	2	3	3	8	19	22	49	1	1	1	3	-	3	1	6	10	14	
	F	53	-	-	1	-	1	4	-	8	15	16	8	53	4	-	-	6	2	2	3	5	13	15	
Ill-defined causes	M	3	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	1	
	F	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	3,392	373	67	84	114	151	169	164	346	611	734	579	2,456	258	46	50	93	137	115	147	233	366	541	4
	F	2,897	276	57	79	100	136	164	187	272	458	601	567	2,135	200	45	65	106	90	113	116	199	352	445	46
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
	F	5	-	-	-	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	15	3	9	2	1	-	-	-	-	-	-	-	9	-	6	3	-	-	-	-	-	-	-	-
	F	17	4	6	6	1	-	-	-	-	-	-	-	5	1	2	2	-	-	-	-	-	-	-	-
3 Scarlet fever	M	8	1	-	4	3	-	-	-	-	-	-	-	10	-	2	5	3	-	-	-	-	-	-	-
	F	11	1	-	4	6	-	-	-	-	-	-	-	9	1	-	2	4	-	1	-	-	-	-	-
4 Whooping cough	M	13	6	5	1	1	-	-	-	-	-	-	-	11	6	2	3	-	-	-	-	-	-	-	-
	F	12	4	3	4	1	-	-	-	-	-	-	-	13	7	4	1	1	-	-	-	-	-	-	-
5 Diphtheria	M	56	-	3	20	33	-	-	-	-	-	-	-	49	-	4	13	31	-	-	-	1	-	-	-
	F	41	-	1	14	26	-	-	-	-	-	-	-	62	-	-	22	37	1	-	-	1	-	1	-
6 Influenza	M	69	-	1	2	3	3	9	5	14	11	14	7	53	3	-	1	2	6	5	4	9	6	11	-
	F	59	4	-	1	1	-	7	6	9	10	11	10	39	2	2	1	1	1	2	3	4	9	8	-
7 Encephalitis lethargica	M	7	-	-	-	-	2	-	1	2	2	-	-	11	-	-	-	1	2	1	4	2	-	1	-
	F	6	-	-	-	-	-	-	-	3	2	-	-	11	-	-	-	-	1	2	6	1	-	-	-
8 Cerebro-spinal fever	M	10	1	1	2	1	5	-	-	-	-	-	-	6	3	-	1	1	1	-	-	-	-	-	-
	F	8	1	1	2	2	1	-	-	-	1	-	-	5	-	-	1	4	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	191	-	-	1	5	43	45	28	31	25	12	1	118	-	-	1	5	26	27	21	17	15	6	-
	F	176	-	2	1	8	60	43	37	15	7	3	-	100	-	-	1	4	31	32	19	8	4	1	-
10 Other tuberculosis	M	49	2	3	4	12	19	4	3	-	-	2	-	34	1	3	1	4	16	6	2	-	-	1	-
	F	44	1	3	3	12	12	8	1	2	1	1	-	32	3	5	2	7	4	4	5	-	1	1	-
11 Syphilis	M	13	3	-	-	-	-	1	1	3	3	1	1	5	-	-	-	-	-	-	3	-	2	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	1	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	16	-	-	-	-	-	-	3	5	7	1	-	10	-	-	-	-	-	1	1	2	4	2	-
	F	2	-	-	-	-	-	-	1	-	-	1	-	4	-	-	-	-	-	1	-	2	1	-	-
13 Cancer	M	402	-	-	1	-	-	7	20	57	136	122	59	231	-	-	-	1	-	2	10	34	68	79	-
	F	365	-	-	2	-	2	7	23	74	104	107	46	241	-	1	-	-	1	4	16	42	78	59	-
14 Diabetes	M	26	-	-	-	-	2	1	1	7	5	5	5	15	-	-	-	-	1	1	2	1	3	5	-
	F	48	-	-	-	-	1	1	5	4	11	17	9	43	-	-	-	-	3	-	1	3	11	20	-
15 Cerebral hæmorrhage	M	200	-	-	-	-	-	-	2	13	46	82	57	127	-	-	-	-	1	4	2	7	26	47	-
	F	164	-	-	-	-	1	-	5	16	34	66	42	137	-	-	-	-	-	1	2	12	29	57	-
16 Heart disease	M	643	-	-	-	12	8	15	21	65	147	195	180	503	-	-	-	5	17	7	20	40	107	161	1
	F	590	-	-	-	4	9	20	19	36	123	185	194	435	-	-	-	4	12	11	16	34	91	148	1
17 Aneurysm	M	12	-	-	-	-	-	-	-	3	5	4	-	3	-	-	-	-	-	-	-	3	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Other circulatory	M	216	-	-	-	-	-	2	-	7	37	89	81	156	-	-	-	-	-	-	2	7	12	68	-
	F	164	-	-	-	-	-	-	1	5	19	49	90	111	-	-	-	-	-	-	-	6	19	47	-
19 Bronchitis	M	137	18	3	6	1	4	5	6	11	13	32	38	88	19	3	1	3	1	1	4	6	9	16	-
	F	93	14	3	-	3	3	4	2	2	12	24	26	67	13	4	4	1	-	1	1	5	3	12	-
20 Pneumonia	M	241	64	23	16	8	14	14	8	31	30	22	11	143	22	14	10	7	8	7	11	22	20	10	-
	F	181	45	16	13	7	5	12	11	16	20	25	11	119	24	9	11	7	5	10	8	10	13	8	-
21 Other respiratory	M	31	2	1	1	1	-	2	2	8	6	6	2	30	-	1	-	-	-	4	5	3	6	5	-
	F	20	-	2	3	-	1	1	2	4	4	1	2	21	1	1	3	-	1	3	1	2	4	-	-
22 Peptic ulcer	M	46	-	-	-	-	1	9	4	9	15	8	-	28	-	-	-	-	-	3	6	6	5	5	-
	F	5	-	-	-	-	-	2	-	1	1	1	-	3	-	-	-	-	1	-	-	1	1	-	-
23 Diarrhoea	M	58	36	3	4	1	1	-	1	4	5	2	1	28	18	4	-	2	1	-	-	1	1	1	-
	F	47	21	8	3	2	2	-	-	-	2	5	4	22	11	4	3	-	-	1	-	1	1	-	-
24 Appendicitis	M	12	-	-	1	4	-	3	2	1	-	1	-	12	-	-	-	1	2	-	3	4	2	-	-
	F	11	-	-	-	3	2	1	1	2	1	1	-	16	-	-	1	2	2	1	2	3	3	-	-
25 Cirrhosis of liver	M	6	-	-	-	-	-	-	-	-	4	2	-	7	-	-	-	1	-	-	1	-	-	3	-
	F	4	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	-	-	-	2	-	-
26 Other liver diseases	M	11	-	-	-	-	-	1	-	3	-	5	2	8	-	-	-	-	-	-	2	2	-	4	-
	F	19	-	-	-	-	-	-	1	4	10	3	1	28	-	-	-	1	-	-	3	4	8	6	-
27 Other digestive	M	59	9	1	2	5	6	5	4	6	7	11	3	49	8	-	3	2	4	3	3	4	8	11	-
	F	67	5	2	7	2	1	3	7	12	11	13	4	44	2	2	1	3	1	1	4	7	11	7	-
28 Nephritis	M	85	-	1	-	2	5	5	4	10	21	26	11	53	-	-	1	1	-	1	4	8	10	17	

Causes of Death.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	286	27	5	3	4	10	6	15	17	45	64	90	200	15	6	1	2	6	6	12	16	32	41	63		
	F	251	12	1	1	4	6	12	16	23	30	53	93	205	9	4	1	6	4	15	11	19	28	40	68		
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-			
Whooping cough	M	3	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
Influenza	M	11	-	-	-	-	-	1	2	-	2	3	3	6	1	-	-	-	-	-	2	1	-	2			
	F	6	-	-	-	-	-	-	-	2	1	-	3	5	-	-	-	-	-	3	-	1	-	1			
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	1	-	-			
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Respiratory tuberculosis	M	12	-	1	-	-	2	2	4	1	1	1	-	12	-	-	-	-	2	3	3	2	2	-	-		
	F	6	-	-	-	-	1	3	1	1	-	-	6	-	-	-	-	1	3	1	1	-	-	-			
Other tuberculosis	M	4	-	-	1	2	1	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-			
Syphilis	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
Cancer	M	40	-	-	-	-	-	1	1	3	9	13	13	27	-	-	-	-	-	1	4	7	7	8			
	F	42	-	-	-	-	-	1	4	8	9	12	8	34	-	-	-	-	-	1	8	8	9	8			
Diabetes	M	2	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	-	-	-	1	4			
	F	7	-	-	-	-	-	-	-	3	2	1	1	3	-	-	-	-	1	-	-	1	-	1			
Cerebral hæmorrhage	M	16	-	-	-	-	-	-	2	1	3	7	3	8	-	-	-	-	-	-	-	-	2	6			
	F	20	-	-	-	-	-	-	-	-	1	4	15	10	-	-	-	-	-	-	-	1	1	8			
Heart disease	M	57	-	-	-	-	-	-	-	4	8	15	30	45	-	-	-	1	1	-	4	4	17	18			
	F	58	-	-	-	-	1	1	1	6	22	27	59	-	-	-	-	3	2	3	7	19	25				
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other circulatory	M	18	-	-	-	-	-	-	-	-	2	7	9	8	-	-	-	-	-	-	-	3	1	4			
	F	14	-	-	-	-	1	-	-	2	2	3	6	9	-	-	-	-	-	-	-	3	1	5			
Bronchitis	M	6	-	-	-	-	-	-	-	-	2	2	2	6	-	-	-	-	-	-	-	1	3	2			
	F	14	-	-	-	-	-	-	-	1	1	3	9	4	-	-	-	-	1	-	-	1	1	2			
Pneumonia	M	17	4	2	-	1	1	-	1	3	4	1	1	15	6	1	-	-	-	1	1	4	2	-			
	F	10	3	-	-	-	-	-	-	-	2	2	3	9	-	-	-	-	-	1	1	2	4	1			
Other respiratory	M	3	-	-	-	-	-	1	1	-	-	-	1	3	-	-	-	-	-	-	-	1	1	1			
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-			
Peptic ulcer	M	4	-	-	-	-	-	2	-	1	-	-	1	2	-	-	-	-	-	1	-	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-			
Diarrhœa	M	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1			
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Appendicitis	M	3	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	-	1	-	-	-	1			
	F	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2			
Other digestive	M	7	-	-	-	-	-	-	-	-	1	2	4	4	-	-	-	-	-	1	-	1	1	1			
	F	6	-	-	-	-	-	-	1	-	-	1	4	4	-	-	-	-	1	-	1	-	2	2			
Nephritis	M	4	-	-	-	-	-	-	-	-	1	1	2	6	-	-	-	-	-	-	1	2	2	1			
	F	5	-	-	-	2	-	-	-	1	1	1	-	5	-	1	-	-	1	1	-	1	1	1			
Puerperal sepsis	F	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-			
Other puerperal	F	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-			
Congenital causes, etc.	M	16	16	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-			
	F	7	7	-	-	-	-	-	-	-	-	-	-	7	5	1	-	-	1	-	-	-	-	-			
Senility	M	10	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	7			
	F	8	-	-	-	-	-	-	-	-	-	-	1	9	-	-	-	-	-	-	-	-	1	8			
Suicide	M	5	-	-	-	-	2	2	-	1	-	-	-	2	-	-	-	-	-	-	2	-	-	-			
	F	3	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-			
Other violence	M	16	1	-	1	1	4	-	-	1	3	2	3	7	-	1	-	-	2	2	1	1	-	-			
	F	9	-	-	1	2	-	-	-	-	-	-	6	4	-	-	1	-	-	-	-	1	1	-			
Other defined causes	M	25	3	-	-	1	-	-	-	2	6	7	6	20	2	-	-	1	2	-	1	2	3	7			
	F	21	-	-	-	2	2	2	2	4	4	3	2	21	3	2	-	2	2	3	1	2	1	4			
Ill-defined causes	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	5,085	375	45	65	136	142	252	345	534	833	1208	1150	1,283	68	10	12	24	36	38	43	106	202	323	4
	F	4,913	326	41	58	117	149	255	319	386	682	1063	1517	1,250	51	6	10	28	30	38	38	90	168	282	5
1 Typhoid fever, etc.	M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	5	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Scarlet fever	M	2	-	-	1	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
	F	4	-	-	1	2	-	1	-	-	-	-	-	4	-	-	1	2	-	1	-	-	-	-	-
4 Whooping cough	M	16	11	3	2	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F	21	12	6	2	1	-	-	-	-	-	-	-	5	3	1	-	1	-	-	-	-	-	-	-
5 Diphtheria	M	46	3	1	14	27	1	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-	-	-	-
	F	49	2	1	16	24	3	1	-	1	-	1	-	3	1	-	-	2	-	-	-	-	-	-	-
6 Influenza	M	66	1	1	-	5	1	1	5	12	17	12	11	23	2	-	-	-	-	-	6	2	4	2	-
	F	72	2	2	-	-	2	4	7	7	15	16	17	19	-	-	-	-	-	2	1	1	1	7	-
7 Encephalitis lethargica	M	6	-	-	-	-	-	1	1	-	3	1	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	7	-	-	-	1	-	3	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
8 Cerebro-spinal fever	M	4	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	308	-	-	-	2	32	65	83	58	46	19	3	51	-	-	-	-	7	11	9	10	9	5	-
	F	215	-	-	-	4	56	70	35	23	15	7	5	30	-	-	-	-	5	9	4	4	3	4	-
10 Other tuberculosis	M	48	2	8	6	5	8	8	4	4	2	-	1	11	-	1	2	3	1	1	1	-	-	2	-
	F	42	2	4	8	7	5	6	3	3	2	2	-	12	-	1	1	3	1	1	2	2	1	-	-
11 Syphilis	M	9	2	-	-	-	-	-	-	3	1	3	-	1	-	-	-	-	-	-	-	-	1	-	-
	F	4	-	-	-	2	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	28	-	-	-	-	-	-	4	10	10	4	-	4	-	-	-	-	1	-	-	-	1	2	-
	F	9	-	-	-	-	-	1	3	2	3	-	-	2	-	-	-	-	-	-	-	1	1	-	-
13 Cancer	M	750	-	-	1	2	4	9	25	98	193	281	137	182	-	-	-	-	3	1	5	16	40	74	-
	F	801	1	-	1	2	4	16	68	109	207	222	171	214	-	-	1	1	2	3	8	22	41	74	-
14 Diabetes	M	63	-	-	-	2	-	2	4	6	20	22	12	7	-	-	-	-	-	-	1	1	1	3	-
	F	68	-	-	-	2	2	5	3	3	14	21	18	31	-	-	-	1	2	2	-	-	9	12	-
15 Cerebral hæmorrhage	M	248	-	-	-	1	-	1	6	14	42	92	92	70	-	-	-	-	-	-	1	3	13	18	-
	F	364	-	-	-	-	1	3	5	26	56	121	152	70	-	-	-	-	-	-	1	6	10	16	-
16 Heart disease	M	1,197	-	-	-	9	12	23	52	98	218	380	405	317	-	-	-	1	3	3	2	25	62	85	-
	F	1,236	-	-	-	12	17	27	53	72	148	359	548	326	-	-	-	-	2	3	6	14	46	80	-
17 Aneurysm	M	33	-	1	-	1	-	1	5	6	10	7	2	3	-	-	-	-	-	-	-	-	1	1	-
	F	16	-	-	-	-	1	1	2	4	5	2	1	2	-	-	-	-	-	-	-	-	-	1	-
18 Other circulatory	M	197	1	-	-	-	-	-	2	16	26	72	80	82	-	-	-	-	-	-	-	3	8	24	-
	F	212	-	-	-	-	-	-	2	4	37	57	112	74	-	-	-	-	-	-	1	1	10	17	-
19 Bronchitis	M	134	1	-	2	-	1	2	4	17	23	28	56	31	1	-	-	-	-	-	2	2	2	3	-
	F	138	3	4	1	-	1	1	7	3	9	26	83	38	1	-	-	-	-	-	-	-	2	9	-
20 Pneumonia	M	285	56	14	10	6	6	14	33	42	43	34	27	60	10	3	2	1	1	3	2	9	9	7	-
	F	233	48	12	11	8	5	13	16	17	18	41	44	47	6	2	3	3	1	1	3	3	3	8	-
21 Other respiratory	M	51	-	-	1	3	2	5	8	11	8	3	10	13	-	-	-	1	1	-	1	1	3	4	-
	F	45	2	-	3	-	2	6	3	6	-	11	12	9	-	1	-	-	-	-	-	1	4	1	-
22 Peptic ulcer	M	75	-	-	-	-	2	6	8	22	19	12	6	14	-	-	-	-	-	1	1	1	7	3	-
	F	26	-	-	-	-	-	1	2	5	7	7	4	2	-	-	-	-	-	-	-	-	-	1	-
23 Diarrhœa	M	52	34	4	2	-	-	2	1	2	3	3	1	9	2	1	-	-	1	1	-	1	1	1	-
	F	44	30	2	2	-	-	3	1	2	1	1	2	5	2	-	-	-	1	1	-	1	-	-	-
24 Appendicitis	M	40	-	-	2	3	6	9	6	5	3	5	1	11	-	1	1	1	2	-	1	2	1	2	-
	F	32	-	-	1	6	5	-	4	4	4	4	4	6	-	-	-	1	-	1	-	-	3	1	-
25 Cirrhosis of liver	M	10	-	-	-	-	-	-	-	1	8	1	-	5	-	-	-	-	-	-	-	3	1	-	-
	F	3	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	2	-	1	-
26 Other liver diseases	M	16	-	-	-	-	-	-	2	2	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	38	-	-	-	-	-	4	3	3	12	7	9	11	-	-	-	-	-	1	1	1	2	3	-
27 Other digestive	M	90	6	1	3	6	3	6	7	12	16	15	15	26	4	-	-	2	1	3	-	-	2	9	-
	F	87	3	1	2	6	-	9	5	9	18	19	15	23	-	-	-	2	1	-	-	3	5	6	-
28 Nephritis	M	161	-	-	3	3	3	8	6	20	31	49	38	39	-	-	-	1	2	3	2	2	6	17	-
	F	135	1	-	-	5	3	6	17	14	27	31	31	39	-	-	1	1	1	2	2	9	3	7	-
29 Puerperal sepsis	F	31	-	-	-	-	7	16	8	-	-	-	-	9	-	-	-	-	4	4	1	-	-	-	-
30 Other puerperal	F	29	-	-	-	-	3	15	11	-	-	-	-	8	-	-	-	-	3	3	2	-	-	-	-
31 Congenital causes, etc.	M	236	223	2	4	4	1	1	1	-	-	-	-	47	46	1	-	-	-	-	-	-	-	-	-
	F	184	181	-	-	1	-	2	-	-	-	-	-	34	33	-	1	-	-	-	-	-	-	-	-
32 Senility	M	132	-	-	-	-	-	-	-	-	1	12	119	68	-	-	-	-	-	-	-	-	1	11	-
	F	211	-	-	-	-	-	-	-	-	-	18	193	83	-	-	-	-	-	-	-	-	-	4	-
33 Suicide	M	75	-	-	-	-	7	11	11	13	18	9	6	15	-	-	-	-	-	1	3	3	5	3	-
	F	44	-	-	-	-	4	7	10	15	5	3	-	6	-	-	-	-	-	1	1	3	-	1	-
34 Other violence	M	227	7	2	6	26	32	36	31	25	17	20	25	54	-	1	1	6	8	8	1	10	4	5	-
	F	114	4	5	-	12	7	5	9	7	11	19	35	29	3	1	-	6	2	1	-	2	2	3	-
35 Other defined causes	M	464	28	7	7	31	19	39	34	35	50	116	98	118	2	2	3	5	6	-	5	11	17	37	-
	F	374	29	4	9	19	20	30	43	44	62	60	54	99	1	-	2	5	5	2	5	14	21	22	-
36 Ill-defined causes	M	7	-	-	-	-	-	-	-	1	-	3	3	12	-	-	-	-	-	1	-	1	1	5	-
	F	14	1	-	-	-	-	-	-	-	2	4	7	5	-	-	-	-	-	-	-	1	1	2	-

Causes of Death. First page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	667	30	5	6	11	15	32	24	66	104	166	208	1,388	77	12	6	26	37	55	54	110	230	358	423		
	F	735	28	5	4	7	18	34	32	65	105	157	280	1,348	51	4	7	22	33	45	73	123	175	311	504		
Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	2	-	-	-	-		
Measles	M	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	4	-	1	1	-	1	1	-	-	-	-	-		
Scarlet fever	M	3	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	2	-	-	-	-	-	-	-		
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-		
Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	3	-	-	-	-	-	-	-		
Influenza	M	10	-	-	-	-	1	1	1	-	3	-	4	26	1	-	-	-	2	-	1	2	8	9	3		
	F	18	2	-	-	1	-	-	1	1	2	4	7	20	1	-	-	1	-	-	-	1	2	8	7		
Encephalitis lethargica	M	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	6	-	-	-	-	1	1	2	1	-	-	1		
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
Respiratory tuberculosis	M	38	-	-	-	-	1	13	7	6	10	1	-	43	-	-	-	-	4	10	7	12	8	2	-		
	F	29	-	-	-	-	9	13	4	2	1	-	-	48	-	-	-	-	15	15	10	4	2	2	-		
Other tuberculosis	M	11	1	2	-	-	1	4	-	3	-	-	-	13	1	1	-	3	4	1	1	-	1	1	-		
	F	8	-	1	-	1	1	-	1	3	1	-	-	11	1	-	1	2	1	-	1	2	2	1	-		
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
	F	2	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-	1	-	-	3	-	-	-		
	F	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer	M	70	-	-	-	-	-	-	-	11	18	22	19	159	-	-	-	1	-	2	3	15	41	58	39		
	F	96	-	-	-	-	-	2	4	19	25	26	20	207	-	-	-	1	3	4	13	31	54	50	51		
Diabetes	M	13	-	-	-	1	-	-	-	1	3	4	4	17	-	-	-	2	1	-	1	2	2	7	2		
	F	17	-	-	-	-	-	-	-	1	3	6	7	20	-	-	-	-	1	-	-	1	4	7	7		
Cerebral hæmorrhage	M	39	-	-	-	-	-	-	2	5	2	15	15	63	-	-	-	-	-	-	1	4	18	10	30		
	F	57	-	-	-	-	-	1	-	5	8	14	29	95	-	-	-	-	1	-	7	15	25	47			
Heart disease	M	175	1	-	-	1	1	2	-	12	26	64	68	360	-	-	-	1	1	3	6	23	55	117	154		
	F	219	-	-	1	-	1	2	3	9	26	59	118	398	-	-	-	-	1	3	6	22	35	126	205		
Aneurysm	M	3	-	-	-	-	-	-	-	2	-	1	-	10	-	-	-	-	1	-	-	1	1	5	2		
	F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
Other circulatory	M	36	-	-	-	-	-	2	-	1	5	14	14	82	-	-	-	-	-	1	-	4	9	26	42		
	F	35	-	-	-	-	-	1	-	1	2	11	20	74	-	-	-	-	-	-	1	2	7	22	42		
Bronchitis	M	18	-	-	-	1	-	-	-	1	1	3	12	46	2	-	-	1	-	-	1	3	4	11	24		
	F	18	-	-	-	-	-	-	-	1	1	2	14	22	2	-	-	1	-	-	-	2	-	6	11		
Pneumonia	M	25	3	-	-	-	-	-	1	-	4	7	10	57	8	6	-	3	1	2	3	4	6	14	10		
	F	29	-	2	-	-	-	1	-	3	7	6	10	49	2	1	-	1	1	3	2	5	7	6	21		
Other respiratory	M	6	-	-	-	-	-	-	-	1	2	2	1	18	-	-	1	-	1	1	-	3	4	5	3		
	F	8	-	-	-	-	-	-	1	2	1	1	3	14	-	-	1	1	-	-	6	2	1	1	2		
Peptic ulcer	M	17	-	-	-	-	1	1	2	6	5	1	1	18	-	-	-	-	-	4	3	3	4	2	2		
	F	4	-	-	-	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1		
Diarrhoea	M	5	1	-	1	-	-	-	-	-	1	-	2	7	2	2	1	-	-	-	-	-	1	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	1	-	1	1		
Appendicitis	M	7	-	-	-	-	1	-	-	2	1	1	2	12	-	-	-	2	1	3	1	2	1	1	1		
	F	4	-	-	-	-	1	1	-	1	1	-	-	5	-	-	-	-	1	-	-	2	1	-	-		
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	9	-	-	-	-	-	-	1	2	3	3			
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other liver diseases	M	2	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	1	-	-	3	2	2			
	F	7	-	-	-	-	-	-	1	-	-	3	3	10	-	-	-	-	-	-	1	-	2	4	3		
Other digestive	M	11	-	-	-	2	-	-	2	3	1	1	2	31	1	1	-	-	-	4	3	11	4	7			
	F	13	2	-	-	-	-	1	1	3	2	3	1	32	1	-	-	1	-	-	2	7	6	8			
Nephritis	M	31	-	-	1	-	-	1	-	2	5	9	13	41	-	-	-	-	1	-	-	3	11	18	8		
	F	27	-	-	-	1	-	1	2	3	5	8	7	49	-	-	-	-	2	2	4	9	10	8	14		
Puerperal sepsis	F	2	-	-	-	-	-	2	-	-	-	-	-	7	-	-	-	-	1	3	3	-	-	-	-		
Other puerperal	F	6	-	-	-	-	1	3	1	1	-	-	-	4	-	-	-	-	1	-	3	-	-	-	-		
Congenital causes, etc.	M	24	22	1	-	-	1	-	-	-	-	-	-	52	51	-	-	-	1	-	-	-</					

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-			
All Causes	M	275	11	1	3	8	11	6	14	34	48	66	73	492	35	2	3	15	17	17	20	36	73	112			
	F	289	14	2	1	6	4	10	16	25	36	60	115	436	18	1	4	7	15	19	24	33	51	107			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
4 Whooping cough	M	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
	F	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-			
5 Diphtheria	M	4	-	-	2	2	-	-	-	-	-	-	-	5	-	-	-	4	-	1	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
6 Influenza	M	3	-	-	-	-	-	-	-	1	-	2	-	8	-	-	-	-	-	1	-	-	2	2			
	F	5	1	-	-	-	-	-	-	1	1	-	2	11	-	-	-	-	1	-	1	1	4	4			
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	2	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	12	-	-	-	-	2	2	2	3	2	1	-	12	-	-	-	1	5	2	-	2	2	-			
	F	6	-	-	-	-	1	1	1	2	-	1	-	19	-	-	-	-	6	7	2	2	2	2			
10 Other tuberculosis	M	5	1	-	-	1	2	-	1	-	-	-	-	7	-	1	-	2	1	-	2	1	-	-			
	F	2	-	-	1	-	-	-	-	1	-	-	-	3	-	-	-	1	-	-	1	-	-	1			
11 Syphilis	M	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-			
	F	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-			
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	2	-			
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
13 Cancer	M	26	-	-	-	-	-	-	-	5	5	10	6	59	-	-	-	-	-	3	2	3	13	20			
	F	42	-	-	-	-	-	1	4	10	8	11	8	55	-	-	-	-	-	2	3	14	24	20			
14 Diabetes	M	3	-	-	-	-	-	-	1	1	-	1	-	6	-	-	-	-	-	1	-	3	1	-			
	F	3	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	1	-	-	2	1	-			
15 Cerebral hæmorrhage	M	18	-	-	-	-	-	-	-	3	3	5	7	19	-	-	-	-	-	-	-	-	4	9			
	F	22	-	-	-	-	-	-	1	1	2	4	14	22	-	-	-	-	-	-	1	4	7	7			
16 Heart disease	M	66	-	-	-	1	-	2	7	16	21	19	128	-	-	-	1	1	-	2	9	19	36				
	F	87	-	-	-	-	1	1	2	15	25	43	123	-	-	-	-	1	1	3	5	10	37				
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-			
18 Other circulatory	M	18	-	-	-	-	-	-	-	-	3	4	11	28	-	-	-	-	-	-	2	3	9	9			
	F	12	-	-	-	-	-	-	-	-	1	4	7	23	-	-	-	-	-	-	1	2	6	6			
19 Bronchitis	M	11	-	-	-	-	-	-	-	2	3	2	4	11	1	-	-	-	-	2	-	-	3	3			
	F	5	-	-	-	-	-	1	-	-	-	-	4	9	1	-	1	-	-	-	-	-	2	2			
20 Pneumonia	M	9	-	1	-	-	-	-	1	2	2	2	1	24	6	1	-	-	1	2	2	4	2	4			
	F	7	1	1	-	1	-	-	-	-	1	1	2	18	-	-	-	-	1	3	2	5	1	2			
21 Other respiratory	M	6	-	-	-	-	-	2	1	-	1	-	2	11	-	-	-	-	1	-	2	1	2	2			
	F	4	-	-	-	-	-	-	-	1	2	-	1	4	-	-	-	-	-	-	-	-	3	3			
22 Peptic ulcer	M	6	-	-	-	-	-	-	-	3	-	2	1	6	-	-	-	-	-	1	-	2	2	2			
	F	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	1	2	2			
23 Diarrhœa	M	1	-	-	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-			
	F	4	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-			
24 Appendicitis	M	4	-	-	-	2	-	-	1	1	-	-	-	4	-	-	-	1	-	1	-	-	1	1			
	F	1	-	-	-	1	-	-	-	-	-	-	-	4	-	-	1	-	1	1	1	-	-	-			
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	1	1			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
	F	1	-	-	-	-	-	1	-	-	-	-	-	7	-	-	-	-	-	-	-	3	-	-			
27 Other digestive	M	4	-	-	-	-	-	-	-	1	-	1	2	6	1	-	-	-	-	-	-	-	1	3			
	F	8	1	-	-	2	-	1	-	1	-	2	1	8	-	-	-	-	1	1	-	-	1	2			
28 Nephritis	M	16	-	-	-	-	1	1	1	1	6	1	5	13	-	-	-	-	-	3	-	4	2	2			
	F	18	-	-	-	1	1	1	-	1	1	4	9	13	-	-	-	-	1	-	2	4	1	1			
29 Puerperal sepsis	F	3	-	-	-	-	-	2	1	-	-	-	-	3	-	-	-	-	-	1	2	-	-	-			
30 Other puerperal	F	2	-	-	-	-	1	-	-	1	-	-	-	5	-	-	-	-	2	3	-	-	-	-			
31 Congenital causes, etc.	M	9	9	-	-	-	-	-	-	-	-	-	-	22	21	-	-	1	-	-	-	-	-	-			
	F	9	9	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-			
32 Senility	M	8	-	-	-	-	-	-	-	-	-	2	6	24	-	-	-	-	-	-	-	-	-	-			
	F	16	-	-	-	-	-	-	-	-	-	-	16	15	-	-	-	-	-	-	-	-	-	-			
33 Suicide	M	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	1	-	2	1	-			
	F	1	-	-	-	-	-																				

Causes of Death. First page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1539	95	13	17	31	67	80	77	151	282	375	351	597	36	7	13	11	22	31	29	53	92	145	158		
	F	1604	60	10	16	38	39	64	74	126	220	365	592	611	28	5	4	13	18	18	36	57	90	138	204		
Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
Measles	M	1	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
Scarlet fever	M	2	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping cough	M	3	-	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	6	4	1	-	1	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-		
Diphtheria	M	10	-	-	1	8	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	17	-	-	-	15	1	-	-	-	1	-	-	6	-	-	2	4	-	-	-	-	-	-	-		
Influenza	M	25	-	1	2	1	1	1	3	3	6	2	5	7	-	-	-	-	1	1	-	1	2	2	2		
	F	20	-	-	-	1	1	2	-	2	1	3	10	4	1	-	-	-	-	-	1	-	-	-	2		
Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Cerebro-spinal fever	M	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Respiratory tuberculosis	M	77	-	-	1	2	16	15	13	10	14	6	-	36	-	-	1	-	6	7	7	7	4	2	2		
	F	66	-	-	-	-	14	19	16	10	2	5	-	22	-	-	-	-	9	5	4	2	2	-	-		
Other tuberculosis	M	20	-	2	4	2	2	4	2	2	1	1	-	11	-	1	4	1	1	-	-	2	1	1	-		
	F	10	1	-	1	4	-	2	1	-	1	-	-	9	2	1	-	1	2	1	2	-	-	-	-		
Syphilis	M	5	-	-	-	-	-	-	-	-	4	1	-	2	-	-	-	-	-	-	-	2	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-		
Gen. paralysis of insane, etc.	M	8	-	-	-	-	-	-	3	2	-	2	1	2	-	-	-	-	-	-	1	1	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
Cancer	M	218	1	-	-	-	3	2	6	21	67	73	45	75	-	-	-	-	2	4	9	21	26	13	13		
	F	269	-	-	1	-	-	9	16	31	61	73	78	91	-	-	-	-	1	6	9	24	33	18	18		
Diabetes	M	12	-	-	-	-	-	1	-	-	2	5	4	7	-	-	-	-	-	-	1	1	2	2	2		
	F	26	-	-	-	-	-	-	-	3	7	12	4	13	-	-	-	1	-	1	1	3	6	1	1		
Cerebral hæmorrhage	M	52	-	-	-	-	-	-	1	7	14	10	20	31	-	-	-	-	-	1	1	6	12	11	11		
	F	111	-	-	-	-	-	-	2	7	18	33	51	31	-	-	-	-	-	-	2	6	9	14	14		
Heart disease	M	385	-	-	-	1	1	7	11	32	71	122	140	134	-	-	-	-	1	1	3	7	22	47	53		
	F	417	-	-	-	-	3	3	8	12	48	121	222	173	-	-	-	-	1	1	3	10	29	40	89		
Aneurysm	M	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	1	-	2	1	1		
	F	5	-	-	-	-	-	-	-	-	1	4	-	1	-	-	-	-	-	-	-	-	-	1	1		
Other circulatory	M	84	-	-	-	-	-	-	1	5	10	30	38	46	-	-	-	-	-	1	-	3	6	9	27		
	F	99	-	-	-	-	-	-	-	7	14	21	57	27	-	-	-	-	-	1	-	-	3	6	17		
Bronchitis	M	38	2	-	-	-	2	1	2	3	3	9	16	18	2	1	-	-	-	-	-	3	6	6	6		
	F	50	4	-	3	-	1	-	-	-	3	7	32	11	2	1	-	-	-	-	-	-	2	2	6		
Pneumonia	M	80	11	4	2	-	-	6	8	14	19	13	3	35	5	1	3	-	2	3	2	3	4	7	5		
	F	60	12	4	4	-	1	1	2	4	4	12	16	26	1	1	1	-	-	4	-	4	8	7	7		
Other respiratory	M	12	1	-	-	-	-	-	1	4	3	1	2	6	-	-	-	-	-	1	1	1	2	1	1		
	F	19	-	-	-	-	-	1	3	-	4	2	9	8	-	-	-	1	-	-	2	1	1	1	3		
Peptic ulcer	M	25	-	-	-	-	2	4	2	3	5	8	1	10	-	-	-	-	1	1	3	1	3	1	1		
	F	17	-	-	-	-	-	2	2	2	3	7	1	5	-	-	-	-	-	-	3	-	1	1	1		
Diarrhoea	M	9	6	-	-	-	-	1	1	-	1	-	-	2	1	-	-	-	-	-	-	1	-	-	-		
	F	9	2	-	1	1	2	-	-	-	2	-	1	5	-	-	-	-	1	-	1	-	1	-	1		
Appendicitis	M	13	-	-	-	2	3	1	2	1	1	2	1	6	-	-	1	2	1	-	1	-	-	-	-		
	F	12	-	-	1	-	2	1	1	1	3	1	2	6	-	-	-	2	-	-	-	2	1	1	1		
Cirrhosis of liver	M	6	-	-	-	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-	1	-	-	-		
	F	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	-	1	-	-		
Other liver diseases	M	12	-	-	-	-	-	1	-	1	3	7	-	2	-	-	-	-	-	-	1	-	1	-	-		
	F	10	-	-	-	-	-	1	1	1	2	2	3	8	-	-	-	-	-	-	1	1	6	-	-		
Other digestive	M	40	2	2	1	3	1	3	3	5	5	9	6	11	-	-	-	1	3	-	2	-	2	-	-		
	F	31	-	-	-	1	-	1	3	4	6	8	8	15	-	-	-	1	-	1	2	4	1	3	7		
Nephritis	M	47	-	-	-	1	2	1	-	7	10	17	9	21	-	-	-	-	2	1	2	1	8	7	7		
	F	40	-	-	-	-	1	2	1	6	7	10	13	23	-	-	-	1	2	-	4	3	4	4	5		
Puerperal sepsis	F	2	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	-		
Other puerperal	F	9	-	-	-	-	1	6	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
Congenital causes, etc.	M	67	66	-	1	-	-	-	-	-	-	-	-	25	24	1	-	-	-	-	-	-	-	-	-		
	F	30	29	-	-	-	1	-	-	-	-	-	-	17	16	-	-	-	1	-	-	-	-	-	-		
Senility	M	17	-	-	-	-	-	-	-	-	-	1	16	7	-	-	-	-	-	-	-	-	-	-	7		
	F	50	-	-	-	-	-	-	-	-	1	4	45	20	-	-	-	-	-	-	-	-	2	-	18		
Suicide	M	27	-	-	-	-	3	9	1	3	5	4	2	7	-	-	-	-	1	2	-	3	-	-	1		
	F	9	-	-	-	-	1	2	1	3	1	1	-	4	-	-	-	-	-	-	3	-	-	-	1		
Other violence	M	92	3	-	-	6	21	14	8	8	9	12	11	38	-	2	1	2	5</								

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	141	2	2	1	5	5	5	4	16	24	43	34	195	16	-	3	2	3	9	9	13	25	50			
	F	162	9	2	-	-	8	6	11	5	24	32	65	199	15	2	2	1	7	11	8	10	26	45			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-				
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
5 Diphtheria	M	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-				
6 Influenza	M	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-				
	F	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	1	-	-	-	-				
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
9 Respiratory tuberculosis	M	2	-	-	-	-	1	1	-	-	-	-	-	6	-	-	-	-	1	3	1	1	-				
	F	8	-	-	-	-	2	2	2	1	1	-	-	10	-	-	-	3	2	4	-	1	-				
10 Other tuberculosis	M	3	-	-	-	1	-	2	-	-	-	-	-	3	-	-	-	1	1	-	-	-	-				
	F	2	-	-	-	-	1	-	-	1	-	-	-	4	-	-	-	1	2	-	1	-	-				
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-				
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
13 Cancer	M	21	-	-	-	-	-	-	-	5	5	8	3	25	-	-	-	-	2	-	1	7	12				
	F	28	-	-	-	-	-	-	4	-	4	5	15	34	-	-	-	-	-	1	4	8	15				
14 Diabetes	M	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-				
	F	4	-	-	-	-	-	-	-	1	1	1	1	4	-	-	-	-	1	-	-	-	-				
15 Cerebral hæmorrhage	M	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	-	2				
	F	15	-	-	-	-	-	-	-	1	5	4	5	13	-	-	-	-	-	-	-	3	5				
16 Heart disease	M	40	-	-	-	1	-	1	1	2	5	15	15	47	-	-	-	-	-	3	2	5	14				
	F	39	-	-	-	-	1	1	2	1	5	10	19	33	-	-	1	-	-	1	1	2	10				
17 Aneurysm	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
18 Other circulatory	M	15	-	-	-	-	-	-	-	1	1	6	7	20	-	-	-	-	-	-	1	-	5				
	F	8	-	-	-	-	-	-	-	-	1	1	6	15	-	-	-	-	-	-	-	1	8				
19 Bronchitis	M	4	-	1	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	-	1	2				
	F	7	-	-	-	-	-	-	-	-	2	2	5	6	1	-	-	-	-	-	-	-	2				
20 Pneumonia	M	6	-	1	-	-	-	-	-	2	2	1	-	7	1	-	-	-	-	-	2	4	-				
	F	6	4	-	-	-	-	-	-	-	1	1	-	10	-	1	-	-	1	-	1	5	-				
21 Other respiratory	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-				
22 Peptic ulcer	M	3	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	1				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-				
23 Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-				
24 Appendicitis	M	3	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-				
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-				
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-				
27 Other digestive	M	2	1	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	2	2	1	1				
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-				
28 Nephritis	M	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	1	-	-	-	2				
	F	3	-	-	-	-	1	-	-	-	2	-	-	6	-	-	-	2	-	-	-	2	2				
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-				
30 Other puerperal	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
31 Congenital causes, etc.	M	1	1	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-				
	F	5	5	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-				
32 Senility	M	5	-	-	-	-	-	-	-	-	-	-	5	15	-	-	-	-	-	-	-	-	2				
	F	10	-	-	-	-	-	-	-	-	-	-	10	21	-	-	-	-	-	-	-	-	1				
33 Suicide	M	4	-	-	-	-	-	-	-	1	2	-	1	4	-	-	-	-	-	-	2	-	2				
	F	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-				
34 Other violence	M	7	-	-	1	-	1	1	-	-	2	2	-	7	-	-	-	1	3	-	-	1	2				
	F	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-				
35 Other defined causes	M	11	-	-	-	1	1	-	2	-	2	4	1	17	1	-	2	-	-	2	-	3	4				
	F	13	-	1	-	-	2	1	-	-	3	4	2	13	1	1	-	1	-	1	-	3	2				
36 Ill-defined causes	M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-				
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-				

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	5,641	395	37	65	110	175	250	302	556	1006	1384	1361	1,694	89	14	11	31	46	59	80	126	223	483	532
	F	5,523	267	40	51	76	157	222	276	464	770	1262	1938	1,492	71	14	12	18	36	48	69	120	198	345	561
Typhoid fever, etc.	M	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	4	-	3	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	6	-	2	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever	M	4	-	1	2	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
	F	4	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	7	4	1	1	1	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	-	-
	F	6	3	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	29	-	1	12	13	2	-	-	1	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-
	F	17	1	-	6	7	3	-	-	-	-	-	-	6	-	-	1	3	-	1	1	-	-	-	-
Influenza	M	69	5	-	1	2	3	2	7	11	17	14	7	29	2	-	1	-	3	2	2	3	3	6	7
	F	49	2	-	-	2	2	-	6	4	12	11	10	33	1	-	1	-	2	1	2	3	5	4	14
Encephalitis lethargica	M	7	-	-	-	-	1	-	2	3	1	-	-	3	-	-	-	1	-	1	-	1	-	-	-
	F	7	-	-	-	-	-	2	2	1	1	1	1	3	-	-	-	-	1	-	1	-	-	1	-
Cerebro-spinal fever	M	6	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	2	1	1	-	-	-	-	-	-	-	4	2	1	-	-	-	-	-	-	1	-	-
Respiratory tuberculosis	M	324	1	1	-	-	43	80	78	58	48	13	2	68	-	-	-	1	6	17	20	8	10	4	2
	F	284	-	-	-	4	83	88	46	31	18	8	6	47	1	-	1	1	9	12	10	8	1	2	2
Other tuberculosis	M	54	6	3	7	4	16	5	5	6	-	1	1	25	2	3	2	7	1	1	3	3	-	1	2
	F	49	6	6	10	6	3	2	5	4	5	1	1	9	-	1	-	1	3	1	2	-	1	-	-
Syphilis	M	19	2	-	-	1	-	-	2	3	6	4	1	3	-	-	-	-	-	-	1	-	1	1	-
	F	5	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	-	1	3	-	3	2	1
Gen. paralysis of insane, etc.	M	27	-	-	-	-	2	2	2	15	5	1	1	10	-	-	-	-	1	1	1	-	-	-	-
	F	9	-	-	-	-	-	-	3	3	2	1	1	3	-	-	-	-	1	-	1	-	-	-	-
Cancer	M	831	2	-	-	-	4	12	22	93	256	297	145	207	-	1	1	-	-	-	7	24	46	73	54
	F	884	-	-	1	3	3	11	55	129	211	256	215	242	-	-	-	-	5	13	32	57	75	60	60
Diabetes	M	75	-	-	-	1	-	1	2	6	16	30	19	15	-	-	-	1	-	-	2	1	8	3	3
	F	88	1	-	1	-	-	2	3	6	24	26	25	23	-	-	-	-	1	1	-	-	4	12	5
Cerebral hæmorrhage	M	232	-	-	1	-	1	-	1	16	44	88	81	69	-	-	-	-	-	-	1	3	8	25	32
	F	338	-	-	-	-	-	2	2	20	46	92	176	101	-	-	-	-	-	-	3	4	17	28	49
Heart disease	M	1,398	-	-	-	6	5	22	42	96	229	460	538	441	-	-	-	1	1	5	6	34	67	154	173
	F	1,635	-	1	1	9	13	21	37	76	201	446	830	385	-	-	-	-	2	1	9	16	41	114	202
Aneurysm	M	24	-	-	-	-	-	-	7	9	8	-	-	11	-	-	-	-	-	-	-	3	5	3	3
	F	10	-	-	-	-	-	1	2	2	1	4	4	1	-	-	-	-	-	-	-	-	1	-	-
Other circulatory	M	248	1	-	-	-	-	1	6	11	47	76	106	105	-	-	-	-	-	-	-	2	13	30	60
	F	298	1	-	-	-	-	4	14	39	91	149	89	89	-	-	-	-	-	-	-	5	11	26	47
Bronchitis	M	186	13	3	-	3	2	-	5	11	29	51	69	62	1	-	-	1	1	-	1	5	6	16	31
	F	145	9	1	-	1	1	1	2	4	12	32	82	40	2	-	-	-	-	-	-	3	7	28	28
Pneumonia	M	269	44	10	10	6	9	20	16	43	43	41	27	88	13	2	1	3	4	4	7	7	7	20	20
	F	202	30	15	7	6	1	9	13	16	25	37	43	65	9	5	3	1	2	4	2	6	2	13	18
Other respiratory	M	58	1	1	-	1	-	3	3	6	15	13	15	10	1	-	-	-	-	-	-	3	3	1	2
	F	47	1	1	1	1	-	2	3	4	5	8	21	16	-	-	-	-	-	-	1	1	4	9	9
Peptic ulcer	M	96	-	-	-	-	7	11	28	26	15	9	9	16	-	-	-	-	-	1	-	4	4	5	2
	F	25	-	-	-	-	1	1	5	4	12	2	2	3	-	-	-	-	-	-	1	-	1	1	1
Diarrhœa	M	59	45	2	3	-	-	1	-	2	-	2	4	6	3	-	-	-	-	-	-	-	1	1	1
	F	40	23	1	-	1	2	1	1	4	2	2	3	13	6	1	1	-	-	1	-	1	2	1	-
Appendicitis	M	47	-	-	5	5	2	4	2	10	8	8	3	6	-	-	-	-	-	-	1	2	-	3	-
	F	38	-	-	1	5	1	2	5	11	6	4	3	8	-	-	-	2	1	-	-	3	1	1	-
Cirrhosis of liver	M	25	-	-	-	-	-	1	10	9	4	1	1	9	-	-	-	-	-	-	1	-	1	5	2
	F	6	-	-	-	-	-	-	-	2	3	1	1	2	-	-	-	-	-	-	-	-	-	2	-
Other liver diseases	M	10	-	-	-	-	-	1	2	4	3	-	-	11	-	-	-	-	-	-	1	-	5	4	4
	F	32	-	-	-	-	-	3	3	7	6	-	13	11	-	-	-	1	-	2	3	1	3	1	1
Other digestive	M	124	8	3	3	7	9	7	9	17	20	24	17	43	4	-	1	1	3	2	1	1	7	15	8
	F	109	4	1	1	3	3	6	9	16	19	20	27	38	2	-	1	3	-	2	9	3	9	9	9
Nephritis	M	205	-	-	2	3	3	5	8	26	49	52	57	52	-	-	-	-	1	-	3	7	24	17	17
	F	148	-	-	-	1	4	6	12	16	19	51	39	52	2	-	1	-	2	3	1	2	13	7	21
Puerperal sepsis	F	18	-	-	-	-	3	12	3	-	-	-	-	4	-	-	-	-	4	-	-	-	-	-	-
Other puerperal	F	32	-	-	-	-	3	19	9	1	-	-	-	7	-	-	-	-	1	3	3	-	-	-	-
Congenital causes, etc.	M	232	225	2	-	3	2	-	-	-	-	-	-	56	55	1	-	-	-	-	-	-	-	-	-
	F	170	167	-	1	1	-	1	-	-	-	-	-	43	41	1	-	-	1	-	-	-	-	-	-
Senility	M	115	-	-	-	-	-	-	-	-	-	-	12	61	-	-	-	-	-	-	-	-	-	6	55
	F	170	-	-	-	-	-	-	-	-	-	-	17	65	-	-	-	-	-	-	-	-	-	3	62
Suicide	M	101	-	-	-	1	7	14	23	15	20	16	5	30	-	-	-	-	1	3	4	3	6	7	6
	F	52	-	-	-	-	4	4	4	19	12	8	4	11	-	-	-	-	1	3	2	2	3	1	1
Other violence	M	258	8	2	7	23	45	33	26	35	30	25	24	91	1	3	2	4	17	12	16	9	10	10	7
	F	136	6	2	6	7	6	9	2	14	14	28	42	39	-	2	1	3	1	2	1	3	5	10	11
Other defined causes	M	487	26	4	11	29	20	26	28	39	62	118	124	154	5	1	3	6	9	8	5	8	15	54	40
	F	451	12	5	10	15	23	23	48	59	79	94	83	125	4	3	1	3	8	9	11	21	26	20	19
Ill-defined causes	M	9	-	-	-	-	1	2	-	1	-	3	2	2	-	-	-	-	-	-	-	-	-	2	-
	F	8	1	-	-	-	-	-	-	1	-	2	4	2	-	-	-	-	-	-	-	-	-	-	2

TABLE 24—*contd.* Administrative County of Lancaster.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes		M 10198 F 10143	753 578	105 86	127 139	231 220	314 284	424 452	589 574	1088 934	2016 1810	2720 2633	1831 2428	1342 1312	96 79	14 8	23 14	22 23	44 46	64 49	56 81	118 133	217 204	357 310	331 365		
1	Typhoid fever, etc.	M 3 F 1	- -	- -	- -	- -	- 1	3 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
2	Measles	M 41 F 37	12 3	14 13	11 17	4 4	- -	- -	- -	- -	- -	- -	- -	2 -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -		
3	Scarlet fever	M 15 F 13	1 -	1 -	6 6	3 4	1 3	3 -	- -	- -	- -	- -	- -	4 3	- -	2 -	1 -	- 2	1 -	- -	- -	- -	- 1	- -	- -		
4	Whooping cough	M 12 F 26	6 14	2 5	3 5	1 1	- -	- -	- -	- -	- -	- 1	- -	3 5	2 4	- 1	- -	- -	- -	- -	1 -	- -	- -	- -	- -		
5	Diphtheria	M 64 F 78	3 1	1 2	24 27	35 44	- 1	1 1	- -	- 1	- -	- 1	- -	4 9	- -	1 -	1 2	1 5	- -	- -	1 2	- -	- -	- -	- -		
6	Influenza	M 254 F 227	6 4	1 3	2 3	4 5	13 13	24 14	36 21	42 28	49 42	48 57	29 37	29 43	1 1	- -	- -	- -	2 1	1 1	4 -	3 4	5 10	5 13			
7	Encephalitis lethargica	M 27 F 26	1 -	- -	- 1	1 -	3 -	7 6	4 6	5 4	3 6	2 3	1 -	1 3	- -	- -	1 -	- 1	- -	- -	- 1	1 -	- -	- -	- -		
8	Cerebro-spinal fever	M 7 F 11	1 2	1 4	- -	2 -	1 3	1 1	- 1	1 -	- -	- -	- -	1 1	- -	1 -	- -	- 1	- -	- -	- -	- -	- -	- -	- -		
9	Respiratory tuberculosis	M 441 F 328	- -	- -	- 1	4 9	50 89	76 99	90 54	94 41	92 27	33 8	2 -	34 52	- -	- -	- -	- 2	3 20	10 15	7 7	4 3	8 4	2 1			
10	Other tuberculosis	M 84 F 86	5 2	4 8	14 12	11 16	13 20	13 8	7 8	6 3	4 6	5 3	2 -	14 5	2 -	1 1	1 -	3 -	3 1	- -	2 1	- -	1 -	3 -			
11	Syphilis	M 18 F 13	3 2	- -	- -	- -	- 1	- 1	3 3	7 2	3 2	2 2	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	- -			
12	Gen. paralysis of insane, etc.	M 45 F 18	- -	- -	- -	- 1	1 -	3 1	8 4	11 7	13 1	8 4	1 -	6 -	- -	- -	- -	- -	- -	- -	2 -	2 -	1 -	- -			
13	Cancer	M 1156 F 1355	- -	1 -	- 1	5 3	5 5	11 14	48 84	125 229	381 417	445 412	135 190	151 173	- -	- -	1 -	- -	1 4	2 16	1 16	11 29	45 51	50 46			
14	Diabetes	M 118 F 193	- -	- -	- -	1 4	3 3	5 3	7 4	14 21	37 54	41 75	10 29	23 15	- -	- -	- -	- -	2 1	- -	1 -	4 1	1 4	10 6			
15	Cerebral hæmorrhage	M 593 F 755	- -	- -	- -	- -	3 -	1 3	9 11	61 58	120 171	252 284	147 228	63 90	- -	- -	- -	- -	- 1	1 1	4 8	10 13	27 25	2 4			
16	Heart disease	M 2292 F 2472	- -	- -	1 1	19 14	25 21	27 59	76 90	210 184	511 474	842 855	581 774	323 357	- -	- -	- -	3 -	1 8	7 5	7 18	25 32	53 52	128 99			
17	Aneurysm	M 17 F 7	- -	- -	- -	- 1	3 -	2 1	2 3	1 -	5 -	3 2	1 -	2 1	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	1 -			
18	Other circulatory	M 573 F 491	1 -	- -	- 1	- 1	1 4	2 1	5 1	18 16	101 74	237 180	208 214	93 70	- -	- -	1 -	- -	- -	- 1	1 1	14 9	34 33	4 2			
19	Bronchitis	M 393 F 393	28 30	6 2	2 4	3 1	7 6	7 5	12 10	31 12	69 52	108 114	120 157	42 39	4 5	- -	- -	- -	1 1	2 1	1 -	1 1	5 4	9 8			
20	Pneumonia	M 715 F 502	114 83	41 27	19 18	26 16	35 16	48 28	82 37	104 50	115 65	93 93	38 69	75 74	7 11	3 2	3 4	2 2	5 3	5 3	4 4	13 12	11 7	13 13			
21	Other respiratory	M 118 F 83	5 3	2 -	3 3	3 3	4 3	4 6	11 6	25 8	20 15	32 16	9 20	11 8	1 -	- -	- -	1 1	- -	- 1	- -	2 1	3 1	3 3			
22	Peptic ulcer	M 129 F 28	- -	- -	- -	- -	3 -	13 7	24 4	33 9	34 3	14 2	8 3	15 10	- -	- -	- -	- -	- 3	2 1	3 1	6 3	1 3	- -			
23	Diarrhœa	M 77 F 74	42 29	2 3	4 2	2 1	3 4	3 6	4 5	3 7	6 6	3 9	5 2	10 14	5 8	- 1	- -	1 -	- 1	2 1	- -	1 -	- 1	2 1			
24	Appendicitis	M 71 F 53	1 -	- -	1 2	13 8	9 3	10 8	6 4	11 12	12 12	6 3	2 1	12 7	- -	- -	4 1	1 2	2 1	1 -	- 2	1 -	1 -	1 1			
25	Cirrhosis of liver	M 39 F 9	- -	- -	- -	- -	- -	- -	4 2	6 1	16 -	11 5	2 1	3 -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	1 -			
26	Other liver diseases	M 37 F 130	1 -	- -	- -	- -	- -	1 2	1 6	8 16	12 38	11 47	3 21	8 10	- -	- -	- -	- -	1 1	- -	1 2	2 4	1 2	- -			
27	Other digestive	M 198 F 186	19 6	6 2	5 5	9 13	7 7	17 12	18 12	27 18	33 43	39 40	18 28	27 26	2 -	1 1	- 1	2 1	2 1	2 2	1 4	4 4	5 7	5 2			
28	Nephritis	M 364 F 357	2 1	- -	2 1	2 8	10 10	26 14	21 29	65 48	92 76	95 102	49 68	49 40	- -	- -	- -	- -	1 1	2 4	3 9	5 9	12 9	13 14			
29	Puerperal sepsis	F 42	-	-	-	-	11	25	6	-	-	-	-	4	-	-	-	-	1	2	1	-	-	-			
30	Other puerperal	F 70	-	-	-	-	10	36	24	-	-	-	-	6	-	-	-	-	3	3	-	-	-	-			
31	Congenital causes, etc.	M 428 F 339	416 331	1 1	1 2	4 4	3 -	1 1	1 -	1 -	- -	- -	- -	67 46	67 45	- -	- 1	- -	- -	- -	- -	- -	- -	- -			
32	Senility	M 364 F 511	- -	- -	- -	- -	- -	- -	- -	- -	4 9	102 89	288 433	52 64	- -	- -	- -	- -	- -	- -	- -	- -	- -	11 10			
33	Suicide	M 152 F 77	- -	- -	- -	- -	8 6	15 12	11 22	43 19	36 13	29 5	10 -	15 8	- -	- -	- -	- -	1 1	2 1	- 3	5 2	3 -	2 -			
34	Other violence	M 434 F 231	13 12	11 5	18 13	35 12	54 13	55 8	36 15	57 17	66 23	46 47	43 66	72 24	1 -	1 1	4 3	3 4	10 1	11 2	10 -	12 1	8 3	8 5			
35	Other defined causes	M 838 F 863	71 54	8 11	11 14	44 47	48 37	45 69	61 99	75 121	166 173	199 169	110 69	125 102	4 5	3 -	6 1	6 2	8 6	12 5	11 11	12 22	19 18	27 22			
36	Ill-defined causes	M 51 F 38	2 1	3 -	- -	- -	- -	1 -	2 2	4 4	16 7	14 13	9 11	5 2	- -	- -	- -	- -	- -	2 -	- -	1 -	1 1	1 1			

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	648	48	5	9	19	23	34	25	46	127	161	151	1,015	80	17	15	26	48	36	35	81	149	243	285
	F	617	42	8	11	20	17	25	51	43	85	140	175	971	51	11	12	18	34	42	38	82	130	221	332
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	M	2	2	-	-	-	-	-	-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	-	1	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
	F	5	-	1	2	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	8	-	-	2	6	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-
	F	6	-	-	1	5	-	-	-	-	-	-	-	5	-	1	1	3	-	-	-	-	-	-	-
Influenza	M	4	-	-	-	-	1	-	-	-	2	1	-	18	-	1	1	1	1	1	1	5	2	1	4
	F	5	-	-	-	-	-	1	-	1	1	1	2	13	2	-	1	-	1	-	-	2	3	4	4
Encephalitis lethargica	M	2	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Respiratory tuberculosis	M	45	-	-	-	8	11	5	9	7	4	1	-	39	-	-	-	10	10	8	7	3	1	-	-
	F	37	-	-	1	3	10	8	6	3	4	2	-	40	-	-	-	1	11	11	10	3	3	1	-
Other tuberculosis	M	9	2	3	1	1	1	1	-	1	1	-	-	10	-	2	-	3	1	2	1	-	-	1	-
	F	9	-	1	1	4	-	1	-	1	1	-	-	6	-	1	1	1	2	1	-	-	-	-	-
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	1	-	1	2	1	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	81	-	-	1	-	-	1	3	9	26	26	15	106	-	-	-	1	2	4	3	5	29	39	23
	F	104	-	-	-	-	-	2	10	15	20	34	23	153	-	-	-	-	1	1	5	28	37	49	32
Diabetes	M	9	-	-	-	1	-	1	1	2	4	-	-	13	-	-	-	-	-	-	-	4	6	3	3
	F	13	-	-	-	-	-	-	-	3	9	1	-	17	-	-	-	-	-	-	1	5	8	3	3
Cerebral, hæmorrhage	M	44	-	-	-	-	-	-	1	8	20	15	-	62	-	-	-	-	-	-	5	4	22	31	31
	F	47	-	-	-	-	-	-	3	1	11	17	15	61	-	1	-	-	-	-	3	6	20	31	31
Heart disease	M	156	-	-	-	1	5	2	11	34	57	46	-	215	-	-	-	1	2	7	15	38	61	91	109
	F	109	-	-	-	2	2	6	4	20	31	44	-	251	-	-	-	1	4	5	7	14	38	73	109
Aneurysm	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	20	-	-	-	-	-	-	-	6	5	9	-	62	-	-	-	-	-	-	1	2	9	23	27
	F	19	1	-	-	-	-	-	-	1	9	8	-	53	-	-	-	-	-	1	-	6	12	34	34
Bronchitis	M	13	1	-	-	-	1	1	-	-	4	6	-	32	1	-	1	-	1	-	2	1	3	6	17
	F	21	3	1	-	-	-	-	2	2	4	9	-	35	2	-	-	-	-	1	1	2	8	21	21
Pneumonia	M	38	4	2	3	-	2	1	4	2	10	4	6	60	10	8	3	1	2	1	3	5	13	11	3
	F	17	4	4	1	-	3	-	-	-	4	1	-	28	3	3	3	-	2	2	4	2	6	3	3
Other respiratory	M	7	-	-	-	-	1	1	1	1	2	1	-	12	-	-	-	1	-	-	2	3	3	3	3
	F	4	-	-	-	-	-	1	-	-	1	2	-	13	1	-	-	-	1	-	1	1	4	5	5
Peptic ulcer	M	5	-	-	-	-	1	-	-	-	2	2	-	10	-	-	-	-	1	1	-	5	1	-	-
	F	3	-	-	-	-	-	-	2	-	-	1	-	3	-	-	-	-	-	-	1	2	-	-	-
Diarrhoea	M	1	1	-	-	-	-	-	-	-	-	-	-	7	3	-	-	-	1	-	1	-	2	-	-
	F	6	2	-	-	-	-	1	1	-	-	-	2	6	3	-	1	1	-	1	-	-	-	-	-
Appendicitis	M	4	-	-	-	1	1	1	-	-	-	-	-	6	-	-	1	2	-	-	1	-	1	1	1
	F	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	1	1	-	-	-	-
Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other liver diseases	M	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	1	2	1	1
	F	3	-	-	-	-	-	-	-	3	-	-	-	6	-	1	-	-	-	-	-	-	3	2	2
Other digestive	M	7	1	-	-	1	-	1	1	-	2	1	-	18	2	1	-	1	3	-	2	4	2	1	2
	F	23	4	-	2	-	-	1	7	-	1	7	1	28	3	-	-	1	-	1	1	7	8	2	5
Nephritis	M	22	-	-	-	-	2	1	-	5	9	5	-	32	-	1	-	2	2	3	1	8	10	5	5
	F	9	-	-	-	-	-	1	1	1	5	1	-	33	-	-	-	2	4	3	4	3	8	9	9
Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	6	-	-	-	-	1	1	3	1	-	-	-
Other puerperal	F	4	-	-	-	-	1	2	1	-	-	-	-	6	-	-	-	-	1	5	-	-	-	-	-
Congenital causes, etc.	M	33	33	-	-	-	-	-	-	-	-	-	-	54	53	-	1	-	-	-	-	-	-	-	-
	F	23	22	-	-	1	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
Senility	M	36	-	-	-	-	-	-	-	-	-	7	29	42	-	-	-	-	-	-	-	-	-	8	34
	F	55	-	-	-	-	-	-	-	-	-	5	50	51	-	-	-	-	-	-	-	-	4	47	47
Suicide	M	5	-	-	-	-	2	1	1	1	-	-	-	16	-	-	-	-	1	2	1	4	1	4	3
	F	8	-	-	-	-	-	3	3	1	-	-	1	5	-	-	-	-	2	-	2	-	1	-	-
Other violence	M	27	-	-	-	3	5	3	5	5	1	2	3	42	2	-	1	4	9	3	5	5	3	6	4
	F	18	1	-	1	-	2	3	-	2	2	2</													

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M F	231 200	25 10	4 4	1 1	6 3	5 1	5 6	9 5	16 11	49 29	44 46	67 84	340 279	27 18	2 3	6 -	8 4	6 8	13 13	15 7	23 32	45 38	79 54	116 102		
1 Typhoid fever, etc.	M F	1 -	- -	- -	- -	1 3	- 1	- 6	- 5	- 11	- 29	- 46	- 84	- 279	- 18	- 3	- -	- 4	- 8	- 13	- 7	- 32	- 38	- 54	- 102		
2 Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
3 Scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
4 Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
5 Diphtheria	M F	- 1	- 5	- 1	- -	- 2	- -	- 2	- 1	- 1	- -	- -	- -	- 6	- 3	- 1	- 1	- -	- -	- -	- -	- 1	- 1	- 3	- -		
6 Influenza	M F	5 1	- -	- -	- -	1 2	- -	- 2	- 1	- 1	- -	- -	- -	6 3	1 -	- 1	- -	- -	- -	- -	- -	- 1	1 -	3 -	- -		
7 Encephalitis lethargica	M F	- 1	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -		
8 Cerebro-spinal fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
9 Respiratory tuberculosis	M F	5 6	- -	- -	- -	- 1	1 2	- -	2 -	1 1	1 2	- -	- -	8 6	- -	- -	- -	- 1	4 2	1 1	- 2	1 -	2 -	- -	- -		
10 Other tuberculosis	M F	4 1	- -	2 -	1 -	1 -	- -	- -	- 1	- -	- -	- -	- -	3 2	- -	- -	- -	- 1	1 1	1 -	- -	- 1	- -	- -	- -		
11 Syphilis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -		
12 Gen. paralysis of insane, etc.	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	2 -	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	- -		
13 Cancer	M F	32 27	- -	- -	- -	- -	- -	- -	- -	6 3	10 6	10 7	6 11	39 39	- -	- -	- -	- -	- 1	- 2	3 5	10 9	18 9	- 13	- -		
14 Diabetes	M F	1 2	- -	- -	- -	- -	- -	- -	- -	- -	- 1	1 1	- -	7 9	- -	- -	- -	- -	- 1	- -	- 2	2 2	4 3	- -	- -		
15 Cerebral hæmorrhage	M F	12 21	- -	- -	- -	- -	- -	- -	- -	- -	3 4	3 8	6 9	28 23	- -	- -	- -	- -	- -	1 1	2 1	4 5	9 9	13 2	- -		
16 Heart disease	M F	47 37	- -	- -	- -	1 -	- 1	- 1	- 1	3 1	13 2	13 17	16 15	56 54	- -	- -	- -	1 1	1 4	1 1	3 8	10 8	16 8	22 2	- -		
17 Aneurysm	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 1	- -	- -	- -	- -	- -	- -	- 1	- -	- 1	- -	- -		
18 Other circulatory	M F	12 13	- -	- -	- -	- -	- -	- -	- -	- -	3 1	3 3	6 9	13 16	- -	- -	- -	- -	- -	- 1	1 1	5 -	3 1	- -	- -		
19 Bronchitis	M F	9 6	3 2	- -	- -	- -	- -	- -	- -	- -	2 1	- -	4 3	12 5	1 -	- -	- -	- -	- -	- -	- 2	2 -	1 -	2 -	- -		
20 Pneumonia	M F	10 8	2 1	2 -	- -	- -	1 1	- -	- -	2 1	2 1	3 -	2 -	21 7	6 2	1 -	1 1	- -	2 -	2 -	1 1	1 -	3 1	- -	- -		
21 Other respiratory	M F	5 3	- -	- -	- -	1 -	- -	- -	- -	1 -	1 -	- -	2 3	3 -	- -	- -	- -	- -	- -	- -	- 2	1 -	- -	- -	- -		
22 Peptic ulcer	M F	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- 2	- -	- -	3 1	- -	- -	- -	- -	- -	- -	- 3	- 1	- -	- -	- -		
23 Diarrhoea	M F	3 3	3 -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 2	4 3	2 1	- -	- -	- -	- 1	- -	- 1	- -	- -	- -	- -		
24 Appendicitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 2	- -	- -	- -	- 1	- -	- -	- 1	- -	- -	- -	- -		
25 Cirrhosis of liver	M F	5 -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	3 -	- -	2 1	- -	- -	- -	- -	- -	- -	- -	2 -	- -	- -	- -		
26 Other liver diseases	M F	1 1	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- 1	- -	2 2	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	- -		
27 Other digestive	M F	6 7	4 -	- 1	- -	- -	- -	- -	- -	- 1	- 2	- 3	1 3	5 6	- -	- -	- -	1 -	1 -	- -	- 1	2 2	- 1	- -	- -		
28 Nephritis	M F	10 8	- -	- -	- -	- 1	1 -	- -	- -	- 1	2 2	3 1	3 4	5 5	- -	- -	- -	- -	- -	- -	- 1	1 1	- -	- -	- -		
29 Puerperal sepsis	F	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
30 Other puerperal	F	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	1	1	1	-	-	-	-	-		
31 Congenital causes, etc.	M F	10 6	10 5	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	15 11	15 11	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
32 Senility	M F	15 20	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	15 19	33 37	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 4	- 3		
33 Suicide	M F	2 1	- -	- -	- -	- 1	- -	- -	- -	- -	- 1	- -	- -	5 4	- -	- -	- -	- 1	1 1	1 -	1 1	- 2	- -	1 -	- -		
34 Other violence	M F	9 3	- -	- 1	- -	- 1	- -	1 -	- -	2 -	3 -	1 -	1 1	23 7	1 1	- 1	4 -	2 1	2 -	5 -	2 -	2 -	2 3	- -	- -		
35 Other defined causes	M F	21 19	2 2	- 1	- -	1 -	1 -	1 -	3 2	- 3	5 5	4 3	4 3	37 26	1 3	- 1	1 -	3 2	- 2	- 3	5 -	2 2	5 7	8 6	1 2		
36 Ill-defined causes	M F	4 -	1 -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	5 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 2	- -		

TABLE 24—*contd.* **Administrative County of Lincoln.** (Parts of Kesteven.)

Causes of Death. First page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	286	20	2	3	4	8	12	11	28	55	77	66	404	17	9	7	8	23	8	13	23	53	103	140
	F	241	10	3	2	5	8	7	10	15	31	62	88	417	31	5	3	10	13	20	14	35	88	143	
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
Influenza	M	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	1	1	2	-	-	
	F	1	-	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-	1	1	-	-	1	3	
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	
Respiratory tuberculosis	M	14	-	-	-	-	2	6	2	3	1	-	-	14	-	-	-	-	4	2	6	-	2	-	
	F	9	-	1	-	1	1	1	1	3	1	-	-	20	-	-	-	2	6	5	1	2	2	-	
Other tuberculosis	M	3	-	-	2	-	-	1	-	-	-	-	-	5	-	2	-	-	1	-	-	2	-	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	1	-	-	2	-	-	-	
Syphilis	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	M	33	-	-	-	-	-	1	-	3	7	11	11	48	-	-	-	-	1	-	3	4	9	25	6
	F	37	-	-	-	-	1	1	2	5	8	10	10	59	-	-	1	-	-	2	1	8	17	16	14
Diabetes	M	6	-	-	-	-	1	-	-	2	1	-	1	4	-	-	-	1	-	-	-	1	1	1	1
	F	7	-	-	-	-	1	-	-	-	-	3	3	11	-	-	-	-	1	-	1	1	6	2	
Cerebral hæmorrhage	M	28	-	-	-	-	-	-	-	2	7	11	8	29	-	-	-	-	-	-	3	6	9	11	
	F	21	-	-	-	-	-	-	-	-	4	9	8	37	-	-	-	-	-	-	5	5	16	11	
Heart disease	M	67	-	-	-	-	-	-	1	6	13	28	19	105	-	-	-	2	-	-	5	10	36	52	
	F	61	-	-	-	-	-	1	2	9	19	30	94	-	-	-	-	-	3	4	11	22	54		
Aneurysm	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
Other circulatory	M	13	-	-	-	-	-	-	-	-	2	4	7	17	-	-	-	-	-	-	-	1	4	12	
	F	10	-	-	-	-	-	-	-	-	-	3	7	21	-	-	-	-	-	-	-	4	4	13	
Bronchitis	M	9	-	-	-	-	-	-	-	1	3	1	4	7	-	-	-	1	-	-	-	2	2	2	
	F	7	-	-	-	-	-	-	-	-	-	1	6	17	1	1	-	-	-	-	-	4	2	9	
Pneumonia	M	15	3	1	-	-	-	2	1	3	2	2	1	26	2	2	3	-	1	1	3	2	2	9	
	F	11	2	-	1	1	1	1	-	-	2	1	2	12	3	2	-	1	-	-	1	1	1	3	
Other respiratory	M	2	-	1	-	-	-	-	1	-	-	-	-	6	-	-	1	-	1	-	-	2	1	1	
	F	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	1	1	-	-	-	2	
Peptic ulcer	M	6	-	-	-	-	-	-	2	2	1	1	-	2	-	-	-	-	-	1	-	1	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
Appendicitis	M	3	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	1	-	-	-	1	-	
	F	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	
	F	2	-	-	-	-	-	-	-	-	-	-	2	4	1	-	-	1	-	-	-	-	-	-	
Other digestive	M	8	-	-	-	1	-	1	-	-	2	3	1	14	1	-	-	1	-	-	-	2	6	4	
	F	6	-	1	-	1	1	1	-	-	1	1	-	9	1	-	-	-	-	2	-	4	2		
Nephritis	M	6	-	-	-	-	-	-	-	1	5	-	-	15	1	-	-	1	-	-	-	-	3	10	
	F	4	-	-	-	-	-	-	-	-	2	1	1	11	-	-	-	1	1	-	-	3	2	4	
Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	
Other puerperal	F	2	-	-	-	-	-	1	-	1	-	-	-	5	-	-	-	1	4	-	-	-	-	-	
Congenital causes, etc.	M	13	12	-	-	1	-	-	-	-	-	-	-	11	10	1	-	-	-	-	-	-	-	-	
	F	6	6	-	-	-	-	-	-	-	-	-	-	21	20	-	-	-	-	-	1	-	-	-	
Senility	M	9	-	-	-	-	-	-	-	-	-	1	8	22	-	-	-	-	-	-	-	-	3	19	
	F	13	-	-	-	-	-	-	-	-	-	4	9	19	-	-	-	-	-	-	-	-	1	18	
Suicide	M	10	-	-	-	-	-	-	1	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-	
Other violence	M	5	1	-	-	1	3	-	-	-	-	-	-	36	1	2	2	5	8	4	1	6	2	2	
	F	1	-	-	-	-	-	-	-	-	-	1	-	12	2	-	2	2	2	1	1	-	1	1	
Other defined causes	M	23	3	-	1	1	2	1	2	-	3	8	2	29	1	1	1	2	1	1	7	5	9	5	
	F	28	2	-	-	1	1	2	2	3	2	7	8	38	3	-	-	2	3	2	6	6	7	5	
Ill-defined causes	M	5	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	2	
	F	2	-	-	-	-	-	-	1	-	-	1	-	4	-	-	-	-	-	-	-	-	-	2	

Causes of Death. See first page of Table.		Aggregate of Urban Districts.														Aggregate of Rural Districts.													
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-				
All Causes	M	772	63	7	11	22	25	29	42	78	137	176	182	802	44	6	8	26	18	28	32	57	105	191	237				
	F	728	48	6	12	19	24	32	37	66	121	126	237	792	40	2	7	16	22	40	34	68	111	160	229				
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-					
2 Measles	M	1	1	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-					
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-					
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
4 Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-					
	F	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-					
5 Diphtheria	M	4	-	-	2	2	-	-	-	-	-	-	-	6	-	-	1	5	-	-	-	-	-	-					
	F	2	-	-	1	1	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	1	-	-					
6 Influenza	M	17	2	1	-	-	-	-	2	-	4	3	5	12	-	-	1	-	1	1	3	-	2	3					
	F	19	-	-	-	-	-	-	1	-	2	8	8	22	1	-	-	1	-	1	4	3	4	4					
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-					
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
9 Respiratory tuberculosis	M	47	-	-	-	-	8	13	12	6	7	1	-	26	-	-	-	-	4	4	6	5	4	2					
	F	27	-	-	-	1	10	5	5	3	1	2	-	33	-	-	-	2	9	10	5	3	3	1					
10 Other tuberculosis	M	13	1	-	-	5	4	1	-	-	1	1	-	10	1	-	2	2	1	3	-	-	1	-					
	F	12	-	-	-	6	3	2	-	1	-	-	-	11	-	-	1	2	2	2	-	2	1	1					
11 Syphilis	M	6	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
12 Gen. paralysis of insane, etc.	M	6	-	-	-	-	-	-	1	2	1	2	-	2	-	-	-	-	-	-	-	1	1	1					
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-					
13 Cancer	M	106	-	-	-	-	-	1	5	12	35	35	18	112	-	-	-	1	1	3	5	12	21	33					
	F	102	-	-	-	-	-	3	6	12	34	22	25	111	-	-	1	-	1	2	14	33	34	4					
14 Diabetes	M	11	-	-	-	-	-	-	1	1	4	4	1	9	-	-	-	-	-	-	1	2	4	4					
	F	15	-	-	-	-	-	2	-	-	5	4	4	12	-	-	-	1	-	-	-	4	4	4					
15 Cerebral hamorrhage	M	46	-	-	-	-	-	-	-	1	11	13	21	51	-	-	-	-	1	-	1	5	26	2					
	F	46	-	-	-	-	-	-	1	3	10	12	20	50	-	-	-	-	2	-	2	9	15	2					
16 Heart disease	M	176	-	-	-	3	2	1	1	20	28	58	63	203	-	-	-	2	1	3	2	15	27	57					
	F	168	-	-	-	1	2	1	4	14	23	33	90	196	-	-	-	1	2	3	5	10	25	42					
17 Aneurysm	M	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	1	-	-					
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-					
18 Other circulatory	M	25	-	-	-	-	-	-	-	1	6	9	9	37	-	-	-	-	-	-	-	7	13	7					
	F	20	-	-	-	-	-	-	-	-	6	4	10	29	-	-	-	-	-	-	2	3	7	7					
19 Bronchitis	M	25	2	-	-	-	-	1	1	2	5	4	10	19	1	-	-	-	-	-	-	1	5	5					
	F	24	2	-	-	-	-	-	1	3	1	4	13	24	-	1	1	-	1	-	-	1	3	5					
20 Pneumonia	M	36	5	2	4	1	3	2	2	9	2	3	3	23	1	-	-	1	1	1	1	5	4	5					
	F	28	7	3	4	-	1	-	1	1	3	2	6	33	9	-	-	1	2	2	4	2	2	5					
21 Other respiratory	M	4	-	-	-	-	-	-	-	-	1	1	2	9	-	1	-	-	-	1	-	2	2	2					
	F	9	1	-	-	2	-	2	-	2	2	-	2	7	-	1	-	-	-	-	1	-	3	3					
22 Peptic ulcer	M	9	-	-	-	-	-	-	2	-	1	-	2	5	-	-	-	-	1	1	3	-	-	-					
	F	3	-	-	-	-	-	-	-	2	2	1	-	4	-	-	-	-	-	1	-	-	3	3					
23 Diarrhoea	M	3	2	1	-	-	-	-	-	-	-	-	-	5	3	-	-	1	-	1	-	-	-	-					
	F	4	-	-	1	-	-	-	2	-	-	-	1	6	1	-	1	-	1	-	-	1	-	-					
24 Appendicitis	M	4	-	-	-	-	1	-	2	-	1	-	-	6	-	-	-	2	-	1	3	-	-	-					
	F	6	-	-	-	3	-	-	-	2	1	-	-	2	-	-	-	-	-	-	1	1	-	-					
25 Cirrhosis of liver	M	7	-	-	-	-	-	-	-	1	3	1	2	1	-	-	-	-	-	-	-	-	1	-					
	F	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-					
26 Other liver diseases	M	5	-	-	-	-	-	-	1	-	1	1	2	3	-	-	-	-	-	-	-	1	2	1					
	F	9	-	-	-	-	1	2	-	1	1	3	1	10	-	-	-	-	1	-	3	2	1	1					
27 Other digestive	M	9	1	1	-	1	-	-	-	-	1	5	-	17	1	-	1	-	1	-	4	3	4	4					
	F	25	1	-	2	-	-	-	1	5	5	8	3	15	-	-	-	1	1	-	2	2	5	5					
28 Nephritis	M	19	-	-	-	-	1	-	3	3	2	7	3	21	-	-	-	-	1	3	1	3	5	5					
	F	19	-	-	-	1	-	-	-	6	7	1	4	29	-	-	-	1	-	1	2	5	11	11					
29 Puerperal sepsis	F	6	-	-	-	-	1	3	2	-	-	-	-	4	-	-	-	-	3	1	-	-	-	-					
30 Other puerperal	F	6	-	-	-	-	-	5	1	-	-	-	-	7	-	-	-	-	3	3	1	-	-	-					
31 Congenital causes, etc.	M	42	40	1	-	-	1	-	-	-	-	-	-	31	28	-	1	1	-	1	-	-	-	-					
	F	33	31	2	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-					
32 Senility	M	25	-	-	-	-	-	-	-	-	-	-	2	62	-	-	-	-	-	-	-	-	8	8					
	F	41	-	-	-	-	-	-	-	-	-	-	5	36	-	-	-	-	-	-	-	1	4	4					
33 Suicide	M	5	-	-	-	-	1	1	-	3	-	-	-	4	-	-	-	-	1	-	-	2	-	-					
	F	4	-	-	-	-	-	1	1	1	-	-	1	4	-	-	-	-	1	1	-	-	1	1					
34 Other violence	M	46	2	1	3	4	4	5	4	6	11	-	5	33	2	-	2	4	6	6	5	2	3	-					
	F	14	-	-	2	2	1	1	1	1	-	-	7	19	-	-	1	1	1	3	-	4	2	3					
35 Other defined causes	M	69	3	-	2	6	-	4	4	5	10	19	16	87	6	2	1	6	2	3	2	5	14	20					
	F	79	5	-	2	4	5	5	8	12	16	15	7	66	3	-	1	4	2	8	4	12	10	8					
36 Ill-defined causes	M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2					
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-					

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes	M	8,544	764	79	104	207	300	445	520	958	1564	1895	1708	
	F	8,710	549	43	79	194	277	450	471	778	1310	1915	2644	
1 Typhoid fever, etc.	M	3	-	-	-	-	-	-	2	1	-	-	-	
	F	9	-	-	-	-	1	3	2	2	-	1	-	
2 Measles	M	5	3	1	1	-	-	-	-	-	-	-	-	
	F	2	-	-	-	1	1	-	-	-	-	-	-	
3 Scarlet fever	M	11	1	-	1	6	-	2	1	-	-	-	-	
	F	14	-	-	6	3	1	2	1	-	1	-	-	
4 Whooping cough	M	18	8	3	6	1	-	-	-	-	-	-	-	
	F	24	15	2	6	1	-	-	-	-	-	-	-	
5 Diphtheria	M	55	2	4	13	32	1	1	-	-	2	-	-	
	F	55	-	3	12	38	1	1	-	-	-	-	-	
6 Influenza	M	98	1	1	2	1	2	5	11	22	23	17	13	
	F	94	1	-	-	1	5	5	7	12	14	19	30	
7 Encephalitis lethargica	M	12	-	-	-	1	-	2	1	3	2	1	2	
	F	11	-	-	-	-	2	4	-	1	2	1	1	
8 Cerebro-spinal fever	M	8	2	2	-	2	1	1	-	-	-	-	-	
	F	8	3	1	1	1	-	-	1	-	1	-	-	
9 Respiratory tuberculosis	M	577	-	2	-	6	85	134	116	120	86	26	2	
	F	451	2	-	2	7	115	153	77	41	40	13	1	
10 Other tuberculosis	M	81	3	8	8	14	17	7	9	4	8	1	2	
	F	78	4	5	6	24	12	10	7	5	4	1	-	
11 Syphilis	M	24	-	-	-	-	-	2	2	7	8	5	-	
	F	10	4	-	-	-	1	-	-	3	1	1	-	
12 Gen. paralysis of insane, etc.	M	57	-	-	-	-	2	4	8	18	15	8	2	
	F	20	-	-	-	-	-	-	2	10	5	3	-	
13 Cancer	M	1,116	-	1	2	2	5	14	75	149	298	358	212	
	F	1,372	-	-	1	5	8	18	94	228	369	380	269	
14 Diabetes	M	91	-	-	-	-	1	-	3	3	21	42	21	
	F	143	-	-	1	-	1	8	5	7	43	43	35	
15 Cerebral hæmorrhage	M	305	-	-	-	-	-	1	7	18	70	114	95	
	F	504	-	-	-	-	2	2	11	35	92	161	201	
16 Heart disease	M	1,887	-	-	1	3	14	33	56	165	394	577	644	
	F	2,297	-	-	2	13	27	35	70	122	274	651	1103	
17 Aneurysm	M	53	-	-	2	-	2	3	6	13	19	7	1	
	F	23	-	-	-	-	2	1	-	1	6	8	5	
18 Other circulatory	M	371	-	-	1	-	-	-	3	19	79	130	139	
	F	427	-	-	-	1	1	1	1	27	78	126	192	
19 Bronchitis	M	248	13	1	3	1	3	2	5	29	34	63	94	
	F	193	11	2	1	3	3	2	4	8	15	42	102	
20 Pneumonia	M	570	98	25	17	14	13	24	34	82	86	100	77	
	F	418	56	14	14	10	8	20	24	32	36	85	119	
21 Other respiratory	M	90	2	1	3	4	3	9	11	18	16	13	10	
	F	63	1	2	-	1	2	1	7	8	11	12	18	
22 Peptic ulcer	M	173	-	-	-	-	2	8	13	53	57	33	7	
	F	48	-	-	-	-	2	1	5	8	14	7	11	
23 Diarrhœa	M	162	139	9	2	-	-	1	-	2	3	2	4	
	F	135	101	3	1	1	2	3	8	4	1	4	7	
24 Appendicitis	M	74	1	1	3	8	4	6	7	13	13	12	6	
	F	73	-	-	2	6	7	8	3	16	19	9	3	
25 Cirrhosis of liver	M	39	-	-	-	-	-	1	3	9	12	12	2	
	F	26	-	-	-	1	-	1	-	2	10	9	3	
26 Other liver diseases	M	32	-	-	-	-	1	2	1	6	5	9	8	
	F	65	-	-	1	-	-	2	5	7	18	19	13	
27 Other digestive	M	183	10	5	4	10	6	15	15	24	33	41	20	
	F	195	5	2	6	10	9	7	13	20	43	39	41	
28 Nephritis	M	279	2	-	-	2	14	18	16	32	69	86	40	
	F	252	1	2	2	3	4	26	17	31	48	58	60	
29 Puerperal sepsis	F	43	-	-	-	-	9	24	10	-	-	-	-	
30 Other puerperal	F	48	-	-	-	-	7	25	14	2	-	-	-	
31 Congenital causes, etc.	M	419	409	-	1	3	4	1	-	-	1	-	-	
	F	312	307	-	1	2	2	-	-	-	-	-	-	
32 Senility	M	140	-	-	-	-	-	-	-	-	2	17	121	
	F	310	-	-	-	-	-	-	-	1	4	58	247	
33 Suicide	M	128	-	-	-	-	12	19	20	31	29	16	1	
	F	96	-	-	-	-	5	24	18	23	10	13	3	
34 Other violence	M	449	15	5	21	52	67	83	43	37	48	37	41	
	F	244	8	1	7	18	11	20	8	22	24	39	86	
35 Other defined causes	M	779	55	9	13	45	41	46	52	80	131	166	141	
	F	641	30	5	6	44	26	43	57	100	127	113	90	
36 Ill-defined causes	M	7	-	1	-	-	-	1	-	-	-	2	3	
	F	6	-	1	1	-	-	-	-	-	-	-	4	

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	419	24	2	5	5	12	8	18	39	65	109	132	1,590	108	9	16	36	46	44	61	111	207	406	
	F	428	16	2	7	12	9	7	19	41	52	92	171	1,556	55	11	9	27	29	51	70	110	166	336	
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	
4 Whooping cough	M	3	1	1	1	-	-	-	-	-	-	-	-	5	4	-	1	-	1	-	-	-	-	-	
	F	2	1	-	1	-	-	-	-	-	-	-	-	6	4	1	-	1	-	-	-	-	-	-	
5 Diphtheria	M	2	-	-	-	2	-	-	-	-	-	-	-	4	-	-	1	3	-	-	-	-	-	-	
	F	4	-	-	2	-	-	-	-	2	-	-	-	3	-	-	1	1	-	1	-	-	-	-	
6 Influenza	M	4	-	-	-	-	-	-	-	1	-	1	2	37	-	1	1	-	2	-	2	4	9	8	
	F	8	-	-	-	-	1	-	1	-	1	-	5	37	1	-	-	2	-	1	4	3	1	9	
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	2	-	-	
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	
9 Respiratory tuberculosis	M	17	-	-	-	-	2	3	4	4	2	2	-	57	-	-	-	-	9	13	13	9	4	9	
	F	15	-	-	-	-	4	1	2	3	1	4	-	45	2	-	-	2	8	17	7	5	2	2	
10 Other tuberculosis	M	4	1	-	1	-	-	-	1	-	-	1	-	18	1	2	1	4	3	2	2	1	1	-	
	F	3	-	-	1	1	-	-	-	-	-	-	1	12	2	1	2	-	3	1	1	-	1	1	
11 Syphilis	M	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	1	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	1	-	1	-	-	11	-	-	-	-	-	1	4	3	3	3	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
13 Cancer	M	66	-	-	-	-	-	-	3	5	17	27	14	224	1	-	-	-	1	3	14	48	83	83	
	F	60	-	-	-	1	-	-	2	11	14	15	17	244	-	-	-	1	-	3	16	37	50	71	
14 Diabetes	M	2	-	-	-	-	-	-	-	-	-	1	1	27	-	-	-	-	2	-	3	5	10	10	
	F	10	-	-	-	-	-	-	1	1	2	6	-	27	-	-	-	-	1	1	1	3	11	11	
15 Cerebral hæmorrhage	M	22	-	-	-	-	-	-	-	5	3	6	8	66	-	-	-	-	-	2	4	5	22	22	
	F	29	-	-	-	-	-	-	-	2	2	9	16	97	-	-	-	-	-	2	5	12	25	25	
16 Heart disease	M	101	-	-	-	1	-	3	8	24	25	40	363	363	-	-	-	-	2	2	4	18	46	119	
	F	115	-	-	-	1	1	1	2	6	10	31	63	395	-	-	-	1	2	2	4	9	38	93	
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	1	4	4	
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
18 Other circulatory	M	22	-	-	-	-	-	-	-	-	1	4	17	113	-	-	-	-	-	2	1	5	42	42	
	F	32	-	-	-	-	-	-	1	-	5	10	16	98	-	-	-	-	-	1	5	4	27	27	
19 Bronchitis	M	19	-	-	-	-	-	1	-	-	2	5	11	45	2	-	1	1	-	-	1	5	6	6	
	F	13	-	-	-	1	-	-	1	-	1	3	7	41	-	-	-	-	-	-	1	1	4	4	
20 Pneumonia	M	21	3	1	-	-	-	1	1	4	2	4	5	69	6	1	3	4	2	4	6	7	13	5	
	F	28	1	2	1	1	1	1	-	3	2	3	13	55	8	6	1	1	3	-	1	2	5	13	
21 Other respiratory	M	3	-	-	-	-	-	-	1	1	-	1	-	16	-	-	-	-	-	1	1	4	5	4	
	F	5	-	-	-	-	-	-	1	-	1	-	3	19	1	-	-	1	1	-	6	-	3	3	
22 Peptic ulcer	M	3	-	-	-	-	-	1	-	-	1	-	1	15	-	-	-	-	-	1	2	8	2	2	
	F	2	-	-	-	-	-	-	1	-	-	1	-	10	-	-	-	-	-	2	-	4	3	-	
23 Diarrhœa	M	2	-	-	1	-	-	-	-	-	-	-	1	13	6	2	-	-	1	-	-	-	1	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	9	1	1	-	-	1	-	-	-	2	2	
24 Appendicitis	M	2	-	-	-	1	-	-	1	-	-	-	-	12	-	-	1	1	2	1	-	2	4	4	
	F	2	-	-	-	1	-	1	-	-	-	-	-	6	-	-	-	1	-	3	-	-	-	-	
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	1	2	2	2	
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	3	2	2	2	
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	2	2	
	F	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	1	-	4	4	
27 Other digestive	M	4	2	-	-	-	-	-	-	1	-	1	-	31	1	-	-	6	1	3	-	2	5	9	
	F	7	-	-	-	-	-	-	1	-	2	1	3	31	2	1	1	2	1	1	5	6	5	5	
28 Nephritis	M	14	-	-	-	-	1	-	-	-	-	4	9	41	-	-	-	-	2	2	5	7	13	13	
	F	11	-	-	-	-	-	-	1	2	1	3	4	39	-	-	-	1	-	2	3	4	4	11	
29 Puerperal sepsis	F	3	-	-	-	-	-	2	1	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	1	7	4	-	-	-	
31 Congenital causes, etc.	M	15	15	-	-	-	-	-	-	-	-	-	-	77	72	1	2	1	1	-	-	-	-	-	
	F	15	12	-	-	2	-	-	-	-	1	-	-	34	31	1	2	-	-	-	-	-	-	-	
32 Senility	M	12	-	-	-	-	-	-	-	-	-	2	10	56	-	-	-	-	-	-	-	-	3	3	
	F	15	-	-	-	-	-	-	-	-	-	1	14	112	-	-	-	-	-	-	-	1	8	10	
33 Suicide	M	2	-	-	-	-	-	1	-	-	-	-	-	27	-	-	-	-	4	1	6	7	3	6	
	F	5	-	-	-	-	-	1	3	-	-	-	1	5	-	-	-	1	1	1	1	-	1	1	
34 Other violence	M	23	1	-	2	1	6	2	-	2	3	3	3	73	1	-	2	7	14	7	7	9	6	7	
	F	9	-	-	1	2	1	-	1	-	1	1	2	37	-	-	-	1	3	2	3	3	4	5	
35 Other defined causes	M	46	1	-	-	1	2	-	1	6	8	17	10	155	12	2	3	6	6	3	9	15	22	34	
	F	32	2	-	1	2	1	1	1	7	7	4	6	147	3	-	2	11	3	3	12	19	26	36	
36 Ill-defined causes	M	3	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	1	-	-	1	8	
	F	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	3	

Causes of Death.		Aggregate of Urban Districts.														Aggregate of Rural Districts.													
		All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-				
All Causes	M	650	40	4	4	15	26	33	27	53	104	159	185	769	51	2	5	12	30	36	33	62	120	199	219				
	F	561	26	8	7	18	19	27	34	47	78	139	158	727	29	5	6	10	27	26	24	46	84	174	296				
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-					
Whooping cough	M	4	1	2	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-					
	F	3	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-					
Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	-	6	-	-	3	2	1	-	-	-	-	-					
	F	5	-	-	1	3	-	-	1	-	-	-	-	4	-	-	-	2	-	-	1	1	-	-					
Influenza	M	10	-	-	-	1	1	-	2	1	1	2	2	14	-	-	-	-	1	2	1	-	3	5					
	F	6	-	-	-	-	-	1	1	1	1	2	1	18	-	-	1	-	1	-	-	1	2	8					
Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-					
	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Respiratory tuberculosis	M	34	-	-	-	-	6	15	3	5	4	1	-	33	-	-	-	-	7	9	4	7	4	2					
	F	28	-	-	-	-	7	12	6	2	-	1	-	24	-	-	-	-	9	7	3	1	3	1					
Other tuberculosis	M	10	1	-	1	1	1	1	1	-	2	2	-	3	-	-	-	1	1	1	-	-	-	-					
	F	9	1	2	2	2	2	-	-	-	-	-	-	5	-	-	-	1	1	-	1	2	-	-					
Syphilis	M	1	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-					
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-					
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	1	-	1	-	2	-					
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Cancer	M	78	-	-	-	-	1	1	3	7	15	31	20	87	-	-	-	-	-	1	4	12	15	35					
	F	92	-	-	-	-	-	1	8	17	18	24	24	95	-	1	-	-	1	-	4	11	27	29					
Diabetes	M	8	-	-	-	-	-	1	-	-	1	3	3	12	-	-	-	-	-	1	1	3	4	3					
	F	7	-	-	-	1	-	1	-	-	2	2	1	17	-	-	-	1	-	-	1	3	4	5					
Cerebral hæmorrhage	M	35	-	-	-	-	-	-	-	2	5	13	15	40	-	-	-	-	-	-	-	4	5	19					
	F	34	-	-	-	-	-	-	-	4	7	11	12	60	-	-	-	-	-	-	-	-	5	20					
Heart disease	M	149	-	-	-	1	2	1	4	8	19	44	70	142	-	-	-	-	-	3	6	9	20	50					
	F	146	-	-	-	-	2	4	2	5	24	51	58	161	-	-	-	-	2	2	4	6	13	49					
Aneurysm	M	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	1	1	-					
	F	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-					
Other circulatory	M	26	-	-	-	-	-	-	1	1	4	11	9	50	-	-	-	-	-	-	-	1	3	19					
	F	22	-	-	-	-	-	-	-	1	1	9	11	47	-	-	-	-	-	-	-	2	5	10					
Bronchitis	M	23	-	-	-	-	-	-	-	1	2	5	15	29	2	1	-	-	-	-	-	-	2	3					
	F	17	-	1	-	-	-	-	1	1	1	5	8	33	2	-	1	-	-	-	-	-	4	8					
Pneumonia	M	27	-	1	-	3	3	1	-	6	5	6	2	44	2	-	1	3	2	5	4	5	12	8					
	F	31	4	1	2	6	-	1	4	3	1	4	5	28	1	3	2	1	1	-	2	1	4	6					
Other respiratory	M	14	1	-	-	-	-	1	2	4	3	-	3	6	-	-	-	1	-	-	-	1	1	2					
	F	4	-	-	-	-	-	-	-	1	1	1	1	10	-	-	-	-	-	-	-	3	1	3					
Septic ulcer	M	8	-	-	-	-	1	1	1	2	2	1	-	6	-	-	-	-	-	-	1	1	-	4					
	F	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	3	-					
Diarrhoea	M	4	3	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-					
	F	4	-	1	-	-	-	-	1	1	-	1	-	4	-	1	-	-	1	-	2	-	-	-					
Appendicitis	M	2	-	-	-	1	-	-	-	1	-	-	-	5	-	-	-	-	1	-	-	-	1	3					
	F	5	-	-	1	1	1	1	-	-	-	1	-	3	-	-	-	-	-	-	1	-	1	1					
Cirrhosis of liver	M	5	-	-	-	-	-	-	-	-	2	2	1	3	-	-	-	-	-	-	-	-	1	2					
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-					
Other liver diseases	M	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	2	-	-					
	F	3	-	-	-	-	-	1	-	-	1	-	1	4	-	-	-	-	1	-	1	-	-	2					
Other digestive	M	13	-	-	-	1	-	2	2	1	3	2	2	18	2	-	-	1	1	1	1	2	3	4					
	F	18	-	-	-	-	1	-	1	2	4	6	4	12	1	-	-	2	-	1	-	-	1	4					
Nephritis	M	28	-	-	-	1	-	3	3	4	4	9	4	29	-	-	-	-	1	-	-	4	7	10					
	F	12	-	-	-	1	1	-	-	2	2	3	3	24	-	-	1	-	1	1	-	3	2	6					
Puerperal sepsis	M	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	4	2	-	-	-	-					
	F	3	-	-	-	-	-	2	1	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-					
Congenital causes, etc.	M	30	29	-	-	-	1	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-					
	F	18	17	-	-	1	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-					
Idiocy	M	15	-	-	-	-	-	-	-	-	-	-	-	41	-	-	-	-	-	-	-	-	7	34					
	F	19	-	-	-	-	-	-	-	-	-	1	18	49	-	-	-	-	-	-	-	-	3	46					
Suicide	M	12	-	-	-	-	2	-	2	1	4	3	-	13	-	-	-	-	-	1	1	1	8	2					
	F	11	-	-	-	-	1	-	4	1	2	2	1	6	-	-	-	-	1	1	1	1	2	-					
Other violence	M	23	2	1	-	-	4	1	2	1	5	4	3	51	-	-	1	3	10	5	7	6	10	6					
	F	14	1	1	1	-	1	-	2	-	1	6	1	17															

TABLE 24—*contd.* Administrative County of Northumberland.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	1,930	214	32	38	59	80	86	106	185	316	431	383	614	41	5	8	12	24	20	28	60	95	151	
	F	1,646	155	26	31	42	62	79	75	158	264	371	383	552	37	3	4	9	18	28	24	47	101	118	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	10	3	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	7	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	4	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	9	-	1	5	2	-	-	1	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	
4 Whooping cough	M	10	7	1	1	1	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-	
	F	9	7	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
5 Diphtheria	M	20	-	1	5	11	1	-	-	1	1	-	-	2	-	-	2	-	-	-	-	-	-	-	
	F	19	1	1	6	6	2	1	-	-	1	-	1	3	-	-	1	1	-	-	-	-	-	1	
6 Influenza	M	33	-	-	-	2	1	1	2	9	7	7	4	10	-	-	-	-	1	-	-	3	3	2	
	F	19	-	-	1	1	-	1	1	1	6	4	4	13	1	-	-	1	1	-	1	-	-	3	
7 Encephalitis lethargica	M	3	-	-	-	-	-	2	-	1	-	-	-	3	-	-	-	-	-	1	1	-	1	-	
	F	4	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	2	-	-	-	-	
8 Cerebro-spinal fever	M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	102	-	-	-	4	16	27	18	22	11	4	-	21	-	-	-	1	4	2	4	2	5	3	
	F	75	-	-	-	4	26	24	12	6	2	-	1	20	-	-	-	1	4	2	3	-	9	-	
10 Other tuberculosis	M	33	2	1	4	4	9	5	3	2	1	2	-	9	-	1	1	3	1	1	1	-	-	-	
	F	25	1	1	2	12	3	2	-	3	1	-	-	10	-	-	-	1	4	1	2	2	-	-	
11 Syphilis	M	8	3	-	-	-	-	-	1	2	-	1	1	1	-	-	-	-	-	-	1	-	-	-	
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 Gen. paralysis of insane, etc.	M	15	-	-	-	-	-	-	5	9	1	-	-	2	-	-	-	-	-	1	1	-	-	-	
	F	4	-	-	-	-	1	-	-	1	2	-	-	2	-	-	-	-	1	1	-	-	-	-	
13 Cancer	M	208	-	-	1	-	1	4	8	28	69	66	31	72	-	-	-	-	1	4	10	17	25	-	
	F	212	1	-	1	2	-	2	19	33	50	71	33	68	-	-	-	-	1	1	10	19	20	-	
14 Diabetes	M	23	-	-	-	-	1	2	-	3	5	8	4	8	-	-	-	-	-	-	1	3	3	-	
	F	44	-	-	-	-	1	1	1	2	13	18	8	5	-	-	-	-	-	-	-	4	-	-	
15 Cerebral hamorrhage	M	114	-	-	-	-	-	-	2	9	24	40	39	30	-	-	-	-	-	1	1	6	8	-	
	F	108	-	-	-	-	-	2	-	10	27	33	36	44	-	-	-	-	-	-	2	10	14	-	
16 Heart disease	M	368	-	-	-	3	6	10	13	27	70	129	110	125	-	-	-	-	1	2	3	10	13	47	
	F	353	-	-	-	4	4	8	14	30	69	113	111	125	-	-	-	1	3	1	9	20	38	-	
17 Aneurysm	M	13	-	-	-	-	1	-	-	3	5	4	-	-	-	-	-	-	-	-	-	-	-	-	
	F	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
18 Other circulatory	M	127	-	-	-	-	-	-	1	3	17	46	60	38	-	-	-	-	-	-	1	4	9	-	
	F	108	-	-	-	-	-	-	-	10	10	35	53	29	-	-	-	-	-	1	2	1	10	-	
19 Bronchitis	M	69	13	2	3	2	1	-	3	2	8	19	16	10	1	-	-	-	-	-	1	1	1	-	
	F	56	15	-	3	1	-	2	-	2	6	9	18	11	2	-	-	-	-	-	-	-	3	-	
20 Pneumonia	M	111	23	14	6	3	3	5	7	7	27	9	7	24	2	-	-	1	-	3	3	9	4	-	
	F	73	19	9	4	-	3	4	4	6	9	7	8	17	4	2	-	1	-	2	1	3	2	-	
21 Other respiratory	M	27	2	1	-	1	3	-	2	1	2	12	3	7	1	-	-	1	-	-	-	1	4	-	
	F	12	-	-	-	-	-	1	3	1	1	3	3	6	-	-	-	1	-	1	-	3	-	-	
22 Peptic ulcer	M	26	-	-	-	-	1	1	8	4	8	1	3	7	-	-	-	-	1	-	2	1	1	-	
	F	7	-	-	-	-	-	-	-	2	2	-	3	3	-	-	-	-	-	1	1	-	-	-	
23 Diarrhoea	M	20	13	3	1	-	-	-	1	-	2	-	-	9	6	-	-	-	-	1	-	-	-	-	
	F	15	7	3	-	1	-	-	-	1	-	1	2	2	1	-	-	-	-	-	-	1	-	-	
24 Appendicitis	M	10	-	-	-	3	4	-	-	1	1	1	-	6	-	-	-	-	2	3	1	-	-	-	
	F	9	-	-	-	1	1	2	-	3	1	1	-	3	-	-	-	-	1	1	-	-	1	-	
25 Cirrhosis of liver	M	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	1	-	-	
	F	3	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	1	1	-	-	
26 Other liver diseases	M	7	-	-	-	-	-	-	-	-	3	2	2	4	-	-	-	-	-	-	-	2	2	-	
	F	11	-	-	-	-	-	4	-	4	1	2	-	4	-	-	-	-	-	1	1	-	-	-	
27 Other digestive	M	34	7	-	-	4	1	-	-	4	3	9	6	16	-	3	-	1	-	1	2	2	2	-	
	F	39	6	-	3	2	-	2	1	6	6	7	6	9	-	-	-	1	1	-	1	4	1	-	
28 Nephritis	M	59	1	-	1	3	1	1	3	7	13	17	12	31	-	-	-	1	1	-	1	7	12	-	
	F	61	-	1	-	4	2	3	3	8	16	16	11	33	-	-	-	-	1	4	4	7	10	-	
29 Puerperal sepsis	F	7	-	-	-	-	1	3	3	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	
30 Other puerperal	F	10	-	-	-	-	3	3	3	1	-	-	-	4	-	-	-	-	4	-	-	-	-	-	
31 Congenital causes, etc.	M	112	112	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	
	F	80	-	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	
32 Senility	M	56	-	-	-	-	-	-	-	-	1	7	48	21	-	-	-	-	-	-	-	-	-	2	
	F	67	-	-	-	-	-	-	-	-	-	12	55	22	-	-	-	-	-	-	-	-	-	4	
33 Suicide	M	17	-	-	-	-	2	2	5	3	2	3	-	8	-	-	-	-	2	-	2	3	1	-	
	F	12	-	-	-	-	3	2	1	2	1	3	-	6	-	-	-	2	1	1	1	1	-	-	
34 Other violence	M	107	4	5	5	9	22	18	14	11	7	6	6	38	-	-	4	2	9	6	1	6	2	-	
	F	37	1	2	1	4	-	4	-	5	3	8	9	18	-	-	2	4	1	1	-	4	3	-	
35 Other defined causes	M	161	21	2	3	8	4	7	10	23	23	31	29	64	-	-	1	5	4	2	2	9	9	17	
	F	136	15	3	3	2	9	10	8	18	27	23	18	54	3	1	1	1	6	4	11	11	7	-	
36 Ill-defined causes	M	16	-	-	-	-	2	1	-	2	4	6	1	14	-	-	-	-	-	2	1	2	5	1	
	F	10	-	-	-	-	-	-	-	-	4	3	3	6	-	-	-	-	-	-	-	2	1	-	

TABLE 24—*contd.* Administrative County of Nottingham.

Causes of Death.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,601	169	24	20	35	64	75	93	167	262	360	332	791	54	5	11	21	27	39	45	72	110	180	227
	F	1,550	123	14	20	31	71	74	88	150	243	306	430	759	52	7	7	18	20	35	49	68	101	170	232
Typhoid fever, etc.	M	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet fever	M	3	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	8	5	1	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
Diphtheria	M	5	-	-	-	4	1	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	
	F	8	-	-	2	4	1	-	1	-	-	-	-	6	-	-	2	3	-	-	-	-	-	1	
Influenza	M	27	-	-	1	-	2	4	1	4	5	4	6	17	-	1	1	-	2	-	1	2	-	6	4
	F	27	1	-	1	-	1	1	4	2	7	2	8	13	1	-	2	-	1	1	2	1	2	2	3
Encephalitis lethargica	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	3	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	
Cerebro-spinal fever	M	3	1	-	-	1	-	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-	
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Respiratory tuberculosis	M	88	-	-	-	3	22	20	15	18	6	3	1	30	-	-	-	-	4	7	5	8	2	3	1
	F	88	-	-	1	4	25	20	16	9	9	4	-	35	-	-	-	3	8	10	3	6	4	1	-
Other tuberculosis	M	28	3	4	3	4	3	4	3	3	1	-	-	7	-	1	-	4	1	1	1	-	-	-	
	F	18	-	3	2	3	5	2	1	-	2	-	-	6	-	-	-	2	2	-	1	1	-	-	
Syphilis	M	7	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	1	-	-	1	-	-	1	-	
Infant. paralysis	M	6	-	-	-	-	-	-	1	2	1	1	1	3	-	-	-	-	-	-	1	1	1	-	
Of insane, etc.	F	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	1	1	-	1	-	-	
Cancer	M	175	-	-	-	-	-	2	11	23	49	67	23	90	-	-	-	-	1	3	5	10	24	34	13
	F	210	-	-	-	-	1	-	18	46	66	55	24	96	-	-	-	-	-	1	7	21	21	33	13
Diabetes	M	16	-	-	-	-	-	1	-	-	6	7	2	13	-	-	-	-	-	-	-	2	3	8	
	F	29	-	-	-	-	-	3	1	1	8	7	9	14	-	-	-	-	-	-	1	4	6	3	
Cerebral hæmorrhage	M	85	-	-	-	-	1	1	1	6	13	36	27	40	-	-	-	-	-	1	2	4	12	21	
Heart disease	F	136	-	-	-	-	-	1	3	6	28	41	57	58	-	-	-	-	-	1	2	11	20	24	
	M	309	-	-	-	1	3	5	10	29	63	108	90	159	-	-	-	1	1	1	2	13	20	54	67
	F	332	-	-	-	5	8	13	11	28	46	99	122	186	-	-	-	1	3	4	11	6	22	54	85
Aneurysm	M	5	-	-	-	-	-	-	2	-	2	1	-	3	-	-	-	-	-	-	1	1	1	-	
	F	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	2	-	-	-	
Other circulatory	M	75	-	-	-	-	-	-	2	5	13	27	28	43	-	-	-	-	-	1	1	5	16	20	
	F	57	-	-	-	-	1	-	-	10	12	34	33	33	-	-	-	-	-	1	-	2	8	22	
Bronchitis	M	65	6	1	1	-	1	-	-	5	6	16	29	32	2	-	2	-	1	-	1	4	5	16	
	F	71	9	1	1	2	1	-	-	-	7	16	34	19	-	-	-	-	-	-	1	1	6	12	
Pneumonia	M	107	31	10	1	1	3	8	5	11	14	11	12	42	5	1	1	2	2	2	5	4	7	7	
	F	68	15	4	4	1	3	1	4	8	6	4	18	34	10	3	2	2	1	-	1	3	4	3	
Other respiratory	M	14	-	1	1	2	-	1	1	4	3	1	-	7	-	-	-	-	-	-	4	-	-	3	
Optic ulcer	F	9	-	-	-	-	-	-	-	-	-	2	7	5	-	-	-	-	2	-	-	-	2	1	
	M	16	-	-	-	-	-	3	4	4	4	1	-	8	-	-	-	-	1	2	2	2	-	1	
	F	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	1	2	-	-	
Hæmorrhæa	M	13	7	2	-	-	-	-	-	2	1	1	-	3	1	-	-	-	-	1	-	1	-	-	
	F	4	2	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	1	
Appendicitis	M	5	-	-	-	-	-	-	2	-	2	-	1	3	-	-	-	-	2	1	-	-	-	-	
	F	6	-	-	-	1	-	-	2	2	1	-	-	3	-	-	1	-	-	-	-	2	-	-	
Phthisis of liver	M	12	-	-	-	-	-	-	-	3	5	4	-	4	-	-	-	-	-	-	2	1	1	-	
	F	5	-	-	1	-	-	-	1	1	2	-	-	2	-	-	-	-	-	-	2	-	-	-	
Other liver diseases	M	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	1	2	-	
	F	15	-	-	-	-	-	1	-	4	3	5	2	13	-	-	-	-	-	5	4	3	1	-	
Other digestive	M	34	6	-	4	-	2	-	2	6	7	4	3	15	-	-	-	1	-	2	2	4	1	5	
Gonorrhœa	F	34	3	-	1	1	5	1	2	10	3	8	4	18	1	-	1	-	1	2	2	5	2	3	
Phthisis	M	46	-	-	-	3	2	5	10	11	11	4	11	16	-	-	-	-	1	3	2	4	6	-	
	F	58	-	-	-	1	1	4	2	12	4	23	11	21	-	-	2	-	1	1	4	1	7	5	
Periperal sepsis	F	6	-	-	-	-	2	2	1	1	-	-	-	6	-	-	-	-	4	2	-	-	-	-	
Other puerperal	F	8	-	-	-	-	1	5	2	-	-	-	-	6	-	-	-	-	2	4	-	-	-	-	
Congenital causes, etc.	M	99	98	1	-	-	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	
	F	77	74	1	-	-	1	-	-	-	1	-	-	32	32	-	-	-	-	-	-	-	-	-	
Idiocy	M	76	-	-	-	-	-	-	-	-	-	8	68	32	-	-	-	-	-	-	-	-	3	29	
	F	81	-	-	-	-	-	-	-	1	-	9	71	40	-	-	-	-	-	-	-	-	4	36	
Infanticide	M	36	-	-	-	-	-	6	9	3	10	5	3	13	-	-	-	-	2	1	1	4	3	-	
	F	9	-	-	-	-	1	2	1	4	1	-	-	4	-	-	-	1	1	1	-	-	-	-	
Other violence	M	87	3	2	3	6	16	14	8	10	10	8	7	55	1	1	2	5	6	10	9	7	5	5	
	F	39	2	2	3	5	8	1	4	1	2	4	7	25	2	2	1	1	3	-	2	5	3	5	
Other defined causes	M	134	12	2	4	11	6	4	9	14	23	28	21	103	7	1	4	5	8	10	6	7	18	18	
Other defined causes	F	121	10	-	-	2	12	12	13	18	23	18	13	66	6	-	-	4	1	4	10	9	11	10	
Other defined causes	M	15	-	-	-	-	-	-	-	1	4	5	5	8	-	-	-	-	-	1	-	3	2	2	
	F	11	1	-	1	-	-	-	1	1	4	1	2	3	-	-	-	-	-	-	-	-	1	-	

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	223	14	2	5	2	11	9	8	18	40	48	66	568	30	4	4	4	19	24	24	46	67	152	
	F	206	6	1	2	1	4	3	9	17	31	53	79	586	25	2	4	11	11	14	29	50	83	129	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Influenza	M	1	-	1	-	1	-	-	-	-	-	-	-	5	1	-	1	3	-	-	-	-	-		
	F	5	-	-	-	-	-	-	-	-	2	3	-	5	-	1	-	1	-	-	1	2	6		
7 Encephalitis lethargica	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	10	-	-	-	-	-	2	3	2	3	-	-	20	-	-	-	-	3	5	4	7	1	-	
	F	9	-	-	1	-	1	-	3	3	1	-	-	15	-	-	1	4	2	4	1	1	2		
10 Other tuberculosis	M	3	-	-	1	-	1	-	-	-	1	-	-	7	-	1	1	1	1	-	2	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	5	2	-	-	1	1	-	-	-	1		
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-		
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	30	-	-	-	-	1	-	-	7	4	11	7	79	-	-	-	-	-	1	1	8	13	34	
	F	30	-	-	-	-	-	-	1	4	8	9	8	90	-	-	-	-	-	1	3	18	19	19	
14 Diabetes	M	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	1	-	1		
	F	4	-	-	-	-	1	-	-	-	-	1	2	9	-	-	-	-	-	-	1	2	3		
15 Cerebral hæmorrhage	M	14	-	-	-	-	-	-	-	-	4	4	6	35	-	-	-	-	-	-	1	6	14		
	F	21	-	-	-	-	-	-	-	1	5	9	6	54	-	-	-	-	-	-	3	12	11		
16 Heart disease	M	54	-	-	-	-	1	-	-	3	10	15	25	138	-	-	-	-	-	4	5	16	42		
	F	50	-	-	-	-	-	1	1	3	5	15	25	162	-	-	-	-	2	5	6	19	45		
17 Aneurysm	M	3	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-		
18 Other circulatory	M	14	-	-	-	-	-	-	-	-	3	5	6	33	-	-	-	-	-	-	2	1	8		
	F	12	-	-	-	-	-	-	-	2	1	5	4	21	-	-	-	-	-	-	-	1	8		
19 Bronchitis	M	8	-	-	1	-	-	-	-	-	1	3	3	18	-	-	-	-	-	1	-	1	3		
	F	12	-	-	-	-	-	-	-	-	-	5	7	20	-	-	1	-	-	-	-	2	5		
20 Pneumonia	M	10	2	-	1	1	1	-	2	-	1	1	1	36	5	1	-	-	1	4	1	2	6		
	F	4	1	-	-	-	-	-	1	1	-	-	1	25	3	2	-	1	-	3	2	3	3		
21 Other respiratory	M	6	-	-	1	1	2	-	-	-	1	-	1	5	1	-	-	-	-	1	1	-	1		
	F	3	-	-	-	-	-	-	-	1	-	-	2	6	-	-	-	-	1	-	-	-	2		
22 Peptic ulcer	M	8	-	-	-	-	-	1	1	3	2	-	1	4	-	-	-	1	-	-	1	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	1	2			
23 Diarrhœa	M	2	2	-	-	-	-	-	-	-	-	-	-	5	2	-	1	-	-	-	-	-	-		
	F	3	3	-	-	-	-	-	-	-	-	-	-	6	1	-	-	-	-	1	1	-	-		
24 Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	2	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	2	-		
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	-	1		
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-		
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	-	-	1		
	F	1	1	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	1	2	-	1		
27 Other digestive	M	4	-	-	-	-	-	1	-	1	-	-	2	13	-	-	-	-	1	-	2	-	4		
	F	3	-	-	-	-	-	-	-	-	1	1	1	14	-	-	-	-	1	1	3	1	5		
28 Nephritis	M	3	-	1	-	-	-	1	-	-	-	1	-	13	-	-	-	-	1	1	-	4	4		
	F	7	-	-	-	-	-	-	-	-	2	1	4	13	-	-	-	-	-	-	1	3	6		
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-		
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	2	1	-	-	-		
31 Congenital causes, etc.	M	7	7	-	-	-	-	-	-	-	-	-	-	20	19	-	-	-	-	1	-	-	-		
	F	1	1	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-		
32 Senility	M	4	-	-	-	-	-	-	-	-	-	-	4	14	-	-	-	-	-	-	-	-	-		
	F	13	-	-	-	-	-	-	-	-	-	2	11	24	-	-	-	-	-	-	-	-	2		
33 Suicide	M	5	-	-	-	-	1	1	1	-	1	-	1	7	-	-	-	-	1	1	-	1	2		
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
34 Other violence	M	14	1	-	-	-	3	3	1	1	1	1	3	46	-	-	1	2	8	7	5	8	6		
	F	7	-	-	-	-	2	-	-	1	1	-	3	15	1	-	2	1	2	-	4	1	1		
35 Other defined causes	M	19	2	1	-	-	-	-	-	-	5	5	6	48	2	-	1	2	2	2	5	2	6		
	F	12	-	-	-	-	-	1	2	1	2	2	4	44	1	-	-	4	1	-	7	3	10		
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	7		
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-		

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	265	26	-	7	5	8	8	16	28	34	59	74	43	6	2	-	-	1	2	2	4	4	6	16
	F	232	12	1	2	3	4	4	7	19	33	59	88	48	1	-	-	1	1	2	2	3	5	9	24
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	M	6	-	-	-	-	-	-	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	
	F	5	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	1	
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cerebro-spinal fever	M	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Respiratory tuberculosis	M	8	-	-	-	-	-	3	2	2	1	-	-	2	-	-	-	-	1	-	1	-	-	-	
	F	3	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other tuberculosis	M	4	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	M	30	-	-	-	-	1	1	3	3	7	12	3	2	-	-	-	-	-	-	-	1	1	-	
	F	35	-	-	-	-	1	-	3	4	8	10	9	5	-	-	-	-	-	-	1	-	-	4	
Diabetes	M	6	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	
	F	4	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	1	-	-	-	-	
Cerebral hæmorrhage	M	15	-	-	-	-	-	-	-	4	2	4	5	2	-	-	-	-	-	-	-	-	-	1	
	F	18	-	-	-	-	-	-	-	3	3	6	6	3	-	-	-	-	-	-	-	-	-	2	
Heart disease	M	66	-	-	-	-	1	-	4	4	8	20	29	13	-	-	-	-	-	-	-	1	3	9	
	F	59	-	-	-	-	-	-	3	2	9	16	29	14	-	-	-	-	-	-	2	2	1	9	
Aneurysm	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other circulatory	M	12	-	-	-	-	-	-	-	1	4	4	3	4	-	-	-	-	-	-	-	1	1	-	
	F	7	-	-	-	-	-	-	-	-	2	1	4	1	-	-	-	-	-	-	-	-	1	-	
Bronchitis	M	10	1	-	-	1	-	-	-	1	-	2	5	3	-	-	-	-	-	-	-	1	-	2	
	F	8	1	-	-	-	-	-	-	-	-	2	5	1	-	-	-	-	-	-	-	-	-	1	
Pneumonia	M	8	2	-	-	-	1	-	1	2	-	1	1	2	1	-	-	-	-	-	-	-	1	-	
	F	7	-	1	-	-	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	
Other respiratory	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	6	-	-	-	-	-	-	-	2	1	1	2	1	-	-	-	-	-	-	-	-	-	1	
Peptic ulcer	M	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	F	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	
Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis	M	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other digestive	M	6	1	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	1	-	-	
	F	7	-	-	1	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Nephritis	M	9	-	-	-	-	-	-	-	1	3	3	2	1	-	-	1	-	-	-	-	-	-	-	
	F	7	-	-	-	-	-	-	-	-	1	3	3	1	-	-	-	-	-	-	-	-	1	-	
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital causes, etc.	M	19	19	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	
	F	10	10	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Senility	M	12	-	-	-	-	-	-	-	-	-	1	11	1	-	-	-	-	-	-	-	-	1	-	
	F	21	-	-	-	-	-	-	-	-	-	4	17	7	-	-	-	-	-	-	-	-	-	-	
Suicide	M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	5	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other violence	M	8	-	-	2	3	-	-	-	2	1	-	-	1	-	-	-	1	-	-	-	1	-	-	
	F	7	-	-	1	2	-	1	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	
Other defined causes	M	28	2	-	-	1	1	1	4	3	2	5	9	5	2	-	-	-	1	2	1	1	2	-	
	F	18	1	-	-	1	1	-	-	1	3	6	5	8	-	-	-	-	2	-	-	-	-	-	
Ill-defined causes	M	3	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M F	20 14	- -	- -	- -	- -	- -	1 -	- 1	- -	2 3	5 7	12 3	87 82	7 3	- -	1 2	1 2	- 1	3 1	5 2	3 4	14 9	23 21	3 3
1 Typhoid fever, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
2 Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
3 Scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
4 Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
5 Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
6 Influenza	M F	2 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 1	- 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
7 Encephalitis lethargica	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
8 Cerebro-spinal fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
9 Respiratory tuberculosis	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	2 2	- -	- -	- -	- -	- -	2 1	- -	- 1	- -	- -	
10 Other tuberculosis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	
11 Syphilis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
12 Gen. paralysis of insane, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
13 Cancer	M F	1 2	- -	- -	- -	- -	- -	- -	- 1	- -	- -	1 1	- -	19 10	- -	- -	- 1	- -	- -	2 1	1 1	5 1	7 4	- -	
14 Diabetes	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	
15 Cerebral hæmorrhage	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 7	- -	- -	- -	- -	- -	- -	- -	2 2	- 2	- -	
16 Heart disease	M F	5 2	- -	- -	- -	- -	- -	- -	- -	- -	1 1	4 1	- 1	16 19	- -	- -	1 -	- -	- -	- -	- 2	2 1	5 3	- 1	
17 Aneurysm	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
18 Other circulatory	M F	2 3	- -	- -	- -	- -	- -	- -	- -	- 1	1 2	1 -	- -	8 10	- -	- -	- -	- -	- -	- -	- -	- -	3 2	- -	
19 Bronchitis	M F	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- 2	- -	- -	3 1	- -	- -	- -	- -	- -	- -	- -	2 1	1 -	- -	
20 Pneumonia	M F	3 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	2 -	- -	3 2	- 1	- -	- -	- -	- -	- -	- -	- -	1 1	- 1	
21 Other respiratory	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 2	- -	- 2	- -	- -	- -	- -	- -	- -	- -	- -	
22 Peptic ulcer	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	- 1	- -	- -	- 1	- -	- -	- -	
23 Diarrhoea	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
24 Appendicitis	M F	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	
25 Cirrhosis of liver	M F	1 -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
26 Other liver diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
27 Other digestive	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	
28 Nephritis	M F	1 1	- -	- -	- -	- -	1 -	- -	- -	- 1	- -	- -	- -	5 7	- -	- -	- 1	- -	- -	- -	- -	- -	- 4	- -	
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31 Congenital causes, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	6 1	6 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	
32 Senility	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
33 Suicide	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	- -	- -	- 2	- -	- -	- -	- -	
34 Other violence	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	4 6	- -	- -	- 1	1 1	- -	- -	- -	2 -	1 2	- -	
35 Other defined causes	M F	3 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	3 -	10 9	1 1	- -	- -	- -	1 1	- -	- 1	2 4	4 1	- -	
36 Ill-defined causes	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	716	35	5	11	18	20	29	35	63	127	180	193	831	56	9	4	19	23	24	41	59	117	214	265
	F	732	30	6	4	18	16	20	36	53	93	200	256	737	44	4	7	17	16	37	37	47	96	163	269
Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	4	1	-	2	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-
Diphtheria	M	7	-	-	3	4	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
	F	7	-	-	2	4	-	-	1	-	-	-	-	4	-	1	2	1	-	-	-	-	-	-	-
Influenza	M	18	-	-	1	1	-	-	3	2	1	5	5	21	-	-	-	1	-	1	1	5	3	3	7
	F	18	-	1	-	-	-	-	6	-	5	3	3	14	-	-	1	-	1	2	-	-	2	4	4
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	34	-	-	-	1	5	9	7	8	3	-	1	31	-	-	-	-	3	5	8	3	9	3	-
	F	25	-	-	-	1	6	5	6	2	2	3	-	34	-	-	-	1	7	13	7	3	2	1	-
Other tuberculosis	M	5	-	2	-	1	1	-	1	-	-	-	-	11	-	1	-	3	1	2	3	-	-	1	-
	F	7	1	-	-	2	1	1	-	-	-	1	1	4	-	1	-	-	1	-	1	-	-	1	-
Syphilis	M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cancer	M	101	-	-	-	-	-	1	4	13	33	31	19	102	-	-	-	-	2	2	10	22	36	30	-
	F	113	-	-	1	-	-	1	5	22	28	33	23	104	-	-	-	-	1	1	6	10	23	33	30
Diabetes	M	13	-	-	-	-	-	-	-	-	4	5	4	7	-	-	-	-	-	-	-	-	1	6	-
	F	11	-	-	-	-	-	-	-	1	5	5	-	18	-	-	-	1	-	1	1	3	7	4	-
Cerebral hæmorrhage	M	52	-	-	-	-	-	-	2	1	8	20	21	52	-	-	-	-	-	-	-	3	6	20	23
	F	72	-	-	-	-	-	1	-	5	8	29	29	58	-	-	-	-	1	2	6	7	17	25	-
Heart disease	M	151	-	-	-	2	4	-	2	8	28	57	50	192	-	-	-	1	2	1	5	7	30	60	86
	F	181	-	-	-	-	1	-	2	7	18	62	91	197	-	-	-	1	1	3	3	8	28	49	104
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	30	-	-	-	-	-	-	-	1	3	8	18	50	-	-	-	-	-	-	-	1	5	10	34
	F	27	-	-	-	-	-	-	-	1	3	8	15	37	-	-	-	-	-	-	1	2	3	11	20
Bronchitis	M	24	1	1	-	-	-	2	-	-	3	7	10	19	1	-	-	-	-	-	-	-	-	5	13
	F	35	2	1	-	-	-	-	-	-	1	7	24	16	-	1	-	1	-	-	-	-	2	2	10
Pneumonia	M	40	3	1	2	2	1	3	-	6	7	9	6	44	3	4	-	2	2	1	4	3	9	11	5
	F	21	5	1	-	2	1	3	1	1	2	2	3	30	3	-	-	3	1	-	3	4	1	2	13
Other respiratory	M	13	-	-	-	-	-	-	5	-	3	1	4	9	1	-	-	1	-	1	1	2	1	1	1
	F	8	-	1	-	-	-	-	-	1	-	2	4	2	-	-	-	-	-	-	-	-	-	1	1
Peptic ulcer	M	11	-	-	-	-	2	-	2	4	2	1	-	8	-	-	-	-	-	1	-	3	1	3	-
	F	6	-	-	-	-	-	-	-	-	2	3	1	4	-	-	-	-	-	-	1	3	-	-	-
Diarrhoea	M	2	1	-	1	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	2
	F	7	5	1	-	1	-	-	-	-	-	-	-	5	-	-	1	-	-	3	-	-	-	-	1
Appendicitis	M	4	-	-	-	2	-	-	1	-	-	1	-	5	-	-	-	2	-	-	1	-	1	-	-
	F	5	-	-	1	1	-	1	1	-	1	-	-	5	-	-	1	-	1	-	1	2	-	-	-
Cirrhosis of liver	M	3	-	-	-	-	-	-	-	2	1	-	-	5	-	-	-	-	-	-	2	1	2	-	-
	F	3	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Other liver diseases	M	2	-	-	-	-	1	-	-	-	-	1	-	3	-	-	-	-	-	-	1	-	2	-	-
	F	7	-	-	-	-	-	-	-	1	2	2	2	3	-	-	-	-	-	-	-	1	2	-	-
Other digestive	M	16	1	-	1	-	-	1	-	1	2	6	4	14	1	1	1	-	2	1	-	1	2	1	4
	F	13	1	-	-	2	-	-	1	2	3	2	2	9	-	1	-	2	-	-	-	2	2	1	1
Nephritis	M	31	-	-	-	-	-	1	-	3	10	6	11	26	-	-	-	-	-	-	3	7	11	5	5
	F	15	-	-	-	-	-	-	1	1	1	9	3	19	-	-	-	-	1	1	-	-	7	5	5
Puerperal sepsis	F	5	-	-	-	-	1	2	2	-	-	-	-	5	-	-	-	-	1	3	1	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	5	-	-	-	-	1	2	2	-	-	-	-
Congenital causes, etc.	M	24	24	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
	F	16	15																						

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,084	54	5	8	16	26	34	50	103	174	308	306	1,329	67	9	7	22	40	41	57	101	229	354	40		
	F	1,185	36	5	15	13	19	26	53	89	178	292	459	1,298	48	6	13	11	34	46	47	114	171	312	49		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	4	1	-	1	2	-	-	-	-	-	-	-	3	-	1	-	2	-	-	-	-	-	-	-		
	F	8	-	-	2	3	1	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
6 Influenza	M	21	1	-	-	1	-	1	3	4	2	7	2	35	-	-	-	1	2	3	-	3	8	8	1		
	F	23	-	-	1	1	-	2	4	1	3	7	4	16	-	-	-	1	-	-	-	1	2	4	-		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-		
	F	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	50	-	-	-	-	5	11	6	12	9	7	-	47	-	-	-	-	3	9	6	9	17	3	5		
	F	38	-	-	1	-	7	12	6	7	3	2	-	40	-	1	-	-	9	15	3	3	3	5	-		
10 Other tuberculosis	M	7	1	-	1	-	-	3	-	1	1	-	-	12	-	2	-	2	-	2	-	3	1	2	-		
	F	7	-	2	2	-	-	2	1	-	-	-	-	12	-	-	4	-	1	3	2	1	1	-	-		
11 Syphilis	M	4	-	-	-	-	-	-	-	3	-	1	-	3	1	-	-	-	-	-	1	-	1	-	-		
	F	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	-	2	-	3	-	-	4	-	-	-	-	1	-	-	2	1	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	130	-	-	-	-	-	2	5	10	29	51	33	179	-	-	-	1	1	5	6	11	33	66	5		
	F	175	-	-	-	-	-	2	6	20	59	43	45	193	-	-	1	-	1	3	7	23	48	62	4		
14 Diabetes	M	15	-	-	-	1	-	-	1	-	4	3	6	16	-	-	-	-	-	1	-	-	4	5	-		
	F	28	-	-	-	-	-	-	1	2	7	12	6	23	-	-	-	1	-	1	-	3	4	8	-		
15 Cerebral hæmorrhage	M	55	-	-	-	-	-	1	-	2	8	24	20	88	-	-	-	-	-	-	3	4	12	29	4		
	F	71	-	-	-	-	-	-	2	5	8	23	33	98	-	-	-	-	1	-	-	6	17	24	5		
16 Heart disease	M	220	-	-	-	-	1	1	6	22	33	83	74	281	-	-	-	1	1	2	5	17	54	111	9		
	F	308	-	-	-	2	1	-	7	19	42	87	150	307	-	-	-	2	4	1	7	23	28	103	13		
17 Aneurysm	M	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	1	-	-	-	2	-	-		
	F	6	-	-	-	-	-	-	-	1	2	1	2	5	-	-	-	-	-	-	-	2	-	-	-		
18 Other circulatory	M	67	-	-	-	-	-	-	1	2	11	23	30	75	1	-	-	-	-	-	1	3	9	22	3		
	F	71	-	-	-	-	-	-	-	3	12	19	37	75	1	-	-	-	-	-	-	3	15	26	3		
19 Bronchitis	M	40	2	-	-	-	-	2	1	2	5	8	20	45	1	-	-	-	-	-	-	3	10	10	2		
	F	37	1	-	1	1	-	-	-	1	3	8	22	35	3	1	1	-	-	-	-	2	2	3	2		
20 Pneumonia	M	46	5	2	1	1	2	1	4	5	6	11	8	63	7	1	2	5	3	2	4	8	7	11	3		
	F	37	2	-	2	1	1	1	2	6	4	5	13	45	5	2	-	-	-	4	2	4	10	8	2		
21 Other respiratory	M	9	-	-	-	-	-	-	-	1	1	5	2	18	-	-	-	-	2	-	2	1	4	2	2		
	F	10	-	-	-	-	-	-	-	-	-	4	6	16	-	-	-	-	-	2	-	2	3	3	2		
22 Peptic ulcer	M	18	-	-	-	-	-	-	2	4	7	4	1	24	-	-	-	-	-	-	2	4	8	6	3		
	F	3	-	-	-	-	-	1	-	-	1	-	1	6	-	-	-	-	-	-	1	3	-	2	2		
23 Diarrhœa	M	6	3	-	-	-	-	-	-	-	1	2	-	8	2	-	1	-	-	-	1	-	2	1	-		
	F	8	-	1	-	-	1	-	-	1	-	-	5	4	-	-	-	-	-	1	-	1	1	-	-		
24 Appendicitis	M	11	-	-	-	1	-	2	1	-	2	2	2	7	-	-	-	-	2	-	1	-	1	2	-		
	F	6	-	-	-	-	-	-	-	-	1	1	4	4	-	-	-	-	-	-	1	-	-	2	-		
25 Cirrhosis of liver	M	7	-	-	-	-	-	-	-	2	2	3	-	7	-	-	-	-	-	-	-	-	5	1	-		
	F	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	5	-	-	-	-	-	-	-	1	1	-	3	5	-	-	-	-	-	-	1	2	-	1	-		
	F	14	-	-	-	-	-	-	-	-	-	7	6	11	-	-	-	-	-	-	1	1	3	2	-		
27 Other digestive	M	24	-	1	1	-	-	-	-	2	6	5	9	21	3	-	-	-	2	1	-	-	3	5	5		
	F	26	-	-	-	-	1	-	2	2	3	10	2	33	1	-	1	2	2	1	4	5	6	5	-		
28 Nephritis	M	52	-	-	-	1	-	-	5	4	6	23	13	57	-	-	-	2	-	1	3	8	10	18	1		
	F	49	-	-	-	-	1	-	-	4	5	24	15	56	-	-	-	-	-	-	2	1	9	22	-		
29 Puerperal sepsis	F	2	-	-	-	-	-	1	1	-	-	-	-	7	-	-	-	-	3	4	-	-	-	-	-		
30 Other puerperal	F	5	-	-	-	-	1	1	3	-	-	-	-	5	-	-	-	-	-	4	1	-	-	-	-		
31 Congenital causes, etc.	M	37	34	1	-	-	1	1	-	-	-																

TABLE 24—*contd.* Administrative County of Southampton.

Causes of Death.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,513	101	6	16	46	63	65	77	131	252	351	405	1,169	65	8	5	21	45	53	46	106	178	265	377
	F	1,435	63	9	13	21	37	57	67	129	180	319	540	1,113	65	8	9	13	21	40	61	69	160	265	402
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Measles	M	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
Scarlet fever	M	3	-	-	1	2	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Whooping cough	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	11	-	-	1	8	1	1	-	-	-	-	-	4	1	-	1	2	-	-	-	-	-	-	-
	F	9	-	-	1	7	1	-	-	-	-	-	-	3	-	-	3	3	-	-	-	-	-	-	-
Influenza	M	13	-	-	-	-	1	-	-	1	2	6	3	13	-	-	1	-	2	1	1	6	2	-	-
	F	14	1	-	-	-	2	-	-	2	1	2	6	11	1	-	1	1	1	1	1	2	2	4	
Cerebral meningitis	M	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	1	1	-	1	-	-
Cerebro-spinal fever	M	3	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	71	-	-	-	12	16	20	17	6	-	-	-	51	-	-	-	-	3	11	12	16	4	3	2
	F	57	-	-	-	9	23	13	6	2	4	-	-	25	-	-	-	8	7	9	-	1	-	-	-
Other tuberculosis	M	20	1	2	4	6	2	2	1	1	1	-	-	8	1	1	1	1	-	1	2	1	-	-	-
	F	15	-	1	4	3	2	1	1	1	1	1	-	6	-	-	-	1	1	-	2	-	1	1	1
Syphilis	M	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	1	1
	F	5	1	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy, paralysis of insane, etc.	M	9	-	-	-	1	-	-	-	2	3	3	-	8	-	-	-	-	-	1	1	4	2	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Cancer	M	164	-	-	-	2	1	2	7	16	36	53	47	167	-	-	-	-	-	3	3	14	51	52	44
	F	204	-	-	-	-	1	3	13	25	43	60	59	162	-	-	-	-	-	15	17	33	57	40	40
Diabetes	M	22	-	-	-	-	-	-	-	2	7	7	6	10	-	-	-	-	2	-	2	1	4	1	1
	F	28	-	-	-	-	1	1	2	5	8	7	4	17	-	-	-	-	1	-	1	4	4	7	7
Cerebral hæmorrhage	M	89	-	-	-	-	-	-	1	5	17	33	33	47	-	-	-	-	-	-	4	3	21	19	19
	F	96	-	-	-	-	-	-	1	9	16	33	37	70	-	-	-	-	-	1	3	6	22	38	38
Heart disease	M	364	-	-	-	3	4	4	10	25	78	115	125	319	-	-	-	-	3	2	7	14	45	87	161
	F	358	-	-	-	1	4	4	6	25	36	92	190	273	-	-	1	1	-	2	2	16	39	91	121
Aneurysm	M	8	-	-	-	-	1	-	-	1	1	4	1	1	-	-	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Other circulatory	M	67	-	-	1	-	-	-	1	4	15	21	25	65	-	-	-	-	-	-	2	12	22	29	29
	F	76	-	-	-	-	-	-	-	1	12	20	43	87	-	-	-	-	-	1	3	7	25	51	51
Bronchitis	M	28	2	-	-	1	-	-	-	2	-	8	15	33	2	-	-	-	-	2	1	1	3	8	16
	F	37	-	-	-	-	-	-	2	-	3	8	24	33	2	-	-	-	1	-	1	1	3	25	25
Pneumonia	M	66	14	2	-	2	3	5	4	13	9	7	7	50	9	1	-	-	3	2	2	13	5	13	13
	F	61	10	4	-	1	1	2	2	6	7	14	14	39	7	4	2	-	3	5	2	9	1	6	6
Other respiratory	M	18	-	-	1	1	-	1	1	4	8	1	1	13	-	1	-	1	-	1	2	3	2	2	2
Septic ulcer	M	11	1	1	-	2	-	-	-	1	-	1	5	10	-	-	-	-	-	1	-	3	3	3	3
	F	21	-	-	-	-	-	2	3	4	5	4	3	9	-	-	-	-	-	-	4	4	1	-	-
	F	3	-	-	-	-	-	-	1	1	-	1	-	7	-	-	-	1	-	2	-	2	2	-	-
Diarrhoea	M	9	4	-	1	-	-	-	-	3	1	-	-	10	4	1	-	-	1	-	2	-	1	1	-
	F	7	-	1	-	1	1	-	-	1	2	1	1	11	4	1	1	-	1	1	-	2	-	1	1
Appendicitis	M	9	-	-	1	-	2	1	-	1	1	2	1	9	-	-	-	-	4	3	-	1	-	1	-
	F	10	-	-	-	-	2	-	2	2	2	1	1	4	-	-	1	-	1	1	-	1	-	-	-
Cirrhosis of liver	M	5	-	-	-	-	-	-	-	2	-	1	2	7	-	-	-	-	-	1	2	2	2	-	-
	F	6	-	-	-	-	-	-	-	1	2	3	-	3	-	-	-	-	-	-	-	2	1	-	-
Other liver diseases	M	7	-	-	-	-	-	-	-	-	4	2	1	6	-	-	-	-	-	-	3	1	2	-	-
	F	8	-	-	-	-	-	-	1	2	2	2	1	7	-	-	-	-	-	-	-	3	3	1	1
Other digestive	M	44	3	-	-	3	1	4	3	2	12	5	11	25	1	-	-	1	2	1	-	4	2	6	8
Gastritis	M	27	-	-	-	2	1	1	3	2	8	2	8	26	-	-	-	1	-	-	2	2	6	6	9
	F	61	-	-	1	-	3	1	2	8	9	20	17	43	2	-	-	-	1	2	2	5	5	9	17
	F	56	-	-	1	1	1	4	2	7	12	15	13	40	-	-	-	-	3	-	6	5	4	10	12
Puerperal sepsis	F	9	-	-	-	-	2	6	1	-	-	-	-	4	-	-	-	-	2	2	-	-	-	-	-
Other puerperal	F	9	-	-	-	-	3	4	2	-	-	-	-	17	-	-	-	-	2	13	2	-	-	-	-
Congenital causes, etc.	M	69	67	1	-	-	-	-	1	-	-	-	-	39	38	-	-	-	-	1	-	-	-	-	-
	F	38	37	-	-	-	1	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-
Idiocy	M	84	-	-	-	-	-	-	-	-	1	19	64	40	-	-	-	-	-	-	-	1	6	33	33
	F	124	-	-	-	-	-	-	-	-	2	18	104	62	-	-	-	-	-	-	-	2	3	57	57
Suicide	M	36	-	-	-	1	4	9	7	4	7	3	1	21	-	-	-	-	4	3	4	2	3	1	1
	F	10	-	-	-	-	2	2	4	-	2	-	-	4	-	-	-	-	-	-	1	2	1	-	-
Other violence	M	58	-	-	2	5	17	7	9	6	4	4	4	63	1	4	-	7	17	5	2	11	5	4	7
	F	34	2	1	3	-	3	1	1	3	4	4	12	28	-	1	-	2	3	2	1	3	2	5	9
Other defined causes	M	144	7	1	2	8	10	8	7	10	22	32	37	99	5	-	2	8	6	11	4	11	7	22	23
	F	109	8	-	3	2	3	3	10	21	17	26	16	111	9	1	3	5	1	5	8	10	30	24	15
Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2

Causes of Death. See first page of Table.			Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	3,268	376	65	77	70	134	162	200	335	542	718	589	1,016	92	13	13	26	44	36	46	93	143	246		
	F	2,900	282	70	61	82	146	138	167	206	428	603	717	902	58	9	10	24	29	39	44	66	140	207		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	24	3	12	6	3	-	-	-	-	-	-	-	3	1	-	-	2	-	-	-	-	-			
	F	18	4	4	7	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-			
3 Scarlet fever	M	1	-	-	1	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-	-	1	1			
	F	9	-	2	4	2	-	1	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-			
4 Whooping cough	M	21	9	7	3	2	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-			
	F	33	16	7	7	3	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-			
5 Diphtheria	M	18	3	1	9	5	-	-	-	-	-	-	-	6	-	1	1	4	-	-	-	-	-			
	F	18	-	2	6	8	2	-	-	-	-	-	-	8	-	1	6	-	1	-	-	-	-			
6 Influenza	M	66	2	-	-	5	7	11	11	14	9	7	21	2	-	-	1	2	1	3	2	4	5			
	F	59	1	1	1	3	-	5	2	16	12	17	24	-	-	1	-	2	1	2	-	4	8			
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-			
8 Cerebro-spinal fever	M	7	1	-	2	-	3	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-			
	F	7	2	-	1	-	3	-	-	-	1	-	-	2	-	-	1	-	1	-	-	-	-			
9 Respiratory tuberculosis	M	202	1	-	2	5	31	49	37	50	19	8	-	32	-	-	-	5	6	5	7	7	2			
	F	169	1	-	-	6	55	43	30	18	15	1	-	31	-	-	2	7	10	6	2	3	1			
10 Other tuberculosis	M	38	5	1	10	2	6	5	3	3	-	-	-	9	2	-	1	2	2	-	-	-	-			
	F	34	5	6	5	5	9	-	-	-	3	1	-	5	-	-	1	-	1	1	-	-	1			
11 Syphilis	M	11	-	-	-	-	-	-	1	1	4	4	1	1	-	-	-	-	1	-	-	-	-			
	F	3	1	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	7	-	-	-	1	-	-	-	3	2	1	-	3	-	-	-	-	-	-	1	2	-			
	F	3	-	-	-	-	1	-	-	-	2	-	-	2	-	-	-	-	-	-	2	-	-			
13 Cancer	M	384	1	-	1	1	3	15	53	114	141	54	120	-	-	-	-	2	-	6	18	25	42			
	F	355	2	-	-	1	-	6	35	50	107	96	58	122	1	-	-	-	2	2	3	14	31			
14 Diabetes	M	28	-	-	1	-	1	1	3	9	8	5	16	-	-	-	-	-	1	-	2	2	9			
	F	48	-	-	-	1	2	1	4	18	13	9	12	-	-	-	-	1	-	-	3	2	5			
15 Cerebral hæmorrhage	M	166	-	-	-	-	2	2	13	32	80	37	44	-	-	-	-	-	-	1	2	4	18			
	F	183	-	-	-	-	1	4	10	35	65	68	64	-	-	-	-	-	1	1	3	13				
16 Heart disease	M	621	-	-	1	4	9	13	16	48	135	214	181	204	1	-	-	4	-	2	4	13	35			
	F	591	-	-	-	13	18	19	25	28	92	198	198	202	-	-	-	3	1	3	6	9	39			
17 Aneurysm	M	10	-	-	-	1	2	2	2	2	1	-	3	-	-	-	-	-	-	-	-	2	-			
	F	3	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	1	-	-	-	1	1			
18 Other circulatory	M	127	-	-	1	1	1	2	1	17	50	54	73	-	-	-	-	-	1	-	1	11	21			
	F	106	-	-	-	2	-	-	4	16	28	56	48	-	-	-	-	-	-	1	2	6	12			
19 Bronchitis	M	153	20	1	-	-	4	4	19	21	42	42	37	5	1	-	-	-	1	4	1	5	7			
	F	164	16	3	5	1	2	1	7	22	37	69	23	7	2	1	1	-	1	-	-	-	3			
20 Pneumonia	M	294	66	26	16	7	14	26	33	23	34	26	23	53	7	4	2	2	5	4	3	7	9			
	F	174	47	23	14	7	4	9	8	10	14	22	16	41	7	1	2	1	2	1	3	7	8			
21 Other respiratory	M	35	-	-	-	3	2	1	4	7	8	4	6	10	1	1	-	2	-	-	1	1	2			
	F	25	-	1	-	2	1	-	1	3	4	6	7	10	-	-	1	1	-	1	-	4	-			
22 Peptic ulcer	M	48	-	-	-	2	4	11	12	11	7	1	14	-	-	-	-	-	2	1	3	4	4			
	F	14	-	-	-	-	1	1	2	1	6	3	6	-	-	-	-	-	-	2	-	1	3			
23 Diarrhœa	M	59	40	9	-	-	-	-	4	1	2	3	12	7	2	-	-	1	-	-	-	-	1			
	F	46	29	7	1	1	1	-	-	2	2	2	13	2	2	1	-	1	-	-	1	2	1			
24 Appendicitis	M	14	-	-	-	2	1	1	4	3	3	-	8	-	-	1	-	-	1	-	3	1	-			
	F	12	-	-	-	3	1	-	1	5	1	-	3	1	-	-	-	-	-	-	-	-	2			
25 Cirrhosis of liver	M	6	-	-	-	-	-	-	1	2	3	-	4	-	-	-	-	-	-	-	2	2	-			
	F	7	-	-	-	-	-	-	2	3	2	-	2	-	-	-	-	-	-	-	1	1	-			
26 Other liver diseases	M	2	-	-	-	-	1	-	-	1	-	-	4	-	-	-	-	-	-	-	-	1	3			
	F	13	-	-	-	-	1	1	2	1	3	3	2	7	-	-	-	-	-	-	-	2	1			
27 Other digestive	M	57	4	1	3	1	3	8	3	6	11	8	9	20	-	-	1	1	1	1	2	2	3			
	F	49	4	2	3	2	1	5	6	2	8	9	7	23	2	-	1	1	-	1	3	3	7			
28 Nephritis	M	87	-	-	1	3	10	5	4	14	27	13	10	23	-	-	-	1	1	-	3	3	5			
	F	75	-	-	1	-	2	6	5	13	18	17	13	32	-	-	-	2	-	3	2	4	10			
29 Puerperal sepsis	F	17	-	-	-	-	7	5	5	-	-	-	-	3	-	-	-	-	1	2	-	-	-			
30 Other puerperal	F	27	-	-	-	-	2	15	10	-	-	-	-	8	-	-	-	1	2	4	1	-	-			
31 Congenital causes, etc.	M	193	187	-	3	-	1	1	1	-	-	-	-	57	55	-	-	-	1	1	-	-	-			
	F	130	127	-	1	-	2	-	-	-	-	-	-	35	34	-	-	-	-	-	-	-	-			
32 Senility	M	140	-	-	-	-	-	-	-	-	1	29	110	36	-	-	-	-	-	-	-	-	3			
	F	180	-	-	-	-	-	-	-	-	1	25	154	50	-	-	-	-	-	-	-	-	6			
33 Suicide	M	43	-	-	-	2	10	4	5	14	6	2	9	-	-	-	-	2	-	1	-	2	3			
	F	17	-	-	-	-	7	3	4	2	1	-	6	-	-	-	-	-	1	1	1	3	-			
34 Other violence	M	159	5	1	11	13	25	12	28	24	15	11	14	83	3	2	3	5	17	8	8	14	9			
	F	68	7	1	3	7	7	2	1	3	7	12	18	30	2	2	1	3	4	4	-	2	3			
35 Other defined causes	M	241	28	6	6	16	17	7	14	27	40	51	29	96	7	1	2	1	5	3	6	13	11			
	F	239	20	11	2	16	19	14	24	37	36	43	17	74	3	-	-	5	5	7	8	15	10			
36 Ill-defined causes	M	6	1	-	-	1	-	-	-	1	2	-	1	6	-	-	-	1	-	-	-	1	1			
	F	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	1	2			

Causes of Death.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
Causes	M	561	33	5	11	9	18	13	19	46	99	133	175	777	34	5	6	10	28	21	30	56	110	201	276
	F	557	16	5	8	6	19	11	20	43	75	133	221	686	24	6	5	7	14	18	34	33	85	177	283
Cholera, fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—
Dysentery	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	3	—	—	—	—	—	1	—	1	—	1	—
Whooping cough	M	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—	—	—
Diphtheria	M	5	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Influenza	M	4	1	—	—	—	—	—	—	—	—	—	—	10	—	—	—	1	—	1	—	—	—	4	3
	F	10	—	—	—	—	—	—	3	2	2	1	2	7	—	—	—	—	—	—	—	1	4	4	2
Cerebral meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Cerebro-spinal fever	M	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	20	—	1	—	—	5	2	3	6	3	—	—	28	—	—	—	—	4	6	4	5	6	3	—
	F	24	—	—	—	1	7	5	4	4	2	1	—	22	—	—	—	6	8	2	2	—	4	—	—
Other tuberculosis	M	7	2	1	1	1	—	—	—	2	—	—	—	11	—	—	2	1	2	—	3	2	1	—	—
	F	4	—	3	1	—	—	—	—	—	—	—	—	4	1	—	1	1	—	—	—	—	1	—	—
Syphilis	M	3	1	—	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
General paralysis of insane, etc.	M	1	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	M	77	—	—	—	—	—	1	1	9	22	31	13	121	—	1	—	—	—	—	3	12	22	53	30
	F	89	—	—	—	—	3	—	1	10	25	21	29	127	—	—	—	—	—	5	9	36	41	36	4
Diabetes	M	11	—	—	—	—	—	—	—	2	3	3	3	16	—	—	—	1	—	1	—	—	4	6	4
	F	17	—	—	—	—	1	—	—	2	1	6	7	20	—	—	1	—	1	—	2	—	5	7	4
Cerebral haemorrhage	M	32	—	—	—	—	—	—	3	—	6	10	13	46	—	—	—	—	—	—	—	2	9	12	23
	F	41	—	—	—	—	—	—	—	1	5	11	24	55	—	—	—	—	—	—	—	2	5	19	29
Heart disease	M	136	—	—	—	1	2	—	4	11	27	35	56	209	—	—	1	—	1	—	4	9	32	61	101
	F	143	—	—	—	—	2	1	1	7	15	50	67	183	—	—	—	—	—	2	4	6	15	46	110
Aneurysm	M	2	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Other circulatory	M	23	—	—	—	—	—	—	—	1	3	8	11	28	—	—	—	—	—	—	1	3	1	5	13
	F	39	—	—	—	—	—	—	—	1	4	11	23	41	—	—	1	—	—	—	—	2	9	13	16
Bronchitis	M	20	—	—	—	—	—	—	—	2	1	4	13	29	2	1	1	1	—	—	—	1	4	5	14
	F	12	—	—	—	—	—	—	—	1	—	3	8	27	2	1	—	—	1	—	—	—	1	4	13
Pneumonia	M	27	6	—	2	—	1	2	1	5	3	3	4	25	3	—	—	—	1	1	1	2	5	7	5
	F	25	6	1	2	1	2	1	1	2	3	2	4	15	2	1	—	1	—	1	1	—	—	2	7
Other respiratory	M	8	—	—	—	—	—	—	—	2	1	5	—	3	—	—	—	1	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	—	—	—	1	2	2	7	—	—	1	—	—	—	—	—	—	—	—
Optic ulcer	M	3	—	—	—	—	—	1	—	—	1	1	—	8	—	—	—	—	—	2	2	1	1	—	—
	F	3	—	—	—	—	—	—	1	1	1	—	—	3	—	—	—	—	—	3	—	—	—	—	—
Diarrhoea	M	1	—	—	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	—	—	—	1	3
	F	4	1	—	—	—	—	—	—	—	—	—	2	4	2	—	—	—	—	—	—	—	—	1	—
Appendicitis	M	5	—	—	—	1	1	—	—	1	1	1	—	5	—	—	—	1	1	—	—	1	1	1	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	—	1	—	—
Encephalitis of liver	M	2	—	—	—	—	—	—	—	—	—	—	1	7	—	—	—	1	—	—	—	1	1	2	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Other liver diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	—	—	1	1	2	4	—	—	—	—	1	—	—	—	—	3	—
Other digestive	M	8	—	—	2	—	—	1	1	—	1</														

Causes of Death. See first page of Table.			Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	253	13	2	2	8	4	8	15	22	26	71	82	428	24	2	3	5	8	9	17	33	53	111		
	F	265	8	1	6	5	5	5	11	20	34	65	105	411	14	2	1	7	6	20	11	28	44	98		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Influenza	M	6	-	-	-	-	-	-	1	-	-	-	4	1	8	-	-	-	-	-	-	-	-	3		
	F	4	-	-	-	-	-	-	-	-	-	2	2	14	-	1	-	1	-	-	1	5	-	1		
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	13	-	-	1	-	-	1	2	5	2	2	-	18	-	-	-	1	5	2	5	3	1	1		
	F	10	-	-	-	-	3	2	2	3	-	-	-	17	-	-	-	3	7	4	1	2	-	-		
10 Other tuberculosis	M	3	-	1	-	-	-	1	1	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-		
	F	3	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	31	-	-	-	-	-	-	1	3	3	16	8	60	-	-	-	-	-	-	-	2	14	19		
	F	42	-	-	-	-	-	-	1	5	11	16	9	53	-	-	-	-	-	-	3	5	13	14		
14 Diabetes	M	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	-	-	1		
	F	6	-	-	-	-	1	-	1	-	-	3	1	5	-	-	-	-	1	-	-	1	-	-		
15 Cerebral hæmorrhage	M	14	-	-	-	-	-	-	-	-	2	6	6	19	-	-	-	-	-	-	-	3	7	7		
	F	25	-	-	-	-	-	-	1	1	1	8	14	23	-	-	-	-	-	-	1	1	8	8		
16 Heart disease	M	52	-	-	-	2	2	-	4	1	5	19	19	114	-	-	-	-	2	4	6	11	38	38		
	F	71	-	-	-	1	-	-	-	4	9	21	36	116	-	-	-	1	-	1	2	6	39	39		
17 Aneurysm	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	24	-	-	-	-	-	-	-	-	2	6	16	27	-	-	-	-	-	-	-	3	10	10		
	F	16	-	-	-	-	-	1	-	-	1	4	10	28	-	-	-	-	-	-	1	2	2	8		
19 Bronchitis	M	8	1	-	-	-	-	-	-	-	-	1	6	18	2	-	-	-	-	-	1	1	-	1		
	F	8	-	-	1	-	-	-	1	-	-	1	5	13	1	1	-	-	-	-	-	-	1	1		
20 Pneumonia	M	12	4	1	-	-	-	-	-	2	-	2	3	21	1	1	1	1	-	1	2	2	6	3		
	F	9	-	-	-	1	-	1	1	1	2	1	2	11	-	-	-	-	1	1	5	-	-	1		
21 Other respiratory	M	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	-	1		
22 Peptic ulcer	M	5	-	-	-	-	-	-	2	1	-	1	-	3	-	-	-	-	-	-	1	1	1	1		
	F	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	1	1		
23 Diarrhœa	M	2	1	-	-	-	-	-	-	-	-	-	1	4	-	1	-	-	-	-	-	-	-	1		
	F	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	3	-	-	-	-	-		
24 Appendicitis	M	2	-	-	-	1	-	-	-	1	-	-	-	4	-	-	-	2	-	1	-	1	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-		
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1		
	F	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	1	1	-	-		
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1		
	F	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	1	1	1		
27 Other digestive	M	7	-	-	-	1	-	-	1	-	2	-	3	6	-	-	-	-	-	-	3	2	1	1		
	F	4	1	-	1	-	-	-	-	1	-	1	-	8	-	-	-	3	-	-	2	1	1	1		
28 Nephritis	M	12	-	-	-	-	-	1	-	4	3	3	1	14	-	-	-	1	-	-	3	1	1	5		
	F	9	-	-	-	-	-	-	1	1	1	2	4	15	-	-	-	-	-	1	-	2	7	9		
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-		
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-		
31 Congenital causes, etc.	M	7	7	-	-	-	-	-	-	-	-	-	-	17	16	-	1	-	-	-	-	-	-	-		
	F	6	6	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-		
32 Senility	M	8	-	-	-	-	-	-	-	-	-	-	-	23	-	-	-	-	-	-	-	1	3	3		
	F	13	-	-	-	-	-	-	-	-	-	-	13	23	-	-	-	-	-	-	-	1	1	1		
33 Suicide	M	5	-	-	-	-	-	2	-	1	1	1	-	6	-	-	-	-	2	1	1	1	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-		
34 Other violence	M	8	-	-	-	1	-	1	1	-	1	3	1	15	-	-	1	1	1	1	5	5	-	-		
	F	10	-	-	1	1	-	1	-	-	2	-	5	14	1	-	-	2	1	1	-	-	-	2		
35 Other defined causes	M	25	-	-	1	1	2	2	2	2	2	5	8	35	3	-	-	1	-	1	2	3	3	12		
	F	21	1	1	2	2	-	-	1	4	3	4	3	33	1	-	-	-	5	1	6	6	7	12		
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		

Causes of Death.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
Causes	M	4310	292	30	49	97	146	202	221	448	741	1058	1026	630	32	5	9	15	15	21	20	59	100	171	183		
	F	4633	240	28	37	71	130	209	233	435	641	982	1627	576	28	3	4	7	15	23	21	40	89	143	203		
Cholera	M	4	-	-	-	-	2	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
fever, etc.	F	5	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Dysentery	M	5	-	1	1	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	3	-	-	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
Erysipelas	M	7	-	-	-	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
fever	F	3	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Whooping cough	M	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	10	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Diphtheria	M	22	1	-	9	11	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-		
	F	20	-	1	5	9	2	-	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
Influenza	M	74	2	2	-	1	2	4	10	11	14	16	12	8	1	-	1	-	1	-	-	1	1	-	3		
	F	68	-	-	-	1	1	3	4	9	9	18	23	12	-	-	-	-	-	2	1	1	4	4	-		
Cerebral meningitis	M	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	1	-	-	-	1	-	1	-		
ethargica	F	6	-	-	-	-	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cerebro-spinal fever	M	7	2	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	5	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Respiratory tuberculosis	M	250	-	1	-	-	24	69	58	48	30	19	1	24	-	-	-	-	2	5	3	5	6	3	-		
fever	F	194	3	1	-	3	51	67	33	19	13	1	3	20	-	-	-	-	6	5	3	4	-	1	1		
tuberculosis	M	41	2	1	11	7	2	4	2	3	4	4	1	3	-	1	-	1	1	-	-	-	-	-	-		
	F	35	7	1	4	5	4	4	3	4	2	-	1	5	2	-	-	1	1	-	-	-	-	-	-		
Syphilis	M	9	-	-	-	-	-	-	1	1	5	2	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	3	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Infantile paralysis	M	23	-	-	-	-	-	1	2	8	5	7	-	2	-	-	-	-	-	-	-	2	-	-	-		
of insane, etc.	F	6	-	-	-	-	-	1	-	3	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-		
Cancer	M	610	-	-	1	2	3	8	16	74	168	214	124	98	-	-	-	-	-	3	3	18	23	27	24		
	F	791	-	-	-	3	2	10	51	146	195	230	154	103	-	-	-	-	-	1	6	13	27	37	19		
Diabetes	M	52	-	1	-	-	1	2	1	7	7	18	15	4	-	-	-	-	-	-	-	1	-	1	2		
	F	59	-	-	1	-	-	2	-	5	10	26	15	8	-	-	-	-	-	-	-	1	1	3	3		
Cerebral hemorrhage	M	153	-	-	-	-	1	1	2	15	26	52	56	30	-	-	-	-	-	-	-	1	5	10	14		
heart	F	257	1	-	-	-	1	2	3	16	33	63	138	37	-	-	-	-	-	-	-	3	3	10	21		
disease	M	944	-	-	1	2	13	12	26	68	171	310	341	157	-	-	-	-	-	4	7	25	55	66			
	F	1110	-	-	-	5	8	18	25	62	123	282	587	148	-	-	-	-	1	1	5	1	16	40	84		
Erysipelas	M	31	-	-	-	1	1	1	1	4	9	8	6	6	-	-	-	-	-	-	1	3	1	1	1		
	F	14	-	-	-	-	-	3	-	3	3	4	1	2	-	-	-	-	-	2	-	-	-	-	-		
Whooping cough	M	235	-	-	-	-	-	-	-	11	30	92	102	37	-	-	-	-	-	-	-	-	1	18	18		
circulatory	F	292	-	-	1	-	1	1	4	11	48	66	160	39	-	-	-	-	-	-	-	2	5	11	21		
Scarlet fever	M	100	2	1	1	2	-	-	7	7	10	21	49	11	-	-	-	-	1	-	-	1	1	3	5		
	F	106	7	-	1	1	-	2	1	1	13	21	59	11	-	-	-	1	-	-	-	-	1	2	7		
Pneumonia	M	249	33	7	2	8	7	10	15	38	54	39	36	35	3	1	3	1	-	2	1	2	5	10	7		
	F	203	29	5	5	7	5	6	15	18	23	40	50	19	3	1	-	-	1	2	1	1	5	2	3		
Whooping cough	M	47	-	1	-	1	3	1	-	9	7	13	12	10	-	-	-	-	-	-	1	4	-	2	3		
fever	F	36	-	-	-	3	1	5	1	1	9	7	9	4	-	-	-	-	-	-	-	-	1	3	3		
diphtheria	M	75	-	-	-	1	1	6	12	13	21	13	8	11	-	-	-	-	-	-	3	2	4	2	2		
	F	20	-	-	-	-	-	-	-	5	7	6	2	2	-	-	-	-	-	-	-	2	-	-	-		
Diarrhoea	M	28	24	3	-	-	-	-	-	-	-	-	1	5	1	1	-	-	-	1	-	-	1	-	-		
	F	33	14	2	-	-	2	1	-	4	1	1	8	2	-	-	-	-	1	1	-	-	-	-	-		
Appendicitis	M	44	1	-	5	4	5	5	3	4	5	8	4	9	-	-	-	2	1	-	-	3	1	1	1		
	F	31	-	-	1	5	3	5	4	4	3	5	1	2	-	-	-	-	-	-	1	-	1	-	-		
Phthisis of liver	M	25	-	-	-	-	-	-	1	7	7	8	2	2	-	-	-	-	-	-	-	2	-	-	-		
fever	F	11	-	-	-	1	-	-	-	5	2	2	1	3	-	-	-	-	-	-	-	1	1	1	1		
liver	M	13	-	-	-	-	-	1	2	1	4	4	1	3	-	-	-	-	-	-	-	1	1	1	1		
diseases	F	34	-	-	-	1	1	-	3	3	5	10	11	9	-	-	-	-	1	1	-	3	1	3	3		
Whooping cough	M	103	5	-	2	4	4	4	11	11	26	12	24	20	-	1	1	2	1	1	1	2	7	3	3		
fever	F	141	5	1	2	5	7	6	14	14	19	35	33	15	1	-	-	-	3	-	2	3	5	1	1		
diphtheria	M	131	-	-	-	-	6	6	5	20	24	42	28	22	-	-	1	1	1	-	-	2	3	7	7		
	F	137	-	-	1	1	1	8	7	15	23	35	46	19	-	-	-	-	-	-	1	8	7	3	3		
Septicæmia	F	15	-	-	-	-	4	9	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-		
fever	F	30	-	-	-	-	3	13	12	2	-	-	-	3	-	-	-	-									

Causes of Death. See first page of Table.			Aggregate of Urban Districts.												Aggregate of Rural Districts.																
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-					
All Causes	M	F	950 1,125	45 35	6 1	6 5	17 9	21 18	27 32	45 43	87 82	159 172	254 263	283 465	858 851	42 24	4 9	5 3	17 13	25 15	33 27	36 26	82 75	124 130	226 201	264 328					
1 Typhoid fever, etc.	M	F	1 1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2 Measles	M	F	- 1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
3 Scarlet fever	M	F	2 1	-	-	-	2	-	-	-	-	-	-	-	1 1	-	-	1	-	-	-	-	-	-	-	-					
4 Whooping cough	M	F	1 3	1 2	-	1	-	-	-	-	-	-	-	-	2 3	1	-	2	-	1	-	-	1	-	-	-					
5 Diphtheria	M	F	1 4	-	-	1 3	-	-	-	1	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-					
6 Influenza	M	F	8 18	-	-	-	-	-	2	-	2	1	1	2	11 7	-	-	-	-	1	1	-	4	1	3	2					
7 Encephalitis lethargica	M	F	1 2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
8 Cerebro-spinal fever	M	F	3 1	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-						
9 Respiratory tuberculosis	M	F	43 40	-	-	-	-	5	10	13	5	7	3	-	44 20	-	-	-	1	2	5	9	13	7	4	-					
10 Other tuberculosis	M	F	11 3	-	1	1	2	1	1	-	-	3	1	1	7 4	1	1	1	-	1	1	1	1	-	1	-					
11 Syphilis	M	F	2 4	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	3	1	-						
12 Gen. paralysis of insane, etc.	M	F	7 2	-	-	-	-	-	1	-	2	2	2	-	2	-	-	-	-	-	-	1	1	-	-						
13 Cancer	M	F	136 199	-	-	-	-	-	-	6	9	38	43	40	106 149	-	-	-	1	-	-	4	8	20	37	3					
14 Diabetes	M	F	16 24	-	-	-	1	-	-	-	-	5	7	4	8 19	-	-	-	-	1	1	1	1	3	4	-					
15 Cerebral hæmorrhage	M	F	45 70	-	-	-	-	-	-	-	2	7	19	17	48 68	-	-	-	-	-	-	2	3	10	15	1					
16 Heart disease	M	F	224 293	-	-	-	-	-	3	21	31	81	88	235 230	-	-	-	1	3	4	3	15	26	75	10						
17 Aneurysm	M	F	- 3	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	3	2	-						
18 Other circulatory	M	F	47 57	-	-	-	-	-	1	2	6	17	21	38	44 44	-	-	-	-	-	-	-	2	5	12	2					
19 Bronchitis	M	F	27 32	1 2	-	-	-	-	-	2	-	3	6	15	21 18	2	-	-	-	-	-	1	-	1	8	1					
20 Pneumonia	M	F	44 56	7 8	2	2	1	1	2	2	2	10	7	8	48 32	5	1	2	-	1	2	1	5	6	12	-					
21 Other respiratory	M	F	19 10	-	-	-	-	-	-	-	5	4	6	4	6 12	-	-	-	-	1	1	1	-	1	1	3					
22 Peptic ulcer	M	F	14 10	-	-	-	-	1	-	4	5	-	3	1	12 4	-	-	-	-	-	-	-	5	2	4	-					
23 Diarrhœa	M	F	8 3	6 1	-	-	-	-	-	-	-	-	-	2	3 1	2	1	-	-	-	1	-	-	-	-	-					
24 Appendicitis	M	F	9 5	-	-	-	1	-	1	1	2	2	-	2	7 11	-	-	1	-	2	2	-	1	1	2	-					
25 Cirrhosis of liver	M	F	5 4	-	-	-	-	-	-	-	-	-	4	1	3 1	-	-	-	-	-	-	-	2	-	1	-					
26 Other liver diseases	M	F	4 6	-	-	-	-	-	-	-	-	1	2	1	3 6	-	-	-	-	-	-	1	1	1	1	-					
27 Other digestive	M	F	25 33	-	2	1	1	-	1	1	4	3	2	11	24 25	-	1	1	-	2	-	1	3	9	4	-					
28 Nephritis	M	F	39 40	-	-	-	1	1	-	2	3	10	12	10	23 30	-	-	-	-	2	-	1	6	6	5	-					
29 Puerperal sepsis	F		2	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	-	2	1	-	-	-						
30 Other puerperal	F		2	-	-	-	-	1	1	-	-	-	-	-	4	-	-	-	-	2	2	-	-	-	-						
31 Congenital causes, etc.	M	F	27 20	25 19	-	-	2	-	-	-	-	-	-	-	28 16	28 15	-	-	-	-	-	-	-	-	-	-					
32 Senility	M	F	23 41	-	-	-	-	-	-	-	-	-	-	4 9	19 32	18 30	-	-	-	-	-	-	-	-	2	-					
33 Suicide	M	F	18 9	-	-	-	-	1	2	4	7	3	1	-	12 6	-	-	-	-	-	1	2	3	4	2	-					
34 Other violence	M	F	42 32	1 2	-	-	4	6	4	2	5	5	7	8	46 23	-	1	1	-	6	12	8	6	4	6	2					
35 Other defined causes	M	F	95 91	4	1	1	2	5	2	2	9	16	21	32	84 79	3	-	-	6	3	3	3	8	11	29	-					
36 Ill-defined causes	M	F	3 3	-	-	-	-	-	-	-	1	1	-	-	1 3	-	-	-	-	-	-	-	1	-	-	-					

TABLE 24—*contd.* Administrative County of Sussex West.

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	756	35	2	3	10	12	28	41	56	136	218	215	716	51	3	6	10	16	21	38	62	107	178	224
	F	949	31	3	4	11	20	29	30	88	131	242	360	615	25	4	5	10	11	16	29	50	89	149	227
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	1	-	-	-	-	
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
	F	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
Diphtheria	M	5	1	-	1	2	-	-	-	-	1	-	-	3	-	-	2	1	-	-	-	-	-	-	
	F	4	-	-	1	1	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
Influenza	M	7	-	-	-	1	1	1	1	-	1	1	2	11	-	-	-	-	-	2	2	2	4	1	
	F	9	-	-	-	-	-	1	1	1	1	4	2	16	1	-	-	-	-	1	2	2	4	6	
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cerebro-spinal fever	M	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Respiratory tuberculosis	M	40	-	-	-	2	5	7	13	5	6	2	-	26	-	-	-	-	1	3	9	8	4	1	-
	F	27	-	-	-	2	5	3	5	7	2	3	-	12	-	-	-	-	3	2	2	1	2	2	
Other tuberculosis	M	3	-	-	-	-	2	1	-	-	-	-	-	4	-	1	1	-	-	-	-	1	-	1	
	F	5	-	-	1	1	1	-	-	-	-	1	-	4	-	1	-	1	1	1	-	-	-	-	
Syphilis	M	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	1	-	2	-	-	
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
Cancer	M	116	-	-	-	-	-	-	2	8	25	54	27	114	1	-	-	-	-	6	8	28	40	31	
	F	154	-	-	-	1	-	3	8	26	37	45	34	90	-	-	-	-	1	3	9	30	25	22	
Diabetes	M	9	-	-	-	-	-	-	2	-	2	5	-	9	-	-	-	-	-	1	-	1	4	3	
	F	16	-	-	-	-	-	-	-	1	3	7	5	8	-	-	-	1	-	-	-	-	4	3	
Cerebral hæmorrhage	M	42	-	-	-	-	-	-	-	4	7	15	16	34	-	-	-	1	-	1	3	4	12	13	
	F	79	-	-	-	-	1	-	-	5	9	27	37	42	-	-	-	-	1	2	3	8	13	15	
Heart disease	M	197	-	-	-	1	1	1	12	42	66	74	189	189	-	-	-	1	-	10	27	61	90		
	F	256	-	-	-	2	2	1	2	12	25	78	134	167	-	-	-	-	1	4	11	14	54	83	
Aneurysm	M	2	-	-	-	-	-	-	1	-	1	-	-	6	-	-	-	-	-	-	3	1	1	1	
	F	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	
Other circulatory	M	42	-	-	-	-	-	-	2	2	5	15	18	31	-	-	-	-	-	-	-	3	12	16	
	F	60	-	-	-	-	-	-	-	2	7	18	33	27	-	-	-	-	-	-	3	2	9	13	
Bronchitis	M	16	2	-	-	-	-	-	-	1	3	2	8	14	-	-	-	-	-	1	1	-	1	11	
	F	20	1	1	-	-	1	-	-	-	1	4	12	21	-	-	-	-	1	2	1	6	11		
Pneumonia	M	22	3	-	-	-	-	2	3	1	4	4	5	21	3	1	-	-	1	1	3	5	2	5	
	F	28	3	-	-	1	-	2	2	2	2	5	11	19	6	-	1	1	1	-	1	1	3	4	
Other respiratory	M	13	-	-	-	-	-	2	1	3	1	4	2	7	1	-	-	1	-	-	1	1	1	2	
	F	5	-	-	-	1	-	-	-	2	1	-	1	10	-	-	1	-	-	1	1	2	1	4	
Peptic ulcer	M	9	-	-	-	-	-	-	1	2	5	1	-	11	-	-	-	-	1	1	3	2	2	2	
	F	5	-	-	-	-	-	-	-	1	1	3	-	4	-	-	-	-	1	-	1	1	-	1	
Diarrhoea	M	8	4	1	-	-	-	1	-	1	-	1	-	6	4	-	-	-	-	1	-	-	-	1	
	F	3	-	1	-	-	-	-	-	1	-	1	-	5	2	-	-	1	1	-	-	-	-	1	
Appendicitis	M	6	-	-	-	-	-	1	-	1	2	1	1	3	-	-	-	1	-	-	-	1	1		
	F	7	-	-	-	-	-	1	1	1	3	1	-	8	-	-	1	-	-	-	3	1	1		
Cirrhosis of liver	M	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	-	-	1	1	2	-	
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	1	1	-	
Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	2	2	-	
	F	16	-	-	-	-	-	1	-	4	6	2	3	5	-	-	-	-	-	-	-	1	2	2	
Other digestive	M	26	1	-	1	-	1	1	2	1	6	11	2	17	1	-	-	1	-	2	2	4	2	5	
	F	20	-	-	-	-	1	1	1	3	4	4	6	13	-	-	-	1	-	-	1	3	5	3	
Nephritis	M	37	-	-	-	-	-	1	3	7	8	18	18	24	1	-	-	1	-	3	4	3	5	7	
	F	31	-	-	-	-	-	-	1	3	9	8	10	28	-	-	-	2	1	1	4	9	5	6	
Puerperal sepsis	F	2	-	-	-	-	-	2	-	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-	
Other puerperal	F	5	-	-	-	-	-	5	-	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-	
Congenital causes, etc.	M	22	21	-	1	-	-	-	-	-	-	-	-	37	36	-	-	1	-	-	-	-	-	-	
	F	23	23	-	-	-	-	-	-	-	-	-	-	16	15	-	-	-	1	-	-	-	-	-	
Senility	M	23	-	-	-	-	-	-	-	-	-	4	19	22	-	-	-	-	-	-	1	-	3	18	
	F	50	-	-	-	-	-	-	-	-	-	6	44	38	-	-	-	-	-	-	-	2	-	36	
Suicide	M	6	-	-	-	-	-	2	1	1	-	2	-	6	-	-	-	-	-	1	2	2	1	-	
	F	7	-	-	-	-	2	2	2	1	2	-	-	3	-	-	-	-	-	-	1	2	-	-	
Other violence	M	28	1	-	-	2	2	4	3	5	4	6	1	40	1	-	1	5	7	11	5	4	2	3	
	F	22	1	1	1	1	2	2	2	2	-	3	7	15	-	-	1	-	2	1	2	2	1	4	
Other defined causes	M	68	2	1	-	3	2	4	4	5	12	14	21	65	3	1	-	2	3	5	6	10	19	13	
	F	89	2	-	1	1	5	5	4	12	18	21	20	46	1	-	-	4	1	1	5	4	8	10	
Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 24—contd. Administrative County of Warwick.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1309	93	23	12	41	36	67	71	125	224	321	296	818	69	11	12	33	34	30	52	53	130	177	2		
	F	1242	56	10	12	28	33	60	68	93	173	259	450	725	41	7	7	15	17	37	37	53	88	166	2		
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	5	1	3	-	1	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-		
	F	7	2	2	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
4 Whooping cough	M	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	1	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	1	-	-	-	-	-		
5 Diphtheria	M	11	-	-	3	8	-	-	-	-	-	-	-	6	-	1	3	1	1	-	-	-	-	-	-		
	F	15	-	-	4	9	-	-	1	-	1	-	-	5	-	-	1	3	-	1	-	-	-	-	-		
6 Influenza	M	23	1	1	-	-	1	1	1	7	6	1	4	21	1	-	-	-	-	1	3	1	3	4	-		
	F	13	-	-	-	-	-	2	-	1	2	1	7	16	-	-	1	1	-	1	1	3	4	-	-		
7 Encephalitis lethargica	M	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
8 Cerebro-spinal fever	M	4	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	63	-	-	-	1	8	15	17	14	5	3	-	30	1	-	-	1	5	3	8	6	4	2	-		
	F	45	-	-	-	1	11	17	7	4	4	1	-	31	-	1	-	-	9	11	6	2	1	-	-		
10 Other tuberculosis	M	12	-	3	-	4	3	1	1	-	-	-	-	7	1	1	1	-	2	-	2	-	-	-	-		
	F	12	1	1	1	2	2	2	1	1	-	1	-	3	-	1	-	-	1	-	-	-	-	-	-		
11 Syphilis	M	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	1	-	-	-	1	-	-	-		
	F	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	-	1	2	2	-	-	4	-	-	-	-	-	-	-	-	2	1	-		
	F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	171	-	-	-	1	-	1	12	13	44	68	32	87	-	-	-	1	-	-	4	8	25	25	-		
	F	191	-	-	-	-	-	4	8	24	48	50	57	106	-	-	-	-	-	4	8	11	31	29	-		
14 Diabetes	M	18	-	-	-	-	-	-	-	2	2	8	6	5	-	-	-	-	-	-	-	-	3	-	-		
	F	23	-	-	-	-	1	1	1	4	5	6	5	12	-	-	-	-	1	-	-	2	2	5	-		
15 Cerebral hæmorrhage	M	58	-	-	-	-	-	1	-	7	11	19	20	44	-	-	-	-	-	-	1	1	10	19	-		
	F	74	-	-	-	-	-	-	-	7	12	23	32	46	-	-	-	-	-	-	2	1	4	16	-		
16 Heart disease	M	279	-	-	1	-	1	11	5	21	53	96	91	179	-	-	-	-	1	3	5	11	31	54	-		
	F	310	-	-	-	2	2	6	8	15	47	85	145	177	-	-	-	3	-	2	4	14	16	45	-		
17 Aneurysm	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	82	-	-	-	-	-	-	-	-	10	23	49	42	-	-	-	1	-	-	1	1	5	15	-		
	F	76	-	-	-	-	1	-	-	2	8	18	47	39	-	-	-	-	-	-	-	-	7	8	-		
19 Bronchitis	M	40	2	3	-	-	1	-	1	2	7	8	16	23	2	-	-	1	-	-	-	3	1	1	-		
	F	39	1	1	-	-	-	1	-	4	2	7	23	27	3	-	-	-	-	-	-	-	2	7	-		
20 Pneumonia	M	87	14	9	1	3	2	4	8	14	11	13	8	56	8	3	1	6	-	3	8	6	8	10	-		
	F	49	15	2	2	1	3	2	1	4	6	9	31	31	6	2	2	-	-	3	2	2	2	9	-		
21 Other respiratory	M	19	1	-	-	1	-	3	-	3	4	4	3	13	1	1	1	1	-	-	3	2	2	-	-		
	F	10	-	1	-	-	-	-	-	2	2	-	5	9	-	-	-	1	-	-	1	1	-	2	-		
22 Peptic ulcer	M	15	-	-	-	-	-	2	4	4	4	1	-	9	-	-	-	-	-	1	-	3	4	1	-		
	F	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	1	1	1	-	-	-		
23 Diarrhoea	M	13	6	-	1	-	1	2	-	-	1	1	1	6	2	1	-	-	1	-	-	-	-	-	-		
	F	10	5	-	-	-	1	-	2	-	-	2	-	4	3	-	-	1	-	-	-	-	-	-	-		
24 Appendicitis	M	11	-	-	-	2	2	1	2	-	2	-	2	5	-	-	-	2	1	-	1	-	-	1	-		
	F	6	-	-	-	-	1	-	1	1	2	1	-	5	-	-	-	-	1	-	-	1	1	1	-		
25 Cirrhosis of liver	M	11	-	-	-	-	-	-	1	-	2	5	3	3	-	-	-	-	-	-	-	-	1	-	-		
	F	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-		
26 Other liver diseases	M	7	-	-	-	-	-	1	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	13	-	-	-	-	-	1	1	3	1	3	4	7	-	-	-	-	-	-	-	1	2	2	-		
27 Other digestive	M	36	4	1	2	-	-	2	4	3	9	8	3	20	2	-	-	3	1	2	1	-	4	4	-		
	F	28	1	-	1	2	1	3	4	2	2	3	9	13	2	1	-	1	-	2	2	-	1	2	-		
28 Nephritis	M	37	-	-	-	2	2	1	7	8	10	7	7	17	-	-	1	-	-	2	-	-	4	8	-		
	F	53	-	-	-	1	1	2	8	3	8	15	15	25	-	-	-	-	-	-	1	7	1	13	-		
29 Puerperal sepsis	F	4	-	-	-	-	-	3	1	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-		
30 Other puerperal	F	9	-	-	-	-	1	3	5	-	-	-	-	5	-	-	-	-	3	2	-	-	-	-	-		
31 Congenital causes, etc.	M	58	56	-	-	1	-	1	-	-																	

TABLE 24—*contd.* Administrative County of Westmorland.

Causes of Death.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	204	7	2	2	2	5	7	12	22	33	51	61	234	13	2	1	4	12	6	6	16	31	70	73		
	F	225	9	1	2	3	6	6	13	15	28	57	85	234	16	2	1	4	5	7	13	16	29	60	81		
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1			
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	3	1	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-			
Diphtheria	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-			
Influenza	M	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2			
	F	3	-	-	-	-	-	1	-	-	-	1	1	7	-	1	1	1	-	-	-	-	3	1			
Encephalitis lethargica	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Cerebro-spinal fever	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Respiratory tuberculosis	M	7	1	-	-	-	1	1	3	1	-	-	-	9	-	-	-	3	2	-	3	1	-	-			
	F	4	-	-	-	-	2	1	1	-	-	-	-	4	-	-	-	1	-	1	2	-	-	-			
Other tuberculosis	M	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	1	1	2	-	-	-			
	F	3	-	-	-	-	1	-	1	-	1	-	-	3	-	-	1	-	1	1	-	-	-	-			
Syphilis	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Cancer	M	25	-	-	-	-	-	1	1	4	7	5	7	20	-	-	-	-	-	1	-	6	7	6			
	F	42	-	-	-	-	-	-	1	5	12	9	15	32	-	-	-	-	-	1	5	4	7	15			
Diabetes	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	1	1			
	F	4	-	-	-	-	-	-	-	-	2	1	1	5	-	-	-	-	1	-	-	2	2	2			
Cerebral hæmorrhage	M	13	-	-	-	-	-	-	1	-	4	5	3	17	-	-	-	-	-	-	1	-	7	9			
	F	33	-	-	-	-	-	-	-	-	3	15	15	17	-	-	-	-	-	-	1	3	7	6			
Heart disease	M	48	-	-	-	-	-	-	-	4	6	20	18	53	-	-	-	1	-	1	2	9	17	23			
	F	45	-	-	-	-	1	1	5	5	14	19	62	-	-	-	-	-	1	5	8	20	28				
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other circulatory	M	10	-	-	-	-	-	-	-	1	-	4	5	14	-	-	-	-	-	-	1	1	7	5			
	F	13	-	-	-	-	-	-	-	-	1	2	10	8	-	-	-	-	1	-	-	2	5	5			
Bronchitis	M	5	-	-	-	-	-	-	-	2	-	1	2	4	-	-	-	-	-	-	-	1	2	1			
	F	3	-	-	1	-	-	-	1	-	-	1	1	10	-	-	-	-	-	-	3	3	4	4			
Pneumonia	M	12	1	-	1	-	-	-	2	1	3	3	1	11	2	-	-	1	-	1	1	3	3	3			
	F	3	1	-	-	-	-	-	-	-	-	1	1	9	2	-	-	-	1	1	2	3	-	-			
Other respiratory	M	7	1	-	-	-	1	-	1	2	-	1	1	3	-	-	-	-	-	-	2	-	-	1			
	F	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-			
Peptic ulcer	M	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1	1	1	1			
	F	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-			
Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
Appendicitis	M	1	-	-	-	1	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-	2	1				
	F	3	-	-	1	-	-	-	-	1	1	-	-	5	-	-	-	1	-	-	3	1	-	-			
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	1	-			
Other digestive	M	2	-	-	-	-	-	1	1	-	-	1	-	5	1	-	-	-	-	-	2	1	1	1			
	F	5	-	-	-	-	-	1	1	1	-	1	1	4	-	-	-	-	1	-	1	1	1	1			
Nephritis	M	15	-	-	-	-	-	-	1	2	6	6	6	11	-	-	-	-	-	1	3	6	1	1			
	F	11	-	-	-	-	-	-	1	1	3	6	6	7	-	-	-	-	2	-	-	3	2	2			
Puerperal sepsis	F	2	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-			
Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Congenital causes, etc.	M	4	4	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-			
	F	6	6	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-			
Senility	M	9	-	-	-	-	-	-	-	-	-	1	8	7	-	-	-	-	-	-	-	1	6	6			
	F	9	-	-	-	-	-	-	-	-	-	1	8	12	-	-	-	-	-	-	-	-	12	12			
Suicide	M	7	-	-	-	-	2	1	-	2	1	1	5	-	-	-	-	2	-	-	2	1	-	-			
	F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other violence	M	13	-	-	-	2	2	2	3	2	-	2	17	-	-	1	2	4	4	2	1	1	-	2			
	F	4	-	-	1	-	-	-	1	-	2	-	7	7	1	-	-	1	-	-	-	2	3	3			
Other defined causes	M	14	-	1	-	1	-	-	2	3	2	5	29	3	2	-	1	1	-	-	2	13	7	7			
	F	21	1	-	-	3	1	4	1	2	5	4	19	19	-	-	1	3	1	3	1	5	-	-			
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

[illegible]

TABLE 24—*contd.* **Administrative County of Wilts.**

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	850	52	6	7	15	20	31	30	84	135	222	248	888	56	7	8	9	31	38	37	60	137	227	278		
	F	793	30	6	10	17	15	27	35	71	111	180	291	808	31	4	5	14	12	29	33	73	117	191	299		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	2	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	5	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	-	-	-	2	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
4 Whooping cough	M	2	-	1	1	-	-	-	-	-	-	-	-	4	1	2	1	-	-	-	-	-	-	-	-		
	F	3	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	7	-	-	2	5	-	-	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-	-		
	F	5	-	-	1	3	-	1	-	-	-	-	-	4	-	-	1	3	-	-	-	-	-	-	-		
6 Influenza	M	11	-	-	-	1	-	-	1	1	-	1	7	10	-	-	-	-	-	2	1	2	-	5	-		
	F	15	-	-	-	-	2	-	1	2	1	3	6	10	1	-	-	-	-	-	3	1	2	3	3		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	33	-	-	-	-	4	12	7	5	5	-	-	35	-	-	-	-	6	9	7	5	6	1	1		
	F	21	-	-	-	-	4	6	3	4	3	1	-	31	-	-	-	-	2	12	4	7	4	2	-		
10 Other tuberculosis	M	6	-	2	1	-	1	-	-	1	1	-	-	10	3	1	1	-	-	2	2	1	-	-	-		
	F	12	-	-	1	4	1	3	1	-	1	1	-	9	-	1	2	-	3	1	1	-	1	-	-		
1 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-		
	F	1	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-		
2 Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	-	-	-	2	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Cancer	M	136	-	-	-	-	1	-	4	16	33	59	23	147	-	1	1	-	3	-	6	9	36	54	37		
	F	132	-	-	-	-	-	3	9	22	34	26	38	117	-	-	-	-	2	2	5	17	27	33	31		
4 Diabetes	M	2	-	-	-	-	-	-	-	-	1	1	-	11	-	-	1	1	-	2	-	1	1	5	-		
	F	15	-	-	-	-	-	-	-	1	3	9	2	20	-	-	-	-	-	1	-	1	6	5	7		
5 Cerebral hæmorrhage	M	58	-	-	-	-	-	-	-	8	9	26	15	45	-	-	-	-	-	1	-	-	14	15	15		
	F	72	-	-	-	1	-	-	1	5	11	26	28	62	-	-	-	-	-	1	7	12	17	25	25		
6 Heart disease	M	230	-	-	-	-	-	3	1	16	34	69	107	197	-	-	-	-	1	2	1	6	34	67	86		
	F	209	-	-	-	3	3	3	2	11	21	56	110	220	-	-	-	1	-	1	2	10	28	75	103		
7 Aneurysm	M	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	1	1	-	1	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	1	-	-		
8 Other circulatory	M	42	-	-	1	-	-	-	1	3	3	13	21	51	-	-	-	-	-	-	1	6	19	25	25		
	F	32	-	-	-	-	-	-	2	1	1	4	24	52	-	-	-	-	-	-	-	6	18	28	28		
9 Bronchitis	M	24	2	-	-	-	-	2	-	3	1	6	10	15	-	-	-	-	-	1	2	1	2	9	9		
	F	18	1	-	-	-	-	-	-	-	2	4	11	30	-	1	-	1	-	-	-	1	4	23	23		
10 Pneumonia	M	27	4	2	1	1	-	-	2	4	5	5	3	37	6	-	-	1	3	2	4	6	3	6	6		
	F	18	4	1	-	-	-	1	3	1	-	4	4	25	3	2	1	1	-	1	3	3	6	1	4		
11 Other respiratory	M	10	-	-	-	-	1	-	2	2	4	-	1	10	-	1	-	1	2	-	1	-	2	3	3		
	F	5	1	-	-	-	-	-	-	-	2	1	1	8	-	-	1	-	-	1	1	2	1	2	2		
12 Peptic ulcer	M	11	-	-	-	-	-	2	-	3	3	2	1	3	-	-	-	-	-	2	-	-	-	1	1		
	F	4	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	1	-	-	-	-		
13 Diarrhœa	M	6	4	-	-	-	-	-	-	1	-	1	-	5	2	-	-	-	-	1	-	-	-	2	2		
	F	2	1	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	2	1	1		
14 Appendicitis	M	8	-	-	-	-	2	2	1	1	2	-	-	5	-	-	-	1	-	1	-	2	1	-	-		
	F	5	-	-	-	-	-	-	1	-	2	2	-	2	-	-	-	-	1	1	-	-	-	-	-		
15 Cirrhosis of liver	M	5	-	-	-	-	-	-	1	1	1	2	-	4	-	-	-	-	-	-	1	1	2	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
16 Other liver diseases	M	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	2	-	-		
	F	7	-	-	-	1	-	-	1	1	-	2	2	9	-	-	-	-	1	-	2	1	3	2	2		
17 Other digestive	M	21	2	-	-	1	1	1	4	1	7	-	4	14	1	-	1	-	1	-	1	4	3	3	3		
	F	20	-	-	2	-	1	-	-	3	3	6	5	14	-	-	-	-	-	2	2	2	1	7	7		
18 Nephritis	M	22	-	-	-	1	1	-	1	3	2	7	7	30	-	-	-	-	1	-	1	7	5	8	8		
	F	28	-	-	-	-	-	1	1	5	8	9	4	16	-	-	-	-	-	1	2	3	1	7	2		
19 Puerperal sepsis	F	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
20 Other puerperal	F	4	-	-	-	-	-	4	-	-	-	-	-	4	-	-	-	-	2	1	1	-	-	-	-		
21 Congenital causes, etc.	M	38	38	-	-	-	-	-	-	-	-	-	-	36	35	-	-	1	-	-	-	-	-	-	-		
	F	23	22	-	1	-	-	-	-	-	-	-	-	24	23	-	-	1	-	-	-	-	-	-	-		
22 Senility	M	26	-	-	-	-	-	-	-	-	1	1	24	55	-	-	-	-	-	-	-	-	4	51	51		
	F	43	-	-	-	-	-	-	-	-	-	-	43	49	-	-	-	-	-	-	-	1	6	42	42		
23 Suicide	M	8	-	-	-	-	-	4	-	1	3	-	-	13	-	-	-	3	-	4	-	3	2	-	1		
	F	3	-	-	-	-	-	-	1	2	-	-	-	6	-	-	-	-	1	1	1	1	2	-	-		
24 Other violence	M	26	1	-	-	1	6	2	3	3	5	1	4	47	4	-	-	2	8	8	3	6	6	6	4		
	F	15	-	-	2	-	-	1	1	-	2	5	4	9	-	-	-	1	-	2	2	1	1	-	2		
25 Other defined causes	M	75	1	-	-	3	3	3	2	10	10	23	20	83	4	1	2	1	2	4	5	5	13	22	24		
	F	69	1	-	1	2	2	4	6	12	16	18	7	75	2	-	-	6	4	2	5	12	16	11	17		
26 Ill-defined causes	M	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,295	110	11	19	58	48	60	73	119	211	310	276	619	31	5	5	17	19	25	39	47	86	158	187
	F	1,319	85	14	19	47	46	62	71	104	164	270	437	574	23	2	2	9	13	17	26	46	91	142	203
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Scarlet fever	M	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Whooping cough	M	4	2	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	9	4	3	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
5 Diphtheria	M	27	-	-	5	22	-	-	-	-	-	-	-	5	-	-	-	4	1	-	-	-	-	-	-
	F	21	-	-	7	11	1	1	1	-	-	-	-	4	-	-	-	4	-	-	-	-	-	-	-
6 Influenza	M	20	-	-	-	-	1	-	5	6	3	2	3	14	-	-	1	1	-	-	1	2	1	6	2
	F	20	1	-	-	1	2	1	1	3	2	4	5	10	-	-	1	-	-	1	-	-	7	1	1
7 Encephalitis lethargica	M	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	F	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
8 Cerebro-spinal fever	M	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	77	1	-	-	-	13	17	15	20	7	4	-	28	-	-	-	1	6	7	8	3	3	-	-
	F	61	-	-	-	-	23	15	12	5	4	1	1	24	-	-	-	8	5	6	1	4	-	-	-
10 Other tuberculosis	M	8	-	-	1	3	1	2	-	-	1	-	-	8	-	-	1	1	2	1	-	1	-	-	-
	F	8	-	-	2	3	1	2	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
11 Syphilis	M	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	-	2	3	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
	F	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 Cancer	M	161	-	-	-	2	2	-	5	15	49	61	27	59	-	-	-	-	1	-	2	5	13	26	12
	F	178	-	-	-	-	1	2	14	32	45	49	35	106	-	-	-	-	-	3	10	19	22	32	20
14 Diabetes	M	14	-	-	-	-	-	-	1	1	2	8	2	11	-	-	-	-	-	-	1	1	2	7	7
	F	18	-	-	-	-	-	1	1	3	2	7	4	15	-	-	-	-	-	-	2	4	5	4	4
15 Cerebral hæmorrhage	M	61	-	-	-	-	-	-	1	3	14	24	19	40	-	-	-	-	-	1	2	6	12	19	19
	F	112	-	-	-	-	-	1	2	4	15	29	61	45	-	-	-	-	-	2	7	12	24	24	24
16 Heart disease	M	270	-	-	-	3	4	5	8	16	53	88	93	154	-	-	-	1	2	5	10	20	56	60	60
	F	301	-	-	-	2	2	11	9	14	45	78	140	158	-	-	-	1	1	2	1	6	21	53	73
17 Aneurysm	M	5	1	-	-	-	-	-	1	1	-	1	1	3	-	-	-	-	-	-	-	1	2	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
18 Other circulatory	M	68	-	-	-	-	-	-	1	4	9	24	30	29	-	-	-	-	-	-	1	5	11	12	12
	F	61	-	-	-	1	-	-	1	2	8	23	26	20	-	-	-	-	-	1	-	2	3	14	14
19 Bronchitis	M	58	5	-	-	-	-	-	2	3	12	11	25	26	-	-	-	-	-	1	-	3	7	15	15
	F	54	3	2	1	-	-	2	1	4	5	15	21	17	1	1	-	-	-	-	-	1	1	13	13
20 Pneumonia	M	88	9	3	4	4	3	9	13	10	15	14	4	22	3	3	1	1	-	5	1	4	2	2	6
	F	42	9	2	-	2	1	-	5	3	8	4	8	21	2	1	1	-	2	1	3	1	4	6	6
21 Other respiratory	M	20	2	-	-	1	-	2	1	4	3	5	2	4	-	-	-	-	1	-	-	-	1	2	2
	F	17	-	1	-	-	-	1	3	3	-	2	7	5	-	-	-	-	-	2	2	1	-	-	-
22 Peptic ulcer	M	17	-	-	-	1	-	2	3	6	1	3	1	9	-	-	-	-	-	1	4	3	1	-	-
	F	5	-	-	-	-	-	-	-	2	1	1	1	6	-	-	-	-	-	-	1	2	1	2	2
23 Diarrhoea	M	6	5	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	17	11	1	1	-	1	-	-	-	-	1	2	3	1	-	-	-	-	-	-	-	1	1	1
24 Appendicitis	M	15	-	-	1	3	-	3	-	1	4	1	2	8	-	-	-	1	-	2	1	-	3	-	-
	F	8	-	-	3	1	-	2	-	2	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	2	-	-	1	1
	F	3	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	1	1	-	2
26 Other liver diseases	M	4	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-	-	1	-	1	-	2
	F	11	-	-	-	-	-	1	1	2	1	3	3	10	-	-	-	1	-	1	-	2	4	2	2
27 Other digestive	M	24	6	2	1	1	2	-	-	2	4	5	1	10	1	-	-	-	1	1	-	2	3	2	2
	F	22	-	-	-	2	2	6	1	1	2	4	4	12	-	-	-	3	-	-	1	4	3	1	1
28 Nephritis	M	52	-	1	1	-	1	2	2	6	12	18	9	18	-	-	-	1	-	1	4	3	4	5	5
	F	57	-	-	-	1	1	3	-	7	8	20	17	11	-	-	-	-	-	1	1	4	1	4	4
29 Puerperal sepsis	F	6	-	-	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30 Other puerperal	F	7	-	-	-	-	1	3	3	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
31 Congenital causes, etc.	M	69	67	-	-	1	-	-	-	-	1	-	-	22	21	-	-	1	-	-	-	-	-	-	-
	F	51	50	-	-	-	-	-	-	-	1	-	-	16	16	-	-	-	-	-	-	-	-	-	-
32 Senility	M	39	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-	-	-	-	-	-	-	24	24
	F	65	-	-	-	-	-	-	-	-	-	4	35	24	-	-	-	-	-	-	-	-	1	-	-
33 Suicide	M	17	-	-	-	-	3	1	1	4	5	2	1	6	-	-	-	-	-	2	-	2	1	1	1
	F	11	-	-	-	-	-	-	-	2	3	3	-	2	-	-	-	-	1	-	1	-	-	-	-
34 Other violence	M	48	4	-	3	4	8	11	3	4	3	5	3	49	1	1	2	4	6	8	6	5	6	8	2
	F	35	1	1	-	6	-	-	1	1	3	5	17	14	1	-	-	1	-	-	1	-	2	9	9
35 Other defined causes	M	105	8	2	2	11	10	6	8	7	8	26	17	54	3	-	-	2	2	2	3	4	12	8	18
	F	101	6	2	1	14	6	6	9	11	10	14	22	38	-	-	-	1	2	4	6	12	9	4	4
36 Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	1
	F	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	485	28	3	9	5	13	20	18	48	86	116	139	589	47	8	7	14	23	20	23	40	77	163	167
	F	490	20	1	5	6	13	17	20	35	64	124	185	526	34	4	5	11	14	18	24	47	63	120	186
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Diphtheria	M	2	—	—	1	1	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—
	F	4	—	—	1	3	—	—	—	—	—	—	—	6	—	1	—	3	1	1	—	—	—	—	—
Influenza	M	3	—	—	1	—	1	—	—	—	1	—	—	18	—	—	—	1	—	1	—	2	2	6	6
	F	6	—	—	—	—	—	—	—	—	1	1	4	11	—	—	—	—	1	3	1	2	2	2	2
Encephalitis lethargica	M	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Respiratory tuberculosis	M	18	—	1	—	—	4	6	1	3	1	2	—	13	—	—	—	1	4	3	2	2	—	1	—
	F	24	—	—	—	—	7	7	4	2	3	—	1	16	—	—	—	—	3	2	1	3	6	—	1
Other tuberculosis	M	2	—	—	—	1	—	—	1	—	—	—	—	11	1	2	2	—	2	2	—	—	—	1	1
	F	8	—	—	—	2	1	3	1	1	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—
Syphilis	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gen. paralysis of insane, etc.	M	3	—	—	—	—	—	—	—	2	1	—	—	2	—	—	—	—	—	1	—	1	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Cancer	M	77	—	—	—	1	—	—	2	12	14	30	18	68	—	—	—	1	—	—	5	4	18	25	15
	F	77	—	—	—	—	—	—	5	13	17	22	20	82	—	—	—	—	—	7	17	12	27	19	—
Diabetes	M	9	—	—	—	—	1	—	—	—	3	4	1	6	—	—	—	—	1	1	—	—	1	3	—
	F	14	—	—	—	—	—	—	—	1	2	5	6	10	—	—	—	—	—	2	1	2	2	3	—
Cerebral hæmorrhage	M	29	—	—	—	—	—	—	1	2	10	7	9	27	—	—	—	—	—	1	3	3	12	8	—
	F	48	—	—	—	—	—	—	1	5	6	16	20	41	—	—	—	—	—	—	2	4	18	17	—
Heart disease	M	117	—	—	—	—	4	1	8	26	35	43	131	131	—	—	—	—	1	—	3	9	22	53	43
	F	124	—	—	—	1	1	2	3	13	38	66	110	110	—	—	—	2	2	—	9	9	36	52	—
Aneurysm	M	3	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Other circulatory	M	24	—	—	—	—	—	—	—	—	—	8	16	51	—	—	—	—	—	—	—	3	19	29	—
	F	26	—	—	—	—	—	—	—	1	3	10	12	46	—	—	—	—	—	1	—	5	12	28	—
Bronchitis	M	8	—	—	1	—	—	—	1	1	2	—	3	21	5	—	—	—	—	—	1	2	4	9	—
	F	8	1	—	—	—	—	—	—	—	—	3	4	14	3	—	—	—	1	1	—	1	1	7	—
Pneumonia	M	19	3	1	1	—	2	—	1	2	5	1	3	37	5	4	3	—	2	2	8	4	6	3	—
	F	10	3	—	—	1	—	—	—	—	2	3	1	16	6	1	—	1	—	—	1	1	3	3	—
Other respiratory	M	7	—	—	—	—	—	—	1	—	2	1	3	4	—	—	—	1	—	1	—	1	1	—	—
	F	9	—	—	—	—	—	—	—	1	2	1	5	6	—	—	—	—	1	—	1	3	—	1	—
Peptic ulcer	M	5	—	—	—	1	—	—	—	—	2	1	1	5	—	—	—	—	—	1	1	2	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	—	1	1	1	—	—
Diarrhoea	M	5	2	—	2	—	—	—	—	—	—	1	—	4	2	—	—	—	—	—	—	1	1	—	—
	F	3	1	—	—	—	1	—	—	—	—	1	—	3	1	—	—	—	—	—	—	—	—	2	—
Appendicitis	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
	F	3	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Cirrhosis of liver	M	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Other liver diseases	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	—	1	2	—	3	—	—	—	—	—	—	—	3	—	—	—
Other digestive	M	9	2	—	—	—	—	—	—	1	1	5	—	9	1	—	—	1	1	2	—	—	2	1	—
	F	9	—	—	—	—	—	—	1	2	5	1	—	11	2	—	—	2	1	—	—	—	3	2	—
Nephritis	M	13	1	—	—	—	—	—	—	2	3	2	5	18	—	—	—	—	1	—	—	3	6	8	—
	F	13	—	—	—	—	—	—	—	1	6	2	4	17	1	—	—	—	—	2	2	2	3	7	—
Puerperal sepsis	F	1	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—
Other puerperal	F	3	—	—	—	—	2	1	—	—	—	—	—	8	—	—	—	—	6	2	—	—	—	—	—
Congenital causes, etc.	M	15	15	—	—	—	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—	—	—	—
	F	13	13	—	—	—	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—	—	—	—
Senility	M	22	—	—	—	—	—	—	—	—	—	2	20	31	—	—	—	—	—	—	—	—	2	29	—
	F	33	—	—	—	—	—	—	—	—	—	5	28	28	—	—	—	—	—	—	—	—	2	26	—
Suicide	M	10	—	—	—	—	3	1	3	1	2	—	—	8	—	—	—	—	1	1	—	1	1	3	—
	F	3	—	—	—	—	—	1	1	—	1	—	—	3	—	—	—	—	1	—	—	—	1	1	—
Other violence	M	23	2	—	—	1	3	4	3	5	2	—	—	30	1	—	1	2	5	7	4	4	2	1	3
	F	10	—	—	—	—	—	—	—	1	1	5	3	19	—	—	3	—	3	1	—	2	2	2	8
Other defined causes	M	53	3	—	3	1	1	3	5	5	6	10	16	58	3	1	1	4	7	1	3	4	8	17	9
	F	32	2	1	—	1	—	4	3	2	1	7	11	41	—	2	2	2	2	—	4	6	9	7	7
Ill-defined causes	M	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,264	127	15	19	29	39	56	63	110	211	318	277	905	87	5	8	20	28	34	33	59	124	230	27		
	F	1,245	95	17	19	28	47	56	67	92	192	276	356	867	45	4	9	21	27	37	31	67	123	185	31		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	2	-	1	-	1	-	-	-	-	-	-	-	4	1	2	-	-	-	-	-	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
3 Scarlet fever	M	1	-	-	1	-	-	-	-	-	-	-	-	4	-	-	-	3	1	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	1	-	-	1	-	-			
4 Whooping cough	M	8	7	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
	F	6	2	2	2	-	-	-	-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	-			
5 Diphtheria	M	11	1	1	1	8	-	-	-	-	-	-	-	5	-	-	-	5	-	-	-	-	-	-			
	F	14	-	-	3	11	-	-	-	-	-	-	-	8	-	-	1	6	-	-	-	-	1	-			
6 Influenza	M	34	3	1	1	-	3	4	2	3	6	8	3	12	-	-	-	-	1	-	3	4	-	-			
	F	24	2	1	-	-	1	-	2	4	4	6	4	22	-	-	-	-	1	1	2	3	1	6			
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	1	-	-	1	-			
	F	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-				
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-				
9 Respiratory tuberculosis	M	50	-	-	-	1	3	16	9	10	7	4	-	22	-	-	-	1	3	7	4	2	4	1			
	F	47	-	-	-	-	13	12	9	5	3	4	1	31	-	-	-	-	10	11	5	4	1	-			
10 Other tuberculosis	M	11	3	-	1	2	2	-	-	1	2	-	-	12	-	-	-	2	1	3	2	2	2	-			
	F	12	-	1	2	2	1	3	1	-	2	-	-	9	-	-	1	1	-	1	5	-	1	-			
11 Syphilis	M	3	1	-	-	-	-	-	1	1	-	-	-	2	1	-	-	-	-	-	-	-	1	-			
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
12 Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	1	-	1	1	2	-	1	-	-	-	-	-	-	-	-	1	-			
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
13 Cancer	M	144	-	-	-	1	1	2	7	10	50	52	21	109	-	-	-	-	3	4	10	25	34	3			
	F	167	-	-	-	-	1	4	18	23	40	50	31	114	-	-	-	-	1	3	4	15	26	27			
14 Diabetes	M	18	-	-	-	-	2	-	1	1	1	7	6	10	-	-	-	-	-	-	1	3	3	-			
	F	19	-	-	-	1	-	-	4	-	4	5	5	16	-	-	-	1	-	-	2	5	2	-			
15 Cerebral hæmorrhage	M	75	-	-	-	-	-	-	-	2	6	31	36	59	-	-	-	-	-	-	3	6	22	2			
	F	107	-	-	-	-	-	-	3	4	27	29	44	85	-	-	-	-	-	-	6	16	26	3			
16 Heart disease	M	304	-	-	1	1	5	3	13	29	51	95	106	204	-	-	-	-	4	1	11	28	70	9			
	F	300	-	-	-	-	6	7	8	20	46	97	116	212	-	-	-	-	3	3	10	30	61	10			
17 Aneurysm	M	6	-	-	-	-	-	-	-	1	2	3	-	2	-	-	-	-	2	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
18 Other circulatory	M	73	-	-	-	-	-	-	1	4	10	26	32	56	-	-	-	-	-	-	2	4	21	2			
	F	71	-	-	-	-	-	-	-	1	5	20	45	47	-	-	-	-	-	-	2	4	13	2			
19 Bronchitis	M	35	3	1	1	-	-	-	2	3	6	10	9	22	2	-	-	-	-	-	-	2	5	1			
	F	46	5	1	-	-	-	-	1	1	5	8	25	21	-	1	-	-	-	-	-	4	4	1			
20 Pneumonia	M	96	17	7	4	2	4	3	12	10	22	12	3	42	8	-	2	-	2	1	5	4	9	-			
	F	73	19	7	4	4	3	3	2	3	8	8	12	36	2	2	1	4	-	1	3	2	3	10			
21 Other respiratory	M	9	-	-	1	-	2	-	1	-	-	3	2	9	-	-	-	-	1	-	1	2	5	-			
	F	9	1	-	1	-	2	1	-	1	1	2	-	10	-	-	1	-	1	-	1	5	-				
22 Peptic ulcer	M	17	-	-	-	-	-	5	-	5	4	3	-	11	-	-	-	-	3	1	1	-	4	-			
	F	7	-	-	-	-	-	1	1	2	1	2	-	2	-	-	-	-	-	1	-	-	-	-			
23 Diarrhœa	M	10	6	1	2	-	-	-	-	-	-	-	1	11	4	-	-	-	-	1	1	1	2	-			
	F	12	3	1	2	-	-	1	-	-	2	-	3	3	-	-	-	-	-	-	1	-	-	-			
24 Appendicitis	M	6	-	-	-	-	2	2	1	1	-	-	-	5	-	-	-	2	-	-	1	-	2	-			
	F	6	-	-	-	1	1	-	-	1	1	2	-	5	-	-	1	-	-	1	3	-	-	-			
25 Cirrhosis of liver	M	3	-	-	-	-	-	-	-	2	-	-	1	3	-	-	-	-	-	-	1	1	1	-			
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
26 Other liver diseases	M	9	-	-	-	-	-	-	-	-	3	6	-	7	-	-	-	-	-	-	-	5	1	-			
	F	9	-	-	-	-	1	-	-	2	2	3	1	12	-	-	-	-	1	-	2	2	3	-			
27 Other digestive	M	22	1	-	-	1	1	-	2	3	5	5	4	16	2	1	-	-	-	1	3	2	3	2			
	F	16	1	-	1	1	2	1	-	2	4	3	1	18	2	-	1	3	1	-	1	3	6	-			
28 Nephritis	M	45	-	-	1	2	1	2	2	7	7	17	6	38	-	-	-	-	1	1	3	3	8	14			
	F	36	-	-	1	-	-	2	1	3	10	8	11	34	-	-	-	1	-	-	1	3	8	9			
29 Puerperal sepsis	F	7	-	-	-	-	-	6	1	-	-	-	-	8	-	-	-	-	3	4	1	-	-	-			
30 Other puerperal	F	19	-	-	-	-	4	9	5	1	-	-	-	7	-	-	-	-	2	3	2	-	-	-			
31 Congenital causes, etc.	M	76	73	-	-	1	2	-	-	-	-	-	-	62	60	1	-	-	-	1	-	-	-	-			
	F	54	53	1	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-			
32 Senility	M	19	-	-	-	-	-	-	-	-	-	-	-	37	-	-	-	-	-	-	-	-	3	-			
	F	37	-	-	-	-	-	-	-	-	-	2	35	38	-	-	-	-	-	-	-	-	3	-			
33 Suicide	M	7	-	-	-	-	-	2	-	-	3	2	-	10	-	-	-	-	3	1	-	2	3	1			
	F	9	-	-	-	-	1	2	2	2	2	-	-	3	-	-	-	-	1	-	2	-	-	-			
34 Other violence	M	48	2	2	1	3	5	10	5	5	7	2	6	46	1	1	3	3	13	7	2	4	6	2			
	F	24	-	1	1	3	3	1	1	2	2	3	7	17	3	-	1	2	2	-	2	1	2	-			
35 Other defined causes	M	113	10	1	3	6	6	6	4	9	18	29	21	78	7	-	3	5	2	2	3	5	12	22			
	F	109	8	2	2	5	7	3	7	15	22	23	15	66	3	-	1	3	6	5	3	8	15	11			
36 Ill-defined causes	M	3	-	-	-	-	-	-	-	1	-	1	1	3	-	-	-	-	-	-	-	-	1	1			
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-			

TABLE 24—*contd.* Administrative County of Yorks (W.R.).

Causes of Death. first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M F	6907 6683	544 369	78 72	110 95	176 176	211 215	281 253	332 358	711 589	1373 1081	1743 1676	1348 1799	2427 2246	234 183	37 30	51 33	80 60	120 58	107 115	125 149	211 214	392 353	534 482	536 569		
Typhoid fever, etc.	M F	2 2	- -	- -	- -	- 1	- -	1 -	- -	1 -	- -	- 1	- -	1 2	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	- 1	- -		
Measles	M F	15 15	6 5	4 4	3 3	2 3	- -	- -	- -	- -	- -	- -	- -	5 2	2 -	1 1	- 1	1 -	- -	- -	- -	- -	- -	- -	1 -		
Scarlet fever	M F	14 16	- -	2 2	3 7	5 4	3 1	- -	- -	1 2	- -	- -	- -	3 9	- -	- 1	2 2	- 6	1 -	- -	- -	- -	- -	- -	- -		
Whooping cough	M F	19 21	11 9	5 7	3 3	- 2	- -	- -	- -	- -	- -	- -	- -	7 7	4 4	2 1	1 2	- -	- -	- -	- -	- -	- -	- -	- -		
Diphtheria	M F	81 91	2 -	5 4	23 17	48 62	1 1	2 1	- 2	- -	- 2	- 2	- -	22 15	- 1	- -	9 4	13 9	- 1	- -	- -	- -	- -	- -	- -		
Influenza	M F	105 99	3 5	1 1	1 3	2 1	5 7	3 1	12 11	19 11	32 20	10 19	17 20	42 44	1 1	- -	2 1	1 2	1 1	- 6	5 2	8 5	3 7	11 6	10 13		
Encephalitis lethargica	M F	8 10	- -	- -	- -	- 2	- -	1 1	2 1	2 2	2 2	1 2	- -	- 5	- -	- -	- -	- -	- -	1 2	- -	1 -	- -	- -	- 1		
Cerebro-spinal fever	M F	10 15	2 2	- -	2 1	2 6	1 2	1 2	1 1	- 1	- -	- -	- -	7 5	1 1	3 1	- 2	1 -	- -	- -	- -	1 1	- -	- -	- -		
Respiratory tuberculosis	M F	316 213	2 1	1 -	2 2	6 2	31 65	55 63	58 38	67 27	67 10	26 4	1 1	119 86	1 -	1 2	1 -	3 2	21 18	20 28	20 15	20 10	19 10	10 1	3 -		
Other tuberculosis	M F	63 46	9 1	5 6	9 5	7 8	8 11	9 5	7 4	4 3	4 -	1 3	- -	28 20	2 2	3 3	6 1	4 6	2 3	4 2	3 1	1 1	2 -	1 -	1 -		
Syphilis	M F	21 4	2 -	- -	1 -	- 2	1 -	2 -	1 -	6 1	7 -	1 1	- -	5 4	2 1	- -	- -	- -	- -	- 1	- 2	2 -	1 -	- -	- -		
Gen. paralysis of insane, etc.	M F	31 11	- -	- -	- -	- -	- 1	- 2	7 2	10 2	6 5	7 1	1 -	7 3	- -	- -	- -	- -	- 2	- -	2 1	2 -	3 -	- -	- -		
Cancer	M F	794 939	- 1	1 -	1 1	2 1	9 17	11 77	33 77	90 157	241 253	288 280	118 151	241 299	- -	- 1	- 1	- 3	1 2	4 6	11 23	36 54	73 70	76 79	40 60		
Diabetes	M F	100 143	- -	- -	- -	3 -	4 1	1 3	5 3	6 9	30 45	38 65	13 17	21 48	- -	- -	- -	3 1	1 -	- 5	2 3	5 17	5 15	4 7			
Cerebral hæmorrhage	M F	439 513	- -	- -	- -	- -	- 1	2 8	10 32	23 91	97 190	192 191	115 169	115 169	- -	- -	- -	1 -	1 7	1 1	5 12	17 34	42 59	47 56			
Heart disease	M F	1625 1723	- -	1 -	- -	12 4	19 29	24 26	35 44	130 113	379 274	552 549	473 684	558 507	1 -	- -	- 1	6 4	8 8	14 16	35 22	122 50	194 85	172 187			
Aneurysm	M F	25 5	- -	- -	- -	- 1	1 1	1 1	5 1	6 2	8 -	3 -	6 3	- -	- -	- -	- -	3 -	1 -	- -	- -	- 2	1 -	1 -			
Other circulatory	M F	418 360	1 -	- -	- -	- -	- -	- -	3 4	21 8	72 48	159 121	162 179	133 121	- -	- -	- -	- -	1 1	- 1	4 4	14 19	52 46	62 50			
Bronchitis	M F	262 216	29 18	1 4	- 1	- 1	3 3	2 1	9 6	26 8	45 26	61 59	86 89	82 70	13 7	2 -	1 -	1 1	- 2	4 1	3 -	8 -	18 10	28 17	32 32		
Pneumonia	M F	388 288	80 60	26 21	19 23	11 17	15 13	24 13	32 15	46 25	58 29	52 37	25 35	147 110	35 22	14 11	7 9	4 1	9 5	10 6	13 4	15 11	16 10	18 17	6 14		
Other respiratory	M F	70 49	2 1	3 3	2 1	2 1	2 3	4 3	4 3	11 2	11 5	11 9	18 18	26 20	- 1	1 1	- 1	1 -	- -	2 3	3 2	5 3	5 5	9 3			
Peptic ulcer	M F	89 23	- -	- -	- -	- -	1 -	6 1	13 4	27 8	26 4	11 4	5 2	20 9	- -	- -	- -	- -	- -	3 -	7 3	6 1	4 5	- -			
Diarrhoea	M F	54 44	23 18	5 6	6 -	1 1	1 -	4 2	- 5	1 1	4 2	5 5	4 4	28 18	15 9	2 1	3 2	2 -	- -	- -	- 1	1 1	2 -	3 -			
Appendicitis	M F	40 39	- -	- -	1 4	8 4	7 3	2 5	4 1	6 9	6 5	3 5	3 3	15 11	- -	- -	1 1	6 2	1 4	3 1	1 1	2 1	- 1	1 -			
Cirrhosis of liver	M F	19 14	- -	- -	- -	- -	- -	- -	2 1	10 4	4 6	2 3	1 -	7 1	- -	- -	- -	- -	- -	2 -	2 -	3 -	- 1	- -			
Other liver diseases	M F	39 88	- -	- -	- 2	- -	- 1	- 2	3 2	7 11	12 23	10 28	7 19	7 18	- -	- -	- -	- -	2 1	- -	1 1	3 4	1 8	1 4			
Other digestive	M F	104 141	9 5	1 4	3 2	1 8	5 7	10 4	5 11	13 17	25 24	19 42	13 17	54 48	7 3	1 -	- 1	6 1	7 1	3 -	2 7	6 2	7 15	10 9			
Nephritis	M F	232 257	1 -	- -	1 -	2 2	2 8	8 10	14 20	36 37	65 65	76 72	27 43	87 107	1 1	1 -	2 -	4 2	1 2	5 4	4 11	10 14	21 22	22 37	16 14		
Puerperal sepsis	F	25	-	-	-	-	6	15	4	-	-	-	-	18	-	-	-	-	1	11	6	-	-	-	-		
Other puerperal	F	54	-	-	-	-	9	25	19	1	-	-	-	8	-	-	-	-	3	5	-	-	-	-	-		
Congenital causes, etc.	M F	326 209	318 205	1 1	3 1	3 -	1 1	- 1	- -	- -	- -	- -	- -	138 118	132 116	- 1	1 -	3 -	1 -	1 -	- -	- 1	- -	- -	- -		
Senility	M F	189 272	- -	- -	- -	- -	- -	- -	- -	- -	1 4	36 38	152 230	74 88	- -	- -	- -	- -	- -	- -	- -	- -	- 2	4 86	70 -		
Suicide	M F	109 46	- -	- -	- -	- 4	11 3	11 7	26 12	38 10	15 11	4 3	- -	30 12	- -	- -	- -	8 1	4 3	1 7	5 1	8 1	2 -	2 -			
Other violence	M F	335 163	14 9	8 4	14 8	24 21	53 12	53 10	28 8	44 7	40 18	34 22	23 44	152 52	1 3	3 3	7 2	12 5	33 4	21 2	18 2	17 3	20 7	11 13	9 8		
Other defined causes	M F	563 522	30 28	8 5	13 11	35 23	33 28	44 32	32 51	73 80	94 108	125 106	76 50	237 189	16 11	3 3	8 3	7 14	22 8	16 15	17 23	24 30	35 35	48 26	41 21		
Ill-defined causes	M F	2 7	- 1	- -	- -	- -	1 -	- -	- -	- 1	- 3	- 2	- -	3 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	1 -		

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	142	19	-	-	2	5	9	7	19	21	33	27	238	18	-	1	1	10	8	13	14	40	56	7		
	F	147	9	2	3	3	3	7	9	8	23	37	43	253	13	-	2	1	8	12	10	16	40	62	8		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
6 Influenza	M	4	-	-	-	1	-	-	-	1	-	1	1	10	1	-	-	-	1	-	2	-	2	-			
	F	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	2	-	-			
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	9	-	-	-	-	1	3	2	2	1	-	-	12	-	-	-	-	2	2	3	2	2	-			
	F	7	-	-	-	-	1	2	1	2	-	1	-	6	-	-	-	-	2	1	1	1	-	-			
10 Other tuberculosis	M	3	-	-	-	-	-	3	-	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-			
	F	4	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
13 Cancer	M	12	-	-	-	-	-	-	-	1	4	5	2	29	-	-	-	-	-	2	4	9	10	-			
	F	27	-	-	-	-	1	-	3	3	9	10	1	41	-	-	1	1	3	2	11	12	-	-			
14 Diabetes	M	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	2	-	-			
	F	4	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	1	-	-	1	-	-			
15 Cerebral hæmorrhage	M	12	-	-	-	-	-	-	-	3	4	3	2	16	-	-	-	-	-	-	-	3	6	-			
	F	13	-	-	-	-	-	-	1	-	3	7	2	18	-	-	-	-	-	-	-	4	7	-			
16 Heart disease	M	29	-	-	-	-	1	1	-	4	6	9	8	58	-	-	-	-	-	-	4	10	14	-			
	F	34	-	-	-	-	-	1	2	1	3	9	18	76	-	-	-	-	2	1	3	12	23	-			
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
18 Other circulatory	M	7	-	-	-	-	-	-	-	1	-	5	1	10	-	-	-	-	-	-	-	2	5	-			
	F	5	-	-	-	-	-	-	-	-	-	2	3	6	-	-	-	-	-	-	-	1	1	-			
19 Bronchitis	M	2	-	-	-	-	-	-	-	1	-	-	1	7	-	-	-	-	-	-	-	2	2	-			
	F	3	-	-	-	-	-	-	-	-	-	-	3	5	1	-	-	-	1	-	1	1	-	-			
20 Pneumonia	M	11	2	-	-	-	1	1	1	2	-	2	2	11	3	-	-	1	-	-	1	2	3	-			
	F	7	2	-	1	-	-	-	-	1	-	-	3	2	-	-	-	-	1	-	-	-	1	-			
21 Other respiratory	M	2	-	-	-	-	-	-	-	-	2	-	-	6	-	-	-	-	1	1	-	-	1	-			
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
22 Peptic ulcer	M	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-			
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-			
23 Diarrhoea	M	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-			
24 Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-			
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	2	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-			
27 Other digestive	M	4	1	-	-	-	-	-	-	-	1	1	1	3	2	-	-	-	1	-	-	-	-	-	-		
	F	5	-	-	1	-	-	1	-	-	1	-	2	7	-	-	-	1	-	1	-	-	-	2			
28 Nephritis	M	3	-	-	-	-	-	-	-	1	-	2	-	17	-	-	-	-	1	1	-	1	1	3	-		
	F	2	-	-	-	-	-	-	-	1	-	-	1	9	-	-	-	-	1	-	1	1	1	2	-		
29 Puerperal sepsis	F	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30 Other puerperal	F	2	-	-	-	-	-	2	-	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-			
31 Congenital causes, etc.	M	14	14	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-			
	F	6	6	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-			
32 Senility	M	2	-	-	-	-	-	-	-	-	-	-	2	7	-	-	-	-	-	-	-	-	-	-			
	F	3	-	-	-	-	-	-	-	-	-	-	3	17	-	-	-	-	-	-	-	-	2	-			
33 Suicide	M	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
34 Other violence	M	7	-	-	-	-	1	-	4	-	-	1	-	9	-	-	-	1	2	1	1	4	-	-			
	F	4	-	-	-	1	-	-	-	-	1	1	1	7	2	-	-	3	-	-	-	-	-	2			
35 Other defined causes	M	12	-	-	-	1	-	-	-	1	1	3	6	19	4	-	-	1	3	-	4	-	6	-			
	F	11	1	1	-	1	-	-	-	-	3	3	2	33	2	-	-	-	1	2	7	6	7	-			
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.																						
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-												
All Causes	M	436	32	1	3	5	10	14	18	53	93	113	94	450	34	2	5	7	16	14	18	27	89	130	10	450	34	2	5	7	16	14	18	27	89	130	10
	F	502	20	1	6	9	18	22	25	38	86	117	160	462	29	2	2	5	12	7	31	36	84	103	15	462	29	2	2	5	12	7	31	36	84	103	15
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Influenza	M	16	2	-	-	-	-	-	1	4	2	4	3	13	2	-	1	-	-	-	-	1	2	6	2	13	2	-	1	-	-	-	1	2	6	2	
	F	14	-	-	-	-	-	1	-	-	5	3	5	6	-	-	-	-	-	-	1	1	1	2	6	6	-	-	-	-	-	1	1	1	2	6	
7 Encephalitis lethargica	M	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	26	-	-	-	-	-	6	4	7	6	3	-	39	-	-	-	1	5	9	6	6	10	2	-	39	-	-	-	1	5	9	6	6	10	2	
	F	30	-	-	1	-	7	3	7	5	2	4	1	26	-	-	-	1	6	2	8	5	2	-	-	26	-	-	-	1	6	2	8	5	2	-	
10 Other tuberculosis	M	6	1	-	1	2	1	1	-	-	-	-	-	8	1	1	-	1	2	-	-	-	2	1	-	8	1	1	-	-	-	-	-	2	1	-	
	F	5	-	-	1	-	1	1	-	-	-	-	2	6	-	-	-	-	-	1	-	1	3	-	-	6	-	-	-	-	-	-	1	-	3	-	
11 Syphilis	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-		
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	76	-	-	-	-	-	-	2	13	21	23	17	56	-	-	-	-	1	-	1	3	16	20	1	56	-	-	-	-	1	-	1	3	16	20	1
	F	77	-	-	-	-	-	1	2	11	26	23	14	89	-	1	-	-	-	-	2	13	25	23	2	89	-	1	-	-	-	-	2	13	25	23	2
14 Diabetes	M	4	-	-	-	-	-	-	-	-	1	1	2	5	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	-	1	2	-	
	F	13	-	-	1	-	-	1	-	-	4	5	2	8	-	-	-	-	-	-	1	3	2	1	-	8	-	-	-	-	-	-	1	3	2	1	
15 Cerebral hæmorrhage	M	18	-	-	-	-	-	-	1	1	4	7	5	21	-	-	-	-	1	-	-	2	1	10	-	21	-	-	-	-	1	-	-	2	1	10	
	F	32	-	-	-	-	-	-	-	-	3	13	16	35	-	-	-	-	-	-	-	1	4	11	1	35	-	-	-	-	-	-	1	4	11	1	
16 Heart disease	M	98	-	-	-	-	-	2	1	12	26	34	23	82	-	-	-	-	1	-	1	4	20	34	2	-	-	-	-	-	-	1	4	20	34	2	
	F	109	-	-	-	2	1	2	3	5	19	31	46	101	-	-	-	-	1	-	7	3	20	28	4	101	-	-	-	-	1	7	3	20	28	4	
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	29	-	-	-	-	-	-	-	1	7	10	11	22	-	-	-	-	-	-	-	1	6	7	-	22	-	-	-	-	-	-	1	6	7	-	
	F	25	-	-	-	-	-	-	-	1	2	7	15	10	-	-	-	-	-	-	-	-	1	4	-	10	-	-	-	-	-	-	-	1	4	-	
19 Bronchitis	M	14	2	-	-	-	-	1	1	1	1	3	5	22	3	-	-	-	-	-	2	-	3	4	1	22	3	-	-	-	-	-	-	2	3	4	
	F	9	1	-	-	-	-	-	-	1	-	2	5	13	2	-	-	-	-	-	2	1	2	1	-	13	2	-	-	-	-	-	2	1	2	1	
20 Pneumonia	M	20	3	-	1	-	1	-	1	2	4	4	4	16	2	-	-	-	-	2	1	-	5	4	-	16	2	-	-	-	-	2	1	5	4	-	
	F	28	3	-	-	2	2	-	2	2	2	5	10	15	1	1	-	1	1	1	3	1	2	3	-	15	1	1	-	1	1	3	1	2	3	-	
21 Other respiratory	M	8	-	-	-	-	-	1	2	1	2	-	2	6	-	-	-	-	-	-	-	-	1	3	-	6	-	-	-	-	-	-	-	1	3	-	
	F	9	-	-	-	-	1	-	2	-	-	1	5	6	-	-	-	-	-	-	-	1	2	-	6	-	-	-	-	-	-	-	1	2	-		

Causes of Death.		Aggregate of Urban Districts.														Aggregate of Rural Districts.													
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-				
All Causes		M	117	1	1	-	1	6	6	7	12	27	30	26	319	18	-	1	6	8	10	11	24	38	93	110			
		F	132	6	1	-	2	2	4	4	7	21	47	38	302	10	5	2	4	10	12	12	25	28	84	110			
1	Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-				
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
2	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
3	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-				
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
4	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-				
5	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
6	Influenza	M	1	-	1	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	3	3	2				
		F	3	-	-	-	-	-	-	-	-	2	1	8	-	-	-	-	-	1	2	-	2	-	3				
7	Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-				
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
8	Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
9	Respiratory tuberculosis	M	13	-	-	-	3	3	3	2	2	-	-	18	-	-	-	-	3	5	2	3	1	4	-				
		F	4	-	-	1	-	-	1	-	-	-	2	24	-	-	-	2	7	8	2	1	1	2	1				
0	Other tuberculosis	M	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-				
		F	2	-	-	-	1	1	-	-	-	-	-	5	-	-	1	-	-	2	1	-	-	1	-				
1	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
2	Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
3	Cancer	M	20	-	-	-	-	-	-	1	11	4	4	41	-	-	-	-	-	-	-	3	7	15	16				
		F	19	-	-	-	-	-	1	1	2	12	3	42	-	-	-	-	-	-	1	7	6	16	12				
4	Diabetes	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-				
		F	2	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	1	-	1	1	2				
5	Cerebral hæmorrhage	M	7	-	-	-	-	-	-	1	1	4	1	14	-	-	-	-	-	-	1	-	3	7	3				
		F	15	-	-	-	-	-	-	2	2	8	5	22	-	-	-	-	-	-	1	-	1	7	13				
6	Heart disease	M	30	-	-	-	-	-	1	3	4	13	9	86	-	-	-	1	1	-	1	4	8	32	39				
		F	38	-	-	-	-	1	-	2	5	16	14	101	-	-	-	1	1	-	1	6	7	33	52				
7	Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
8	Other circulatory	M	6	-	-	-	-	-	-	-	3	-	3	14	-	-	-	-	-	-	-	-	1	3	10				
		F	7	-	-	-	-	-	-	-	1	2	4	14	-	-	-	-	-	-	-	-	-	5	9				
9	Bronchitis	M	5	1	-	-	-	1	-	-	-	1	2	8	-	-	-	1	-	-	-	-	1	3	3				
		F	3	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	-	-	-	-	2	4				
0	Pneumonia	M	5	-	-	-	-	-	-	2	1	1	1	15	-	-	-	-	-	-	1	2	2	1	9				
		F	2	-	-	-	-	-	-	-	1	-	1	9	1	3	-	-	-	-	1	1	2	-	1				
1	Other respiratory	M	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	2	-	-	-	1				
		F	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-					
2	Peptic ulcer	M	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-				
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-				
3	Diarrhœa	M	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-				
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
4	Appendicitis	M	1	-	-	-	-	1	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	2	-				
		F	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-				
5	Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
6	Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1					
		F	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-				
7	Other digestive	M	2	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	1	-	-	-	-	2	2				
		F	2	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	1	1				
8	Nephritis	M	9	-	-	-	1	-	2	1	3	1	1	25	-	-	-	-	-	-	1	4	4	5	11				
		F	10	-	-	1	-	-	-	3	2	3	1	11	-	-	-	-	-	-	-	-	1	6	4				
9	Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-				
0	Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-				
1	Congenital causes, etc.	M	-	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-				
		F	4	4	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-				
2	Senility	M	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	1	4				
		F	4	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	-	-	-	-					

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	470	34	6	5	8	27	29	32	59	84	101	85	672	58	8	6	12	26	43	31	71	129	154	134
	F	438	36	8	2	10	23	25	28	35	69	96	106	635	46	9	6	14	30	34	34	61	107	138	156
1 Typhoid fever, etc.	M	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	-	-
	F	6	3	3	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
5 Diphtheria	M	2	-	-	1	1	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-	-
6 Influenza	M	8	1	-	-	-	-	1	2	-	2	1	1	16	-	-	-	-	-	2	-	2	4	2	6
	F	13	1	-	-	-	-	2	2	-	-	5	3	10	3	-	-	-	-	-	1	1	1	2	2
7 Encephalitis lethargica	M	3	-	-	-	1	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8 Cerebro-spinal fever	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	38	-	-	-	-	8	7	5	7	7	3	1	36	-	-	-	-	4	12	6	5	6	2	1
	F	28	-	-	-	1	9	8	7	2	1	-	-	37	-	-	-	17	9	3	4	2	1	1	1
10 Other tuberculosis	M	3	-	-	-	-	-	2	-	1	-	-	-	11	1	-	-	2	1	3	2	1	1	-	-
	F	3	-	-	-	1	-	1	-	-	-	1	-	13	-	-	-	2	3	6	1	-	-	-	-
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 Cancer	M	56	-	-	-	-	-	1	4	8	14	22	7	55	-	-	-	1	-	2	1	7	17	15	12
	F	61	-	-	-	-	-	-	2	8	22	20	9	72	-	-	-	-	-	5	14	25	16	12	12
14 Diabetes	M	5	-	-	1	-	-	-	1	-	1	1	1	6	-	-	-	-	-	-	-	-	1	5	-
	F	8	-	-	-	-	-	-	-	1	2	5	-	12	-	-	-	1	-	-	-	1	7	3	3
15 Cerebral hæmorrhage	M	17	-	-	-	-	-	-	-	2	4	5	6	27	-	-	-	-	-	-	-	2	10	9	6
	F	20	-	-	-	-	-	-	-	3	5	6	6	49	-	-	-	-	-	-	-	6	6	21	16
16 Heart disease	M	96	-	-	-	-	5	3	4	8	16	34	26	151	-	-	-	2	2	1	5	11	31	55	44
	F	93	-	-	-	3	4	4	-	8	14	20	40	164	-	-	-	1	1	7	8	11	35	44	57
17 Aneurysm	M	5	-	-	-	-	-	-	-	2	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
18 Other circulatory	M	25	-	-	-	-	-	-	-	2	5	6	12	25	-	-	-	-	-	-	-	-	4	10	11
	F	31	-	-	-	-	-	-	1	-	7	11	12	30	-	-	-	-	-	1	-	-	1	9	19
19 Bronchitis	M	13	4	-	-	-	-	-	2	1	1	2	3	22	1	-	-	-	-	-	-	6	4	4	7
	F	6	-	1	-	-	-	-	-	-	-	3	2	23	1	1	-	-	-	-	1	4	3	12	12
20 Pneumonia	M	19	-	1	-	-	2	4	2	3	1	2	4	46	8	1	1	1	1	4	3	4	8	11	4
	F	20	1	2	1	-	1	-	1	4	3	4	3	26	4	3	1	-	-	-	1	1	4	6	6
21 Other respiratory	M	5	-	-	-	-	-	-	1	1	1	2	-	26	-	1	-	1	-	-	2	7	7	6	2
	F	6	1	-	-	-	1	1	-	-	-	3	-	6	-	-	-	-	-	1	-	2	1	1	1
22 Peptic ulcer	M	7	-	-	-	-	-	1	1	2	2	1	-	4	-	-	-	-	-	2	-	-	-	2	-
	F	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Diarrhœa	M	1	-	1	-	-	-	-	-	-	-	-	-	5	2	1	-	-	-	1	-	-	-	1	-
	F	5	4	-	-	-	-	-	-	-	1	-	-	3	2	-	-	-	-	-	-	-	-	-	-
24 Appendicitis	M	9	-	1	-	1	-	4	1	1	1	-	-	3	-	-	1	-	1	-	-	1	-	-	-
	F	5	-	-	-	-	-	1	2	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
26 Other liver diseases	M	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	2	1	2	1	2	3	-	-	-	-	-	-	-	-	-	3	-
27 Other digestive	M	7	-	-	1	2	-	-	-	1	1	1	1	10	1	1	-	-	-	1	1	-	4	-	-
	F	10	-	-	-	-	1	1	1	1	2	2	2	12	2	2	-	-	1	-	1	-	6	-	-
28 Nephritis	M	19	-	-	-	-	-	-	3	3	5	5	3	33	-	-	-	-	-	1	1	5	10	9	-
	F	9	-	-	-	-	-	2	1	-	-	2	4	24	-	-	-	-	-	1	5	2	7	7	-
29 Puerperal sepsis	F	2	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
30 Other puerperal	F	6	-	-	-	-	2	3	1	-	-	-	-	8	-	-	-	-	1	2	5	-	-	-	-
31 Congenital causes, etc.	M	22	22	-	-	-	-	-	-	-	-	-	-	37	35	1	-	1	-	-	-	-	-	-	-
	F	23	22	-	-	1	-	-	-	-	-	-	-	29	28	-	-	-	1	-	-	-	-	-	-
32 Senility	M	12	-	-	-	-	-	-	-	-	-	-	3	23	-	-	-	-	-	-	-	-	1	3	1
	F	19	-	-	-	-	-	-	-	-	-	3	16	22	-	-	-	-	-	-	-	-	-	5	1
33 Suicide	M	6	-	-	-	-	1	-	1	3	1	-	-	10	-	-	-	-	3	1	1	2	1	2	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
34 Other violence	M	26	-	1	-	2	4	3	3	5	5	3	-	44	2	-	-	1	9	8	6	11	4	1	-
	F	5	-	-	-	-	-	-	2	-	1	1	1	16	-	-	2	3	2	1	-	1	4	1	-
35 Other defined causes	M	53	6	2	2	1	6	2	1	3	13	7	10	62	6	-	2	1	5	5	3	6	12	13	-
	F	44	3	2	1	2	4	3	4	4	7	8	6	58	6	-	1	5	3	1	3	14	7	12	-
36 Ill-defined causes	M	3	-	-	-	-	-	-	-	1	-	1	1	3	-	-	-	-	-	-	-	1	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-

TABLE 24—*contd.* Administrative County of Denbigh.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	479	39	4	4	15	15	10	20	40	83	135	114	665	57	6	9	15	30	28	32	51	119	177	141
	F	463	29	2	2	11	10	15	23	36	71	119	145	545	28	6	10	18	17	23	26	58	94	117	148
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-	-
Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	1	-	-	-	-	-	-	-	-
Diphtheria	M	3	-	-	1	2	-	-	-	-	-	-	-	7	-	1	2	4	-	-	-	-	-	-	-
	F	6	-	2	1	3	-	-	-	-	-	-	-	7	-	-	2	5	-	-	-	-	-	-	-
Influenza	M	8	-	-	-	-	-	-	1	-	3	1	3	18	-	-	-	1	2	-	2	2	3	4	4
	F	8	-	-	-	-	1	1	-	-	2	1	3	18	-	-	-	-	2	-	4	3	5	4	3
Encephalitis lethargica	M	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	25	-	-	-	-	4	4	7	2	4	4	-	34	-	-	-	1	9	6	3	6	6	3	-
	F	12	-	-	-	-	2	4	2	1	2	1	-	29	-	-	-	2	7	4	4	4	6	2	-
Other tuberculosis	M	6	-	-	-	2	1	2	-	-	1	-	-	7	1	-	-	-	3	-	-	1	-	-	-
	F	3	-	-	-	-	2	1	-	-	-	-	-	3	1	-	-	1	-	-	-	1	-	-	-
Syphilis	M	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	76	-	-	-	1	-	-	1	10	25	25	14	74	-	-	-	-	2	4	9	25	23	11	-
	F	85	-	-	-	-	-	2	9	11	20	25	18	67	-	-	-	-	2	4	13	20	16	12	-
Diabetes	M	4	-	-	-	-	-	-	-	-	-	3	1	4	-	-	-	-	1	-	-	1	1	1	-
	F	4	-	-	-	-	-	-	-	-	1	1	2	9	-	-	-	-	-	-	2	4	2	1	-
Cerebral hæmorrhage	M	38	-	-	-	-	-	-	-	3	8	15	12	49	-	-	-	1	-	-	-	2	9	21	16
	F	46	-	-	-	-	-	-	1	4	9	13	19	49	-	-	-	-	-	-	6	4	22	17	-
Heart disease	M	117	-	-	-	-	2	-	3	8	10	55	39	155	-	-	-	2	-	3	8	6	29	67	40
	F	99	-	-	-	-	-	-	1	4	10	41	43	141	-	-	-	-	2	4	1	11	27	39	57
Aneurysm	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	25	-	-	-	-	-	-	-	-	5	8	12	29	-	-	-	-	-	1	-	6	12	10	-
	F	39	-	-	-	-	-	-	-	-	6	12	21	17	-	-	-	-	-	1	-	2	6	8	-
Bronchitis	M	11	4	-	-	-	-	1	-	-	1	3	2	29	1	1	-	-	1	-	4	3	12	7	-
	F	10	1	-	-	-	-	-	-	1	1	1	6	23	3	1	-	-	-	-	3	2	5	9	-
Pneumonia	M	24	8	1	1	1	-	-	-	2	3	4	4	42	11	2	3	-	4	3	2	5	4	5	3
	F	21	5	-	-	1	-	-	1	4	1	5	4	28	3	1	4	-	-	2	2	1	7	5	3
Other respiratory	M	8	-	-	-	-	1	-	-	1	3	1	2	9	-	-	-	-	-	-	1	-	1	7	-
	F	5	-	-	-	1	-	-	2	-	-	1	1	7	1	-	-	-	-	-	-	-	-	6	-
Peptic ulcer	M	3	-	-	-	-	-	-	3	-	-	-	-	4	-	-	-	-	2	-	1	-	1	-	-
	F	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Diarrhœa	M	2	1	-	-	-	-	1	-	-	-	-	-	8	5	-	1	-	2	-	-	-	-	-	-
	F	5	4	-	-	-	-	-	-	-	-	1	-	3	1	-	-	1	-	-	-	1	-	-	-
Appendicitis	M	5	-	-	-	1	1	-	1	2	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-
	F	3	-	-	-	2	1	-	-	-	-	-	-	4	-	-	2	-	-	-	1	1	-	-	-
Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other liver diseases	M	2	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
	F	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	1	1	-	-	2	-	-	-
Other digestive	M	9	2	-	1	-	1	-	-	-	2	2	1	10	2	1	-	2	-	-	-	2	-	3	-
	F	5	-	-	-	-	-	-	-	1	2	1	1	11	-	-	-	2	-	-	2	1	2	2	-
Nephritis	M	13	-	-	-	-	1	1	1	1	4	3	2	20	-	-	-	1	1	1	4	8	3	2	-
	F	14	-	-	-	-	-	-	3	1	3	4	3	24	-	-	-	-	2	1	5	4	7	5	-
Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	4	-	-	-	-	4	-	-	-	-	-	-
Other puerperal	F	2	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-	-	2	2	-	-	-	-	-
Congenital causes, etc.	M	19	19	-	-	-	-	-	-	-	-	-	-	30	29	-	-	-	-	-	-	1	-	-	-
	F	16	15	-	-	1	-	-	-	-	-	-	-	17	15	1	-	1	-	-	-	-	-	-	-
Senility	M	12	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	-	-	-	-	2	12	-
	F	13	-	-	-	-	-	-	-	-	-	1	12	14	-	-	-	-	-	-	-	-	-	14	-
Suicide	M	3	-	-	-	-	-	1	-	-	1	1	-	5	-	-	-	-	1	-	3	1	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other violence	M	15	1	-	-	2	1	-	2	5	3	1	-	38	1	1	1	2	6	5	8	1	4	5	4
	F	17	-	-	-	4	3	-	-	2	3	-	5	10	-	-	1	-	-	1	1	-	1	1	6
Other defined causes	M	40	4	1	-	1	2	-	1	6	8	7	10	58	3	-	1	2	4	1	2	3	12	13	17
	F	40	4	-	1	-	1	3	3	6	7	9	6	38	3	1	-	5	4	2	4	6	6	4	3
Ill-defined causes	M	3	-	-	-	1	1	-	-	-	1	-	-	4	-	-	-	-	-	-	-	1	2	1	-
	F	4	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-	-	-	-	-	-	-	-

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	353	24	2	7	9	9	13	17	44	75	89	64	383	30	1	5	10	12	10	19	36	65	101	9		
	F	377	25	3	2	6	7	13	15	29	82	96	99	377	24	5	3	11	12	19	17	29	66	76	11		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-		
	F	2	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
4 Whooping cough	M	2	-	-	2	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-		
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	4	1	-	-	-	1	-	-		
6 Influenza	M	3	-	-	-	-	-	-	2	1	-	-	-	7	-	-	-	-	-	1	-	3	3	3	-		
	F	10	-	-	-	-	-	-	1	2	3	3	1	10	1	1	-	1	-	1	-	1	1	2	-		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	22	-	-	-	-	4	8	4	4	2	-	-	17	-	-	1	-	2	1	3	6	3	1	-		
	F	8	-	-	-	-	2	2	1	1	2	-	-	17	-	-	-	-	2	5	2	5	1	2	-		
10 Other tuberculosis	M	3	-	1	-	1	1	-	-	-	-	-	-	3	-	-	-	1	1	1	1	-	-	-	-		
	F	3	1	-	-	1	-	1	-	-	-	-	-	6	-	1	1	-	-	1	1	2	-	-	-		
11 Syphilis	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	49	-	-	-	-	-	-	2	9	19	16	3	52	-	-	-	-	-	-	3	7	14	17	1		
	F	53	-	-	-	-	-	-	1	7	22	18	5	52	-	-	-	-	1	2	3	4	17	16	-		
14 Diabetes	M	6	-	-	-	1	-	-	-	1	-	4	-	4	-	-	-	-	-	-	-	-	3	-	-		
	F	6	-	-	-	-	-	-	1	1	1	2	1	5	-	-	-	-	-	-	-	-	2	2	-		
15 Cerebral hæmorrhage	M	23	-	-	-	-	-	-	1	3	5	9	5	29	-	-	-	-	-	-	-	-	5	16	-		
	F	40	-	-	-	-	-	-	2	1	7	13	17	35	-	-	-	-	-	-	-	1	10	8	-		
16 Heart disease	M	65	-	-	-	1	-	1	-	4	17	20	22	84	-	-	-	-	4	3	7	9	29	21	-		
	F	75	-	-	-	-	4	4	2	2	22	26	15	78	-	-	-	1	1	5	3	5	14	21	-		
17 Aneurysm	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	10	-	-	-	-	-	-	-	1	2	3	4	19	-	-	-	-	-	-	-	-	5	7	-		
	F	11	-	-	-	-	-	-	-	1	2	5	3	12	-	-	-	-	1	-	1	1	1	3	-		
19 Bronchitis	M	10	1	-	-	-	-	-	1	1	2	3	2	11	1	-	-	-	1	-	-	-	-	4	-		
	F	3	-	-	-	-	-	-	-	-	-	-	3	8	-	-	-	-	-	-	-	-	1	2	-		
20 Pneumonia	M	19	1	1	2	-	-	1	1	3	4	3	3	24	3	1	-	-	-	3	2	8	5	5	-		
	F	14	1	1	-	-	1	-	-	2	3	3	3	19	3	1	-	-	1	-	2	3	2	3	-		
21 Other respiratory	M	5	-	-	-	-	-	-	-	1	3	-	1	5	-	-	1	-	-	-	-	-	3	1	-		
	F	7	-	-	-	-	-	-	1	-	1	1	4	3	1	-	-	-	-	-	-	-	1	1	-		
22 Peptic ulcer	M	4	-	-	-	-	-	-	-	1	1	1	1	6	-	-	-	-	-	1	3	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
23 Diarrhoea	M	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-		
	F	3	1	-	-	-	-	-	-	-	1	1	-	3	-	-	1	-	-	-	1	-	-	-	-		
24 Appendicitis	M	2	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	1	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-		
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	1	1	-	-	-	-		
27 Other digestive	M	7	-	-	-	-	-	2	-	-	2	2	1	7	-	-	-	1	1	-	-	-	1	2	-		
	F	5	-	-	-	2	-	1	1	-	1	-	-	9	-	1	-	2	-	-	-	1	-	3	-		
28 Nephritis	M	16	-	-	-	-	1	-	-	5	2	8	-	9	-	-	-	-	1	-	3	4	-	-	-		
	F	13	-	-	-	-	-	2	2	-	4	3	2	10	-	-	-	-	1	1	-	-	1	5	-		
29 Puerperal sepsis	F	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	2	2	-	-	-	-	-		
30 Other puerperal	F	3	-	-	-	-	-	3	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-		
31 Congenital causes, etc.	M	17	16	-	1	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-		
	F	16	16	-	-	-	-	-	-	-	-	-	-	18	16	1	-	1	-	-	-	-	-	-	-		
32 Senility	M	18	-	-	-	-	-	-	-	-	-	-	5	17	-	-	-	-	-	-	-	-	-	2	-		
	F	41	-	-	-	-	-	-	-	-	-	-	4	37	26	-	-	-	-	-	-	-	-	3	-		
33 Suicide	M	6	-	-	-	-	-	1	-	2	2	-	1	4	-	-	-	1	-	-	2	-	-	1	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	1	-	-	-	-	-	-	-		
34 Other violence	M	16	-	-	-	1	3	2	3	1	2	3	1	21	-	-	-	3	5	2	2	2	3	1	-		
	F	9	1	-	-	-	-	-	-	2	1	3	2	9	-	-	-	-	1	-	1	1	4	-	-		
35 Other defined causes	M	36	5	-	1	2	-	-	-	5	9	8	6	24	3	-	1	4	-	1	2	1	2	6	-		
	F	38	4	1	1	2	-	-	1	7	8	10	4	31	1	-	1	1	1	-	4	8	4	-	-		
36 Ill-defined causes	M	5	-	-	-	-	-	-	-	-	2	3	-	8	-	-	-	-	-	-	-	-	-	4	-		
	F	5	-	-	-	-	-	-	-	1	1	2	1	6	1	-	-	-	-	-	-	-	1	1	-		

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	3,768	345	51	65	105	167	181	257	405	689	915	588	1,055	88	12	13	35	52	58	69	117	191	220	200		
	F	3,171	265	53	46	102	196	193	208	316	531	656	605	906	70	20	15	22	61	48	60	88	143	164	215		
Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles	M	18	2	10	3	3	-	-	-	-	-	-	-	6	1	2	1	2	-	-	-	-	-	-	-		
	F	14	4	4	6	-	-	-	-	-	-	-	-	4	-	3	1	-	-	-	-	-	-	-	-		
Scarlet fever	M	3	-	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	5	-	2	2	1	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-		
Whooping cough	M	9	6	3	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-		
	F	11	7	2	2	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-		
Diphtheria	M	36	1	2	12	20	1	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-		
	F	38	2	3	5	27	-	-	-	1	-	-	-	6	-	-	1	5	-	-	-	-	-	-	-		
Influenza	M	71	2	-	-	-	4	4	9	12	17	18	5	13	-	-	-	1	-	1	2	5	1	3	3		
	F	58	4	3	1	-	3	1	5	5	9	19	8	14	-	-	-	1	-	2	2	2	2	5	5		
Encephalitis lethargica	M	3	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cerebro-spinal fever	M	3	2	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-		
	F	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
Respiratory tuberculosis	M	232	-	-	2	-	44	57	57	39	27	6	-	51	-	-	-	1	9	14	8	6	10	3	-		
	F	202	-	-	-	4	87	53	25	14	15	3	1	51	-	-	-	3	21	11	8	5	3	-	-		
Other tuberculosis	M	49	-	3	8	9	17	3	3	3	1	2	-	20	1	1	1	8	3	4	1	1	-	-	-		
	F	47	1	4	2	15	7	7	5	4	2	-	-	12	-	-	2	3	4	1	1	-	-	-	-		
Syphilis	M	5	-	-	-	-	-	-	2	1	2	-	-	2	1	-	-	-	-	-	-	1	-	-	-		
	F	5	1	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Gen. paralysis of insane, etc.	M	17	-	-	-	-	-	-	3	6	7	1	-	7	-	-	-	-	-	2	1	3	1	-	-		
	F	4	-	-	-	-	-	1	2	1	-	-	-	3	-	-	-	-	-	3	-	-	-	-	-		
Cancer	M	361	-	-	-	2	2	5	20	56	108	127	41	122	-	-	-	-	1	1	10	22	36	35	17		
	F	372	-	-	-	2	2	10	33	82	107	89	47	103	-	-	-	-	1	2	7	16	39	22	16		
Diabetes	M	24	-	-	-	-	2	2	-	2	8	8	2	8	-	-	-	-	1	1	1	1	1	2	2		
	F	64	-	-	-	-	1	3	2	9	21	27	1	16	-	-	1	-	2	-	2	6	4	1	1		
Cerebral hæmorrhage	M	224	-	-	-	-	-	-	4	6	67	87	60	43	-	-	-	-	1	-	1	12	14	15	15		
	F	226	-	-	-	-	-	-	8	28	46	87	57	63	-	-	-	-	-	-	5	20	17	21	21		
Heart disease	M	851	-	-	-	15	19	21	38	95	209	291	163	215	-	-	-	3	4	6	9	23	38	70	62		
	F	692	-	-	1	13	21	27	35	62	142	205	186	202	-	-	-	2	8	-	10	25	29	64	64		
Aneurysm	M	12	-	-	-	-	-	-	3	1	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other circulatory	M	149	-	-	-	-	-	1	-	10	28	64	46	53	1	-	-	-	-	-	2	1	8	21	20		
	F	93	-	-	-	-	-	1	3	6	15	36	32	42	-	-	-	-	-	1	5	9	6	21	21		
Bronchitis	M	205	20	-	4	-	-	1	4	27	24	69	56	62	11	-	1	-	2	-	3	10	8	18	9		
	F	127	13	-	1	-	1	1	7	7	23	34	40	35	5	1	2	-	-	1	-	2	7	17	17		
Pneumonia	M	217	54	17	14	4	8	10	15	24	34	27	10	44	8	3	4	1	3	4	5	6	6	3	1		
	F	118	35	18	12	1	6	5	3	3	13	17	5	38	7	11	2	2	2	1	3	1	2	4	3		
Other respiratory	M	62	1	-	-	1	2	2	9	14	8	13	12	24	-	-	-	-	2	1	2	7	10	1	1		
	F	31	1	-	1	3	1	1	6	4	6	4	4	7	1	-	-	2	1	-	1	1	-	-	1		
Peptic ulcer	M	24	-	-	-	-	1	3	4	8	7	1	-	7	-	-	-	-	-	1	1	4	1	-	1		
	F	7	-	-	-	-	-	1	-	3	-	3	-	3	-	-	-	-	-	-	1	-	1	1	1		
Diarrhœa	M	33	19	2	2	1	1	2	1	1	2	1	1	12	6	-	-	-	2	-	-	1	1	2	-		
	F	34	18	3	3	1	-	1	-	1	-	3	4	10	6	-	-	-	1	1	-	1	1	-	-		
Appendicitis	M	28	-	-	1	7	6	-	3	5	3	3	-	9	-	-	1	1	3	1	2	-	-	-	-		
	F	14	-	-	-	1	3	3	3	2	1	1	-	3	-	-	-	1	1	-	1	-	-	-	-		
Cirrhosis of liver	M	9	-	-	-	-	-	-	-	3	3	2	1	5	-	-	-	-	-	1	-	3	-	1	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-		
Other liver diseases	M	15	-	-	-	-	-	-	-	5	4	6	-	2	-	-	-	-	-	-	2	-	1	-	-		
	F	30	-	-	-	-	-	-	1	6	15	6	2	7	1	-	-	-	1	-	1	3	1	-	-		
Other digestive	M	57	5	3	3	4	2	4	5	5	8	11	7	26	3	1	-	3	-	2	-	4	3	2	8		
	F	61	4	2	-	5	4	1	4	6	12	16	7	11	1	-	-	1	1	-	1	4	2	1	1		
Nephritis	M	121	1	-	3	3	5	4	7	17	27	36	18	37	-	-	-	-	2	5	4	9	13	4	4		
	F	131	-	-	-	5	13	7	9	18	29	29	21	35	-	-	-	1	2	3	6	8	7	5	5		
Puerperal sepsis	F	30	-	-	-	-	6	14	10	-	-	-	-	7	-	-	-	3	4	-	-	-	-	-	-		
Other puerperal	F	30	-	-	-	-	4	19	6	1	-	-	-	17	-	-	-	1	8	8	-	-	-	-	-		
Congenital causes, etc.	M	199	197	1	1	-	-	-	-	-	-	-	-	47	44	2	-	-	1	-	-	-	-	-	-		
	F	148	141	2	1	1	2	-	-	-	-	-	-	36	35	1	-	-	-	-	-	-	-	-	-		
Senility	M	138	-	-	-	-	-	-	-	-	-	26	112	39	-	-	-	-	-	-	-	-	4	35	35		
	F	183	-	-	-	-	-	-	-	-	2	31	150	49	-	-	-	-	-	-	-	-	6	43	43		
Suicide	M	37	-	-	-	-	3	7	12	3	8	3	1	11	-	-	-	-	-	-	1	6	2	2	2		
	F	10	-	-	-	-	4	3	3	1	2	-	-	5	-	-	-	1	-	1	1	1	-	-	-		
Other violence	M	204	4	6	8	19	33	30	30	25	21	14	14	79	2	1	2	7	17	11	10	9	11	3	6		
	F	72	3	3	5	6	7	7	7	2	7	6	19	22	1	-	2	2	2	3	-	2	-	10	10		
Other defined causes	M	343	31	3	2	16	16	24	27	35	57	95	37	102	10	-	2	6	7	7	5	11	16	24	14		
	F	300	30	6	4	17	26	25	29	47	61	37	18	92	6	3	3	2	10	8	13	14	10	17	6		
Ill-defined causes	M	8	-	-	-	-	1	-	1	-	2	2	2	1	-	-	-	-	-	1	-	-	-	-	-		
	F	7	-	1	-	-	-	-	-	1	-	2	3	1	-	-	-	-	-	-	-	-	1	-	-		

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	165	16	1	2	-	6	5	7	16	43	31	38	172	9	2	1	3	7	8	10	15	29	39	49		
	F	147	8	-	1	2	1	7	6	13	21	34	54	156	6	2	2	2	5	6	5	9	28	39	52		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Influenza	M	10	-	-	-	-	-	2	-	1	3	2	2	6	-	-	-	1	-	1	-	2	1	1	-		
	F	9	-	-	-	1	-	-	-	1	1	5	1	2	-	-	-	-	-	-	-	1	1	-	-		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	11	-	-	-	-	2	2	1	1	4	1	-	11	-	-	-	2	1	2	3	1	2	-	-		
	F	7	-	-	-	-	1	3	2	1	-	-	-	5	-	-	-	-	2	2	-	1	-	-	-		
10 Other tuberculosis	M	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-		
	F	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	21	-	-	-	-	-	-	1	3	5	8	4	11	-	-	-	-	-	-	-	-	6	2	3		
	F	23	-	-	-	-	-	2	4	6	6	5	31	-	-	-	-	1	-	-	-	2	10	12	6		
14 Diabetes	M	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	1	-	1	1		
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
15 Cerebral hæmorrhage	M	5	-	-	-	-	-	-	-	-	3	-	2	12	-	-	-	-	-	-	-	-	4	6	2		
	F	18	-	-	-	-	-	-	-	-	3	8	7	8	-	-	-	-	-	-	-	1	2	4	1		
16 Heart disease	M	37	-	-	-	-	-	1	5	9	9	13	38	-	-	-	-	-	1	-	2	4	15	16	16		
	F	34	-	-	-	-	-	2	2	4	8	18	38	-	-	-	-	-	-	-	2	7	6	23	23		
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	4	-	-	-	-	-	-	-	-	1	2	1	12	-	-	-	-	-	-	-	1	-	4	7		
	F	6	-	-	-	-	-	-	-	-	1	-	5	9	-	-	-	-	-	-	-	-	4	4	4		
19 Bronchitis	M	6	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-	-	1	1		
	F	4	-	-	-	-	-	-	-	-	-	4	4	6	-	-	1	-	1	-	-	-	2	2	2		
20 Pneumonia	M	10	3	-	-	-	-	-	1	-	5	-	1	9	-	-	-	-	-	1	-	3	3	2	2		
	F	3	1	-	-	-	-	1	-	-	-	1	-	10	2	-	-	-	-	-	3	3	1	1	1		
21 Other respiratory	M	4	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	1	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
22 Peptic ulcer	M	3	-	-	-	-	1	1	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-		
23 Diarrhoea	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-		
24 Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
27 Other digestive	M	2	-	-	-	-	-	-	1	-	-	1	-	4	1	-	-	-	-	1	-	1	-	-	-		
	F	2	-	-	-	-	-	1	-	-	1	-	-	7	1	-	-	-	1	-	1	1	2	-	-		
28 Nephritis	M	7	-	-	-	-	-	-	-	1	1	1	4	15	-	-	-	-	-	-	2	4	4	-	-		
	F	9	-	-	-	-	-	-	-	1	2	1	5	5	-	-	-	-	1	-	-	-	-	2	-		
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30 Other puerperal	F	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
31 Congenital causes, etc.	M	12	11	-	1	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-		
	F	6	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-		
32 Senility	M	6	-	-	-	-	-	-	-	-	-	-	6	7	-	-	-	-	-	-	-	-	-	1	-		
	F	7	-	-	-	-	-	-	-	-	-																

TABLE 24—*cont.* Administrative County of Monmouth.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M F	1791 1437	158 130	29 20	41 35	51 50	84 85	93 94	96 90	204 128	315 217	413 272	307 316	279 254	19 17	5 6	3 1	6 9	8 7	11 10	16 9	27 26	36 42	69 53	79 74		
1 Typhoid fever, etc.	M F	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
2 Measles	M F	8 12	3 3	2 2	3 3	— 4	— —	— —	— —	— —	— —	— —	— —	6 1	1 —	1 1	2 —	1 —	1 —	— —	— —	— —	— —	— —	— —		
3 Scarlet fever	M F	4 2	— —	— —	3 —	— 2	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
4 Whooping cough	M F	7 8	5 2	1 3	1 3	— —	— —	— —	— —	— —	— —	— —	— —	1 2	— —	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5 Diphtheria	M F	17 15	— —	— —	6 6	10 8	— —	1 1	— —	— —	— —	— —	— —	1 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —		
6 Influenza	M F	28 15	— —	— —	— —	1 —	1 —	2 3	2 —	5 2	4 —	11 4	2 3	5 5	— —	— —	— —	1 —	— —	— —	— —	2 1	2 1	— 1	1 1		
7 Encephalitis lethargica	M F	1 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8 Cerebro-spinal fever	M F	6 1	— 1	— —	2 —	1 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9 Respiratory tuberculosis	M F	106 100	— —	— 1	— 1	— 5	26 36	33 32	17 12	13 8	13 4	4 1	— —	8 8	— —	— —	— —	— —	— 1	4 2	1 3	2 —	1 2	— —	— —		
10 Other tuberculosis	M F	24 21	1 1	1 —	5 1	5 10	5 7	1 —	1 —	4 2	1 —	— —	— —	3 —	— —	— —	— —	— —	— 1	1 —	— —	1 —	— —	— —	— —		
11 Syphilis	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	2 —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —		
12 Gen. paralysis of insane, etc.	M F	9 1	— —	— —	— —	— —	— —	— —	— —	2 —	7 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —		
13 Cancer	M F	186 164	— 1	— —	— —	1 —	3 —	3 3	7 17	37 27	58 46	58 42	19 28	30 42	— —	— —	— —	— 1	— —	— —	1 4	4 8	9 11	10 16	6 6		
14 Diabetes	M F	15 26	— —	— —	— —	— 1	— 1	1 1	— 1	— 1	— 11	— 8	— 2	— 5	— —	— —	— —	— —	— —	— —	— —	— 1	— 2	— 1	— 1		
15 Cerebral hæmorrhage	M F	78 103	— —	— —	— —	— —	1 —	— —	— 2	1 17	15 23	37 30	24 31	24 19	— —	— —	— —	— —	— —	— —	— 3	9 4	6 7	6 5			
16 Heart disease	M F	433 310	— —	— —	1 —	5 2	7 10	8 5	23 14	50 28	86 56	147 97	106 98	73 62	— —	— —	— —	1 1	— 2	— 1	2 3	4 2	9 11	25 14	32 28		
17 Aneurysm	M F	5 1	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	2 1	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —		
18 Other circulatory	M F	54 39	— —	— —	— —	— —	— —	— 1	— —	3 2	9 12	23 13	18 11	13 12	— —	— —	— —	— —	— —	— —	1 —	— 1	1 2	5 1	6 8		
19 Bronchitis	M F	93 58	15 4	1 4	1 1	— —	— —	1 —	1 1	6 2	13 9	25 13	30 23	5 7	1 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —	3 6		
20 Pneumonia	M F	121 78	22 20	14 4	7 12	2 2	4 2	8 4	6 7	12 4	19 7	17 6	10 10	13 11	1 —	1 1	1 1	— 2	1 1	1 —	2 —	2 —	3 1	1 2	— 2		
21 Other respiratory	M F	32 16	2 —	— —	— 1	— —	1 —	1 3	5 2	5 1	8 1	5 2	5 6	1 1	— —	— —	— 1	— —	— —	— —	1 —	— —	— —	— —	— —		
22 Peptic ulcer	M F	28 6	— —	— —	— —	— —	1 —	1 —	4 1	12 2	6 1	2 1	2 1	2 1	— —	— —	— —	— —	— —	— —	— —	— 1	1 —	— —	— —		
23 Diarrhœa	M F	17 16	9 11	1 2	— —	— 1	1 —	— —	— —	— —	1 —	4 —	— 1	3 7	2 2	— 1	— —	— —	— —	— 1	— —	— —	— —	— 1	— 2		
24 Appendicitis	M F	10 11	— —	— —	1 3	2 3	— —	— 1	— 2	5 —	— 1	— 1	— —	2 —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —		
25 Cirrhosis of liver	M F	5 —	— —	— —	— —	— —	— —	— —	1 —	— —	2 —	2 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —		
26 Other liver diseases	M F	5 14	— —	— —	— —	— —	— —	— —	— 2	— —	— 4	1 8	3 —	— 4	— —	— —	— —	— —	— —	— —	— —	— —	1 2	— 1	— —		
27 Other digestive	M F	22 27	2 1	— —	2 1	— 3	— —	— 3	5 2	2 3	5 6	5 3	1 5	5 3	— —	1 —	— —	— —	— —	1 —	— 2	— —	— 1	— 1	— 1		
28 Nephritis	M F	70 43	— —	— 1	— —	1 1	3 4	6 5	5 4	9 4	19 11	15 8	11 5	16 12	— —	— —	— —	— 2	— —	— —	— 1	— 3	— 1	7 4	7 1		
29 Puerperal sepsis	F	13	—	—	—	—	4	8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
30 Other puerperal	F	19	—	—	—	—	6	8	5	—	—	—	—	4	—	—	—	—	1	2	1	—	—	—	—		
31 Congenital causes, etc.	M F	84 75	81 75	1 —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	12 12	11 12	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		
32 Senility	M F	65 87	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	12 12	53 75	13 6	— —	— —	— —	— —	— —	— —	— —	2 —	11 6		
33 Suicide	M F	20 6	— —	— —	— —	— —	1 —	2 2	1 —	7 2	6 1	1 —	2 —	3 1	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —		
34 Other violence	M F	94 23	1 2	5 1	4 2	10 1	18 4	15 1	7 2	15 1	10 —	7 3	2 5	13 11	2 —	— —	— —	2 1	3 —	1 —	1 —	— 2	— —	1 1	2 6		
35 Other defined causes	M F	138 126	17 9	3 2	4 4	11 6	10 5	7 16	7 11	15 22	24 20	26 19	14 12	21 17	1 2	— 1	— —	— —	— 1	2 3	5 1	2 3	— 5	7 1	4 —		
36 Ill-defined causes	M F	4 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	127	10	3	2	2	2	2	8	12	15	39	32	201	8	-	2	1	9	10	7	15	24	54	71
	F	148	4	2	2	4	2	5	7	6	22	42	52	193	13	-	1	5	4	5	10	10	29	52	64
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 Influenza	M	1	-	-	-	1	-	-	-	-	1	-	1	4	-	-	-	-	1	-	-	1	1	1	
	F	2	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	1	-	-	-	4	
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	1	-	-	-	-	-	1	-	-	-	-	-	9	-	-	-	4	2	-	-	-	1	2	
	F	3	-	-	-	-	2	-	-	1	-	-	7	-	-	-	-	2	1	-	1	-	-	-	
10 Other tuberculosis	M	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	
	F	1	-	-	1	-	-	-	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-	-	
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 Cancer	M	17	-	-	-	-	-	1	1	2	3	7	3	30	-	-	-	-	-	-	4	5	14	7	
	F	32	-	-	-	-	-	1	1	3	8	10	9	24	-	-	-	-	-	2	3	5	10	4	
14 Diabetes	M	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	1	-	
	F	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	1	-	
15 Cerebral hæmorrhage	M	9	-	-	-	-	-	1	-	2	4	2	2	14	-	-	-	-	-	2	-	4	1	7	
	F	12	-	-	-	-	-	-	-	-	6	6	6	15	-	-	-	-	-	-	1	6	3	5	
16 Heart disease	M	30	-	-	-	1	-	-	1	3	14	11	43	43	-	-	-	-	-	-	3	6	17	17	
	F	38	-	-	-	-	-	2	1	4	15	16	48	48	-	-	1	-	-	-	1	6	20	20	
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18 Other circulatory	M	7	-	-	-	-	-	-	-	1	3	3	8	8	-	-	-	-	-	-	-	-	1	7	
	F	10	-	-	-	-	-	-	1	2	2	5	13	13	-	-	-	-	-	-	-	1	4	8	
19 Bronchitis	M	2	-	-	-	-	-	1	1	-	-	-	-	10	1	-	-	-	-	-	-	1	2	6	
	F	4	-	-	-	-	-	-	-	-	1	3	9	9	1	-	-	-	-	-	-	1	1	6	
20 Pneumonia	M	7	2	1	-	-	-	1	1	-	1	1	1	9	-	-	1	1	1	1	3	2	-	-	
	F	2	-	-	-	-	-	-	-	1	-	1	13	13	4	-	-	1	-	2	-	2	3	1	
21 Other respiratory	M	3	-	-	-	-	-	1	-	-	2	-	2	2	-	-	-	-	-	-	1	-	-	1	
	F	2	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-	-	1	1	1	
22 Peptic ulcer	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23 Diarrhœa	M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
24 Appendicitis	M	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
27 Other digestive	M	5	-	1	1	1	-	-	-	-	-	1	1	4	-	-	-	1	-	1	1	-	-	1	
	F	2	-	-	1	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	1	-	1	
28 Nephritis	M	5	-	1	-	-	-	-	1	-	-	1	2	7	-	-	-	-	-	-	-	-	2	5	
	F	8	-	1	-	-	-	1	-	2	2	2	6	6	-	-	-	-	1	-	2	-	-	3	
29 Puerperal sepsis	F	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
31 Congenital causes, etc.	M	7	7	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	
	F	3	3	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	
32 Senility	M	6	-	-	-	-	-	-	-	-	-	-	6	11	-	-	-	-	-	-	-	-	1	10	
	F	5	-	-	-	-	-	-	-	-	-	-	5	6	-	-	-	-	-	-	-	-	-	5	
33 Suicide	M	2	-	-	-	-	-	1	1	-	-	-	-	6	-	-	-	-	1	1	1	-	3	-	
	F	2	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	1	1	-	-	
34 Other violence	M	6	-	-	-	1	-	1	3	1	-	-	-	9	-	-	-	2	-	1	1	1	2	2	
	F	6	1	-	1	1	-	-	1	1	1	1	-	4	-	-	1	-	-	1	-	1	-	1	
35 Other defined causes	M	10	-	-	-	1	-	-	2	3	3	1	18	-	-	1	1	-	1	1	-	1	7	6	
	F	10	-	1	-	1	2	1	-	2	1	2	22	-	-	1	1	-	2	1	4	3	6	4	
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

[illegible]

TABLE 25.—VIOLENT DEATHS, 1935.—ENGLAND AND WALES.

Note (1) The deaths in this table have been classified to the several forms of violence (e.g., suicide, accident, etc.), in accordance with the information furnished by H.M. Coroners.
 (2) The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Total	M. 14501 F. 7462	360 276	604 378	513 279	411 162	745 206	1203 268	1936 563	1581 618	2012 808	2263 904	1604 1175	1269 1825
163-171	Suicide	M. 3525 F. 1698	— —	— —	— —	4 1	58 21	164 81	461 266	473 355	768 423	911 332	509 171	177 48
	Murder	M. 36 F. 69	4 7	8 8	4 7	3 —	1 5	— 13	4 8	4 11	3 4	3 3	1 3	1 —
	Manslaughter	M. 38 F. 22	1 1	— —	— 2	— 1	2 2	7 3	10 6	5 4	8 1	4 —	— 2	1 —
172-175	Infanticide	M. 6 F. 6	6 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Justifiable homicide	M. 1 F. —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
196	Wounds of war	M. 69	—	—	—	—	—	—	—	33	32	4	—	—
198	Execution	M. 12 F. —	— —	— —	— —	— —	— —	2 —	8 —	1 —	— —	1 —	— —	— —
176-194	Accident	M. 10065 F. 5336	313 238	590 366	504 269	397 160	662 166	988 144	1356 237	959 193	1068 321	1174 508	1002 967	1052 1762
195 pt.	"Open Verdicts"	M. 680 F. 307	34 21	5 2	5 —	4 —	15 10	34 27	89 43	95 47	118 57	159 57	85 28	37 15
195 pt.	Others*	M. 69 F. 24	2 3	1 2	— 1	3 —	7 2	8 —	8 3	10 3	15 2	7 4	7 4	1 —
163-171	Suicide :—													
163	By solid or liquid poisons and corrosive substances ..	M. 344 F. 313	— —	— —	— —	— —	5 4	21 23	48 60	59 70	82 84	75 47	43 20	11 5
	Hydrochloric acid	M. 42 F. 20	— —	— —	— —	— —	— 1	3 —	6 5	5 2	10 7	7 5	7 —	— —
	Sulphuric acid	M. 4 F. 4	— —	— —	— —	— —	— —	— —	— 1	1 1	1 —	1 1	1 1	— —
	Potassium cyanide	M. 32 F. 8	— —	— —	— —	— —	— 1	2 —	6 2	7 2	7 3	6 —	4 —	— —
	Prussic acid, hydrocyanic acid	M. 23 F. 1	— —	— —	— —	— —	1 —	1 —	2 —	4 —	6 1	7 —	1 —	1 —
	Oxalic acid	M. 9 F. 17	— —	— —	— —	— —	— —	— 2	4 2	2 4	1 7	2 1	— —	— 1
	Carbolic acid	M. 15 F. 19	— —	— —	— —	— —	— —	1 1	1 4	2 6	4 3	2 2	5 2	— 1
	Opium, laudanum, morphia	M. 7 F. 2	— —	— —	— —	— —	— —	1 —	1 1	— —	2 —	1 —	1 —	1 1
	Ammonia	M. 11 F. 21	— —	— —	— —	— —	— 1	— 4	1 1	2 5	2 5	4 5	2 —	— —
	Lysol	M. 101 F. 129	— —	— —	— —	— —	1 —	7 8	11 27	15 30	29 33	22 18	13 12	3 1
	Aspirin	M. 15 F. 21	— —	— —	— —	— —	— —	— 1	2 2	5 8	4 5	4 5	— —	— —
	Strychnine	M. 6 F. 1	— —	— —	— —	— —	— —	1 —	2 —	— —	— 1	3 —	— —	— —

* The figures relate solely to inquests adjourned and not resumed under Section 20 of the Coroners (Amendment) Act, 1926, and concerning which the available information is insufficient to admit of more definite classification of the deaths in this summary.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Suicide— <i>cont.</i>													
163	Other solid or liquid poisons {M. 79		—	—	—	—	3	5	12	16	16	16	9	2
— <i>cont.</i>	(or kind not stated)* .. {F. 70		—	—	—	—	1	7	15	12	19	10	5	1
164	By poisonous gas {M. 1101		—	—	—	2	14	50	152	160	263	261	149	50
 {F. 678		—	—	—	1	8	29	96	139	158	147	79	21
	Coal gas {M. 1081		—	—	—	2	13	47	146	157	258	259	149	50
 {F. 676		—	—	—	1	8	29	95	139	153	146	79	21
	Others† {M. 20		—	—	—	—	1	3	6	3	5	2	—	—
 {F. 2		—	—	—	—	—	—	1	—	—	1	—	—
165	Hanging or strangulation .. {M. 616		—	—	—	2	16	27	66	70	122	184	99	30
 {F. 179		—	—	—	—	—	4	27	30	43	47	21	7
166	Drowning {M. 459		—	—	—	—	5	16	40	46	100	144	75	33
 {F. 287		—	—	—	—	5	10	37	61	88	54	26	6
167	Firearms {M. 220		—	—	—	—	7	23	49	28	40	48	17	8
 {F. 6		—	—	—	—	—	2	1	1	2	—	—	—
168	Cutting or piercing instruments {M. 491		—	—	—	—	2	8	47	58	107	139	96	34
 {F. 75		—	—	—	—	—	1	8	12	19	18	12	5
169	Jumping from high places .. {M. 104		—	—	—	—	2	6	15	17	17	23	15	9
 {F. 66		—	—	—	—	—	2	7	11	20	15	8	3
170	Crushing {M. 179		—	—	—	—	7	13	42	32	35	34	14	2
 {F. 44		—	—	—	—	2	4	10	16	7	2	2	1
	On railway {M. 170		—	—	—	—	6	13	41	30	33	33	12	2
 {F. 44		—	—	—	—	2	4	10	16	7	2	2	1
	Motor vehicles {M. 9		—	—	—	—	1	—	1	2	2	1	2	—
 {F. —		—	—	—	—	—	—	—	—	—	—	—	—
171	Suicide by other means .. {M. 11		—	—	—	—	—	—	2	3	2	3	1	—
 {F. 50		—	—	—	—	2	6	20	15	2	2	3	—
	Setting fire to clothing .. {M. 3		—	—	—	—	—	—	1	1	—	—	1	—
 {F. 7		—	—	—	—	—	—	—	3	1	2	1	—
	Burns (not stated) {M. 1		—	—	—	—	—	—	—	—	—	1	—	—
 {F. 2		—	—	—	—	—	—	—	—	—	—	2	—
	Abortion F. 39		—	—	—	—	2	6	20	11	—	—	—	—
	Others (or not stated)† .. {M. 7		—	—	—	—	—	—	1	2	2	2	—	—
 {F. 2		—	—	—	—	—	—	—	1	1	—	—	—
173	Homicide by firearms {M. 6		—	—	—	—	—	—	1	2	1	2	—	—
 {F. 11		—	—	—	—	3	3	2	1	—	—	2	—
	Murder {M. 6		—	—	—	—	—	—	1	2	1	2	—	—
 {F. 11		—	—	—	—	3	3	2	1	—	—	2	—
	Manslaughter {M. —		—	—	—	—	—	—	—	—	—	—	—	—
 {F. —		—	—	—	—	—	—	—	—	—	—	—	—
	Justifiable homicide {M. —		—	—	—	—	—	—	—	—	—	—	—	—
 {F. —		—	—	—	—	—	—	—	—	—	—	—	—

* Antimony, 1 M.; arsenic (weed killer), 3 M., 2 F.; arsenic (insecticide), 1 F.; arsenic (not stated), 1 F.; perchloride of mercury, 1 M.; corrosive sublimate, 2 M., 2 F.; potassium bichromate, 4 M.; potassium binosalate, 1 F.; bromide of sodium, 1 F.; copper sulphate, 1 F.; zinc chloride, 1 M.; iodine, 2 M., 2 F.; "Rodine" (rat poison), 2 M., 2 F.; strychnine (Battle's vermin killer), 2 M.; strychnine (rat poison), 1 F.; nitric acid, 1 M., 1 F.; salicylic acid, 1 M., 1 F.; chloroform, 1 M., 1 F.; cresol, 1 M., 3 F.; creosote, 1 M.; cresolene, 3 F.; phenol, 2 M.; cyanide (not stated), 4 M.; chloral, 1 F.; allonal, 1 M.; luminal, 2 M., 2 F.; medinal, 7 F.; veronal, 2 M., 6 F.; dial, 4 M., 6 F.; barbituric acid 3 M., 1 F.; barbitone, 1 M., 1 F.; barbiturate, 2 F.; chlorodyne, 1 F.; cocaine, 1 F.; soneryl, 1 F.; quadranox, 1 F.; belladonna, 1 M.; nicotine (fumigant), 2 M.; nicotine (insecticide), 7 M., 2 F.; nicotine (commercial), 2 M.; nicotine (curing preparation), 1 M.; nicotine (not stated), 2 M.; liniment (aconite, belladonna and chloroform), 2 M.; liniment (methyl salicylate), 2 M.; liniment (not stated), 2 M.; "Izal," 2 M., 1 F.; "Jeyes" fluid, 3 F.; "Elsanol," 1 F.; disinfectant (carbolic), 4 M., 1 F.; disinfectant (creosote), 2 F.; disinfectant (coal tar preparation), 2 M., 1 F.; disinfectant (corrosive), 1 M., 1 F.; sheep dip, 1 M.; cattle wart cure (acetic acid), 1 F.; mineral acid (not stated), 1 M.; narcotic (not stated), 3 F.; irritant (not stated), 1 M., 1 F.; corrosive (not stated), 2 M.; poison (not stated), 2 M.

† Carbon monoxide from motor car exhaust, 15 M., 1 F.; exhaust fumes from motor car, 5 M., 1 F.

‡ Detonator in mouth, 1 M.; explosive substance in mouth, 1 M.; running head against wall, 1 M.; cutting throat with glass, 2 M.; cutting throat with earthenware, 1 F.; swallowing sponge, 1 M.; swallowing bottle stopper, 1 M.; suffocation by stocking, 1 F.

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
17	Homicide by cutting or piercing {M. instruments F.	9 21	1 1	1 —	1 3	— —	1 —	— 6	1 2	2 6	1 2	1 1	— —	— —
	Murder {M. F.	8 21	1 1	1 —	1 3	— —	1 —	— 6	1 2	1 6	1 2	1 1	— —	— —
	Manslaughter {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
	Justifiable homicide .. {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
175	Homicide by other means .. {M. F.	66 65	10 13	7 8	3 6	3 1	2 4	7 7	12 10	6 8	9 3	4 2	1 3	2 —
	Murder {M. F.	22 37	3 6	7 8	3 4	3 —	— 2	— 4	2 4	1 4	1 2	— 2	1 1	1 —
	By drowning {M. F.	2 5	— —	1 5	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	By strangulation .. {M. F.	— 8	— 2	— —	— —	— —	— 1	— 2	— 1	— 2	— —	— —	— —	— —
	Abortion F.	3	—	—	—	—	—	1	1	1	—	—	—	—
	Others (or not stated how)* {M. F.	20 21	3 4	6 3	2 4	3 —	— 1	— 1	2 2	1 1	1 2	— 2	1 1	1 —
	Manslaughter {M. F.	43 28	7 7	— —	— 2	— 1	2 2	7 3	10 6	4 4	8 1	4 —	— 2	1 —
	By motor car .. . {M. F.	20 4	— —	— —	— —	— —	2 —	7 2	7 —	1 2	2 —	1 —	— —	— —
	By blow {M. F.	10 2	— —	— —	— —	— —	— —	— —	1 1	2 —	3 —	3 —	— 1	1 —
	Abortion F.	6	—	—	—	—	1	—	3	2	—	—	—	—
	Others (or not stated how)† {M. F.	13 16	7 7	— —	— 2	— 1	— 1	— 1	2 2	1 —	3 1	— —	— 1	— —
	Justifiable homicide ‡... {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
	Accident :—													
176	Attack by venomous animals.. {M. F.	8 15	— —	— 1	— —	— 1	— —	2 1	— 2	3 4	1 1	1 1	— 3	1 1
	"Insect"(not further defined) {M. F.	5 8	— —	— —	— —	— 1	— —	2 1	— 2	2 1	— —	1 1	— 2	— —
	Others§ {M. F.	3 7	— —	— 1	— —	— —	— —	— —	— —	1 3	1 1	— —	— 1	1 1
177	Food poisoning {M. F.	10 9	1 —	— 2	1 —	— —	— 1	— —	2 —	2 —	— 5	3 —	1 1	— —
	"Ptomaine poisoning" .. {M. F.	2 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
	"Food poisoning" .. . {M. F.	5 2	1 —	— 1	— —	— —	— —	— —	1 —	2 —	— 1	— —	1 —	— —
	Others {M. F.	3 7	— —	— 1	— —	— —	— 1	— —	— —	— —	— 4	2 —	— 1	— —
178	Accidental absorption of irrespir- able or poisonous gas .. {M. F.	122 78	1 —	1 5	— 3	5 1	3 2	13 —	16 4	22 4	19 8	18 10	12 18	12 23
	Coal gas {M. F.	55 72	1 —	— 2	— 3	3 1	1 2	5 —	2 4	6 4	6 6	13 9	9 18	9 23

* Coal gas, 6 M., 5 F.; suffocation, 4 M., 4 F.; blow, 8 M., 10 F.; sodium arsenate poisoning, 1 M.; petrol burns, 1 F.; train, 1 M.; motor car, 1 F.

† Motor lorry, 6 M., 3 F.; motor cycle, 2 F.; stabbing, 1 F.; strangulation, 5 M., 4 F.; suffocation, 1 M., 4 F.; neglect, 1 M., 1 F.; drowning, 1 F.

‡ Blow, 1 M.

§ Gnat bite, 2 M., 2 F.; mosquito bite, 1 M., 3 F.; bee sting, 1 F.; wasp sting, 1 F.

|| Bacillus aertrycke, 2 M., 1 F.; botulism, 1 M., 4 F.; mackerel, 1 F.; mushrooms, 1 F.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
178 —cont.	Accidental absorption, etc.— <i>contd.</i>													
	Carbon monoxide* {M. F.	53 3	— —	1 1	— —	1 —	1 —	6 —	13 —	15 —	8 2	4 —	2 —	2 —
	Carbon dioxide {M. F.	2 —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —
	Others (or not stated)† .. {M. F.	12 3	— —	— 2	— —	1 —	1 —	1 —	1 —	1 —	4 —	1 1	1 —	1 —
179	Other acute accidental poisoning (not by gas) {M. F.	56 35	— —	5 5	1 1	— —	1 1	3 —	5 4	6 7	15 7	9 5	6 3	5 2
	Carbolic acid {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Lysol {M. F.	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— 1	— —
	Hydrochloric acid {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Opium, laudanum, morphia .. {M. F.	3 —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	1 —
	Belladonna {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Others (or kind not stated)‡ .. {M. F.	52 34	— —	5 5	1 1	— —	1 1	3 —	4 4	6 7	14 7	8 5	6 2	4 2
180	Conflagration {M. F.	23 42	— 3	4 3	— 2	— 1	1 1	1 2	2 3	4 4	4 3	2 3	2 7	3 10
181	Accidental burns (conflagration excepted) {M. F.	531 801	36 27	242 174	22 57	8 49	8 50	10 24	26 37	28 43	25 45	24 60	48 104	54 131
	1. Burns {M. F.	235 630	8 13	37 74	10 48	6 48	4 49	8 20	13 36	19 38	15 40	21 48	42 98	52 118
	By flannelette clothes .. {M. F.	— 5	— —	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— 1
	„ clothes (others or not described)§ .. {M. F.	47 337	— 2	9 35	2 31	1 34	— 32	2 13	6 24	— 17	2 22	3 22	9 49	13 56
	„ molten metal {M. F.	4 —	— —	— —	— —	— —	— —	— —	— —	2 —	1 —	1 —	— —	— —
	„ playing with fire, etc. {M. F.	2 5	— —	2 4	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
	„ falling into fire .. {M. F.	34 45	1 2	6 4	1 2	— —	— 1	— —	— 2	1 2	3 4	2 5	10 9	10 14
	„ bedding {M. F.	10 7	— 1	1 —	— —	— —	— —	— —	— —	1 —	1 —	— 2	2 —	5 4
	„ lamp accident .. {M. F.	1 2	— —	1 —	— —	— 1	— —	— —	— —	— 1	— —	— —	— —	— —
	Otherwise (or not stated how) .. {M. F.	137 229	7 8	18 28	7 14	5 13	4 16	6 7	7 10	15 18	8 14	15 19	21 39	24 43

* Explosion in colliery, 19 M.; motor car, 13 M.; motor launch, 1 F.; geyser, 7 M., 2 F.; petrol engine, 1 M.; coke fire, 2 M.; coal fire, 2 M.; heating apparatus, 3 M.; blast furnace, 2 M.; gas washing plant, 1 M.; burning bedding, 2 M., 1 F. For other deaths from carbon monoxide poisoning see No. 195.

† Fumes at pumping station, 1 M.; coal smoke, 2 M.; in coal mine, 3 M.; fumes from oil stove, 1 F.; petrol fumes, 2 M.; ammonia vapour, 1 M.; sulphuretted hydrogen gas, 2 M.; prussic acid fumes, 2 F.; acid fumes (not stated), 1 M.

‡ Arsenic (weed killer), 2 M.; ammonia, 2 M., 2 F.; potassium cyanide, 2 M.; sodium arsenate, 1 F.; sulphuric acid, 1 M.; boracic acid, 1 M.; mercuric chloride, 1 M.; creosote, 1 M.; phenol, 2 M., 1 F.; phosphorus, ("Vermus"), 1 F.; strychnine, 1 F.; alcohol, 3 M., 1 F.; methylated spirit, 1 M.; methyl salicylate, 1 F.; salicylic acid, 2 M.; aspirin, 2 M., 5 F.; caustic soda, 2 M.; chloral hydrate, 2 F.; chlorodyne, 1 F.; paraldehyde, 2 M., 1 F.; allonal, 1 M., 1 F.; luminal, 5 M., 6 F.; medinal, 4 M., 2 F.; veronal, 2 M., 1 F.; dial, 2 M.; barbitone, 2 M.; barbituric acid, 2 M., 1 F.; nembutal, 1 M.; novalgin, 1 M.; pyramidon, 1 M., 1 F.; colocynth and hyoscyamus (laxative), 1 F.; liniment (aconite and belladonna), 1 M.; liniment (methylated soap), 1 M.; liniment (oil of wintergreen), 1 M., 1 F.; liniment (not stated), 1 M.; "Eureka" weed killer, 1 M.; quinine tablets, 1 F.; digitalis pills, 1 F.; corrosive fluid (not stated), 1 M.; irritant pills (not stated), 1 M.; narcotic sleeping draught (not stated), 1 F.

§ Including candle, 2 M., 6 F.; unguarded grate, 13 F.; electric fire, 6 F.; gas stove, ring, etc., 1 M., 14 F.; oil stove, lamp, etc., 2 M., 6 F.; petrol (for cleaning purposes), 1 M., 1 F.; celluloid comb, 1 F.

|| Including aeroplane, 2 M.; motor cycle, 4 M.; motor car, 4 M., 3 F.; motor lorry, 7 M.; oil stove, 2 M., 6 F.; gas fire, 1 M., 5 F.; unguarded grate, 1 M., 3 F.; petrol, 2 M., 2 F.; hot water bottle, 2 M., 1 F.; candle, 1 M., 6 F.; celluloid doll, 1 M.; fireworks at factory, 1 F.; hot fomentation, 1 M., 2 F.; into vitriol, 1 M.; into caustic soda, 3 M.; into lime pit, 1 M., 1 F.; at colliery, 1 M.

§ Including motor car, 4 M., 1 F.; motor tractor, 1 M.; bicycle, 6 M.; building operations, 3 M.; in tin mine, 1 M.; giving way, 8 M.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
186—cont.	Accidental injury by fall, crushing, etc.—cont. In ships, docks, etc.—cont.													
	Into dock {M. F.	7 —	— —	— —	— —	— —	— —	— —	3 —	— —	2 —	1 —	1 —	— —
	Others (or not stated how)* {M. F.	11 2	— —	— —	— —	1 —	— —	3 —	1 —	3 —	3 —	— 2	— —	— —
	In building operations .. {M. F.	206 —	— —	— —	— —	1 —	13 —	42 —	28 —	51 —	46 —	25 —	— —	— —
	Downstairs {M. F.	299 474	3 2	3 4	1 —	1 —	4 1	1 1	4 6	14 6	26 30	58 76	76 132	108 216
	In house, room, etc. .. {M. F.	326 740	5 3	7 4	1 —	— 1	2 —	— —	1 5	5 2	13 13	23 51	82 146	187 515
	Out of bed {M. F.	26 46	2 —	1 —	— —	— —	— —	— —	1 1	— —	1 1	— 3	6 3	15 38
	From window {M. F.	48 39	1 —	9 3	— —	— 2	1 1	4 —	4 —	4 2	2 5	5 3	6 14	12 9
	Window cleaning.. .. {M. F.	49 5	— —	— —	— —	— —	1 —	7 —	11 —	5 —	12 2	9 1	4 1	— 1
	From ladder {M. F.	51 4	— —	— —	— —	1 —	1 —	1 —	6 —	3 —	5 1	20 —	10 3	4 —
	In street {M. F.	173 174	— —	1 1	5 3	1 1	3 1	1 1	4 2	4 4	8 5	23 28	37 46	86 82
	Down area {M. F.	3 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	2 —	— —	— —
	Down lift well {M. F.	14 1	— —	— —	— —	1 —	5 1	1 —	1 —	1 —	1 —	2 —	2 —	— —
	Diving {M. F.	17 —	— —	— —	— —	1 —	3 —	3 —	6 —	2 —	2 —	— —	— —	— —
	From horse {M. F.	27 7	— —	— —	— —	— —	1 —	2 2	8 2	4 1	5 1	1 —	5 1	1 —
	From cliff {M. F.	16 7	— —	— —	1 1	1 —	6 —	5 2	— —	— —	1 3	1 1	— —	— —
	Otherwise (or not stated how)† {M. F.	641 815	3 1	14 6	17 4	28 6	16 —	15 2	29 5	42 7	48 19	81 52	121 178	227 535
	2. Mines and quarries .. M.	632	—	—	—	5	51	47	144	130	139	95	19	2
	3. Machinery {M. F.	253 6	— —	— 1	3 —	10 —	32 3	28 —	50 1	45 —	37 —	41 —	6 1	1 —
	4. Railway, road and air transport {M. F.	4793 1533	1 2	188 108	315 163	219 76	377 97	671 98	773 126	462 82	487 137	564 185	447 280	289 179
	5. Other crushing {M. F.	193 12	— —	4 2	6 2	6 2	5 —	15 1	34 1	33 2	49 1	31 —	9 1	1 —
	Fall of heavy substance :—													
	In ships, docks, etc. .. {M. F.	16 —	— —	— —	— —	— —	— —	— —	1 —	4 —	10 —	1 —	— —	— —
	In building operations {M. F.	28 —	— —	— —	— —	1 —	— —	3 —	4 —	7 —	5 —	4 —	3 —	1 —
	In excavations {M. F.	10 —	— —	— —	— —	— —	— —	1 —	4 —	— —	4 —	1 —	— —	— —
	Trees {M. F.	15 2	— —	— —	1 —	— 1	1 —	3 —	2 1	1 —	1 —	3 —	3 —	— —
	Others (or not stated how) {M. F.	103 9	— —	4 2	5 2	5 1	1 —	6 1	22 —	14 2	25 1	18 —	3 —	— —

* Including, from staging, 8 M.

† Including 55 M., 164 F. age 65 and upwards from fracture of leg; from tree, 10 M.; from bridge, 5 M., 1 F.; from hay cart, rick, etc., 22 M.; in colliery, 21 M.; in quarry, 10 M.; on railways, 12 M., 1 F.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
186 —cont.	Accidental injury by fall, crushing, etc.—cont.													
	5. Other crushing—cont.													
	Other crushing (or not stated how) :—													
	In ships, docks, etc. .. {M. F.	11 —	— —	— —	— —	— —	2 —	2 —	— —	2 —	2 —	3 —	— —	— —
	Others {M. F.	10 1	— —	— —	— —	— —	1 —	— —	1 —	5 —	2 —	1 —	1 —	— —
187	Cataclysm {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
188	Injury by animals (poisoning by venomous animals excepted) {M. F.	41 4	— 1	4 —	2 1	3 —	2 —	3 —	2 —	1 —	7 —	9 1	5 —	3 1
	Horse {M. F.	29 2	— —	3 —	2 1	3 —	1 —	2 —	1 —	— —	5 —	6 1	4 —	2 —
	Bull or cow, etc. .. {M. F.	12 2	— 1	1 —	— —	— —	1 —	1 —	1 —	1 —	2 —	3 —	1 —	1 1
189	Hunger or thirst {M. F.	13 1	1 —	— —	— —	— —	— —	— —	— —	2 —	2 —	3 1	4 —	1 —
190	Excessive cold {M. F.	17 9	— 1	— —	— —	— —	— —	— —	— —	1 1	1 2	3 2	8 2	4 1
191	Excessive heat {M. F.	37 22	1 2	2 1	2 —	— —	2 1	— —	2 3	2 —	6 2	6 3	3 4	11 6
192	Lightning {M. F.	13 1	— —	— —	1 —	— —	3 —	1 —	1 —	2 —	3 —	— —	1 —	1 —
193	Electricity (lightning excepted) {M. F.	61 9	— —	2 1	4 —	6 —	7 —	3 —	19 3	10 3	5 2	4 —	1 —	— —
	Railways {M. F.	12 —	— —	1 —	4 —	2 —	— —	— —	1 —	1 —	— —	3 —	— —	— —
	Others {M. F.	49 9	— —	1 1	— —	4 —	7 —	3 —	18 3	9 3	5 2	1 —	1 —	— —
194	Other and unstated forms of accidental violence {M. F.	323 149	90 73	22 8	14 7	21 7	19 —	22 4	33 11	38 6	25 10	20 8	14 9	5 6
	Inattention at birth {M. F.	85 70	85 70	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Swallowing foreign body .. {M. F.	39 26	2 2	12 4	3 1	2 1	— —	— —	2 4	7 2	3 4	4 3	2 4	2 1
	Blow :—													
	In ships, docks, etc. .. {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
	Others {M. F.	61 12	1 —	3 —	4 3	6 1	4 —	5 1	3 1	12 —	9 —	9 4	4 —	1 2
	Football, cricket, etc. .. {M. F.	29 1	— —	— —	1 —	6 1	4 —	9 —	8 —	1 —	— —	— —	— —	— —
	Strangulation {M. F.	13 4	1 —	4 —	— —	4 —	4 —	— —	— —	— —	1 —	— —	2 —	1 —
	Explosion* :—													
	In ships, docks, etc. .. {M. F.	2 —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —
	Others† {M. F.	35 —	— —	— —	1 —	1 —	— —	4 —	10 —	10 —	4 —	4 —	1 —	— —

* For other deaths from explosions but resulting from burns or scalds see No. 181.

† Including shot firing, 14 M.; acetylene plant, 2 M.; coal gas, 1 M.; boiler, 3 M.; motor tyre, 3 M.; petrol tank, 2 M.; dyeworks, 2 M.; fireworks in factory, 1 M.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
194 —cont.	Other and unstated forms of accidental violence—cont.													
	Abortion:—													
	Verdict of misadventure or accident F.	7	—	—	—	—	—	2	4	1	—	—	—	—
	Other accidents (otherwise or not stated how):—													
	In ships, docks, etc. .. {M.	1	—	—	—	—	—	—	—	—	1	—	—	—
 F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others* {M.	57	1	3	5	2	7	4	9	7	7	3	7	2
 F.	29	1	4	3	4	—	1	2	3	5	1	3	2
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.) {M.	749	36	6	5	7	22	42	97	105	133	166	92	38
 F.	331	24	4	1	—	12	27	46	50	59	61	32	15
	Found drowned {M.	443	9	4	5	3	7	20	48	55	92	118	58	24
 F.	157	6	1	—	—	5	10	14	23	39	38	17	4
	Irrespirable or poisonous gas:—													
	Coal gas {M.	14	—	—	—	—	—	—	2	3	1	3	3	2
 F.	27	—	—	—	—	—	1	2	1	6	4	6	7
	Carbon monoxide† ‡ .. {M.	2	1	—	—	—	—	—	—	1	—	—	—	—
 F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other acute poisonings§ .. {M.	22	—	—	—	—	—	2	5	5	4	3	2	1
 F.	19	—	—	—	—	1	4	3	5	3	1	—	2
	Crushing on railways and by road vehicles {M.	135	1	1	—	4	6	15	28	25	17	20	14	4
 F.	32	—	—	1	—	2	1	2	5	6	9	5	1
	Falls {M.	38	—	—	—	—	—	2	2	6	6	12	6	4
 F.	18	—	—	—	—	—	3	1	6	2	2	3	1
	Otherwise (or not stated how) {M.	95	25	1	—	—	9	3	12	10	13	10	9	3
 F.	78	18	3	—	—	4	8	24	10	3	7	1	—
196	Wounds of war {M.	69	—	—	—	—	—	—	—	33	32	4	—	—
 F.	—	—	—	—	—	—	—	—	—	—	—	—	—
197	Execution of civilians by belligerent armies	—	—	—	—	—	—	—	—	—	—	—	—	—
198	Execution {M.	12	—	—	—	—	—	2	8	1	—	1	—	—
 F.	—	—	—	—	—	—	—	—	—	—	—	—	—

SUPPLEMENTARY TABULATION OF CERTAIN DEATHS FROM ACCIDENTS
(including "OPEN VERDICTS").

Note.—In this section the figures are in some cases duplicated—e.g. the number of deaths caused by machinery in mining, &c., appear both under "Machinery" and under "Mining and Quarrying."

I	Mining and quarrying M.	790	—	—	—	5	65	66	173	168	174	116	21	2
	(a) Coal mines M.	727	—	—	—	5	62	61	163	149	161	105	19	2
	Blow M.	9	—	—	—	—	2	2	2	1	1	1	—	—
	Crushing M.	6	—	—	—	—	—	1	—	1	2	1	—	1
	Electric shock M.	5	—	—	—	—	—	—	2	2	1	—	—	—
	Explosion of gas M.	35	—	—	—	—	—	3	12	10	9	1	—	—
	" (other or not stated). .. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall of coal M.	421	—	—	—	—	22	22	109	97	95	62	13	1
	Fall down shaft M.	2	—	—	—	—	—	—	—	1	—	1	—	—
	Fall not otherwise described. .. M.	19	—	—	—	—	2	—	—	2	7	6	2	—
	Inrush of water M.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Machinery M.	52	—	—	—	—	8	9	11	9	8	7	—	—
	Shot firing M.	9	—	—	—	—	—	—	1	5	2	1	—	—
	Trams, tubs M.	155	—	—	—	5	28	20	25	19	30	24	4	—
	Otherwise (or not stated how). .. M.	14	—	—	—	—	—	4	1	2	6	1	—	—

* Including fracture (cause not specified), 9 M., 2 F.; fight, 4 M., 1 F.; boxing and wrestling, 5 M.; amusement machines, 5 M., 3 F.; strain, 6 M., 1 F.; exposure, 1 M., 2 F.; on spiked railings, 7 M.; by broken glass, 8 M., 7 F.; other wounds, 9 M., 8 F.; using syringe, 5 F.

† Motor car exhaust, 1 M.; not stated, 1 M.

‡ For other deaths from carbon monoxide poisoning see No. 178.

§ Zinc chloride, 1 F.; carbolic acid, 4 M., 1 F.; Lysol, 1 M., 2 F.; cresol, 1 F.; Jeyes fluid, 1 F.; ammonia, 1 F.; cyanide of potassium, 3 M., 1 F.; hydrocyanic acid, 1 M.; strychnine, 1 M.; aspirin, 2 M., 2 F.; allonal, 1 M.; barbituric acid, 1 F.; luminal, 1 M., 2 F.; medinal, 1 M., 2 F.; veronal, 2 F.; nicotine, 1 M.; corrosive (not stated), 2 M., 1 F.; narcotic (not stated), 4 M.; irritant (not stated), 1 F.

|| Including firearms, 9 M.; cutting or piercing instruments, 2 M., 1 F.; suffocation, 19 M., 13 F.; hanging or strangulation, 3 M., 4 F.; blow, 17 M., 3 F.; burns and scalds, 2 M., 5 F.; abortion, 39 F.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
II —cont.	Other machinery—cont.													
	In textile factories .. {M. F.	5 4	— —	— —	— —	— —	1 2	— —	1 1	1 —	1 —	1 —	— 1	— —
	„ other factories .. {M. F.	41 —	— —	— —	1 —	2 —	3 —	3 —	11 —	8 —	7 —	5 —	1 —	— —
	Others {M. F.	34 —	— —	— —	1 —	1 —	2 —	4 —	5 —	7 —	7 —	7 —	— —	— —
III	Transport {M. F.	5103 1575	2 2	191 108	319 164	231 76	400 99	712 99	844 131	509 89	524 143	609 196	469 288	293 180
	1. On railways and tramways {M. F.	445 51	— 1	5 1	14 2	9 3	16 2	17 1	53 2	82 6	73 5	111 12	44 7	21 9
	(a) Railways {M. F.	410 35	— 1	5 1	14 2	9 3	16 2	16 1	51 2	81 6	70 4	103 10	32 1	13 2
	Blow {M. F.	4 —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	1 —	1 —	— —
	Collision {M. F.	8 9	— 1	1 —	— —	— 1	— —	— 1	— 2	3 2	4 —	— 2	— —	— —
	Crushing by carriage or engine. {M. F.	55 —	— —	— —	1 —	1 —	2 —	3 —	6 —	11 —	15 —	16 —	— —	— —
	Derailment of train .. {M. F.	4 —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	2 —	— —	— —
	Electrocution {M. F.	12 —	— —	1 —	4 —	2 —	— —	— —	1 —	1 —	— —	3 —	— —	— —
	Fall from carriage or engine. {M. F.	42 6	— —	2 —	2 —	2 1	2 1	2 —	9 —	4 —	8 1	7 2	2 —	2 1
	Falls (not otherwise described). {M. F.	12 1	— —	— —	— —	— —	— —	— —	2 —	2 —	3 —	4 1	1 —	— —
	Machinery {M. F.	4 —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	2 —	— —	— —
	Run over on line .. {M. F.	261 18	— —	1 1	7 2	3 —	12 1	9 —	29 —	57 4	38 3	67 5	27 1	11 1
	Striking bridge .. {M. F.	6 1	— —	— —	— —	1 1	— —	— —	1 —	1 —	1 —	1 —	1 —	— —
	Otherwise (or not stated how). {M. F.	2 —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —
	(b) Tramways {M. F.	35 16	— —	— —	— —	— —	— —	1 —	2 —	1 —	3 1	8 2	12 6	8 7
	2. Other mechanical transport {M. F.	3922 1338	1 1	177 101	292 156	179 59	299 75	608 80	657 113	359 72	363 125	398 161	358 244	231 151
	Motor cab {M. F.	17 6	— —	— —	2 —	— —	— —	1 —	1 —	1 —	2 1	7 1	1 3	2 1
	Motor car {M. F.	1064 569	1 1	39 26	78 54	36 10	37 22	74 18	113 49	87 36	118 60	166 93	182 129	133 71
	Motor coach {M. F.	21 16	— —	— 1	2 2	— —	4 —	1 1	3 —	3 2	1 2	1 —	3 4	3 2
	Motor cycle {M. F.	607 126	— —	4 1	8 4	— —	48 7	168 19	170 14	62 4	50 10	31 15	37 27	29 25
	Motor omnibus {M. F.	239 130	— —	21 13	45 22	19 11	16 4	9 4	15 4	18 2	21 10	42 15	20 31	13 14
	Motor tractor {M. F.	12 —	— —	— —	— —	— —	1 —	2 —	1 —	5 —	2 —	1 —	— —	— —
	Motor van, lorry .. {M. F.	833 337	— —	110 59	153 72	67 23	55 14	55 11	83 15	53 15	68 21	73 28	73 43	43 36
	Motor vehicles (others or undefined). {M. F.	9 1	— —	— —	— —	— —	— —	3 —	1 —	1 —	1 —	1 1	2 —	— —

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
III —cont.	4. Water transport {M. F.	112 5	— —	— —	— —	5 —	12 —	20 —	32 2	11 —	14 —	12 1	6 2	—
	Collision {M. F.	2 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	—
	Crushing {M. F.	6 —	— —	— —	— —	— —	— —	2 —	— —	2 —	1 —	1 —	— —	—
	Drowning {M. F.	62 3	— —	— —	— —	5 —	9 —	13 —	16 2	4 —	5 —	6 1	4 —	—
	Electrocution {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
	Fall down hold {M. F.	24 —	— —	— —	— —	— —	1 —	3 —	6 —	4 —	5 —	3 —	2 —	—
	Fall (not otherwise des- cribed). {M. F.	3 2	— —	— —	— —	— —	— —	— —	3 —	— —	— —	— —	2 —	—
	Machinery {M. F.	3 —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	1 —	— —	—
	Shipwreck. . . . {M. F.	9 —	— —	— —	— —	— —	1 —	2 —	4 —	— —	2 —	— —	— —	—
	Others {M. F.	3 —	— —	— —	— —	— —	— —	— —	1 —	1 —	1 —	— —	— —	—
	5. Aerial transport {M. F.	56 5	— —	— —	— —	— —	3 —	24 2	21 3	7 —	— —	1 —	— —	—
IV	Building operations {M. F.	247 —	— —	— —	— —	1 —	1 —	17 —	50 —	38 —	59 —	51 —	29 —	1 —
	Crane. . . . {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	—
	Electrocution {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	—
	Fall {M. F.	206 —	— —	— —	— —	— —	1 —	13 —	42 —	28 —	51 —	46 —	25 —	—
	Fall of heavy substance .. {M. F.	31 —	— —	— —	— —	1 —	— —	3 —	6 —	7 —	6 —	4 —	3 —	1 —
	Other machinery {M. F.	3 —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	1 —	—
	Others {M. F.	5 —	— —	— —	— —	— —	— —	1 —	— —	2 —	1 —	1 —	— —	—
V	In docks, etc. {M. F.	65 —	— —	— —	— —	— —	3 —	7 —	10 —	9 —	21 —	12 —	2 —	1 —
	Drowning {M. F.	10 —	— —	— —	— —	— —	— —	4 —	2 —	— —	2 —	— —	1 —	1 —
	Fall {M. F.	21 —	— —	— —	— —	— —	1 —	3 —	4 —	1 —	6 —	5 —	1 —	—
	Fall of heavy substance .. {M. F.	20 —	— —	— —	— —	— —	1 —	— —	1 —	4 —	11 —	3 —	— —	—
	Machinery {M. F.	10 —	— —	— —	— —	— —	1 —	— —	1 —	3 —	1 —	4 —	— —	—
	Others (or not stated how).. {M. F.	4 —	— —	— —	— —	— —	— —	— —	2 —	1 —	1 —	— —	— —	—
VI	Criminal abortion* F.	94	—	—	—	—	7	16	50	21	—	—	—	—
	Murder F.	3	—	—	—	—	—	1	1	—	—	—	—	—
	Manslaughter F.	6	—	—	—	—	1	—	3	2	—	—	—	—
	Offence against the person .. F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suicide F.	39	—	—	—	—	2	6	20	11	—	—	—	—
	Misadventure F.	7	—	—	—	—	—	2	4	1	—	—	—	—
	Open verdict F.	39	—	—	—	—	4	7	22	6	—	—	—	—

* Of these deaths 4 were stated to have resulted from the taking of drugs, 82 from operation, and in 8 the means was not stated.

TABLE 26.—NOTIFICATIONS OF CERTAIN INFECTIOUS DISEASES. CASE-RATES PER 1,000 POPULATION, } England and Wales and Certain Aggregates.
1925-1935 (PRIOR TO 1932 THE RATES IN THIS TABLE RELATE TO CIVILIANS ONLY).

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Mon-mouth).	London. Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Smallpox ..	1925	0.14	0.15	0.00	0.00	0.17	—	0.18	0.00	0.21	—	0.09	—
	1926	0.26	0.28	0.00	0.00	0.42	0.00	0.16	—	0.45	0.00	0.37	0.00
	1927	0.38	0.34	0.00	0.00	0.46	1.11	0.27	0.03	0.47	1.80	0.45	0.01
	1928	0.32	0.28	0.07	0.07	0.28	0.99	0.35	0.24	0.34	1.62	0.18	0.02
	1929	0.28	0.27	0.40	0.43	0.21	0.36	0.30	0.55	0.24	0.58	0.16	0.03
	1930	0.29	0.29	0.31	1.15	0.14	0.32	0.23	0.27	0.18	0.52	0.09	0.01
	1931	0.14	0.15	0.10	0.33	0.07	0.13	0.19	0.00	0.07	0.21	0.08	0.01
	1932	0.05	0.05	0.00	0.25	0.02	0.01	0.04	0.00	0.03	0.01	0.01	—
	1933	0.02	0.02	—	0.12	0.00	—	0.00	—	0.01	—	0.00	—
	1934	0.00	0.00	—	0.03	0.00	—	0.00	—	0.00	—	0.00	—
	1935	0.00	0.00	—	—	0.00	—	—	—	0.00	—	—	—
	1925	2.36	2.40	1.76	2.67	2.15	1.82	2.69	1.53	2.25	1.90	1.99	1.68
	1926	2.10	2.14	1.54	2.68	1.93	1.63	2.26	1.22	2.01	1.65	1.80	1.58
	1927	2.16	2.22	1.30	2.92	1.99	1.36	2.32	1.10	2.13	1.53	1.75	1.09
	1928	2.61	2.70	1.42	3.44	2.34	1.50	2.98	1.15	2.47	1.80	2.12	1.04
Scarlet fever	1929	3.05	3.15	1.68	3.60	2.78	1.66	3.56	1.73	2.97	1.79	2.44	1.47
	1930	2.76	2.81	2.02	3.76	2.49	2.02	2.98	2.04	2.65	2.22	2.19	1.70
	1931	2.05	2.03	2.28	2.77	1.79	2.00	2.15	3.28	1.90	2.27	1.60	1.58
	1932	2.12	2.09	2.53	3.26	1.77	2.13	2.19	4.05	1.96	2.63	1.41	1.33
	1933	3.21	3.21	3.13	5.12	2.73	2.57	3.36	5.19	3.11	3.31	1.99	1.41
	1934	3.76	3.79	3.26	4.34	3.55	3.30	4.00	3.11	3.74	4.05	3.16	2.08
	1935	2.96	3.01	2.19	2.64	2.79	2.32	3.50	1.72	2.83	2.70	2.69	1.68
	1925	1.23	1.23	1.24	2.73	0.79	1.26	1.34	1.14	0.88	1.45	0.64	0.96
	1926	1.31	1.32	1.24	2.96	0.84	1.28	1.44	1.09	0.94	1.51	0.68	0.91
	1927	1.33	1.33	1.26	2.71	0.90	1.24	1.50	1.31	1.07	1.51	0.62	0.83
	1928	1.55	1.55	1.56	2.75	1.19	1.39	1.70	2.21	1.38	1.61	0.87	1.06
	1929	1.59	1.58	1.78	2.68	1.22	1.49	1.74	2.87	1.38	1.74	0.95	1.09
	1930	1.84	1.79	2.47	3.03	1.39	2.34	1.98	2.98	1.57	2.47	1.08	2.13
	1931	1.26	1.21	1.97	1.95	0.91	1.87	1.43	2.36	0.99	1.84	0.77	1.90
Diphtheria ..	1932	1.08	1.05	1.55	1.88	0.66	1.50	1.38	2.71	0.74	1.42	0.52	1.63
	1933	1.18	1.15	1.54	2.25	0.74	1.39	1.45	2.10	0.83	1.46	0.56	1.29
	1934	1.70	1.68	2.02	2.81	1.22	1.82	2.05	2.79	1.37	2.04	0.89	1.46
	1935	1.60	1.60	1.58	2.25	1.22	1.43	2.01	2.11	1.33	1.66	1.00	1.06

TABLE 26—*contd.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Mon-mouth).	London. Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Enteric fever	1925	0.07	0.07	0.08	0.09	0.07	0.08	0.06	0.08	0.07	0.08	0.07	0.08
	1926	0.07	0.07	0.05	0.07	0.08	0.05	0.06	0.04	0.08	0.06	0.07	0.03
	1927	0.09	0.09	0.04	0.07	0.12	0.05	0.06	0.02	0.12	0.05	0.11	0.04
	1928	0.09	0.09	0.05	0.13	0.10	0.05	0.06	0.03	0.10	0.05	0.10	0.05
	1929	0.07	0.07	0.04	0.08	0.08	0.04	0.06	0.05	0.08	0.03	0.08	0.05
	1930	0.07	0.07	0.05	0.07	0.08	0.05	0.07	0.05	0.08	0.05	0.08	0.04
	1931	0.06	0.06	0.04	0.04	0.07	0.04	0.04	0.02	0.08	0.04	0.06	0.05
	1932	0.06	0.06	0.02	0.05	0.08	0.02	0.05	0.03	0.09	0.02	0.07	0.02
	1933	0.04	0.04	0.02	0.04	0.05	0.03	0.03	0.01	0.05	0.03	0.06	0.03
	1934	0.03	0.03	0.02	0.03	0.03	0.02	0.02	0.01	0.03	0.02	0.05	0.02
	1935	0.04	0.04	0.03	0.05	0.05	0.03	0.03	0.02	0.05	0.03	0.05	0.03
Puerperal fever	1925	0.06	0.06	0.06	0.07	0.04	0.05	0.09	0.09	0.05	0.05	0.04	0.04
	1926	0.07	0.07	0.07	0.07	0.05	0.05	0.09	0.12	0.05	0.06	0.05	0.05
	1927	0.05	0.05	0.04	0.06	0.04	0.04	0.07	0.07	0.03	0.04	0.04	0.03
	1928	0.06	0.06	0.07	0.07	0.05	0.05	0.08	0.15	0.05	0.05	0.04	0.05
	1929	0.06	0.06	0.06	0.07	0.05	0.04	0.08	0.12	0.04	0.05	0.05	0.03
	1930	0.06	0.06	0.07	0.07	0.05	0.05	0.09	0.14	0.05	0.04	0.05	0.05
	1931	0.06	0.06	0.07	0.07	0.04	0.06	0.08	0.11	0.04	0.06	0.05	0.04
	1932	0.05	0.05	0.06	0.05	0.04	0.05	0.07	0.10	0.04	0.06	0.04	0.04
	1933	0.05	0.05	0.06	0.06	0.04	0.04	0.07	0.12	0.04	0.05	0.04	0.04
	1934	0.06	0.06	0.09	0.06	0.05	0.06	0.07	0.20	0.05	0.06	0.05	0.05
	1935	0.06	0.05	0.08	0.06	0.04	0.05	0.07	0.19	0.04	0.06	0.04	0.04
Erysipelas ..	1925	0.39	0.40	0.28	0.42	0.33	0.25	0.48	0.36	0.37	0.29	0.28	0.20
	1926	0.38	0.38	0.26	0.40	0.32	0.26	0.47	0.25	0.35	0.31	0.27	0.18
	1927	0.38	0.39	0.22	0.43	0.32	0.20	0.47	0.28	0.35	0.24	0.27	0.15
	1928	0.42	0.43	0.26	0.48	0.36	0.26	0.51	0.26	0.40	0.31	0.29	0.18
	1929	0.45	0.46	0.28	0.49	0.39	0.27	0.56	0.30	0.42	0.32	0.33	0.20
	1930	0.45	0.47	0.30	0.54	0.38	0.28	0.57	0.36	0.41	0.35	0.33	0.17
	1931	0.38	0.39	0.27	0.53	0.32	0.26	0.45	0.32	0.35	0.33	0.28	0.15
	1932	0.36	0.37	0.27	0.51	0.30	0.28	0.43	0.25	0.33	0.35	0.25	0.17
	1933	0.45	0.45	0.36	0.65	0.35	0.37	0.55	0.33	0.37	0.45	0.29	0.24
	1934	0.51	0.52	0.40	0.62	0.44	0.39	0.61	0.43	0.46	0.46	0.40	0.27
	1935	0.42	0.43	0.28	0.45	0.35	0.29	0.54	0.28	0.37	0.32	0.31	0.22

TABLE 26—*contd.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Mon-mouth).	London. Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Cerebro-spinal fever	1925	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.00
	1926	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
	1927	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
	1928	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
	1929	0.02	0.02	0.01	0.03	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.00
	1930	0.02	0.02	0.01	0.02	0.01	0.00	0.02	0.01	0.01	0.01	0.02	—
	1931	0.05	0.06	0.01	0.04	0.06	0.01	0.06	0.02	0.06	0.01	0.07	0.01
	1932	0.05	0.06	0.02	0.06	0.05	0.01	0.06	0.05	0.05	0.01	0.05	0.00
	1933	0.04	0.04	0.02	0.05	0.03	0.01	0.05	0.03	0.04	0.01	0.03	0.01
	1934	0.03	0.03	0.02	0.03	0.02	0.01	0.04	0.03	0.02	0.02	0.02	0.00
	1935	0.02	0.02	0.01	0.03	0.01	0.01	0.03	0.03	0.02	0.01	0.01	0.00
	1925	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	1926	0.03	0.03	0.02	0.02	0.04	0.02	0.03	0.03	0.04	0.02	0.05	0.02
	1927	0.02	0.02	0.01	0.02	0.02	0.01	0.03	0.02	0.02	0.01	0.02	0.01
Poliomyelitis and polioencephalitis	1928	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01
	1929	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.02	0.01
	1930	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.02	0.00
	1931	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
	1932	0.02	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.02	0.02	0.02	0.02
	1933	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.02	0.01
	1934	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.02	0.00
	1935	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.01	0.01	0.01	0.03	0.01

TABLE 27.—SEASONAL INCIDENCE OF CERTAIN INFECTIOUS DISEASES, 1935 (INCLUDING NON-CIVILIANS). } England and Wales.

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week; where the seasonal excess is more than 30 per cent. over the weekly average the proportionate figure is shown in heavy type.

Week ended				Scarlet fever.	Diphtheria.	Enteric fever.	Cerebro-spinal fever.	Polio-myelitis.	Encephalitis lethargica.
Jan.	5..	124	152	47	147	67	83
"	12..	119	155	59	112	58	100
"	19..	141	178	82	82	42	133
"	26..	128	190	56	118	58	150
Feb.	2..	127	167	56	71	83	183
"	9..	126	157	65	100	17	67
"	16..	123	144	62	129	25	133
"	23..	114	149	47	106	67	67
March	2..	111	129	24	94	58	133
"	9..	118	119	97	141	50	150
"	16..	107	114	62	147	33	150
"	23..	117	120	65	135	33	67
"	30..	109	109	53	200	25	100
April	6..	98	100	79	206	—	200
"	13..	105	95	74	147	25	117
"	20..	87	85	62	141	17	50
"	27..	86	79	41	135	8	150
May	4..	83	72	26	118	17	167
"	11..	88	79	62	100	42	50
"	18..	85	83	50	112	75	67
"	25..	93	79	68	118	25	150
June	1..	91	77	88	100	58	50
"	8..	90	75	76	141	33	167
"	15..	73	68	50	129	183	100
"	22..	74	67	71	88	58	83
"	29..	68	72	185	76	25	117
July	6..	64	66	129	94	75	50
"	13..	63	72	162	129	67	83
"	20..	67	75	129	53	58	83
"	27..	70	78	150	82	158	—
Aug.	3..	72	70	168	129	250	67
"	10..	68	64	153	71	317	67
"	17..	59	69	203	41	275	217
"	24..	67	67	162	71	283	117
"	31..	78	72	235	76	292	83
Sept.	7..	84	80	241	82	167	150
"	14..	94	91	188	65	183	50
"	21..	101	96	188	94	258	100
"	28..	99	89	182	47	167	100
Oct.	5..	107	95	203	71	192	83
"	12..	122	96	106	41	108	117
"	19..	128	98	79	71	200	83
"	26..	125	96	76	41	192	50
Nov.	2..	128	101	79	65	192	100
"	9..	118	106	74	65	158	83
"	16..	120	98	88	65	117	117
"	23..	124	114	85	76	83	167
"	30..	128	112	79	71	108	100
Dec.	7..	116	104	91	135	42	133
"	14..	114	98	82	88	25	50
"	21..	111	98	41	88	50	167
"	28..	89	80	65	88	75	83
				100	100	100	100	100	100
Average weekly number of cases notified ..				2,316	1,252	34	17	12	6

TABLE 28.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, 1925–1935. } England and Wales.
(a) Civilians (excluding cases in Port Sanitary Districts).

347

Diseases.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
Cerebro-spinal fever	402	384	469	412	650	661	2,152	2,087	1,668	1,079	864
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued fever	22	21	17	24	18	21	16	16	8	12	11
Diphtheria (including Membranous croup)	47,684	51,034	51,973	61,109	62,739	73,928	50,208	43,339	47,388	68,634	64,976
Dysentery	293	486	405	651	536	501	785	895	752	717	1,125
Encephalitis lethargica (acute) ..	2,634	2,267	1,612	1,307	1,034	735	651	557	430	409	328
Enteric fever	2,703	2,665	3,469	3,398	2,774	2,899	2,241	2,489	1,721	1,152	1,714
Erysipelas	14,989	14,581	14,695	16,349	17,701	18,296	15,229	14,515	17,975	20,616	16,905
Malaria (contracted in England and Wales)	3	—	2	4	—	1	1	—	1	3	5
Ophthalmia neonatorum	5,748	5,896	5,891	5,609	5,448	5,481	5,158	4,730	4,056	4,487	4,369
Plague	—	2	—	—	—	—	—	—	—	—	—
Pneumonia (acute primary and acute influenzal)	55,876	50,926	67,670	60,206	86,137	50,818	60,716	57,271	64,809	51,332	46,796
Polio-encephalitis (acute)	51	138	94	89	91	85	55	94	83	81	67
Poliomylitis (acute)	371	1,158	801	452	531	506	339	656	711	589	630
Puerperal fever	2,396	2,611	1,989	2,380	2,359	2,582	2,341	2,121	2,094	2,471	2,247
*Puerperal pyrexia	*	*1,823	5,507	5,498	5,610	5,647	5,744	5,446	5,805	5,960	5,895
Relapsing fever	1	—	—	—	—	—	1	1	2	2	3
Scarlet fever	91,311	81,641	84,406	102,572	120,193	111,026	81,548	84,960	129,397	151,841	120,295
Small-pox	5,359	10,141	14,764	12,418	10,957	11,837	5,664	2,036	627	179	1
†Trench fever	4	2	2	†	†	†	†	†	†	†	†
†Tuberculosis of respiratory system	58,299	55,980	53,818	52,837	52,380	50,322	49,506	†	†	†	†
†Tuberculosis (other forms) ..	19,204	18,587	17,684	17,955	16,502	16,781	16,068	†	†	†	†
Typhus fever	—	1	1	3	1	—	—	—	—	—	—

* Notifiable since 1st October, 1926. † Not notified to the Registrar General after 31st December, 1931. ‡ Not notifiable after 31st December, 1927.

TABLE 28—*contd.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, 1925–1935. } England and Wales.
(b) Civilians in Port Sanitary Districts.

Diseases.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
Cerebro-spinal fever	—	1	1	—	—	3	5	6	1	1	1
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued fever	1	4	1	1	—	2	—	—	—	—	—
Diphtheria (including Membranous croup)	36	35	38	25	35	25	28	23	15	14	15
Dysentery	52	44	35	32	37	37	24	12	13	24	20
Encephalitis lethargica (acute)	1	—	3	1	2	—	—	1	1	—	1
Enteric fever	76	74	64	97	61	53	35	46	29	50	24
Erysipelas	14	16	13	10	6	11	7	10	5	5	10
Ophthalmia neonatorum	—	—	—	—	—	—	—	—	—	—	—
Plague	—	—	—	—	—	1	—	—	—	—	—
Pneumonia (acute primary and acute influenzal)	84	84	87	92	101	71	74	50	40	46	36
Polio-encephalitis (acute)	—	—	1	—	—	—	—	—	—	—	—
Polio-myelitis (acute)	—	1	—	—	1	—	—	—	2	1	2
Puerperal fever	—	—	—	—	—	—	—	—	—	—	—
* Puerperal pyrexia	*	—	1	1	—	—	—	—	1	—	—
Relapsing fever	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	51	31	44	39	39	51	21	22	39	26	22
Small-pox	6	5	3	2	10	2	—	3	4	—	—
† Tuberculosis of respiratory system	246	232	230	210	254	261	292	†	†	†	†
† Tuberculosis (other forms)	24	21	13	22	42	37	16	†	†	†	†
Typhus fever	—	—	1	—	—	—	—	—	—	—	1

* Notifiable since 1st October, 1926.

† Not notified to the Registrar General after 31st December, 1931.

TABLE 28—*contd.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, 1926–1935. } England and Wales.
(c) Non-Civilians (including cases in Port Sanitary Districts).

Figures prior to 1926 are not available.

Diseases.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
Cerebro-spinal fever..	9	2	1	17	10	59	43	26	14	18
Continued fever ..	—	—	—	—	—	—	—	—	—	—
Diphtheria (including Membranous croup)	52	183	88	66	90	54	37	32	111	93
Dysentery ..	35	25	45	11	27	27	17	18	22	32
Encephalitis lethargica (acute)	4	4	1	2	3	3	6	1	2	—
Enteric fever..	18	13	46	35	12	14	9	8	11	12
Erysipelas ..	8	4	5	10	7	9	2	17	22	11
Malaria (contracted in England and Wales)	—	—	—	1	—	—	—	—	—	—
Pneumonia (acute primary and acute influenzal) ..	40	58	59	79	52	83	80	160	105	69
Polio-myelitis (acute)	1	2	4	—	4	2	—	1	—	1
Relapsing fever ..	—	1	—	—	—	—	—	—	—	—
Scarlet fever ..	38	102	33	90	68	94	72	92	202	139
Small-pox ..	—	—	—	1	—	—	—	—	—	—
*Tuberculosis of respiratory system	154	120	163	136	154	142	*	*	*	*
*Tuberculosis (other forms)	—	—	—	—	—	—	—	—	—	—
Typhus fever..	—	—	—	—	—	—	—	—	—	—

* Not notified to the Registrar General after 31st December, 1931.

TABLE 29. NUMBER OF CASES (INCLUDING NON-CIVILIANS) OF INFECTIOUS DISEASES NOTIFIED DURING THE 52 WEEKS ENDED 29TH DECEMBER, 1935, WITH CERTAIN ATTACK-RATES.

England and Wales; Geographical Regions
Counties; County Boroughs; Other Urban
Districts; Rural Districts.

The populations of the several areas will be found in Table 17.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENGLAND AND WALES.*	120,456	2·96	65,084	1·60	2,247	5,895	1	1,750	16,926	46,901	883	633	329	4,369
Port Sanitary Districts.	22	—	15	—	—	—	—	29	10	46	1	3	1	—
REGIONAL SUMMARY:														
South East ..	36,061	2·57	21,308	1·52	755	2,014	—	654	4,945	9,640	229	222	62	972
Greater London..	23,782	2·81	15,309	1·81	495	1,307	—	422	3,379	6,651	169	167	31	622
Remainder of South East.	12,279	2·22	5,999	1·08	260	707	—	232	1,566	2,989	60	55	31	350
North ..	50,508	3·84	27,570	2·10	750	2,073	—	483	7,107	22,148	435	138	134	1,759
North I ..	12,260	5·47	5,587	2·49	156	359	—	194	1,462	4,216	86	36	23	274
North II ..	3,276	2·54	2,036	1·58	49	177	—	23	496	1,786	33	6	8	94
North III ..	15,745	4·55	8,529	2·47	224	509	—	83	1,823	5,175	126	51	17	270
North IV ..	19,227	3·12	11,418	1·85	321	1,028	—	183	3,326	10,971	190	45	86	1,121
Midland ..	21,257	3·02	9,112	1·29	376	978	—	199	3,057	9,679	157	180	70	1,210
Midland I ..	13,300	2·87	6,695	1·45	275	690	—	109	1,977	6,908	100	82	54	1,009
Midland II ..	7,957	3·29	2,417	1·00	101	288	—	90	1,080	2,771	57	98	16	201
East.. ..	3,849	2·09	1,250	0·68	84	241	1	239	602	1,500	16	26	22	107
South West ..	3,209	1·55	1,824	0·88	74	283	—	73	486	1,496	13	40	23	106
Wales ..	5,550	2·19	4,005	1·58	208	306	—	73	719	2,392	32	24	17	215
Wales I ..	4,162	2·25	3,101	1·67	175	236	—	57	557	1,857	29	20	14	178
Wales II ..	1,388	2·02	904	1·32	33	70	—	16	162	535	3	4	3	37
DENSITY SUMMARY OF ALL AREAS OUTSIDE GREATER LONDON :														
County Boroughs	43,809	3·43	25,706	2·01	993	2,298	—	379	6,797	21,457	442	163	148	2,544
Other Urban Districts	33,595	2·80	16,556	1·38	479	1,531	1	582	4,505	12,733	195	142	93	796
Rural Districts ..	19,248	2·59	7,498	1·01	280	759	—	338	2,235	6,014	76	158	56	407
SUPPLEMENTARY SUB-DIVISIONS OF SOUTH EAST REGION :														
Midland Section..	14,044	2·86	6,614	1·35	281	695	—	236	1,613	3,509	62	82	22	281
Southern Section	22,017	2·42	14,694	1·61	474	1,319	—	418	3,332	6,131	167	140	40	691

* Including Port Sanitary Districts.

REGIONAL SUMMARY.—The country has been re-divided into regions, after consultation with other Government Departments with a view to securing greater homogeneity in the character of the sectional populations than was provided by the old group into North, Midlands, South (including London) and Wales. In order to maintain continuity the parts of the new "South East" region, comprised in the former "Midlands" and "South" respectively, are shown separately. "North" and "Wales" identical in both groupings, "Midlands" comprises "Midland" and "East" together with the Midland section of "South East" "South (including London)" comprises "South West" and the Southern section of "South East."

The counties in the various regions are as follows :—

South East. Bedfordshire. Berkshire. Buckinghamshire. Essex. Hertfordshire. Kent. London. Middlesex. Oxfordshire. Southampton. Surrey. Sussex, East. " West. Wight, Isle of.	North I. Durham. Northumberland. North II. Cumberland. Westmorland. Yorkshire, East Riding. " North Riding. North III. Yorkshire, West Riding. York C.B. North IV. Cheshire. Lancashire.	Midland I. Gloucestershire. Herefordshire. Shropshire. Staffordshire. Warwickshire. Worcestershire. Midland II. Derbyshire. Leicestershire. Northamptonshire. Nottinghamshire. Peterborough, Soke of.	East. Cambridgeshire. Ely, Isle of. Huntingdonshire. Lincolnshire— Parts of Holland. " Kesteven. " Lindsey. Norfolk. Rutlandshire. Suffolk, East. " West. South West. Cornwall. Devonshire. Dorsetshire. Somersetshire. Wiltshire.	Wales I. Brecknockshire. Carmarthenshire. Glamorganshire. Monmouthshire. Wales II. Anglesey. Caernarvonshire. Cardiganshire. Denbighshire. Flintshire. Merionethshire. Montgomeryshire. Pembrokeshire. Radnorshire.
---	---	---	---	---

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENGLAND (excluding Monmouth).														
BEDFORDSHIRE:														
ADMINISTRATIVE COUNTY	466	1·99	556	2·37	15	35	-	6	71	170	2	-	2	16
URBAN DISTRICTS ..	250	1·57	502	3·16	13	26	-	1	40	98	-	-	-	13
Ampthill.. ..	1	0·44	2	0·88	1	-	-	-	-	1	-	-	-	-
Bedford M.B. ..	114	2·63	43	0·99	2	16	-	1	11	48	-	-	-	6
Biggleswade ..	3	0·50	2	0·33	1	-	-	-	-	7	-	-	-	-
Dunstable M.B. ..	24	2·12	85	7·50	2	-	-	-	1	6	-	-	-	-
Kempston ..	24	4·22	4	0·70	-	-	-	-	1	-	-	-	-	-
Leighton Buzzard	17	2·43	83	11·85	3	-	-	-	1	15	-	-	-	-
Luton M.B. ..	65	0·81	233	3·54	4	10	-	-	25	21	-	-	-	6
Sandy	2	0·62	-	-	-	-	-	-	1	-	-	-	-	1
RURAL DISTRICTS ..	216	2·85	54	0·71	2	9	-	5	31	72	2	-	2	3
Ampthill.. ..	37	2·09	15	0·85	1	4	-	1	11	16	-	-	1	-
Bedford	125	5·44	8	0·35	-	2	-	1	4	21	2	-	-	-
Biggleswade ..	35	1·65	7	0·33	1	2	-	3	13	27	-	-	1	2
Luton	19	1·37	24	1·73	-	1	-	-	3	8	-	-	-	1
BERKSHIRE:														
COUNTY BOROUGH	605	1·87	391	1·21	17	14	-	11	71	93	6	3	1	20
Reading	319	3·20	193	1·94	3	7	-	-	33	18	2	2	1	9
ADMINISTRATIVE COUNTY	286	1·28	198	0·89	14	7	-	11	38	75	4	1	-	11
URBAN DISTRICTS ..	66	0·83	94	1·18	3	-	-	4	12	15	4	-	-	-
Abingdon M.B. ..	10	1·26	31	3·90	-	-	-	-	2	3	1	-	-	-
Maidenhead M.B.	19	0·82	26	1·13	2	-	-	-	3	8	-	-	-	-
Newbury M.B. ..	12	0·83	9	0·62	-	-	-	1	1	-	-	-	-	-
New Windsor M.B.	3	0·15	23	1·18	1	-	-	2	3	2	3	-	-	-
Wallingford M.B.	13	4·31	-	-	-	-	-	-	3	1	-	-	-	-
Wantage.. ..	2	0·48	5	1·19	-	-	-	-	-	-	-	-	-	-
Wokingham M.B.	7	0·92	-	-	-	-	-	1	-	1	-	-	-	-
RURAL DISTRICTS ..	220	1·54	104	0·73	11	7	-	7	26	60	-	1	-	11
Abingdon	41	3·02	13	0·96	3	-	-	-	11	5	-	-	-	-
Bradfield.. ..	7	0·47	6	0·40	1	-	-	1	4	5	-	-	-	6
Cookham.. ..	5	0·49	8	0·78	1	1	-	1	-	1	-	-	-	-
Easthampstead ..	16	0·84	9	0·47	-	1	-	-	5	13	-	1	-	-
aFaringdon (part of)	5	0·53	6	0·64	3	2	-	-	-	7	-	-	-	-
Hungerford ..	17	1·94	-	-	-	-	-	-	1	3	-	-	-	1
Newbury.. ..	26	2·27	23	2·01	1	-	-	-	-	9	-	-	-	1
Wallingford ..	31	2·79	3	0·27	-	1	-	-	-	4	-	-	-	2
Wantage.. ..	21	1·84	2	0·18	-	1	-	-	3	3	-	-	-	-
Windsor	23	2·39	11	1·14	1	1	-	2	2	6	-	-	-	1
Wokingham ..	28	1·19	23	0·97	1	-	-	3	-	4	-	-	-	-

^a The remainder of Faringdon R.D. is in Gloucestershire.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BUCKINGHAMSHIRE:														
ADMINISTRATIVE COUNTY	642	2.23	260	0.90	9	16	-	8	57	123	4	2	1	4
URBAN DISTRICTS ..	233	1.64	115	0.81	4	7	-	5	28	64	3	1	-	4
Aylesbury M.B.	47	3.45	7	0.51	3	-	-	2	4	2	1	-	-	1
Beaconsfield ..	5	0.93	7	1.30	-	1	-	1	1	-	-	-	-	-
Bletchley ..	18	2.58	12	1.72	-	-	-	-	3	2	-	-	-	-
Buckingham M.B.	7	2.14	-	-	-	-	-	-	1	1	-	-	-	-
Chepping Wycombe M.B.	44	1.37	10	0.31	1	1	-	1	4	13	-	1	-	2
Chesham ..	13	1.27	41	3.99	-	2	-	-	2	-	1	-	-	-
Eton ..	1	0.23	2	0.46	-	-	-	-	-	-	-	-	-	-
Linslade ..	1	0.39	6	2.34	-	-	-	1	-	5	-	-	-	-
Marlow ..	3	0.57	-	-	-	-	-	-	1	-	1	-	-	-
Newport Pagnell	6	1.51	4	1.01	-	-	-	-	-	1	-	-	-	-
Slough ..	66	1.61	22	0.54	-	2	-	-	6	12	-	-	-	1
Wolverton ..	22	1.70	4	0.31	-	1	-	-	6	28	-	-	-	-
RURAL DISTRICTS ..	409	2.80	145	0.99	5	9	-	3	29	59	1	1	1	-
Amersham ..	37	1.20	35	1.14	1	-	-	1	8	11	-	1	-	-
Aylesbury ..	108	4.58	5	0.21	-	-	-	-	4	8	-	-	-	-
Buckingham ..	44	6.00	-	-	1	3	-	-	4	4	-	-	-	-
Eton ..	119	4.00	23	0.77	-	3	-	1	4	8	1	-	1	-
Newport Pagnell	25	1.98	-	-	2	2	-	1	2	2	-	-	-	-
Wing ..	10	1.46	5	0.73	-	-	-	-	1	3	-	-	-	-
Winslow ..	2	0.30	1	0.15	-	-	-	-	-	10	-	-	-	-
Wycombe ..	64	2.23	76	2.64	1	1	-	-	6	13	-	-	-	-
CAMBRIDGESHIRE:														
ADMINISTRATIVE COUNTY	370	2.53	11	0.08	3	18	-	8	28	49	-	1	1	2
URBAN DISTRICT: Cambridge M.B.	203	2.69	6	0.08	1	9	-	7	15	8	-	1	1	1
RURAL DISTRICTS:	167	2.35	5	0.07	2	9	-	1	13	41	-	-	-	1
Caxton and Arrington.														
Chesterton ..	53	1.72	3	0.10	-	-	-	-	12	20	-	-	-	-
Newmarket ..	27	1.43	-	-	1	1	-	-	1	10	-	-	-	1
South Cambridgeshire.	87	4.08	2	0.09	1	8	-	1	-	11	-	-	-	-
CHESHIRE:														
COUNTY BOROUGHS	1,674	4.02	908	2.18	15	76	-	8	186	457	4	1	3	31
Birkenhead ..	328	2.20	430	2.88	2	28	-	3	106	227	1	-	1	11
Chester ..	225	5.56	52	1.28	1	14	-	-	11	60	1	-	-	5
Stockport ..	886	6.80	161	1.24	9	18	-	3	41	96	1	1	2	10
Wallasey ..	235	2.43	265	2.74	3	16	-	2	28	74	1	-	-	5

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—cont.														
ADMINISTRATIVE COUNTY.	2,121	3·02	896	1·28	16	47	—	14	243	650	3	11	8	35
URBAN DISTRICTS	1,638	3·20	721	1·41	11	35	—	9	186	488	2	4	8	28
Alderley Edge ..	9	3·07	2	0·68	—	—	—	—	—	2	—	—	—	—
Alsager	3	1·02	—	—	—	—	—	—	2	2	—	—	—	—
Altrincham ..	29	1·39	11	0·53	—	—	—	1	7	20	—	—	—	3
Bebington ..	168	4·62	92	2·53	—	2	—	—	18	38	—	—	—	1
Bollington ..	6	1·21	2	0·40	—	—	—	—	3	6	—	—	—	—
Bowdon ..	3	0·94	1	0·31	—	—	—	—	—	1	—	1	—	—
Bredbury and Romiley.	61	4·93	9	0·73	—	1	—	—	4	21	—	—	—	—
Buglawton ..	7	4·24	2	1·21	—	—	—	—	1	2	—	—	—	2
Cheadle and Gatley	48	2·14	17	0·76	1	2	—	1	15	12	—	—	—	—
Compstall ..	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Congleton M.B. ..	26	1·97	25	1·89	—	3	—	—	7	28	—	—	1	2
Crewe M.B. ..	291	6·51	111	2·48	1	6	—	1	7	10	—	—	2	3
Dukinfield M.B. ..	86	4·54	14	0·74	—	3	—	—	20	43	1	1	—	2
Ellesmere Port ..	262	10·55	214	8·62	1	3	—	—	14	45	—	—	—	1
Hale	8	0·72	1	0·09	1	—	—	—	1	3	—	—	—	—
Handforth ..	3	2·03	—	—	—	—	—	—	—	—	—	—	—	—
Hazel Grove and Bramhall.	71	4·89	16	1·10	—	2	—	1	1	5	—	—	—	—
Hollingworth ..	5	2·34	—	—	—	1	—	—	—	2	—	1	—	—
Hoole	29	4·75	2	0·33	—	—	—	—	1	7	—	—	—	—
Hoyle	49	2·33	19	0·90	1	1	—	—	6	25	1	—	—	—
Hyde M.B. ..	38	1·20	33	1·04	—	2	—	—	6	48	—	—	1	1
Knutsford ..	9	1·58	13	2·29	—	1	—	—	—	—	—	—	—	1
Lymm	11	1·89	1	0·17	—	—	—	—	—	1	—	—	—	—
Macclesfield M.B.	31	0·88	12	0·34	1	1	—	4	6	22	—	—	2	2
Marple	7	0·92	5	0·66	1	—	—	—	4	7	—	—	—	—
Middlewich ..	20	3·65	—	—	—	—	—	1	2	8	—	—	—	—
Mottram in Longdendale.	12	4·71	—	—	—	—	—	—	5	1	—	—	—	—
Nantwich ..	25	3·51	4	0·56	—	—	—	—	3	4	—	—	—	—
Neston	8	0·95	5	0·59	—	1	—	—	—	4	—	—	—	—
Northwich ..	15	0·82	5	0·27	—	—	—	—	3	5	—	—	—	2
Runcorn ..	99	5·44	7	0·38	—	1	—	—	9	15	—	—	—	2
Sale M.B. ..	71	2·20	35	1·08	1	1	—	—	5	19	—	—	—	1
Sandbach ..	17	2·62	1	0·15	1	—	—	—	3	9	—	—	—	—
Stalybridge M.B.	42	1·75	22	0·92	1	2	—	—	15	24	—	1	2	3
Tarporley ..	—	—	1	0·43	—	—	—	—	—	—	—	—	—	—
Wilmslow ..	5	0·46	4	0·37	—	—	—	—	2	2	—	—	—	1
Winsford ..	35	3·26	4	0·37	1	2	—	—	9	31	—	—	—	1
Wirral	24	2·20	30	2·75	—	—	—	—	7	11	—	—	—	—
Yeardsley - cum Whaley.	5	2·81	1	0·56	—	—	—	—	—	4	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—cont.														
RURAL DISTRICTS	483	2.54	175	0.92	5	12	—	5	57	162	1	7	—	7
Bucklow	36	1.38	41	1.57	1	1	—	—	10	14	—	3	—	3
Chester	85	4.55	24	1.28	1	1	—	2	11	17	—	—	—	—
Congleton	24	1.74	26	1.89	—	1	—	—	6	22	—	—	—	2
Disley	14	4.18	1	0.30	—	—	—	—	2	8	—	—	—	—
Macclesfield ..	38	1.90	3	0.15	1	—	—	1	2	7	—	2	—	1
Malpas	13	3.03	3	0.70	1	1	—	—	—	4	—	—	—	—
Nantwich	43	1.61	42	1.57	—	3	—	—	4	14	—	—	—	—
Northwich	68	2.43	3	0.11	—	2	—	2	1	26	—	—	—	1
Runcorn	125	3.66	25	0.73	—	3	—	—	20	29	1	—	—	—
Tarvin	33	2.54	7	0.54	1	—	—	—	—	18	—	—	—	—
Tintwistle	4	2.08	—	—	—	—	—	—	1	3	—	2	—	—
CORNWALL :														
ADMINISTRATIVE COUNTY.	264	0.84	184	0.59	5	26	—	9	52	119	1	4	4	11
URBAN DISTRICTS..	127	0.74	144	0.84	2	17	—	8	26	71	—	3	2	7
Bodmin M.B. ..	5	0.90	1	0.18	—	—	—	2	1	—	—	—	—	1
Bude-Stratton ..	2	0.45	—	—	—	—	—	—	—	—	—	—	—	—
Camborne-Redruth	25	0.70	4	0.11	1	8	—	1	6	11	—	—	1	4
Falmouth M.B. ..	10	0.65	4	0.26	—	1	—	—	1	3	—	—	—	1
Fowey M.B.	2	0.86	—	—	—	—	—	—	1	—	—	—	—	—
Helston M.B. ..	11	2.18	—	—	—	—	—	—	—	—	—	—	—	—
Launceston M.B. ..	3	0.71	18	4.28	—	—	—	—	—	9	—	—	—	—
Liskeard M.B. ..	—	—	1	0.24	—	1	—	—	—	4	—	—	—	—
Looe	—	—	4	1.29	—	—	—	—	—	—	—	—	—	—
Lostwithiel M.B. ..	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Newquay	1	0.13	—	—	—	1	—	—	2	—	—	—	1	—
Padstow	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Penryn M.B.	2	0.51	—	—	—	1	—	—	—	—	—	—	—	—
Penzance M.B. ..	15	0.77	2	0.10	—	—	—	3	5	—	—	—	—	—
St. Austell	17	0.76	4	0.18	—	—	—	—	4	12	—	2	—	—
St. Ives M.B. ..	10	1.25	63	7.85	—	1	—	1	3	8	—	—	—	—
St. Just	1	0.24	—	—	—	—	—	1	—	3	—	—	—	—
Saltash M.B.	2	0.31	7	1.08	—	2	—	—	2	12	—	—	—	—
Torpoint	1	0.26	7	1.81	—	—	—	—	—	5	—	—	—	—
Truro M.B.	20	1.62	29	2.35	—	2	—	—	1	4	—	1	—	—
RURAL DISTRICTS..	137	0.97	40	0.28	3	9	—	1	26	48	1	1	2	4
Camelford	7	0.96	12	1.65	—	1	—	—	3	4	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CORNWALL—cont.														
RURAL DISTRICTS—cont.														
Kerrier	14	0·76	—	—	—	—	—	—	1	4	—	—	1	2
Launceston ..	20	3·03	12	1·82	—	2	—	—	3	2	—	—	—	—
Liskeard	17	1·24	4	0·29	—	1	—	—	5	6	—	—	1	—
St. Austell ..	10	0·51	1	0·05	—	1	—	—	2	4	—	—	—	1
St. Germans ..	22	1·37	1	0·06	—	1	—	1	7	11	—	—	—	—
Scilly, Isles of	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Stratton	1	0·21	—	—	—	—	—	—	1	—	—	—	—	—
Truro	16	0·66	2	0·08	—	3	—	—	2	7	—	1	—	—
Wadebridge ..	6	0·48	5	0·40	3	—	—	—	1	9	—	—	—	1
West Penwith ..	24	1·42	3	0·18	—	—	—	—	—	1	—	—	—	—
CUMBERLAND :														
COUNTY BOROUGH.	574	2·21	311	1·20	3	40	—	13	143	293	6	1	1	25
Carlisle	187	3·18	88	1·50	1	9	—	3	38	51	1	1	—	11
ADMINISTRATIVE COUNTY	387	1·93	223	1·11	2	31	—	10	105	242	5	—	1	14
URBAN DISTRICTS														
Cockermouth ..	2	0·40	—	—	—	1	—	—	—	—	—	—	—	—
Keswick	9	2·01	1	0·22	—	—	—	—	1	4	—	—	—	—
Maryport	12	1·01	9	0·76	—	3	—	1	1	2	—	—	—	—
Penrith	18	1·94	33	3·55	—	—	—	—	7	16	—	—	—	3
Whitehaven M.B.	4	0·17	44	1·91	—	8	—	—	20	19	3	—	—	4
Workington M.B.	33	1·18	17	0·61	—	6	—	—	12	4	—	—	—	3
RURAL DISTRICTS														
Alston with Garri- gill	37	14·86	1	0·40	1	—	—	1	—	10	—	—	—	—
Border	83	3·19	12	0·46	—	3	—	1	8	15	—	—	—	1
Cockermouth ..	31	1·70	25	1·37	—	1	—	—	2	4	—	—	1	1
Ennerdale	4	0·14	51	1·82	1	5	—	2	20	50	2	—	—	—
Millom	101	8·42	22	1·83	—	—	—	—	11	72	—	—	—	—
Penrith	13	1·12	5	0·43	—	3	—	—	3	13	—	—	—	—
Wigton	40	1·90	3	0·14	—	1	—	5	20	33	—	—	—	2

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DERBYSHIRE :	2,163	2·85	984	1·30	34	100	-	28	358	1,082	15	28	7	68
COUNTY BOROUGH														
Derby	434	3·08	260	1·85	4	31	-	1	76	175	5	1	1	30
ADMINISTRATIVE COUNTY	1,729	2·79	724	1·17	30	69	-	27	282	907	10	27	6	38
URBAN DISTRICTS	860	2·60	447	1·35	17	52	-	15	148	465	6	15	3	16
Alfreton	63	2·84	6	0·27	1	5	-	-	9	52	2	-	-	-
Ashbourne	7	1·48	2	0·42	-	2	-	-	4	1	-	-	-	1
Bakewell	1	0·32	3	0·97	-	1	-	1	1	7	-	-	-	-
Belper	41	2·79	1	0·07	-	-	-	1	4	5	-	-	-	-
Bolsover	29	2·80	2	0·19	-	1	-	5	6	33	-	1	-	-
Brampton and Walton	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Buxton M.B.	21	1·25	26	1·55	1	2	-	1	3	16	-	-	-	1
Chesterfield M.B.	192	2·97	39	0·60	8	18	-	5	49	92	1	8	1	4
Clay Cross	8	0·95	18	2·15	1	-	-	-	4	12	2	-	-	1
Dronfield	27	4·52	20	3·35	-	2	-	-	2	6	-	-	2	-
Glossop M.B.	47	2·47	53	2·79	-	1	-	-	3	11	-	-	-	1
Heanor	119	5·28	8	0·35	3	4	-	-	8	56	-	5	-	3
Ilkeston M.B.	22	0·67	43	1·31	-	6	-	1	7	37	-	-	-	1
Long Eaton	87	3·52	98	3·97	-	1	-	-	10	30	1	-	-	1
Matlock	14	0·85	2	0·12	1	2	-	1	3	8	-	1	-	-
New Mills	19	2·29	10	1·21	-	-	-	-	3	9	-	-	-	-
Ripley	32	1·83	5	0·29	-	1	-	-	14	20	-	-	-	-
Staveley	37	2·82	43	3·28	1	1	-	-	7	18	-	-	-	-
Swadlincote District	51	2·49	67	3·27	-	3	-	-	10	48	-	-	-	1
Wirksworth	43	9·09	1	0·21	-	2	-	-	1	4	-	-	-	2
RURAL DISTRICTS :	869	3·02	277	0·96	13	17	-	12	134	442	4	12	3	22
Ashbourne	12	1·06	3	0·26	-	-	-	-	1	3	-	1	-	-
Bakewell	44	2·31	1	0·05	1	3	-	-	11	39	-	-	-	-
Belper	56	2·25	6	0·24	1	1	-	-	7	16	-	1	-	-
Blackwell	118	2·72	15	0·35	-	4	-	9	25	32	1	4	-	-
Chapel-en-le-Frith	51	2·11	10	0·41	2	1	-	-	9	17	-	-	-	-
Chesterfield	230	3·30	143	2·05	5	4	-	1	44	213	-	5	2	-
Clowne	181	10·15	19	1·07	-	1	-	-	13	41	2	-	1	-
Repton	39	1·41	38	1·37	1	2	-	-	6	32	1	-	-	-
Shardlow	138	2·78	42	0·85	3	1	-	2	18	49	-	1	-	-

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DEVONSHIRE :	1,206	1·65	788	1·08	40	86	—	30	186	543	5	22	10	34
COUNTY BOROUGHES	647	2·38	575	2·11	27	48	—	3	80	286	3	9	2	20
Exeter	75	1·10	91	1·33	3	21	—	2	16	53	—	7	1	7
Plymouth	572	2·81	484	2·38	24	27	—	1	64	233	3	2	1	13
ADMINISTRATIVE COUNTY	559	1·22	213	0·46	13	38	—	27	106	257	2	13	8	14
URBAN DISTRICTS	270	1·16	76	0·33	9	23	—	10	55	156	2	5	7	8
Ashburton	—	—	—	—	—	—	—	—	1	4	—	—	—	—
Axminster	—	—	—	—	—	1	—	—	1	7	—	—	—	—
Bampton	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Barnstaple M.B. ..	11	0·75	2	0·14	1	2	—	1	3	20	—	—	—	—
Bideford M.B. ..	5	0·53	24	2·55	2	3	—	—	8	6	—	—	—	—
Brixham	15	1·82	2	0·24	—	—	—	—	2	9	—	—	—	1
Buckfastleigh ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Budleigh Salterton	4	1·20	1	0·30	—	—	—	—	2	—	—	—	—	—
Crediton	—	—	2	0·53	—	—	—	—	2	3	—	—	—	—
Dartmouth M.B. ..	8	1·31	—	—	—	1	—	—	3	8	—	—	—	—
Dawlish	7	1·39	—	—	—	—	—	—	1	2	—	—	—	—
Exmouth	39	2·56	1	0·07	—	—	—	1	3	1	—	—	—	—
Great Torrington M.B. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Holsworthy	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Honiton M.B. ..	—	—	—	—	2	1	—	—	—	8	—	—	—	—
Ilfracombe	12	1·39	3	0·35	—	—	—	1	—	—	1	—	—	1
Ivybridge	—	—	—	—	—	1	—	—	—	2	—	—	—	—
Kingsbridge	3	0·94	3	0·94	—	—	—	—	4	—	—	—	—	1
Lynton	10	5·37	1	0·54	—	—	—	—	2	1	—	—	1	—
Newton Abbot ..	3	0·20	—	—	—	—	—	—	3	2	—	—	1	1
Northam	4	0·74	2	0·37	—	—	—	—	2	1	—	—	—	—
Okehampton M.B. ..	—	—	—	—	—	—	—	—	—	10	—	—	—	—
Ottery St. Mary ..	6	1·65	—	—	—	—	—	1	1	—	—	3	—	—
Paignton	24	1·17	2	0·10	—	3	—	1	1	14	—	1	—	—
Salcombe	1	0·44	—	—	—	—	—	—	—	2	—	—	—	—
Seaton	—	—	—	—	—	—	—	—	—	4	—	—	1	—
Sidmouth	2	0·27	2	0·27	—	1	—	—	—	1	—	—	—	—
South Molton M.B. ..	1	0·35	1	0·35	—	—	—	—	3	1	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DEVONSHIRE—cont.														
URBAN DISTRICTS—cont.														
Tavistock ..	2	0·38	2	0·38	—	—	—	—	1	—	—	—	—	—
Teignmouth ..	3	0·30	4	0·40	—	1	—	—	2	14	—	—	—	1
Tiverton M.B. ..	30	3·05	—	—	1	3	—	—	1	16	—	—	1	—
Torquay M.B. ..	78	1·75	23	0·52	3	6	—	5	9	20	1	—	1	3
Totnes M.B. ..	2	0·45	1	0·22	—	—	—	—	—	—	—	1	1	—
RURAL DISTRICTS														
	289	1·28	137	0·60	4	15	—	17	51	101	—	8	1	6
Axminster ..	6	0·59	4	0·39	—	—	—	1	2	3	—	1	—	1
Barnstaple ..	32	1·09	8	0·42	2	—	—	—	6	14	—	—	—	—
Bideford ..	12	2·31	—	—	—	—	—	—	1	1	—	—	—	—
Broadwood Widger ..	4	1·97	—	—	—	1	—	—	—	2	—	—	—	—
Crediton ..	4	0·41	2	0·21	1	2	—	2	4	1	—	1	—	—
Culmstock ..	10	12·80	3	3·84	—	—	—	—	—	—	—	—	—	—
Holsworthy ..	—	—	1	0·16	—	—	—	—	—	2	—	—	—	—
Honiton ..	2	0·27	—	—	—	—	—	—	—	10	—	2	—	—
Kingsbridge ..	23	2·13	6	0·56	—	1	—	1	6	7	—	—	—	1
Newton Abbot ..	17	0·79	18	0·84	—	1	—	2	9	15	—	—	—	—
Okehampton ..	4	0·33	1	0·08	—	—	—	1	—	2	—	—	—	1
Plympton St.Mary ..	74	2·40	46	1·49	—	6	—	—	3	9	—	1	—	1
St. Thomas ..	21	0·73	26	0·90	—	2	—	5	10	12	—	2	—	2
South Molton ..	1	0·11	—	—	—	1	—	—	—	3	—	1	—	—
Tavistock ..	37	2·60	7	0·49	—	—	—	1	—	1	—	—	—	—
Tiverton ..	33	1·82	8	0·44	—	1	—	—	9	18	—	—	—	—
Torrington ..	—	—	2	0·26	—	—	—	—	—	—	—	—	—	—
Totnes ..	9	0·73	5	0·40	1	—	—	4	1	1	—	—	1	—
DORSETSHIRE :														
ADMINISTRATIVE COUNTY ..														
	420	1·71	123	0·50	9	23	—	15	52	125	1	4	4	8
URBAN DISTRICTS ..														
	268	1·76	72	0·47	6	14	—	8	33	77	1	4	3	8
Blandford Forum M.B. ..	13	3·70	2	0·57	1	—	—	—	2	2	—	—	—	—
Bridport M.B. ..	18	3·05	—	—	—	—	—	—	1	—	—	—	2	—
Dorchester M.B. ..	7	0·68	6	0·58	1	2	—	—	3	2	—	—	—	—
Lyme Regis M.B. ..	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Poole M.B. ..	67	1·02	18	0·27	3	8	—	6	19	39	—	1	—	6
Portland ..	44	3·86	26	2·28	—	1	—	—	3	1	—	—	—	—
Shaftesbury M.B. ..	32	10·35	—	—	—	—	—	—	—	1	—	—	—	—
Sherborne ..	7	1·07	—	—	—	2	—	—	—	4	1	2	—	—
Swanage ..	9	1·49	—	—	—	—	—	2	3	6	—	—	—	1
Wareham M.B. ..	2	0·81	11	4·47	—	—	—	—	—	9	—	—	1	—
Weymouth and Melcombe Regis M.B. ..	62	2·00	8	0·26	1	—	—	—	2	13	—	—	—	1
Wimborne Minster ..	7	1·73	1	0·25	—	1	—	—	—	—	—	—	—	—
RURAL DISTRICTS ..														
	152	1·62	51	0·54	3	9	—	7	19	48	—	—	1	—
Beaminster ..	10	1·28	17	2·18	—	1	—	—	2	6	—	—	—	—
Blandford ..	25	3·41	4	0·55	1	2	—	2	7	6	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DORSETSHIRE—														
<i>cont.</i>														
RURAL DISTRICTS—														
<i>cont.</i>														
Bridport ..	11	1·57	-	-	-	-	-	-	2	1	-	-	-	-
Dorchester ..	14	0·88	3	0·19	-	-	-	5	3	4	-	-	-	-
Shaftesbury ..	28	3·33	3	0·36	-	3	-	-	-	5	-	-	-	-
Sherborne ..	2	0·39	7	1·35	-	1	-	-	-	5	-	-	-	-
Sturminster ..	19	2·31	8	0·97	-	-	-	-	2	4	-	-	-	-
Wareham and Purbeck ..	25	1·54	2	0·12	2	-	-	-	2	8	-	-	-	-
Wimborne and Cranborne ..	18	1·02	7	0·40	-	2	-	-	1	9	-	-	1	-
DURHAM :	8,580	5·82	3,991	2·71	81	186	-	148	930	2,805	56	24	19	175
COUNTY BOROUGH.	2,382	4·22	802	1·42	54	58	-	44	350	1,497	26	14	7	59
Darlington ..	524	6·96	87	1·16	10	9	-	-	42	81	1	3	1	4
Gateshead ..	516	4·26	79	0·65	5	2	-	5	74	124	3	-	-	10
South Shields ..	477	4·26	98	0·88	4	10	-	1	60	359	-	1	2	10
Sunderland ..	489	2·64	335	1·81	20	25	-	29	139	807	21	10	4	16
West Hartlepool	376	5·26	203	2·84	15	12	-	9	35	126	1	-	-	19
ADMINISTRATIVE COUNTY.	6,198	6·82	3,189	3·51	27	128	-	104	580	1,308	30	10	12	116
URBAN DISTRICTS	2,901	5·66	1,629	3·18	12	67	-	67	345	753	21	3	5	62
Annfield Plain ..	60	3·82	94	5·99	-	1	-	6	5	13	-	-	-	-
Barnard Castle ..	5	1·26	-	-	1	1	-	1	1	1	-	-	-	-
Benfieldside ..	11	1·20	37	4·05	-	4	-	4	11	14	1	-	-	3
Billingham ..	73	3·80	68	3·54	-	2	-	-	11	48	-	-	-	2
Bishop Auckland	122	10·25	7	0·59	1	1	-	1	2	-	-	-	-	-
Blaydon ..	117	3·70	80	2·53	1	2	-	5	30	16	2	-	2	10
Brandon and Byshottles ..	202	12·47	104	6·42	-	2	-	3	6	4	1	1	-	1
Chester-le-Street	59	3·47	26	1·53	-	8	-	-	4	16	1	-	-	1
Consett ..	47	3·80	54	4·37	1	1	-	2	5	8	1	-	-	-
Crook ..	21	1·92	29	2·65	1	1	-	1	4	4	-	-	-	2
Durham M.B. ..	80	4·33	25	1·35	1	2	-	-	10	4	2	-	-	2
Felling ..	97	3·71	2	0·08	-	2	-	-	12	22	-	1	-	1
Hartlepool M.B.	100	5·28	110	5·81	-	1	-	-	10	3	-	-	1	1
Hebburn ..	269	11·52	51	2·18	1	6	-	-	27	63	-	-	-	2
Hetton ..	102	5·70	148	8·28	-	5	-	-	13	65	-	-	-	4
Houghton-le-Spring	66	6·04	113	10·34	1	1	-	10	8	25	-	-	-	-
Jarrow M.B. ..	149	4·97	18	0·60	-	3	-	-	31	180	-	-	-	1
Leadgate ..	24	3·87	18	2·90	-	-	-	3	2	3	1	1	-	-
Ryton ..	135	9·68	20	1·43	-	-	-	6	13	2	-	-	-	-
Seaham Harbour	107	5·44	14	0·71	1	-	-	-	13	18	-	-	-	1
Sildon ..	87	7·21	73	6·05	-	2	-	-	13	13	-	-	-	3
Spennymoor ..	166	10·53	31	1·97	1	-	-	1	26	19	-	-	-	1
Stanhope ..	18	11·24	1	0·62	-	-	-	-	-	2	-	-	-	-
Stanley ..	62	2·63	129	5·48	-	6	-	7	17	16	2	-	1	6
Stockton-on-Tees M.B. ..	311	4·64	71	1·06	1	7	-	-	27	108	4	-	1	10

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DURHAM—cont.														
URBAN DISTRICTS—cont.														
Tanfield ..	74	8.07	102	11.13	—	2	—	8	11	14	—	—	—	2
Tow Law ..	8	2.33	3	0.87	1	—	—	1	4	10	—	—	—	1
Washington ..	100	5.84	55	3.21	—	2	—	—	8	13	5	—	—	—
Whickham ..	61	2.99	22	1.08	—	4	—	2	12	42	1	—	—	4
Willington ..	168	19.18	124	14.16	—	1	—	6	9	7	—	—	—	4
RURAL DISTRICTS	3,297	8.33	1,560	3.94	15	61	—	37	235	555	9	7	7	54
Auckland ..	402	8.00	255	5.07	3	7	—	1	36	43	3	—	1	14
Barnard Castle ..	61	6.10	3	0.30	—	—	—	—	3	4	—	—	—	—
Chester-le-Street	300	6.08	145	2.94	—	5	—	7	30	84	2	—	—	1
Darlington ..	43	4.86	11	1.24	1	—	—	—	8	7	—	1	—	—
Durham ..	260	9.02	55	1.91	2	2	—	5	9	10	—	—	—	1
Easington ..	1,048	11.48	468	5.13	3	23	—	3	59	156	1	2	—	12
Hartlepool ..	2	0.80	5	2.01	—	—	—	—	—	4	—	—	—	3
Houghton-le-Spring	212	7.73	90	3.28	2	2	—	—	11	69	—	—	—	6
Lanchester ..	160	4.90	97	2.97	—	4	—	19	9	22	3	—	1	2
Sedgefield ..	532	14.55	248	6.78	—	10	—	—	29	50	—	—	1	5
South Shields ..	85	3.87	4	0.18	1	3	—	—	19	31	—	—	—	2
Stockton ..	39	5.90	14	2.12	—	1	—	—	1	9	—	—	—	—
Sunderland ..	118	5.52	157	7.34	3	3	—	2	14	60	—	3	4	8
Weardale ..	35	4.30	8	0.98	—	1	—	—	7	6	—	1	—	—
ELY, ISLE OF :														
ADMINISTRATIVE COUNTY ..														
ADMINISTRATIVE COUNTY ..	274	3.32	27	0.33	3	3	—	2	34	97	—	—	1	7
URBAN DISTRICTS ..														
URBAN DISTRICTS ..	213	4.29	17	0.34	1	3	—	2	24	70	—	—	—	7
Chatteris ..	1	0.20	1	0.20	—	—	—	—	1	2	—	—	—	—
Ely ..	16	1.91	3	0.36	—	1	—	—	10	38	—	—	—	3
March ..	3	0.25	3	0.25	—	1	—	—	3	8	—	—	—	—
Whittlesey ..	9	1.10	4	0.49	—	—	—	—	2	6	—	—	—	1
Wisbech M.B. ..	184	11.60	6	0.38	1	1	—	2	8	16	—	—	—	3
RURAL DISTRICTS ..														
RURAL DISTRICTS ..	61	1.87	10	0.31	2	—	—	—	10	27	—	—	1	—
Ely ..	14	1.05	5	0.38	—	—	—	—	6	10	—	—	—	—
North Witchford	2	0.39	2	0.39	—	—	—	—	—	3	—	—	—	—
Thorney ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wisbech ..	45	3.78	3	0.25	2	—	—	—	4	14	—	—	1	—
ESSEX :														
COUNTY BOROUGHS														
COUNTY BOROUGHS	1,811	3.35	1,148	2.12	21	77	—	6	214	507	18	27	4	34
East Ham ..	412	3.04	254	1.88	11	14	—	2	55	88	3	13	1	6
Southend-on-Sea	342	2.54	123	0.91	2	15	—	1	33	129	1	2	—	11
West Ham ..	1,057	3.90	771	2.85	8	48	—	3	126	290	14	12	3	17
ADMINISTRATIVE COUNTY.														
ADMINISTRATIVE COUNTY.	4,480	3.40	1,926	1.46	62	144	—	82	467	936	8	30	6	59
URBAN DISTRICTS ..														
URBAN DISTRICTS ..	3,873	3.52	1,813	1.65	53	130	—	68	408	823	8	30	5	54
Barking M.B. ..	449	6.18	285	3.92	—	8	—	4	36	92	—	3	—	15
Benfleet ..	23	1.62	6	0.42	1	—	—	—	2	—	—	—	—	1
Billericay ..	56	1.94	39	1.35	4	2	—	1	5	16	—	—	1	1
Braintree and Bocking.	28	1.99	8	0.57	—	2	—	—	2	11	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ESSEX—cont.														
URBAN DISTRICTS—cont.														
Brentwood ..	51	1·97	33	1·28	1	5	—	—	5	21	—	—	—	—
Brightlingsea ..	2	0·48	—	—	—	—	—	—	3	—	—	—	—	—
Burnham on Crouch ..	1	0·29	—	—	—	—	—	—	3	—	—	—	—	—
Canvey Island ..	4	0·72	3	0·54	—	—	—	—	2	3	—	—	—	1
Chelmsford M.B.	436	15·07	8	0·28	3	5	—	6	10	11	—	—	—	1
Chigwell ..	32	1·64	8	0·41	2	1	—	1	9	15	—	1	—	—
Chingford ..	57	1·92	17	0·57	2	3	—	2	4	4	1	—	—	1
Clacton ..	35	1·66	7	0·33	1	2	—	2	6	3	1	—	—	—
Colchester M.B.	140	2·72	35	0·68	1	4	—	2	36	84	1	—	—	—
Dagenham ..	444	4·43	296	2·95	5	10	—	1	33	90	—	2	—	9
Epping ..	15	2·75	4	0·73	—	—	—	2	6	14	—	—	—	—
Frinton and Walton ..	7	0·99	—	—	—	—	—	—	1	1	—	—	—	—
Grays Thurrock ..	67	3·50	29	1·52	—	1	—	9	7	20	—	1	—	—
Halstead ..	—	—	5	0·85	—	—	—	1	3	1	—	—	—	—
Harwich M.B.	14	1·09	3	0·23	—	—	—	2	4	16	—	—	—	—
Hornchurch ..	213	3·56	114	1·90	6	5	—	3	19	37	—	—	—	2
Ilford M.B.	357	2·36	188	1·24	5	16	—	15	52	67	—	1	—	11
Leyton M.B.	409	3·36	276	2·27	8	12	—	6	81	94	—	6	—	6
Maldon M.B.	29	3·25	5	0·56	1	—	—	—	3	8	—	—	—	—
Purfleet ..	19	2·15	21	2·38	—	6	—	3	1	3	—	—	—	—
Rayleigh ..	8	1·11	8	1·11	—	—	—	—	1	1	—	2	—	—
Romford ..	163	3·40	169	3·53	2	5	—	1	8	13	—	6	1	1
Saffron Walden M.B.	32	5·14	—	—	1	—	—	—	1	—	—	—	—	—
Tilbury ..	43	2·66	19	1·18	4	4	—	1	5	19	—	1	—	—
Waltham Holy Cross ..	15	2·15	3	0·43	—	2	—	1	1	7	1	—	—	2
Walthamstow M.B.	567	4·22	164	1·22	4	31	—	4	52	128	4	5	2	1
Wanstead and Woodford ..	97	1·94	58	1·16	2	5	—	1	7	34	—	2	—	1
West Mersea ..	—	—	1	0·44	—	1	—	—	—	2	—	—	—	1
Witham ..	32	4·56	1	0·14	—	—	—	—	—	8	—	—	—	—
Wivenhoe ..	28	12·83	—	—	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS	607	2·80	113	0·52	9	14	—	14	59	113	—	—	1	5
Braintree ..	24	1·52	1	0·06	1	1	—	—	1	9	—	—	—	1
Chelmsford ..	230	7·55	2	0·07	2	1	—	1	6	8	—	—	1	—
Dunmow ..	32	1·98	14	0·87	—	2	—	—	2	7	—	—	—	—
Epping ..	20	1·38	5	0·34	—	—	—	—	8	17	—	—	—	—
Halstead ..	16	1·01	1	0·06	1	1	—	1	5	4	—	—	—	—
Lexden and Winstree ..	38	1·92	8	0·40	3	1	—	2	5	10	—	—	—	—
Maldon ..	18	1·32	22	1·61	—	1	—	—	5	5	—	—	—	—
Ongar ..	38	2·99	8	0·63	—	—	—	—	1	6	—	—	—	1
Orsett ..	58	2·40	34	1·41	—	4	—	10	8	32	—	—	—	2
Rochford ..	34	2·16	10	0·63	2	—	—	—	5	8	—	—	—	1
Saffron Walden ..	55	3·57	2	0·13	—	3	—	—	—	—	—	—	—	—
Tendring ..	44	1·97	6	0·27	—	—	—	—	13	7	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLOUCESTER-SHIRE :	1,686	2·10	955	1·19	22	97	-	29	238	596	14	34	11	42
COUNTY BOROUGHs	1,092	2·33	666	1·42	13	51	-	14	164	414	13	3	8	29
Bristol	1,029	2·49	632	1·53	10	37	-	14	154	364	13	3	8	25
Gloucester	63	1·13	34	0·61	3	14	-	-	10	50	-	-	-	4
ADMINISTRATIVE COUNTY.	594	1·77	289	0·86	9	46	-	15	74	182	1	31	3	13
URBAN DISTRICTS	213	1·96	84	0·77	3	19	-	-	30	37	1	1	-	6
Awre	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton Kings ..	2	0·41	-	-	1	1	-	-	-	2	-	-	-	-
Cheltenham M.B.	36	0·71	36	0·71	1	13	-	-	15	20	-	-	-	6
Cirencester	18	2·32	2	0·26	-	-	-	-	2	7	-	-	-	-
Coleford	2	2·77	1	1·38	-	-	-	-	-	2	-	-	-	-
Kingswood	61	4·38	28	2·01	-	2	-	-	8	-	1	-	-	-
Mangotsfield	18	1·44	9	0·72	-	-	-	-	2	3	-	1	-	-
Nailsworth	19	5·89	-	-	-	2	-	-	-	-	-	-	-	-
Newnham	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stow - on - the-Wold	-	-	2	6·29	-	-	-	-	-	-	-	-	-	-
Stroud	23	2·71	-	-	1	-	-	-	-	3	-	-	-	-
Tetbury	30	54·74	-	-	-	-	-	-	-	-	-	-	-	-
Tewkesbury M.B.	4	0·91	6	1·36	-	1	-	-	2	-	-	-	-	-
Westbury on Severn.. ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RURAL DISTRICTS	381	1·68	205	0·91	6	27	-	15	44	145	-	30	3	7
Campden.. ..	-	-	4	1·95	-	1	-	-	-	3	-	-	-	-
Cheltenham	10	0·76	3	0·23	-	2	-	-	1	1	-	-	-	-
Cirencester	53	4·47	6	0·51	-	-	-	1	3	4	-	-	-	-
Dursley	1	0·07	39	2·88	1	-	-	-	7	22	-	-	-	1
<i>a</i> East Dean	14	0·72	14	0·72	-	4	-	-	3	8	-	2	-	3
<i>b</i> Faringdon(part of)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gloucester	8	0·39	10	0·48	-	2	-	7	3	15	-	-	1	2
Lydney	53	5·03	28	2·66	-	-	-	-	2	19	-	1	1	-
Newent	6	0·82	20	2·75	-	-	-	-	2	7	-	-	-	-
North Cotswold ..	11	0·95	6	0·52	1	3	-	-	2	6	-	24	1	-
Northleach	8	1·08	1	0·14	1	-	-	1	3	3	-	-	-	-
<i>c</i> Sodbury	62	2·45	5	0·20	-	2	-	2	9	8	-	-	-	-
Stow - on - the-Wold	2	1·32	-	-	1	-	-	-	1	2	-	-	-	-
Stroud	18	0·66	3	0·11	-	2	-	1	2	3	-	-	-	-
Tetbury	9	1·66	-	-	-	-	-	-	-	-	-	-	-	-
Tewkesbury	1	0·97	-	-	-	-	-	-	-	-	-	-	-	-
Thornbury	47	2·53	37	1·99	-	3	-	-	1	24	-	-	-	-
Warmley.. ..	17	1·90	6	0·67	-	-	-	-	1	3	-	-	-	-
West Dean	58	3·42	22	1·30	1	7	-	3	4	14	-	3	-	1
Wheatenurst	-	-	1	0·66	1	1	-	-	-	1	-	-	-	-
Winchcomb	3	1·49	-	-	-	-	-	-	-	2	-	-	-	-

a East Dean and United Parishes R.D., renamed East Dean R.D. from 1st April, 1935.*b* The remainder of Faringdon R.D. is in Berkshire.*c* Chipping Sodbury R.D. renamed Sodbury R.D. from 1st April, 1935.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HEREFORDSHIRE :														
ADMINISTRATIVE COUNTY	105	0·95	156	1·41	7	20	-	5	19	84	-	6	3	5
URBAN DISTRICTS..	32	0·76	70	1·66	3	8	-	1	8	19	-	2	1	1
Bromyard ..	1	0·64	4	2·55	-	1	-	-	1	8	-	-	1	-
Hereford M.B. ..	20	0·80	61	2·44	2	6	-	1	5	7	-	2	-	1
Kington ..	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Ledbury ..	1	0·29	1	0·29	-	-	-	-	-	-	-	-	-	-
Leominster M.B.	9	1·59	3	0·53	-	1	-	-	1	4	-	-	-	-
Ross-on-Wye ..	1	0·21	1	0·21	-	-	-	-	1	-	-	-	-	-
RURAL DISTRICTS..	73	1·07	86	1·26	4	12	-	4	11	65	-	4	2	4
Bromyard ..	12	1·68	5	0·70	-	3	-	2	1	18	-	-	-	-
Dore and Bredwardine ..	5	0·67	4	0·54	1	3	-	1	-	6	-	-	-	1
Hereford ..	12	0·91	15	1·13	1	1	-	1	2	7	-	-	-	2
Kington ..	5	1·07	4	0·85	1	-	-	-	-	3	-	-	-	-
Ledbury ..	4	0·47	33	3·85	-	2	-	-	1	9	-	1	-	1
Leominster and Wigmore ..	14	1·38	4	0·39	-	1	-	-	3	9	-	2	1	-
Ross and Whitchurch ..	12	1·05	18	1·58	1	1	-	-	-	4	-	-	-	-
Weobley ..	9	1·54	3	0·51	-	1	-	-	4	9	-	1	1	-
HERTFORDSHIRE :														
ADMINISTRATIVE COUNTY	872	1·97	382	0·86	15	66	-	25	117	240	4	3	1	13
URBAN DISTRICTS..	685	2·13	287	0·89	10	56	-	11	98	212	4	1	1	11
Baldock ..	3	0·84	-	-	-	-	-	-	1	11	1	-	-	-
Barnet ..	119	6·51	21	1·15	3	21	-	3	27	92	-	-	-	1
Bishop's Stortford	2	0·19	4	0·38	-	3	-	-	5	3	1	-	-	-
Bushey ..	11	0·90	11	0·90	-	-	-	2	1	5	-	-	-	-
Cheshunt..	97	6·15	20	1·27	1	1	-	-	7	13	-	-	-	-
Chorleywood ..	4	1·14	-	-	-	-	-	-	-	-	-	-	-	-
aEast Barnet Valley	40	1·67	17	0·71	-	1	-	1	4	11	-	-	-	-
Great Berkhamstead ..	13	1·40	35	3·77	-	-	-	1	1	2	-	-	-	-
Harpenden ..	25	2·40	17	1·63	-	-	-	-	1	-	-	-	-	-
Hemel Hempstead M.B. ..	16	0·93	17	0·99	1	5	-	1	5	1	-	-	-	3
Hertford M.B. ..	33	2·53	17	1·30	-	7	-	-	1	-	-	-	-	-
Hitchin ..	31	2·00	7	0·45	-	1	-	-	6	-	-	-	1	2
Hoddesdon ..	27	2·53	10	0·94	-	-	-	-	2	13	-	-	-	-
Letchworth ..	56	3·80	7	0·47	1	1	-	-	4	19	1	-	-	-
Rickmansworth..	16	1·21	1	0·08	1	-	-	-	2	2	-	-	-	-
Royston ..	1	0·26	-	-	1	-	-	-	-	-	-	-	-	-
St. Albans M.B..	39	1·15	74	2·19	-	7	-	-	8	10	-	-	-	2
Sawbridgeworth..	4	1·41	1	0·35	-	-	-	-	-	-	-	-	-	-
Stevenage ..	12	2·10	3	0·52	-	-	-	-	1	-	-	-	-	-
Tring ..	7	1·57	1	0·22	-	-	-	-	2	7	-	-	-	-
Ware ..	23	3·18	6	0·83	-	-	-	-	1	1	-	-	-	2
Watford M.B. ..	91	1·47	15	0·24	2	9	-	3	18	20	1	1	-	1
Welwyn Garden City ..	15	1·50	3	0·30	-	-	-	-	1	2	-	-	-	-

a East Barnet Valley U.D. renamed East Barnet U.D. from 1st April, 1935.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HERTFORDSHIRE														
—cont.														
RURAL DISTRICTS	187	1.56	95	0.79	5	10	—	14	19	28	—	2	—	2
Ashwell	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Barnet	8	1.20	3	0.45	—	1	—	—	3	9	—	—	—	—
Berkhamsted ..	2	0.45	3	0.67	—	—	—	1	—	2	—	—	—	—
Broughing ..	14	2.07	—	—	—	3	—	—	1	2	—	1	—	—
Buntingford ..	1	0.87	—	—	—	—	—	—	—	—	—	—	—	—
Hadham	4	2.95	—	—	—	—	—	—	—	—	—	—	—	—
Hatfield	10	0.74	12	0.89	1	1	—	1	3	5	—	—	—	—
Hemel Hempstead	7	0.83	13	1.54	—	—	—	—	2	1	—	—	—	—
Hertford	15	2.13	7	1.00	—	—	—	—	—	—	—	—	—	—
Hitchin	37	2.09	7	0.40	2	2	—	1	—	2	—	—	—	1
St. Albans ..	26	1.33	25	1.28	1	1	—	7	3	3	—	—	—	1
Ware	41	3.90	18	1.71	—	2	—	2	1	3	—	1	—	—
Watford	18	1.00	5	0.28	1	—	—	1	4	1	—	—	—	—
Welwyn	4	0.98	2	0.49	—	—	—	1	—	—	—	—	—	—
HUNTINGDON-SHIRE :														
ADMINISTRATIVE COUNTY	91	1.63	54	0.97	—	9	—	—	14	92	—	7	—	6
URBAN DISTRICTS	50	1.92	8	0.31	—	5	—	—	6	63	—	3	—	4
Godmanchester	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B.	2	0.98	—	—	—	1	—	—	1	10	—	—	—	2
Huntingdon M.B.	28	6.27	4	0.90	—	2	—	—	2	15	—	1	—	1
Old Fletton ..	7	0.93	3	0.40	—	—	—	—	2	3	—	1	—	—
Ramsey	5	0.98	—	—	—	—	—	—	1	31	—	1	—	—
St. Ives M.B. ..	5	1.86	—	—	—	1	—	—	—	1	—	—	—	—
St. Neots ..	3	0.71	1	0.24	—	1	—	—	—	3	—	—	—	—
RURAL DISTRICTS ..	41	1.38	46	1.55	—	4	—	—	8	29	—	4	—	2
Huntingdon ..	8	1.20	—	—	—	—	—	—	4	12	—	—	—	—
Norman Cross ..	10	1.52	40	6.10	—	1	—	—	1	5	—	—	—	1
aOundle (part of) .	—	—	—	—	—	—	—	—	—	1	—	—	—	—
St. Ives	15	1.62	4	0.43	—	3	—	—	2	7	—	1	—	1
St. Neots ..	7	1.06	2	0.30	—	—	—	—	1	4	—	3	—	—
aThrapston(part of)	1	5.56	—	—	—	—	—	—	—	—	—	—	—	—
Civil Parish of	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sibson cum Stib-	—	—	—	—	—	—	—	—	—	—	—	—	—	—
bington adminis-	—	—	—	—	—	—	—	—	—	—	—	—	—	—
tered by R.D.C.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
of Barnack	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(Soke of Peter-	—	—	—	—	—	—	—	—	—	—	—	—	—	—
borough).	—	—	—	—	—	—	—	—	—	—	—	—	—	—
KENT :	2,684	2.02	1,289	0.97	57	121	—	59	388	791	15	20	8	43
COUNTY BOROUGH	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Canterbury ..	56	2.23	35	1.39	3	1	—	—	9	15	—	1	—	1
ADMINISTRATIVE	—	—	—	—	—	—	—	—	—	—	—	—	—	—
COUNTY	2,628	2.02	1,254	0.96	54	120	—	59	379	776	15	19	8	42

a The remainder of Oundle and Thrapston Rural Districts are in Northamptonshire.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
KENT—cont.														
URBAN DISTRICTS	2,075	2·03	987	0·96	42	99	—	50	306	601	13	13	8	33
Ashford ..	33	1·48	26	1·17	—	1	—	—	6	26	—	—	1	—
Beckenham M.B.	122	1·84	23	0·35	—	6	—	8	10	29	2	3	—	1
Bexley ..	205	3·42	68	1·13	—	8	—	4	15	22	2	—	—	—
Broadstairs and St. Peter's ..	36	2·72	38	2·88	—	1	—	1	6	15	—	1	1	—
Bromley M.B. ..	167	2·97	44	0·78	—	5	—	5	10	36	—	3	—	3
Chatham M.B. ..	43	0·98	22	0·50	—	3	—	2	16	30	—	—	—	—
Chislehurst and Sidcup ..	191	4·01	60	1·26	3	4	—	3	20	28	—	—	—	—
Crayford ..	53	2·52	26	1·24	1	3	—	1	4	8	—	—	—	1
Dartford M.B. ..	88	2·76	33	1·04	4	4	—	—	11	24	—	—	—	2
Deal M.B. ..	13	0·61	4	0·19	2	1	—	—	1	—	—	—	—	—
Dover M.B. ..	42	1·01	18	0·43	1	4	—	—	17	17	3	1	—	4
Erith ..	35	0·98	57	1·59	—	7	—	1	5	26	—	1	—	3
Faversham M.B.	14	1·18	18	1·52	1	—	—	—	5	3	—	—	—	—
Folkestone M.B...	99	2·13	62	1·33	2	5	—	4	16	21	1	—	—	1
Gillingham M.B.	92	1·47	27	0·43	—	5	—	1	17	36	—	1	—	—
Gravesend M.B...	68	1·78	24	0·63	6	2	—	—	6	11	—	—	—	—
Herne Bay ..	51	3·38	19	1·26	3	1	—	1	1	15	—	—	2	—
Hythe M.B. ..	5	0·57	2	0·23	1	—	—	1	3	5	—	1	—	—
Lydd M.B. ..	10	3·69	—	—	2	—	—	—	—	4	—	—	—	—
Maidstone M.B...	38	0·81	77	1·65	—	5	—	4	19	21	—	—	1	1
Margate M.B. ..	119	3·22	53	1·43	—	2	—	3	15	13	1	1	—	1
New Romney M.B.	3	1·63	—	—	—	—	—	—	—	7	—	—	—	1
Northfleet ..	44	2·49	12	0·68	—	1	—	1	4	10	—	—	—	1
Orpington ..	63	1·72	48	1·31	4	7	—	1	25	19	—	—	—	1
Penge ..	61	2·35	42	1·61	—	1	—	1	12	5	—	—	—	2
Queenborough M.B.	7	2·34	—	—	1	1	—	1	—	—	—	—	—	—
Ramsgate M.B. ..	42	1·23	31	0·91	1	3	—	—	6	67	2	1	1	1
Rochester M.B. ..	78	2·26	71	2·06	3	1	—	—	12	20	1	—	—	1
Royal Tunbridge Wells M.B. ..	54	1·61	9	0·27	—	8	—	—	9	35	—	—	1	3
Sandwich M.B. ..	6	1·63	—	—	—	—	—	—	—	2	—	—	—	—
Sevenoaks ..	5	0·41	5	0·41	1	4	—	1	2	1	—	—	—	—
Sheerness ..	9	0·56	11	0·68	—	3	—	—	1	7	—	—	1	4
Sittingbourne and Milton ..	28	1·35	37	1·79	1	2	—	1	8	10	—	—	—	—
Southborough ..	20	2·62	—	—	1	—	—	—	—	—	—	—	—	1
Swanscombe ..	25	2·98	11	1·31	1	—	—	—	6	1	1	—	—	—
Tenterden M.B...	8	2·36	—	—	—	—	—	—	1	—	—	—	—	—
Toubridge ..	73	4·17	6	0·34	2	1	—	2	14	19	—	—	—	—
Walmer ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whitstable ..	25	1·65	3	0·20	1	—	—	3	3	8	—	—	—	1
RURAL DISTRICTS	553	1·98	267	0·95	12	21	—	9	73	175	2	6	—	9
Bridge-Blean ..	25	1·56	17	1·06	2	1	—	—	3	20	—	—	—	1
Cranbrook ..	38	2·78	2	0·15	1	3	—	1	3	15	—	—	—	2
Dartford ..	113	3·56	61	1·92	—	1	—	1	18	9	1	—	—	1

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
KENT—cont.														
RURAL DISTRICTS— cont.														
Dover	6	0·65	2	0·22	—	—	—	—	1	—	—	—	—	—
East Ashford ..	11	1·22	15	1·66	—	1	—	—	1	7	—	—	—	—
Eastry	18	0·85	18	0·85	—	2	—	1	8	38	—	1	—	—
Elham	14	1·63	3	0·35	1	—	—	1	1	2	—	1	—	2
Faversham ..	4	1·20	13	3·90	—	—	—	—	2	1	—	—	—	—
Hollingbourne ..	37	2·65	1	0·07	1	1	—	—	6	1	—	—	—	—
Hoo	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Isle of Thanet ..	11	3·08	7	1·96	1	1	—	—	1	5	—	—	—	—
Maidstone ..	20	1·31	12	0·78	3	2	—	—	1	1	—	—	—	—
Malling	67	2·21	15	0·49	—	3	—	—	2	17	—	—	—	—
Milton	4	2·21	4	2·21	—	—	—	—	2	1	—	—	—	—
Romney Marsh ..	10	3·08	5	1·54	—	—	—	—	—	5	—	—	—	—
Sevenoaks ..	31	1·15	2	0·07	2	—	—	2	10	11	—	4	—	1
Sheppey	7	1·04	2	0·30	—	2	—	2	1	1	1	—	—	1
Strood	39	2·31	6	0·35	—	1	—	—	3	4	—	—	—	1
†Swale	17	1·26	18	1·34	1	1	—	—	2	10	—	—	—	—
Tenterden ..	13	2·04	1	0·16	—	—	—	—	1	2	—	—	—	—
Tonbridge ..	45	2·42	35	1·88	—	2	—	1	6	3	—	—	—	—
West Ashford ..	23	2·70	28	3·29	—	—	—	—	1	22	—	—	—	—
LANCASHIRE :														
15,432	3·06	9,614	1·91	290	905	—	161	2,897	9,864	183	33	75	1,055	
COUNTY BOROUGHS														
10,228	3·18	7,278	2·26	240	717	—	92	2,096	7,291	153	18	60	924	
Barrow-in-Furness	249	3·86	355	5·50	1	4	—	4	39	152	—	1	—	—
Blackburn ..	370	3·13	166	1·40	6	12	—	2	45	176	—	1	7	2
Blackpool ..	348	2·90	55	0·46	4	25	—	4	28	66	—	—	2	12
Bolton	701	4·01	100	0·57	4	6	—	1	86	135	2	2	2	7
Bootle	163	2·13	200	2·61	3	23	—	—	49	178	—	—	1	10
Burnley	213	2·29	250	2·69	1	29	—	—	57	174	3	—	3	6
Bury	259	4·33	132	2·21	7	6	—	3	31	138	—	—	—	13
Liverpool ..	1,893	2·22	2,681	3·14	48	353	—	30	830	2,211	69	3	25	670
Manchester ..	2,849	3·81	1,302	1·74	122	121	—	25	454	2,306	59	7	6	138
Oldham	589	4·42	214	1·61	3	21	—	—	70	189	—	1	4	12
Preston	255	2·19	260	2·24	2	38	—	5	44	180	1	—	1	9
Rochdale ..	208	2·21	87	0·92	2	3	—	3	42	55	—	—	2	—
St. Helens ..	543	5·02	225	2·08	9	14	—	2	70	295	1	1	2	14
Salford	590	2·81	691	3·29	18	27	—	8	115	463	11	—	1	28
Southport ..	85	1·07	71	0·90	1	6	—	2	25	99	—	1	1	1
Warrington ..	515	6·41	463	5·77	6	20	—	—	64	221	5	1	2	—
Wigan	398	4·71	26	0·31	3	9	—	3	47	253	2	—	1	2
ADMINISTRATIVE COUNTY ..														
5,204	2·86	2,336	1·28	50	188	—	69	801	2,573	30	15	15	131	
URBAN DISTRICTS														
4,609	2·90	2,101	1·32	41	175	—	60	703	2,360	27	9	12	118	
Abram	39	5·93	9	1·37	1	1	—	1	3	23	—	—	—	1
Accrington M.B.	48	1·17	64	1·56	2	6	—	—	8	43	—	—	1	4
Adlington ..	23	5·59	—	—	—	—	—	—	—	3	—	—	—	1
Ashton-in-Makerfield ..	85	4·24	1	0·05	—	1	—	—	4	33	1	—	—	—
Ashton-under-Lyne M.B. ..	69	1·38	63	1·26	1	10	—	—	31	78	1	—	1	9
Aspull	9	1·34	2	0·30	—	—	—	—	7	30	—	—	—	—
Atherton ..	77	3·75	10	0·49	—	10	—	—	14	87	—	—	1	3

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—cont.														
URBAN DISTRICTS—cont.														
Audenshaw ..	12	1·16	3	0·29	—	—	—	—	3	9	—	—	—	—
Bacup M.B. ..	68	3·39	44	2·20	—	—	—	—	12	72	1	—	—	1
Barrowford ..	4	0·79	2	0·40	—	—	—	—	2	4	—	—	—	—
Billinge and Win-														
stanley ..	13	2·45	3	0·56	—	1	—	—	2	4	—	—	—	—
Blackrod..	20	5·85	2	0·59	—	1	—	—	1	4	—	—	—	—
Brierfield..	10	1·33	5	0·66	—	—	—	—	6	12	—	—	—	—
Carnforth ..	2	0·63	12	3·76	—	—	—	—	1	—	—	—	—	—
Chadderton ..	106	3·83	39	1·41	—	1	—	—	15	42	—	—	—	2
Chorley M.B. ..	100	3·34	16	0·53	1	2	—	1	13	51	—	1	2	1
Church ..	2	0·34	10	1·72	—	—	—	—	6	10	—	—	—	—
Clayton-le-Moors	1	0·13	8	1·07	—	—	—	—	1	1	—	—	—	—
Clitheroe M.B. ..	37	3·20	8	0·69	1	3	—	—	2	13	—	—	—	—
Colne M.B. ..	42	1·82	5	0·22	—	2	—	—	9	36	—	—	—	—
Crompton ..	17	1·21	10	0·71	—	—	—	—	4	25	—	—	—	—
Dalton-in-Furness	44	4·30	7	0·68	—	—	—	—	4	—	—	—	—	1
Darwen M.B. ..	211	6·27	134	3·98	3	6	—	1	10	15	—	—	—	5
Denton ..	33	1·76	34	1·81	—	1	—	1	8	15	—	—	—	—
Droylsden ..	65	3·80	7	0·41	2	3	—	—	10	33	—	—	—	1
Eccles M.B. ..	81	1·89	75	1·75	1	4	—	3	32	46	2	—	—	2
Failsworth ..	57	3·41	12	0·72	—	—	—	—	1	24	—	—	—	2
Farnworth ..	134	4·76	31	1·10	6	2	—	1	30	121	2	—	—	—
Fleetwood M.B...	116	4·83	131	5·45	1	6	—	—	7	37	—	—	—	5
Formby ..	3	0·35	6	0·70	—	—	—	2	4	8	—	—	—	—
Fulwood ..	12	1·20	4	0·40	—	4	—	—	1	3	1	—	—	1
Golborne..	78	5·53	24	1·70	2	—	—	—	9	12	—	—	—	1
Grange ..	2	0·85	1	0·43	—	—	—	—	—	—	—	—	—	—
Great Crosby ..	24	1·00	36	1·49	—	2	—	1	6	21	—	1	—	1
Great Harwood ..	—	—	6	0·51	—	—	—	—	—	3	—	—	—	—
Haslingden M.B.	25	1·57	5	0·31	—	2	—	—	5	29	4	—	—	2
Haydock ..	52	4·97	25	2·39	—	—	—	—	12	39	—	—	—	5
Heywood M.B. ..	80	3·08	11	0·42	2	2	—	—	11	27	—	—	1	3
Hindley ..	73	3·51	3	0·14	1	—	—	—	4	70	—	—	—	1
Horwich ..	115	7·62	8	0·53	—	—	—	1	5	29	1	—	—	—
Huyton with Roby	27	2·88	19	2·02	—	—	—	—	1	1	—	—	—	—
Ince in Makerfield	112	5·11	15	0·68	—	2	—	—	14	93	—	—	1	1
Irlam ..	29	2·07	8	0·57	—	2	—	1	7	10	—	1	—	1
Kearsley ..	56	5·10	28	2·55	—	2	—	—	2	15	—	—	—	—
Kirkham..	2	0·48	—	—	—	—	—	—	—	2	—	—	—	—
Lancaster M.B. ..	317	6·82	135	2·90	—	6	—	5	29	68	2	—	—	3
Lees ..	17	3·82	6	1·35	—	1	—	—	1	7	—	—	—	1
Leigh M.B. ..	145	3·21	76	1·68	1	6	—	1	23	78	—	1	—	9
Leyland ..	46	4·12	—	—	1	—	—	—	3	9	—	—	—	1
Litherland ..	15	0·88	44	2·57	—	—	—	1	9	22	—	—	—	—
Littleborough ..	26	2·23	9	0·77	—	—	—	—	1	9	—	—	—	1
Little Lever ..	15	3·07	1	0·20	—	1	—	—	—	—	—	—	—	1

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—cont.														
URBAN DISTRICTS— cont.														
Longridge ..	14	3·44	2	0·49	—	1	—	—	—	1	—	—	—	—
Lytham St. Annes M.B. ..	64	2·55	16	0·64	1	2	—	—	1	7	—	—	—	—
Middleton M.B. ..	86	2·96	12	0·41	—	1	—	—	1	43	—	—	—	—
Milnrow ..	21	2·50	1	0·12	—	—	—	—	6	11	—	—	—	—
Morecambe and Heysham M.B. ..	134	4·79	63	2·25	1	1	—	—	19	51	2	—	1	2
Mossley M.B. ..	5	0·44	1	0·09	1	—	—	—	4	4	—	—	—	—
Nelson M.B. ..	64	1·73	16	0·43	—	2	—	1	13	18	—	—	—	4
Newton in Makerfield ..	207	10·03	42	2·03	1	3	—	2	20	59	—	—	—	1
Ormskirk ..	27	1·51	38	2·13	—	5	—	—	6	23	1	—	—	1
Orrell ..	18	2·35	3	0·39	—	—	—	—	3	16	1	—	—	1
Oswaldtwistle ..	28	2·10	22	1·65	—	—	—	—	2	20	1	1	—	—
Padiham ..	5	0·45	43	3·87	—	2	—	—	4	11	—	—	—	—
Poulton le Fylde	13	2·29	5	0·88	1	—	—	—	1	1	—	—	—	—
Preesall ..	5	2·39	3	1·43	—	1	—	—	—	1	—	—	—	—
Prescot ..	23	2·02	8	0·70	—	2	—	—	9	—	—	—	—	1
Prestwich ..	93	3·19	29	1·00	—	1	—	6	14	30	—	—	—	—
Radcliffe M.B. ..	48	1·78	49	1·82	—	3	—	1	13	44	—	—	—	—
Rainford ..	5	1·39	—	—	—	—	—	—	2	3	—	—	—	—
Ramsbottom ..	37	2·43	7	0·46	—	3	—	—	6	36	—	4	—	1
Rawtenstall M.B. ..	16	0·57	15	0·54	1	2	—	—	16	47	2	—	—	3
Rishton ..	2	0·32	—	—	—	—	—	—	1	10	—	—	—	—
Royton ..	19	1·16	18	1·10	1	—	—	—	3	41	1	—	1	—
Skelmersdale ..	9	1·49	2	0·33	—	—	—	—	2	8	—	—	—	—
Standish with Langtree ..	22	2·83	5	0·64	1	—	—	—	7	9	—	—	—	—
Stretford M.B. ..	158	2·67	88	1·49	4	6	—	1	33	66	—	—	1	9
Swinton and Pendlebury M.B. ..	74	1·91	63	1·63	1	3	—	16	18	44	1	—	—	12
Thornton Cleveleys	14	1·21	1	0·09	—	1	—	2	1	7	—	—	—	1
Tottington ..	16	2·59	4	0·65	—	—	—	2	3	21	—	—	—	—
Trawden ..	5	2·06	—	—	—	—	—	—	—	2	—	—	—	—
Turton ..	26	2·26	19	1·65	1	—	—	—	3	4	—	—	—	—
Tyldesley ..	50	2·65	29	1·54	—	4	—	2	21	55	3	—	—	—
Ulverston ..	77	8·33	12	1·30	—	1	—	—	4	2	—	—	—	—
Upholland ..	30	5·07	11	1·86	—	—	—	—	1	3	—	—	—	1
Urmston ..	34	1·22	26	0·93	1	12	—	—	10	41	—	—	1	4
Walton le Dale ..	27	2·05	8	0·61	—	2	—	—	2	7	—	—	—	2
Wardle ..	10	2·28	5	1·14	—	8	—	—	2	—	—	—	—	2
Waterloo with Seaforth ..	36	1·16	85	2·75	—	3	—	6	16	34	—	—	—	1
Westhoughton ..	33	2·12	5	0·32	—	1	—	1	4	17	—	—	—	—
Whitefield ..	38	3·42	14	1·26	—	—	—	—	1	12	—	—	—	—
Whitworth ..	29	3·61	1	0·12	—	2	—	—	3	6	—	—	—	—
Widnes M.B. ..	136	3·23	92	2·19	—	9	—	—	31	110	—	—	—	—
Withnell ..	4	1·38	2	0·69	—	1	—	—	—	4	—	—	—	—
Worsley ..	51	2·18	19	0·81	—	3	—	—	4	5	—	—	—	2

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Case.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—cont.														
RURAL DISTRICTS	595	2.59	235	1.02	9	13	—	9	98	213	3	6	3	13
Blackburn ..	27	2.32	2	0.17	—	—	—	4	2	5	—	1	—	1
Burnley ..	20	1.12	14	0.78	1	—	—	—	6	20	—	1	1	—
Chorley ..	97	4.04	5	0.21	2	2	—	—	2	9	—	—	—	1
Clitheroe ..	28	3.15	4	0.45	—	—	—	—	7	12	—	—	—	2
Fylde ..	24	2.48	8	0.83	—	1	—	—	—	3	—	—	—	1
Garstang ..	62	5.27	10	0.85	1	3	—	—	7	9	—	—	—	1
Lancaster ..	29	3.02	9	0.94	—	—	—	—	4	3	—	2	—	—
Limehurst ..	16	1.96	3	0.37	—	2	—	—	4	9	—	—	—	1
Lunesdale ..	23	3.54	39	5.99	1	—	—	—	1	—	—	—	1	—
Preston ..	45	1.43	26	0.83	1	1	—	1	17	35	—	—	—	—
Ulverston ..	43	2.65	10	0.62	—	1	—	—	5	8	—	—	—	2
Warrington ..	77	4.65	56	3.38	—	1	—	1	22	33	1	—	—	—
West Lancashire	21	0.73	22	0.77	1	1	—	2	15	43	1	1	—	3
Whiston ..	62	2.81	19	0.86	—	—	—	—	4	13	1	1	1	1
Wigan ..	21	3.11	8	1.19	2	1	—	—	2	11	—	—	—	—
LEICESTERSHIRE :	2,615	4.70	712	1.28	19	71	—	25	281	553	12	50	1	33
COUNTY BOROUGH														
Leicester ..	1,410	5.51	424	1.66	13	52	—	15	162	236	10	13	1	21
ADMINISTRATIVE COUNTY.	1,205	4.01	283	0.96	6	19	—	10	119	317	2	37	—	12
URBAN DISTRICTS	412	3.44	147	1.23	3	7	—	2	45	155	1	9	—	6
Ashby de la Zouch	1	0.19	—	—	—	—	—	1	—	—	—	—	—	—
Ashby Wolds ..	5	1.55	8	2.48	—	—	—	—	2	8	—	—	—	—
Coalville ..	68	3.11	56	2.56	—	2	—	—	13	48	—	1	—	—
Hinckley ..	70	4.01	2	0.11	2	—	—	—	4	27	—	—	—	1
Loughborough M.B.	80	2.93	26	0.95	—	1	—	1	16	15	—	3	—	1
Market Harborough	9	0.95	—	—	1	1	—	—	2	—	—	—	—	—
Melton Mowbray	9	0.83	2	0.19	—	—	—	—	1	33	1	4	—	3
Oadby ..	11	2.16	2	0.39	—	—	—	—	—	—	—	—	—	—
Quorndon ..	3	4.59	—	—	—	—	—	—	—	—	—	—	—	—
Shepshed ..	75	12.84	6	1.03	—	3	—	—	3	24	—	1	—	—
Thurmaston ..	1	1.02	—	—	—	—	—	—	1	—	—	—	—	—
aWigston ..	80	6.71	45	3.77	—	—	—	—	3	—	—	—	—	1
RURAL DISTRICTS	793	4.40	141	0.78	3	12	—	8	74	162	1	28	—	6
Ashby de la Zouch	105	5.95	26	1.47	1	1	—	5	11	36	1	—	—	—
Barrow upon Soar	188	5.18	21	0.58	—	1	—	1	31	35	—	4	—	—
Belvoir ..	1	1.39	—	—	—	—	—	—	—	—	—	—	—	—
Billesdon ..	42	5.65	6	0.81	—	—	—	—	2	5	—	2	—	—
Blaby ..	102	3.45	30	1.01	1	2	—	1	11	6	—	1	—	2
Castle Donington	39	5.95	14	2.14	—	1	—	—	3	8	—	—	—	—
Hallaton ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hinckley ..	101	5.57	21	1.16	—	2	—	—	6	13	—	—	—	—

a Wigston Magna U.D. renamed Wigston U.D. from 1st April, 1935.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LEICESTERSHIRE														
—cont.														
RURAL DISTRICTS—														
cont.														
Loughborough ..	28	7·02	1	0·25	—	—	—	—	—	2	—	—	—	—
Lutterworth ..	43	4·01	3	0·28	—	—	—	—	2	1	—	2	—	1
Market Bosworth	103	4·29	12	0·50	—	5	—	—	4	30	—	1	—	1
Market Harborough	12	1·44	1	0·12	—	—	—	—	1	9	—	1	—	—
a Melton & Belvoir	29	1·75	6	0·36	1	—	—	1	3	17	—	17	—	2
LINCOLNSHIRE—														
PARTS OF HOLLAND :														
ADMINISTRATIVE														
COUNTY														
	91	0·97	19	0·20	6	13	—	2	41	65	—	1	1	5
URBAN DISTRICTS ..														
	25	0·70	9	0·25	1	9	—	1	14	28	—	—	1	4
Boston M.B. ..	20	0·88	1	0·04	—	9	—	1	12	23	—	—	1	1
Spalding	5	0·39	8	0·62	1	—	—	—	2	5	—	—	—	3
RURAL DISTRICTS														
	66	1·13	10	0·17	5	4	—	1	27	37	—	1	—	1
Boston	27	1·46	—	—	4	2	—	—	10	20	—	1	—	—
East Elloe ..	26	1·16	2	0·09	1	1	—	1	12	15	—	—	—	—
Spalding	13	0·74	8	0·46	—	1	—	—	5	2	—	—	—	1
LINCOLNSHIRE—														
PARTS OF KESTEVEN :														
ADMINISTRATIVE														
COUNTY.														
	143	1·30	47	0·43	—	10	—	10	29	72	1	3	3	8
URBAN DISTRICTS ..														
	45	1·08	17	0·41	—	5	—	2	16	51	—	1	1	4
Bourne	9	1·90	1	0·21	—	—	—	1	1	4	—	—	—	—
Grantham M.B. ..	7	0·35	5	0·25	—	3	—	—	13	44	—	1	—	4
Sleaford	20	2·84	4	0·57	—	—	—	1	2	2	—	—	1	—
Stamford M.B. ..	9	0·90	7	0·70	—	2	—	—	—	1	—	—	—	—
RURAL DISTRICTS														
	98	1·43	30	0·44	—	5	—	8	13	21	1	2	2	4
East Kesteven ..	39	2·06	5	0·26	—	1	—	1	2	6	—	—	—	—
North Kesteven ..	25	1·26	20	1·01	—	3	—	3	4	6	—	1	1	2
South Kesteven ..	8	0·57	1	0·07	—	—	—	3	5	2	1	1	1	—
West Kesteven ..	26	1·65	4	0·25	—	1	—	1	2	7	—	—	—	2
LINCOLNSHIRE—														
PARTS OF LINDSEY :														
COUNTY BOROUGHS														
	939	2·20	267	0·63	34	68	—	23	156	354	5	8	8	27
Grimsby	345	2·18	85	0·54	14	33	—	4	54	98	2	3	3	9
Lincoln	196	2·09	53	0·56	10	27	—	2	37	37	1	3	1	6
	149	2·32	32	0·50	4	6	—	2	17	61	1	—	2	3
ADMINISTRATIVE														
COUNTY														
	594	2·22	182	0·68	20	35	—	19	102	256	3	5	5	18

a Melton Mowbray R.D. renamed Melton and Belvoir R.D. from 1st April, 1935.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LINCOLNSHIRE— PARTS OF LINDSEY—cont.														
URBAN DISTRICTS	346	2·61	97	0·73	14	17	-	9	62	174	1	4	4	7
Alford	5	2·18	-	-	-	-	-	-	-	-	-	-	-	-
Barton upon Humber ..	-	-	8	1·28	1	-	-	-	-	8	-	-	-	-
Brigg	2	0·50	1	0·25	-	-	-	-	-	12	-	-	-	-
Cleethorpes ..	101	3·44	27	0·92	1	6	-	1	13	27	-	-	-	-
Crowle	5	1·69	5	1·69	-	-	-	2	-	-	-	-	-	-
Gainsborough ..	79	4·49	8	0·45	1	3	-	2	9	56	-	-	-	2
Horncastle ..	-	-	-	-	-	-	-	-	4	8	-	1	-	1
Louth M.B. ..	17	1·77	1	0·10	1	1	-	1	6	11	-	1	2	-
Mablethorpe and Sutton. ..	2	0·48	1	0·24	-	-	-	-	1	2	-	-	-	-
Market Rasen ..	10	4·84	1	0·48	-	-	-	1	-	-	-	-	-	-
Roxby cum Risby Scunthorpe and Frodingham ..	1	2·00	1	2·00	-	1	-	-	-	-	-	-	-	-
Skegness	87	2·34	38	1·02	10	5	-	2	26	31	1	2	2	3
Winterton ..	11	1·17	1	0·11	-	-	-	-	1	12	-	-	-	1
Woodhall Spa ..	25	10·96	5	2·19	-	1	-	-	2	1	-	-	-	-
	1	0·70	-	-	-	-	-	-	-	6	-	-	-	-
RURAL DISTRICTS	248	1·83	85	0·63	6	18	-	10	40	82	2	1	1	11
Caistor	12	0·96	1	0·08	-	1	-	2	2	3	-	-	-	1
Gainsborough ..	45	3·25	59	4·26	-	1	-	-	5	17	-	-	-	2
Glanford Brigg ..	45	1·59	9	0·32	2	1	-	6	11	26	-	-	-	-
Grimsby	33	2·87	3	0·26	1	3	-	-	6	-	-	-	-	1
Horncastle ..	13	1·13	1	0·09	-	5	-	-	3	11	2	-	1	-
Isle of Axholme..	22	3·36	3	0·46	-	1	-	-	2	1	-	-	-	-
Louth	33	2·00	2	0·12	-	5	-	-	6	13	-	-	-	1
Sibsey	1	0·33	-	-	2	1	-	-	1	3	-	-	-	1
Spilsby	32	1·58	2	0·10	1	-	-	2	3	8	-	-	-	5
Welton	12	1·04	5	0·43	-	-	-	-	1	-	-	1	-	-
LONDON :	11,057	2·64	9,410	2·25	249	686	-	194	1,888	3,727	106	84	16	385
CITY OF LONDON ..	29	3·10	20	2·14	-	1	-	2	4	2	1	-	-	2
Inner and Middle Temples ..	-	-	-	-	-	-	-	-	1	-	-	-	-	-
METROPOLITAN BOROUGHs :														
Battersea	465	3·14	451	3·04	5	11	-	20	62	283	6	3	-	21
Bermondsey ..	367	3·57	273	2·66	3	20	-	3	53	113	2	-	-	5
Bethnal Green ..	415	4·15	334	3·34	7	14	-	1	65	86	1	2	1	6
Camberwell ..	587	2·50	345	1·47	10	34	-	8	114	156	4	6	-	13
Chelsea	146	2·55	111	1·94	6	7	-	6	26	55	-	2	-	2

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LONDON—cont.														
METROPOLITAN BORO'S.—cont.														
Deptford ..	251	2·52	289	2·90	1	9	—	2	57	77	3	—	1	11
Finsbury ..	208	3·30	226	3·58	2	14	—	—	33	47	—	1	1	16
Fulham ..	317	2·21	375	2·61	6	28	—	9	56	139	1	3	1	11
Greenwich ..	301	3·12	367	3·80	2	7	—	4	41	102	3	—	—	7
Hackney ..	633	3·01	468	2·22	19	66	—	14	109	147	5	7	—	18
Hammersmith ..	346	2·70	330	2·58	2	19	—	6	51	84	2	2	2	10
Hampstead ..	120	1·32	72	0·79	2	20	—	5	36	79	2	1	—	14
Holborn ..	77	2·18	133	3·76	5	3	—	2	19	27	1	1	1	4
Islington ..	716	2·35	762	2·51	24	48	—	7	130	211	7	6	—	39
Kensington ..	333	1·87	359	2·01	10	29	—	7	63	134	1	1	2	11
Lambeth ..	858	3·07	460	1·64	24	43	—	4	130	221	3	9	2	41
Lewisham ..	814	3·65	312	1·40	4	34	—	21	70	199	8	1	2	4
Paddington ..	271	1·96	215	1·55	16	29	—	11	53	132	7	3	—	11
Poplar ..	336	2·34	530	3·69	8	25	—	2	73	251	6	3	—	10
St. Marylebone ..	155	1·68	119	1·29	10	36	—	6	35	33	1	3	—	10
St. Pancras ..	354	1·91	441	2·38	24	18	—	7	97	195	6	4	—	23
Shoreditch ..	329	3·72	321	3·63	6	9	—	4	39	39	3	4	—	15
Southwark ..	513	3·29	362	2·32	10	34	—	3	94	101	9	2	—	29
Stepney ..	471	2·23	793	3·75	11	28	—	5	127	188	11	2	1	6
Stoke Newington	88	1·75	74	1·47	6	14	—	3	18	27	1	1	—	1
Wandsworth ..	740	2·16	406	1·18	14	27	—	10	110	316	7	13	1	26
Westminster ..	186	1·50	112	0·90	9	17	—	12	43	35	3	2	—	1
Woolwich ..	631	4·31	350	2·39	3	42	—	10	79	248	2	2	1	18
MIDDLESEX :														
ADMINISTRATIVE COUNTY ..	5,352	2·87	2,246	1·20	135	294	—	105	605	1,347	24	17	8	120
URBAN DISTRICTS ..	5,352	2·87	2,246	1·20	135	294	—	105	605	1,347	24	17	8	120
Acton M.B. ..	104	1·51	81	1·17	—	3	—	2	22	29	—	—	—	2
Brentford and Chiswick M.B.	125	2·00	56	0·90	10	18	—	2	12	47	1	1	—	3
Ealing M.B. ..	394	2·86	228	1·66	7	10	—	7	28	68	—	1	—	3
Edmonton ..	334	3·47	127	1·32	18	30	—	23	36	61	2	—	—	17
Enfield ..	229	2·98	80	1·04	1	4	—	2	17	31	1	2	—	2
Feltham ..	75	3·18	30	1·27	—	5	—	—	3	—	—	—	—	11
Finchley M.B. ..	171	2·73	29	0·46	3	5	—	3	17	45	—	—	—	—
Friern Barnet ..	101	4·08	13	0·53	—	1	—	1	14	15	—	—	—	—
Hampton ..	24	1·74	11	0·80	—	1	—	—	7	—	—	—	—	—
Hampton Wick ..	6	2·04	1	0·34	1	—	—	—	—	11	—	—	—	1
Harrow ..	501	3·47	85	0·59	1	22	—	5	38	93	2	—	1	9
Hayes and Harlington ..	117	3·71	65	2·06	2	4	—	—	7	11	—	—	—	3
Hendon M.B. ..	378	2·82	138	1·03	31	15	—	14	40	112	1	—	—	3
Heston and Isleworth M.B. ..	213	2·34	71	0·78	23	32	—	4	25	114	1	—	2	6
Hornsey M.B. ..	242	2·54	82	0·86	2	8	—	1	25	42	1	1	1	6
Potters Bar ..	5	0·53	13	1·38	—	1	—	—	1	—	—	—	—	—
Ruislip Northwood	92	3·69	14	0·56	1	4	—	1	7	9	1	—	—	—
Southall Norwood	122	2·53	67	1·39	3	9	—	2	23	33	1	1	—	1
Southgate M.B.	133	2·14	25	0·40	3	7	—	3	23	25	—	1	1	—
Staines ..	59	2·24	5	0·19	1	6	—	2	8	10	—	—	—	1

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MIDDLESEX—cont.														
URBAN DISTRICTS—cont.														
Sunbury-on-Thames	6	0·40	12	0·80	2	4	—	1	2	—	—	—	—	—
Teddington ..	37	1·60	52	2·25	3	—	—	—	9	20	—	—	—	—
Tottenham M.B.	577	3·84	286	1·90	10	31	—	3	60	138	1	3	—	22
Twickenham M.B.	44	0·94	42	0·90	2	—	—	1	10	21	—	—	—	3
Uxbridge ..	186	4·88	31	0·81	3	8	—	7	21	45	—	—	1	2
Wembley ..	292	2·95	95	0·96	1	19	—	7	29	66	—	2	1	8
Willesden M.B. ..	486	2·58	451	2·39	3	35	—	10	91	258	12	4	—	19
Wood Green M.B.	201	3·76	38	0·71	4	10	—	4	20	28	—	1	1	7
Wiewsley and West Drayton ..	98	6·52	18	1·20	—	2	—	—	10	15	—	—	—	1
NORFOLK :	1,038	2·07	486	0·97	9	69	1	20	187	447	8	5	2	21
COUNTY BOROUGHS	416	2·31	263	1·46	2	27	—	8	92	172	3	2	—	17
Great Yarmouth	256	4·62	97	1·75	—	5	—	—	28	30	—	2	—	6
Norwich	160	1·28	166	1·33	2	22	—	8	64	142	3	—	—	11
ADMINISTRATIVE COUNTY	622	1·94	223	0·69	7	42	1	12	95	275	5	3	2	4
URBAN DISTRICTS	154	2·44	94	1·49	2	9	1	2	21	62	1	—	—	1
Cromer	5	1·25	—	—	—	1	—	—	2	1	—	—	—	—
Diss	5	1·48	—	—	—	—	—	—	—	—	—	—	—	—
Downham Market	—	—	58	23·67	—	—	—	1	—	1	—	—	—	—
East Dereham ..	13	2·24	16	2·76	—	—	—	—	3	12	—	—	—	—
King's Lynn M.B.	69	2·99	18	0·78	—	4	1	1	6	26	1	—	—	—
New Hunstanton	—	—	1	0·35	—	—	—	—	1	1	—	—	—	—
North Walsham..	4	0·93	—	—	—	—	—	—	—	1	—	—	—	—
Sheringham ..	35	8·39	—	—	—	—	—	—	1	5	—	—	—	1
Swaffham	1	0·38	1	0·38	—	—	—	—	1	5	—	—	—	—
Thetford M.B. ..	19	4·81	—	—	1	2	—	—	4	9	—	—	—	—
Wells	1	0·40	—	—	1	1	—	—	—	—	—	—	—	—
Wymondham ..	2	0·51	—	—	—	1	—	—	3	1	—	—	—	—
RURAL DISTRICTS	468	1·81	129	0·50	5	33	—	10	74	213	4	3	2	3
Aylsham	2	0·50	—	—	1	—	—	—	1	2	—	—	—	—
aBlofield	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Blofield and Flegg	44	1·66	8	0·30	—	2	—	1	2	18	1	—	—	1
Depwade	57	3·29	—	—	—	2	—	—	6	34	—	—	—	—
Docking	24	1·48	10	0·62	1	2	—	—	3	6	—	—	—	—
Downham	28	1·51	31	1·68	—	—	—	—	5	10	—	—	—	1
aEast and West Flegg	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erpingham	19	1·10	3	0·17	—	—	—	—	4	7	—	—	—	—
Forehoe	7	2·05	2	0·58	—	1	—	—	2	1	—	—	—	—
Forehoe and Henstead	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Freebridge Lynn	29	1·98	6	0·41	—	1	—	2	6	19	1	—	—	1
Henstead	19	1·78	7	0·66	—	3	—	1	2	7	—	—	—	—
.. ..	3	1·09	1	0·36	—	2	—	—	8	3	—	—	—	—

^a Abolished 1st April, 1935. Figures included in those of Blofield and Flegg R.D. from 1st January, 1935.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORFOLK—cont.														
RURAL DISTRICTS—cont.														
King's Lynn ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
aLoddon ..	10	0·86	10	0·86	1	7	—	1	3	9	—	—	—	—
Marshland ..	78	5·10	2	0·13	—	3	—	—	5	25	1	—	2	—
Mitford and Launditch ..	56	3·37	22	1·32	—	1	—	4	5	20	—	1	—	—
bSt. Faith's and Alysham ..	32	1·26	10	0·39	1	3	—	—	10	15	1	1	—	—
Smallburgh ..	7	0·45	2	0·13	—	—	—	—	2	3	—	—	—	—
Swaffham ..	27	3·66	—	—	—	1	—	—	2	4	—	—	—	—
Thetford ..	2	0·89	—	—	—	—	—	—	1	3	—	—	—	—
Walsingham ..	16	0·94	8	0·47	1	4	—	1	1	7	—	—	—	—
Wayland ..	8	0·51	7	0·45	—	1	—	—	6	20	—	1	—	—
NORTHAMPTON-SHIRE:														
1,043	3·33	166	0·53	15	34	—	20	137	350	6	8	—	—	13
COUNTY BOROUGH														
Northampton ..	415	4·29	42	0·43	5	10	—	1	50	149	4	2	—	2
ADMINISTRATIVE COUNTY ..														
628	2·90	124	0·57	10	24	—	19	87	201	2	6	—	—	11
URBAN DISTRICTS														
208	1·97	61	0·58	5	12	—	8	50	110	2	5	—	—	6
Brackley M.B. ..	1	0·44	3	1·31	—	1	—	—	—	4	—	—	—	—
Burton Latimer ..	1	0·29	3	0·88	—	—	—	1	8	16	—	—	—	—
Daventry M.B. ..	9	2·51	2	0·56	2	2	—	—	—	1	—	—	—	—
Desborough ..	4	0·91	1	0·23	—	2	—	1	1	1	—	—	—	—
Finedon ..	2	1·92	—	—	—	—	—	—	1	—	—	—	—	—
Higham Ferrers M.B. ..	1	0·33	—	—	—	—	—	—	1	2	—	—	—	1
Irthlingborough ..	26	5·72	—	—	—	1	—	1	1	3	—	—	—	—
Kettering ..	39	1·21	4	0·12	—	3	—	1	17	35	2	—	—	3
Oundle ..	1	0·36	—	—	—	1	—	1	—	—	—	—	—	—
Raunds ..	6	1·42	3	0·71	—	—	—	—	1	5	—	—	—	—
Rothwell ..	10	2·19	1	0·22	—	1	—	—	—	—	—	—	—	—
Rushden ..	14	0·96	3	0·21	1	—	—	1	10	30	—	—	—	—
Wellingborough ..	94	3·75	41	1·64	2	1	—	2	10	13	—	5	—	2
RURAL DISTRICTS														
420	3·80	63	0·57	5	12	—	11	37	91	—	1	—	—	5
Brackley ..	5	0·65	—	—	1	—	—	—	—	2	—	—	—	—
Brixworth ..	24	1·71	14	1·00	—	2	—	1	1	8	—	—	—	—
cCrick ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daventry ..	143	9·29	16	1·04	1	1	—	4	3	3	—	—	—	—
Easton-on-the-Hill ..	2	5·62	—	—	—	—	—	—	—	—	—	—	—	—
Gretton ..	4	11·36	—	—	—	—	—	—	—	—	—	—	—	—
Hardingstone ..	6	3·29	—	—	—	—	—	1	—	3	—	—	—	—
Kettering ..	29	2·17	3	0·22	2	2	—	1	6	21	—	—	—	2
Middleton Cheney ..	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Northampton ..	84	6·18	17	1·25	—	1	—	3	9	17	—	—	—	1
dOundle (part of) ..	4	2·71	—	—	—	—	—	—	—	2	—	—	—	—
Oundle and Thrapston ..	32	2·55	1	0·08	—	1	—	1	5	6	—	—	—	—
Oxendon ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Potterspury ..	—	—	—	—	—	—	—	—	—	2	—	—	—	—
dThrapston (part of) ..	14	5·77	—	—	—	—	—	—	1	2	—	—	—	—
Towcester ..	31	2·55	5	0·41	—	2	—	—	3	20	—	—	—	2
Wellingborough ..	42	3·37	7	0·56	1	2	—	—	9	5	—	1	—	—

a Loddon and Clavering renamed Loddon R.D. from 1st April, 1935.*b* St. Faiths R.D. renamed St. Faiths and Alysham R.D. from 1st April, 1935.*c* Abolished 1st April, 1935. Figures included in those of Daventry R.D. from 1st January, 1935.*d* The remainders of Oundle and Thrapston Rural Districts are in Huntingdonshire.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORTHUMBER- LAND:	3,680	4·80	1,596	2·08	75	173	—	46	532	1,411	30	12	4	99
COUNTY BOROUGHS	1,511	4·22	758	2·12	59	128	—	9	286	842	21	10	1	83
Newcastle upon Tyne	1,304	4·48	688	2·36	59	119	—	7	254	734	19	10	—	62
Tynemouth	207	3·07	70	1·04	—	9	—	2	32	108	2	—	1	21
ADMINISTRATIVE COUNTY.	2,169	5·32	838	2·05	16	45	—	37	246	569	9	2	3	16
URBAN DISTRICTS	1 851	5·96	681	2·19	14	40	—	34	206	499	9	1	3	10
Alnwick	8	1·15	14	2·01	—	—	—	—	—	—	—	—	—	—
Amble	7	1·60	4	0·91	—	—	—	—	—	—	—	—	—	—
Ashington	255	8·53	115	3·85	1	11	—	5	23	52	1	—	—	3
Bedlingtonshire ..	90	3·26	67	2·43	3	2	—	2	11	59	1	—	—	1
Berwick upon Tweed M.B. ..	20	1·66	28	2·32	—	—	—	—	6	1	—	—	—	1
Blyth M.B.	127	3·73	35	1·03	2	5	—	1	21	80	2	—	1	2
Cramlington	38	18·65	1	0·49	—	—	—	—	7	1	3	—	—	—
Earsdon	24	7·29	4	1·21	—	—	—	—	—	—	—	—	—	—
Gosforth	119	6·27	54	2·84	—	—	—	1	11	26	—	—	—	—
Hexham	57	6·31	20	2·21	—	—	—	1	11	9	—	—	1	—
Longbenton	107	5·32	25	1·24	1	1	—	2	15	20	1	—	—	1
Morpeth M.B.	65	7·29	24	2·69	1	—	—	—	8	10	—	—	—	—
Newbiggin by the Sea	51	6·12	113	13·55	2	2	—	—	12	51	—	—	—	—
Newburn	202	10·45	28	1·45	1	3	—	7	11	22	—	—	1	—
Prudhoe	70	7·84	4	0·45	—	—	—	—	12	18	—	—	—	—
Rothbury	2	5·93	3	8·90	—	—	—	—	—	—	—	—	—	—
Seaton Delaval	19	10·34	—	—	—	1	—	1	3	2	—	—	—	—
Seaton Valley ...	146	6·85	12	0·56	1	3	—	—	10	11	1	1	—	—
Seghill	—	—	1	1·46	—	—	—	—	1	1	—	—	—	—
Wallsend M.B.	226	5·18	85	1·95	2	11	—	10	28	108	—	—	—	1
Weetslade	4	2·02	2	1·01	—	—	—	—	—	—	—	—	—	—
Whitley and Monk-seaton	214	8·05	42	1·58	—	1	—	4	16	28	—	—	—	1
RURAL DISTRICTS	318	3·25	157	1·61	2	5	—	3	40	70	—	1	—	6
Alnwick	36	2·98	7	0·58	—	—	—	—	3	1	—	—	—	1
Belford	14	3·07	2	0·44	—	1	—	—	2	6	—	—	—	—
Bellingham	12	2·32	19	3·67	1	—	—	—	—	13	—	—	—	—
Castle Ward	37	2·81	13	0·99	—	—	—	—	7	4	—	—	—	1
Glendale	9	1·17	2	0·26	—	—	—	—	4	6	—	—	—	—
Haltwhistle	22	2·69	4	0·49	—	—	—	—	—	2	—	—	—	1
Hexham	72	3·53	16	0·78	1	3	—	1	13	17	—	1	—	2
Morpeth	107	6·60	81	5·00	—	1	—	1	7	12	—	—	—	1
Newcastle upon Tyne (Moot Hall and Precincts)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Island-shires	4	0·83	1	0·21	—	—	—	—	—	3	—	—	—	—
Rothbury	5	0·93	12	2·24	—	—	—	1	4	6	—	—	—	—
NOTTINGHAM-SHIRE:	2,055	2·80	549	0·75	32	79	—	13	283	738	23	11	8	84
COUNTY BOROUGH	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nottingham	942	3·36	300	1·07	13	29	—	4	124	309	9	3	1	49
ADMINISTRATIVE COUNTY	1,113	2·45	249	0·55	19	50	—	9	159	429	14	8	7	35

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NOTTINGHAM-SHIRE—cont.														
URBAN DISTRICTS	771	2.52	188	0.61	10	30	—	7	116	290	8	8	3	26
Arnold	5	0.31	5	0.31	—	4	—	—	4	11	—	—	—	1
^a Beeston and Stapleford	51	1.83	5	0.18	—	2	—	—	2	23	1	—	—	1
Carlton	153	5.69	12	0.45	—	1	—	—	10	19	—	—	—	3
East Retford M.B.	6	0.41	7	0.47	1	3	—	—	4	33	—	—	—	—
Eastwood	22	2.63	22	2.63	1	—	—	—	5	3	—	—	—	—
Hucknall	98	5.40	9	0.50	—	1	—	3	10	59	1	1	—	1
Huthwaite	—	—	—	—	—	—	—	—	—	4	—	—	—	—
Kirkby in Ashfield	92	4.93	7	0.38	1	6	—	—	18	29	—	1	—	—
Mansfield M.B. ..	94	2.02	50	1.07	4	5	—	—	27	23	2	1	—	8
Mansfield Woodhouse	21	1.47	28	1.95	—	—	—	—	4	11	—	—	—	1
Newark M.B. ..	19	0.98	3	0.15	—	—	—	2	2	—	—	—	—	2
Sutton in Ashfield	77	2.17	7	0.20	—	3	—	1	18	56	4	2	—	4
Warsop	29	2.62	—	—	—	—	—	1	7	1	—	—	1	2
West Bridgford ..	32	1.62	6	0.30	2	—	—	—	3	8	—	2	—	—
Worksop M.B. ..	72	2.64	27	0.99	1	5	—	—	2	10	—	1	2	3
RURAL DISTRICTS	342	2.32	61	0.41	9	20	—	2	43	139	6	—	4	9
Basford	123	2.85	28	0.65	2	3	—	1	22	42	4	—	1	3
Bingham	14	0.89	4	0.25	—	2	—	—	9	15	—	—	—	—
East Retford ..	41	2.11	3	0.15	2	4	—	—	4	16	1	—	1	—
Leake	1	0.88	—	—	1	—	—	—	1	—	—	—	—	—
^b Misterton	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Newark	11	1.18	6	0.64	—	—	—	1	1	1	—	—	—	—
Nottingham (Shire Hall)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skegby	3	0.83	3	0.83	—	2	—	—	2	5	—	—	1	—
Southwell	89	2.45	8	0.22	3	7	—	—	4	29	—	—	1	4
Stapleford	7	1.95	4	1.11	—	—	—	—	—	6	1	—	—	—
Worksop	53	3.57	5	0.34	1	2	—	—	—	25	—	—	—	1
OXFORDSHIRE :	421	1.92	96	0.44	24	63	—	4	82	186	2	3	—	35
COUNTY BOROUGH														
Oxford	180	2.04	31	0.35	14	44	—	3	50	104	1	1	—	28
ADMINISTRATIVE COUNTY	241	1.83	65	0.49	10	19	—	1	32	82	1	2	—	7
URBAN DISTRICTS ..	56	1.47	30	0.79	3	4	—	1	10	28	—	—	—	3
Banbury M.B. ..	12	0.83	19	1.32	1	1	—	—	2	24	—	—	—	1
Bicester	2	0.62	—	—	—	—	—	—	—	—	—	—	—	—
Chipping Norton M.B.	11	3.16	10	2.87	—	1	—	—	1	1	—	—	—	1

^a Beeston U.D. renamed Beeston and Stapleford U.D. from 1st April, 1935.

^b Abolished 1st April, 1935. Figures included in those of East Retford R.D. from 1st January, 1935.

[illegible]

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SHROPSHIRE—cont.														
URBAN DISTRICTS—cont.														
Ludlow M.B. ..	2	0·34	1	0·17	—	1	—	—	5	6	—	—	—	—
Market Drayton ..	10	2·09	6	1·25	—	1	—	2	1	3	—	—	—	—
Newport ..	1	0·30	4	1·19	—	1	—	2	1	4	—	—	—	1
Oakengates ..	7	0·64	8	0·73	—	1	—	—	2	6	—	—	—	—
Oswestry M.B. ..	32	3·21	31	3·11	4	2	—	1	—	10	—	—	—	2
Shrewsbury M.B. ..	33	0·88	31	0·83	4	4	—	—	15	22	—	—	2	2
Wellington ..	8	0·83	6	0·62	1	2	—	1	2	10	—	—	—	—
Wem ..	—	—	—	—	1	1	—	—	1	1	—	—	—	—
Wenlock M.B. ..	35	2·54	3	0·22	—	—	—	1	3	—	—	—	—	1
Whitchurch ..	6	0·96	42	6·72	—	—	—	—	2	5	—	1	—	—
RURAL DISTRICTS	150	1·26	90	0·76	9	35	—	7	25	117	1	1	—	14
Atcham ..	10	0·53	11	0·59	1	8	—	—	4	23	1	—	—	2
Bridgnorth ..	9	0·74	8	0·66	—	2	—	2	1	12	—	—	—	—
Clun ..	16	1·55	1	0·10	1	7	—	—	2	5	—	1	—	2
Drayton ..	27	3·56	3	0·40	—	—	—	—	1	1	—	—	—	—
Ellesmere ..	13	1·90	2	0·29	4	3	—	1	3	—	—	—	—	3
Ludlow ..	18	1·28	7	0·50	—	4	—	—	1	25	—	—	—	2
Newport ..	9	1·70	7	1·32	—	—	—	—	1	6	—	—	—	—
Oswestry..	22	1·38	31	1·94	1	4	—	4	2	15	—	—	—	1
Shifnal ..	12	1·60	5	0·67	1	1	—	—	1	4	—	—	—	1
Wellington ..	—	—	—	—	1	2	—	—	6	16	—	—	—	3
Wem ..	14	1·41	15	1·51	—	4	—	—	3	10	—	—	—	—
SOMERSETSHIRE :	593	1·26	286	0·61	11	63	—	12	138	419	4	6	3	32
COUNTY BOROUGH.														
Bath ..	89	1·30	12	0·18	—	22	—	—	18	32	2	1	—	13
ADMINISTRATIVE COUNTY ..	504	1·25	274	0·68	11	41	—	12	120	387	2	5	3	19
URBAN DISTRICTS..	153	0·84	152	0·84	4	20	—	4	45	192	1	3	—	7
Bridgwater M.B.	19	1·07	—	—	—	2	—	1	8	22	—	—	—	—
Burnham on Sea	18	2·29	2	0·25	—	1	—	—	—	3	—	—	—	2
Chard M.B. ..	1	0·23	1	0·23	—	—	—	—	1	16	—	—	—	—
Clevedon..	3	0·39	12	1·57	—	—	—	—	2	10	—	—	—	—
Crewkerne ..	1	0·28	6	1·70	—	—	—	—	—	2	—	—	—	—
Frome ..	13	1·26	4	0·39	—	2	—	—	4	1	—	—	—	—
Glastonbury M.B.	3	0·66	—	—	—	—	—	—	1	3	—	1	—	—
Ilminster..	2	0·88	—	—	—	—	—	—	4	4	—	—	—	—
Minehead ..	9	1·47	1	0·16	—	2	—	—	—	3	—	—	—	1
Norton-Radstock	31	2·78	4	0·36	1	2	—	—	5	19	—	—	—	—
Portishead ..	—	—	18	4·67	—	1	—	2	2	6	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOMERSETSHIRE— cont.														
URBAN DISTRICTS— cont.														
Shepton Mallet ..	2	0.46	4	0.93	—	1	—	—	2	13	—	—	—	—
Street ..	1	0.22	—	—	—	—	—	—	1	8	—	—	—	—
Taunton M.B. ..	17	0.63	67	2.50	1	—	—	1	4	11	—	1	—	—
Watchet ..	—	—	2	0.95	—	1	—	—	1	—	—	—	—	—
Wellington ..	1	0.15	1	0.15	1	—	—	—	—	3	—	1	—	—
Wells M.B. ..	2	0.37	4	0.74	—	1	—	—	—	—	—	—	—	—
Weston super Mare	29	0.89	26	0.80	1	3	—	—	6	14	1	—	—	4
Yeovil M.B. ..	1	0.05	—	—	—	4	—	—	4	54	—	—	—	—
RURAL DISTRICTS ..	351	1.58	122	0.55	7	21	—	8	75	195	1	2	3	12
Axbridge..	48	2.14	23	1.03	1	2	—	1	24	25	—	—	—	2
Bathavon ..	61	2.67	6	0.26	2	4	—	—	6	9	—	—	—	2
Bridgwater ..	5	0.30	2	0.12	—	2	—	—	4	14	—	—	—	2
Chard ..	7	0.63	5	0.45	—	—	—	—	—	14	1	—	—	—
Clutton ..	42	2.66	5	0.32	—	3	—	—	5	16	—	—	—	1
Dulverton ..	1	0.22	—	—	—	—	—	—	—	10	—	—	—	—
Frome ..	10	1.04	1	0.10	1	—	—	2	6	15	—	—	—	—
Langport..	10	0.81	2	0.16	1	3	—	—	3	3	—	—	—	—
Long Ashton	102	5.21	8	0.41	1	—	—	1	7	16	—	—	—	—
Shepton Mallet ..	1	0.10	1	0.10	—	1	—	—	3	13	—	1	—	—
Taunton ..	11	0.66	18	1.07	—	2	—	3	3	7	—	—	1	1
Wellington ..	3	0.41	9	1.23	1	—	—	—	1	1	—	—	—	—
Wells ..	3	0.32	13	1.38	—	1	—	1	2	11	—	—	—	—
Williton ..	23	1.92	14	1.17	—	—	—	—	5	3	—	—	1	1
Wincanton ..	18	1.13	15	0.95	—	—	—	—	2	24	—	—	1	—
Yeovil ..	6	0.36	—	—	—	3	—	—	4	14	—	1	—	3
SOUTHAMPTON :														
2,522	2.42	1,625	1.56	39	157	—	40	272	406	15	6	9	118	
COUNTY BOROUGHs														
1,092	2.00	1,275	2.34	26	72	—	25	155	153	3	3	3	54	
Bournemouth ..	117	0.99	67	0.57	2	7	—	4	19	36	—	2	2	4
Portsmouth ..	617	2.47	422	1.69	18	43	—	8	72	53	1	1	1	13
Southampton ..	358	2.02	786	4.44	6	22	—	13	64	64	2	—	—	37
ADMINISTRATIVE														
COUNTY ..	1,430	2.88	350	0.71	13	85	—	15	117	253	12	3	6	64
URBAN DISTRICTS ..														
888	3.19	207	0.74	11	55	—	4	73	154	11	1	3	28	
Aldershot M.B. ..	98	2.74	50	1.40	—	10	—	—	7	16	7	—	—	5
Alton ..	7	0.95	23	3.11	—	2	—	—	8	8	1	—	—	4
Andover M.B. ..	2	0.17	17	1.48	1	9	—	1	3	7	—	—	—	5
Basingstoke M.B.	35	2.45	12	0.84	—	3	—	—	2	—	—	—	—	2
Christchurch M.B.	57	4.45	5	0.39	1	1	—	—	—	5	—	—	—	1
Eastleigh ..	129	5.26	12	0.49	2	2	—	1	10	6	—	—	1	1
Fareham ..	56	2.28	19	0.77	—	5	—	—	5	28	—	—	1	1
Farnborough ..	60	2.84	14	0.66	1	5	—	—	2	4	2	—	—	1

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOUTHAMPTON— cont.														
URBAN DISTRICTS— cont.														
Fleet	7	0·88	2	0·25	—	—	—	—	1	4	—	—	—	—
Gosport M.B. ..	249	5·94	25	0·60	3	3	—	—	21	48	1	—	—	5
Havant and Waterloo ..	50	2·10	8	0·34	2	3	—	—	6	10	—	—	—	1
Lymington M.B. ..	11	0·65	1	0·06	—	—	—	—	—	1	—	—	—	—
Petersfield	30	5·14	—	—	—	—	—	1	2	1	—	—	—	—
Romsey M.B.	2	0·35	9	1·57	—	1	—	—	1	2	—	—	—	—
Winchester M.B. ..	95	3·85	10	0·41	1	11	—	1	5	14	—	1	—	2
RURAL DISTRICTS ..	542	2·49	143	0·66	2	30	—	11	44	99	1	2	3	36
Alton	49	2·31	31	1·46	1	4	—	4	2	9	—	—	2	4
Andover	29	2·04	31	2·18	—	4	—	1	6	7	1	—	—	5
Basingstoke	40	2·79	4	0·28	—	2	—	—	2	4	—	—	—	1
Droxford	65	3·60	1	0·06	—	2	—	2	5	16	—	—	—	2
Hartley Wintney ..	68	4·20	19	1·17	—	3	—	—	5	4	—	—	—	—
Kingsclere and Whitchurch ..	85	5·62	4	0·26	—	—	—	—	7	12	—	—	—	—
New Forest	62	1·82	12	0·35	—	2	—	1	—	14	—	—	—	7
Petersfield	32	2·07	4	0·26	1	2	—	—	—	—	—	1	1	5
Ringwood and Fordingbridge ..	13	0·70	7	0·38	—	2	—	1	4	17	—	—	—	2
Romsey and Stockbridge ..	17	0·93	16	0·87	—	4	—	2	7	6	—	—	—	5
Winchester	82	2·56	14	0·44	—	5	—	—	6	10	—	1	—	5
STAFFORDSHIRE :	4,975	3·41	1,943	1·33	72	198	—	17	684	2,611	55	3	3	208
COUNTY BOROUGHS	2,833	3·86	1,041	1·42	47	92	—	5	355	1,469	34	1	3	135
Burton-on-Trent ..	179	3·73	110	2·29	3	6	—	—	12	55	—	1	—	8
Smethwick	341	4·13	130	1·57	4	6	—	—	44	174	2	—	1	22
Stoke-on-Trent ..	1,216	4·44	395	1·44	18	29	—	3	128	701	26	—	2	50
Walsall	272	2·57	81	0·76	4	10	—	—	60	217	4	—	—	8
West Bromwich ..	285	3·46	221	2·69	8	18	—	1	64	184	1	—	—	—
Wolverhampton ..	540	3·82	104	0·74	10	23	—	1	47	138	1	—	—	47
ADMINISTRATIVE COUNTY.. ..	2,142	2·95	902	1·24	25	106	—	12	329	1,142	21	2	—	73

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE —cont.														
URBAN DISTRICTS	1,654	3·02	708	1·29	17	76	—	7	266	935	18	2	—	51
Aldridge ..	77	4·85	13	0·82	—	3	—	—	5	25	—	—	—	2
Amblecote ..	5	1·66	5	1·66	—	—	—	1	1	1	—	—	—	—
Biddulph ..	42	4·50	32	3·43	—	3	—	1	5	39	—	—	—	1
Bilston M.B. ..	86	2·72	44	1·39	1	10	—	—	21	107	—	—	—	6
Brierley Hill ..	162	3·58	63	1·39	2	7	—	—	29	45	2	—	—	1
Brownhills ..	104	5·48	27	1·42	1	5	—	—	14	33	—	—	—	4
Cannock ..	104	2·89	18	0·50	2	2	—	—	21	8	3	—	—	1
Coseley ..	109	4·13	43	1·63	1	2	—	—	8	50	3	—	—	2
Darlaston ..	66	3·28	22	1·09	—	4	—	—	5	37	—	—	—	7
Kids Grove ..	22	1·49	11	0·75	—	2	—	—	13	19	—	—	—	4
Leek ..	75	3·84	56	2·87	—	2	—	—	9	11	1	—	—	4
Lichfield M.B. ..	8	0·92	1	0·12	2	1	—	—	3	1	—	—	—	1
Newcastle under Lyme M.B. ..	161	2·68	21	0·35	1	6	—	1	15	80	6	—	—	5
Rowley Regis M.B.	81	1·91	104	2·45	—	4	—	—	17	89	—	—	—	1
Rugeley ..	4	0·53	—	—	—	—	—	—	1	2	—	—	—	1
Sedgley ..	79	3·95	3	0·15	—	3	—	—	25	66	—	—	—	—
Stafford M.B. ..	82	2·65	7	0·23	2	8	—	3	8	29	2	—	—	1
Stone ..	11	1·74	12	1·90	—	—	—	—	1	8	—	—	—	1
Tamworth M.B. ...	53	4·35	8	0·66	—	1	—	—	8	37	1	1	—	—
Tettenhall ..	9	1·38	6	0·92	1	—	—	—	2	4	—	—	—	1
Tipton ..	128	3·52	109	2·99	—	4	—	—	22	96	—	—	—	2
Uttoxeter ..	23	3·48	49	7·41	—	—	—	—	4	—	—	1	—	—
Wednesbury M.B.	73	2·25	16	0·49	1	3	—	1	14	64	—	—	—	3
Wednesfield ..	40	3·89	18	1·75	1	2	—	—	6	30	—	—	—	1
Willenhall ..	50	1·84	20	0·73	2	4	—	—	9	54	—	—	—	2
RURAL DISTRICTS	488	2·76	194	1·10	8	30	—	5	63	207	3	—	—	22
Cannock ..	62	2·92	28	1·32	2	5	—	—	10	28	—	—	—	2
Cheadle ..	127	4·22	26	0·86	2	4	—	1	17	72	1	—	—	6
Leek ..	54	3·45	3	0·19	1	2	—	—	2	12	—	—	—	1
Lichfield ..	68	2·09	23	0·71	2	6	—	—	15	39	1	—	—	4
Newcastle under Lyme ..	36	2·17	14	0·84	—	2	—	—	8	16	1	—	—	3
Seisdon ..	24	1·60	6	0·40	—	1	—	—	3	12	—	—	—	1
Stafford ..	32	2·44	7	0·53	1	3	—	4	—	12	—	—	—	2
Stone ..	40	3·33	46	3·83	—	6	—	—	6	11	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Case.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE —cont.														
RURAL DISTRICTS —cont.														
Tutbury	22	1·95	11	0·97	—	—	—	—	—	2	—	—	—	3
Uttoxeter	23	2·42	30	3·15	—	1	—	—	2	3	—	—	—	—
SUFFOLK EAST :														
717	2·39	305	1·02	27	39	—	173	98	222	2	—	—	2	30
COUNTY BOROUGH														
Ipswich	334	3·65	163	1·78	17	17	—	52	28	78	1	—	1	11
ADMINISTRATIVE COUNTY														
383	1·84	142	0·68	10	22	—	121	70	144	1	—	—	1	19
URBAN DISTRICTS ..														
175	1·89	121	1·30	2	7	—	103	34	67	1	—	—	—	11
Aldeburgh M.B.	13	5·26	—	—	—	—	—	1	—	1	—	—	—	1
Beccles M.B. ..	5	0·76	3	0·45	—	—	—	1	2	2	—	—	—	—
Bungay	1	0·32	—	—	—	1	—	—	1	8	—	—	—	—
Eye M.B.	1	0·59	3	1·77	—	—	—	—	—	1	—	—	—	—
Felixstowe	6	0·48	5	0·40	—	—	—	—	4	1	—	—	—	—
Halesworth ..	—	—	9	4·09	—	—	—	—	—	3	—	—	—	—
Leiston cum Sizewell	6	1·48	—	—	—	1	—	—	3	4	—	—	—	—
Lowestoft M.B. ..	60	1·34	100	2·23	1	5	—	98	19	32	1	—	—	8
Saxmundham ..	7	5·08	—	—	—	—	—	—	—	1	—	—	—	—
Southwold M.B.	12	4·26	—	—	—	—	—	2	2	1	—	—	—	—
Stowmarket ..	34	5·38	—	—	—	—	—	—	2	6	—	—	—	1
Woodbridge ..	30	6·17	1	0·21	1	—	—	1	1	7	—	—	—	—
RURAL DISTRICTS ..														
208	1·80	21	0·18	8	15	—	18	36	77	—	—	—	1	8
Blyth	46	2·43	1	0·05	—	1	—	1	4	7	—	—	—	—
Deben	36	1·48	3	0·12	2	2	—	1	14	18	—	—	—	2
Gipping	44	2·35	8	0·43	1	2	—	—	4	15	—	—	—	1
Hartismere ..	42	2·34	—	—	4	5	—	3	5	9	—	—	—	2
Lothingland ..	28	1·91	3	0·20	—	2	—	7	2	7	—	—	—	2
Samford	10	0·68	5	0·34	1	1	—	5	2	19	—	—	—	1
Wainford	2	0·31	1	0·16	—	1	—	1	5	2	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SUFFOLK WEST :														
ADMINISTRATIVE COUNTY ..	163	1·57	27	0·26	2	9	-	-	15	83	-	-	3	1
URBAN DISTRICTS	87	2·17	22	0·55	1	5	-	-	12	31	-	-	2	-
Bury St. Edmunds M.B. ..	26	1·53	13	0·77	1	4	-	-	5	12	-	-	1	-
Glensford ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hadleigh ..	1	0·34	-	-	-	-	-	-	-	1	-	-	-	-
Haverhill ..	11	2·95	1	0·27	-	1	-	-	-	8	-	-	-	-
Newmarket ..	34	3·61	-	-	-	-	-	-	3	7	-	-	1	-
Sudbury M.B. ..	15	2·20	8	1·17	-	-	-	-	4	3	-	-	-	-
RURAL DISTRICTS	76	1·19	5	0·08	1	4	-	-	3	52	-	-	1	1
Brandon ..	2	1·46	-	-	-	-	-	-	-	-	-	-	-	-
Clare ..	5	0·63	1	0·13	-	-	-	-	1	5	-	-	-	-
Cosford ..	3	0·33	-	-	-	-	-	-	1	2	-	-	-	1
Melford ..	20	1·75	2	0·17	-	1	-	-	1	3	-	-	-	-
Mildenhall ..	12	1·08	-	-	-	3	-	-	-	19	-	-	-	-
Moulton ..	1	2·12	-	-	-	-	-	-	-	-	-	-	1	-
Thedwastre ..	15	1·94	-	-	-	-	-	-	-	18	-	-	-	-
Thingoe ..	18	1·25	2	0·14	1	-	-	-	-	5	-	-	-	-
SURREY :														
COUNTY BOROUGH	3,457	2·60	1,127	0·85	62	157	-	68	384	590	15	23	3	48
Croydon ..	777	3·21	310	1·28	16	42	-	12	69	54	5	1	-	13
ADMINISTRATIVE COUNTY.	2,680	2·46	817	0·75	46	115	-	56	315	536	10	22	3	35
URBAN DISTRICTS ..	2,345	2·41	747	0·77	44	100	-	54	291	481	10	21	3	33
Banstead ..	75	3·02	19	0·77	1	-	-	6	9	8	-	-	-	-
Barnes M.B. ..	77	1·83	31	0·74	-	3	-	1	16	13	-	-	-	1
Beddington and Wallington ..	95	3·27	23	0·79	1	1	-	1	6	4	-	-	-	-
Carshalton ..	193	3·78	88	1·73	1	10	-	2	11	43	1	2	-	3
Caterham and Warlingham ..	33	1·31	5	0·20	-	-	-	1	4	6	1	-	-	-
Chertsey ..	23	1·24	11	0·59	-	1	-	1	1	3	-	-	-	1
Coulsdon and Purley ..	126	2·59	52	1·07	1	1	-	1	11	31	1	-	-	-
Dorking ..	13	0·80	4	0·24	-	1	-	-	3	12	-	-	-	2
Egham ..	26	1·48	17	0·97	-	2	-	-	9	16	-	-	-	-
Epsom & Ewell..	70	1·51	13	0·28	8	10	-	8	42	12	-	-	-	2
Esher ..	129	3·36	65	1·69	-	-	-	3	7	32	-	-	-	-
Farnham..	52	2·61	5	0·25	1	7	-	-	11	7	-	-	-	1
Frimley and Camberley ..	44	2·46	12	0·67	-	-	-	-	-	6	1	-	-	2
Godalming M.B. ..	23	1·81	4	0·31	1	-	-	-	1	2	-	1	-	-
Guildford M.B. ..	169	4·45	31	0·82	1	4	-	1	6	13	1	1	-	1
Haslemere ..	11	1·18	1	0·11	-	4	-	1	3	-	-	1	-	1
Kingston-upon-Thames M.B. ..	54	1·38	50	1·28	-	8	-	2	16	21	2	-	-	3
Leatherhead ..	55	2·83	7	0·36	-	1	-	1	4	13	-	-	-	-
Merton and Morden	150	2·61	44	0·77	3	9	-	5	16	31	1	6	-	5

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SURREY—cont.														
URBAN DISTRICTS														
<i>—cont.</i>														
Mitcham ..	143	2·30	80	1·29	2	4	—	3	20	35	1	—	—	4
Reigate M.B. ..	165	4·62	18	0·50	1	6	—	3	13	31	—	1	2	—
Richmond M.B. ..	68	1·77	29	0·75	10	9	—	—	21	21	—	—	—	3
Surbiton ..	78	1·95	22	0·55	3	3	—	1	12	30	—	—	—	1
Sutton and Cheam M.B.	211	3·06	35	0·51	5	9	—	9	16	24	1	1	—	—
The Maldens and Coombe ..	34	1·05	22	0·68	1	2	—	—	4	10	—	3	—	—
Walton and Weybridge ..	51	1·90	6	0·22	1	2	—	1	3	22	—	4	—	1
Wimbledon M.B. ..	87	1·49	45	0·77	1	3	—	2	20	11	—	1	—	1
Woking ..	90	2·37	8	0·21	2	—	—	1	6	24	—	—	—	1
RURAL DISTRICTS..	335	2·88	70	0·60	2	15	—	2	24	55	—	1	—	2
Bagshot ..	26	2·23	3	0·26	—	3	—	—	2	7	—	—	—	—
Dorking and Horley ..	83	4·17	5	0·25	—	3	—	—	4	15	—	—	—	—
Godstone ..	24	0·91	4	0·15	1	2	—	1	2	13	—	—	—	—
Guildford ..	82	2·49	12	0·36	—	2	—	1	11	13	—	—	—	2
Hambleton ..	120	4·72	46	1·81	1	5	—	—	5	7	—	1	—	—
SUSSEX EAST :	903	1·62	544	0·97	31	86	—	31	219	379	7	3	3	37
COUNTY BOROUGHS	451	1·68	330	1·23	15	60	—	10	131	221	1	2	1	26
Brighton ..	304	2·06	280	1·89	13	29	—	3	64	129	1	2	—	17
Eastbourne ..	28	0·50	20	0·36	2	11	—	—	24	29	—	—	—	2
Hastings ..	119	1·86	30	0·47	—	20	—	7	43	63	—	—	1	7
ADMINISTRATIVE COUNTY ..	452	1·55	214	0·74	16	26	—	21	88	158	6	1	2	11
URBAN DISTRICTS ..	185	1·22	152	1·01	3	11	—	9	49	81	4	—	1	10
Bexhill M.B. ..	24	1·08	55	2·49	1	—	—	4	11	11	—	—	1	2
Burgess Hill ..	3	0·45	1	0·15	—	1	—	—	4	11	—	—	—	—
Cuckfield..	14	1·09	2	0·16	—	1	—	1	5	—	—	—	—	—
East Grinstead ..	16	1·71	15	1·61	—	2	—	2	2	5	—	—	—	—
Hove M.B. ..	63	1·08	34	0·58	1	6	—	—	8	29	1	—	—	6
Lewes M.B. ..	24	2·03	15	1·27	1	—	—	—	8	4	1	—	—	1
Newhaven ..	12	1·72	1	0·14	—	1	—	—	8	10	1	—	—	—
Portslade by Sea	22	2·14	—	—	—	—	—	—	2	11	1	—	—	—
Rye M.B. ..	3	0·74	10	2·46	—	—	—	—	—	—	—	—	—	1
Seaford ..	4	0·47	19	2·24	—	—	—	2	1	—	—	—	—	—
RURAL DISTRICTS ..	267	1·91	62	0·44	13	15	—	12	39	77	2	1	1	1
Battle ..	64	2·20	8	0·28	4	5	—	4	3	25	1	—	—	—
Chailey ..	57	3·42	9	0·54	3	1	—	2	5	4	—	—	—	—
Cuckfield..	43	1·82	12	0·51	4	3	—	—	4	13	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SUSSEX (EAST) —cont.														
RURAL DISTRICTS —cont.														
Hailsham ..	29	0·90	9	0·28	2	4	—	2	9	19	—	—	1	—
Uckfield ..	74	1·94	24	0·63	—	2	—	4	18	16	1	1	—	1
SUSSEX WEST :														
ADMINISTRATIVE COUNTY ..	618	2·53	279	1·14	14	84	—	11	82	129	3	1	—	35
URBAN DISTRICTS	400	2·99	193	1·44	10	79	—	6	49	89	2	—	—	30
Arundel M.B. ..	4	1·60	1	0·40	—	—	—	—	1	1	—	—	—	—
Bognor Regis ..	118	6·40	36	1·95	—	1	—	1	4	4	—	—	—	—
Chichester M.B. ..	49	3·11	89	5·64	2	3	—	1	11	12	—	—	—	2
Horsham ..	11	0·77	19	1·33	2	2	—	1	1	—	—	—	—	2
Littlehampton ..	10	0·93	5	0·46	—	1	—	—	5	13	—	—	—	—
Shoreham-by-Sea	30	2·98	26	2·58	5	65	—	2	10	14	2	—	—	19
Southwick ..	7	0·90	1	0·13	—	1	—	—	7	9	—	—	—	—
Worthing M.B. ..	171	3·17	16	2·97	1	6	—	1	10	36	—	—	—	7
RURAL DISTRICTS ..	218	1·96	86	0·77	4	5	—	5	33	40	1	1	—	5
Chanctonbury ..	45	2·73	7	0·43	—	1	—	1	6	3	—	—	—	—
Chichester ..	66	2·11	23	0·74	2	2	—	1	13	20	1	—	—	1
Horsham ..	34	1·54	28	1·27	1	—	—	1	2	5	—	1	—	—
Midhurst ..	14	0·97	1	0·07	—	1	—	1	—	—	—	—	—	2
Petworth ..	9	1·09	—	—	—	—	—	—	—	2	—	—	—	1
Worthing ..	50	2·70	27	1·46	1	1	—	1	12	10	—	—	—	1
WARWICKSHIRE :														
COUNTY BOROUGHS	4,283	3·56	1,923	1·60	125	191	—	30	690	2,288	20	30	33	666
Birmingham ..	3,672	3·62	1,674	1·65	103	173	—	29	632	2,045	16	26	30	660
Coventry ..	611	3·23	249	1·32	22	18	—	1	58	243	4	4	3	6
ADMINISTRATIVE COUNTY ..	1,007	2·69	614	1·64	14	42	—	6	143	628	4	4	1	34
URBAN DISTRICTS	657	2·81	409	1·75	9	28	—	4	87	339	3	1	—	22
Bedworth ..	48	2·69	26	1·46	—	—	—	—	7	45	—	—	—	1
Kenilworth ..	22	2·67	5	0·61	—	—	—	—	1	6	—	—	—	1
Nuneaton M.B. ..	153	3·21	24	0·50	2	4	—	—	12	127	—	—	—	5
Royal Leamington Spa M.B. ..	64	2·14	156	5·22	3	12	—	1	17	22	1	—	—	4
Rugby M.B. ..	190	5·33	80	2·24	—	7	—	1	15	26	2	—	—	4
Solihull ..	87	2·41	41	1·14	1	1	—	1	7	28	—	—	—	4
Stratford-on-Avon M.B. ..	36	3·02	35	2·94	—	—	—	—	7	15	—	1	—	—

TABLE 29—continued.

AREA.	Scarlet fever		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WARWICKSHIRE														
—cont.														
URBAN DISTRICTS														
—cont.														
Sutton Coldfield M.B.	45	1·36	18	0·54	2	2	—	1	13	39	—	—	—	3
Warwick M.B. ..	12	0·89	24	1·77	1	2	—	—	8	31	—	—	—	—
RURAL DISTRICTS ..	350	2·50	205	1·46	5	14	—	2	56	289	1	3	1	12
Alcester	66	5·60	30	2·55	—	—	—	—	1	38	—	—	—	—
Atherstone	38	1·73	42	1·91	1	3	—	—	17	110	—	—	—	2
Meriden	77	2·89	55	2·06	1	5	—	—	10	55	—	—	—	3
Rugby	70	3·85	16	0·88	3	—	—	—	5	10	—	3	—	2
Shipston-on-Stour ..	4	0·53	14	1·84	—	1	—	—	—	4	—	—	—	—
Southam	9	0·81	17	1·53	—	2	—	1	2	23	—	—	—	1
Stratford-on-Avon ..	24	1·62	14	0·95	—	2	—	1	7	9	—	—	—	—
Tamworth	45	3·25	10	0·72	—	1	—	—	9	30	1	—	1	4
Warwick	17	1·21	7	0·50	—	—	—	—	5	10	—	—	—	—
WESTMORLAND :														
ADMINISTRATIVE COUNTY ..														
109	1·70	27	0·42	6	4	—	1	18	102	—	—	1	1	7
URBAN DISTRICTS ..														
30	1·00	16	0·53	2	2	—	—	9	26	—	—	1	1	3
Ambleside	—	—	—	—	—	—	—	—	1	2	—	—	—	—
Appleby M.B. ..	5	3·12	—	—	—	—	—	—	3	11	—	—	—	—
Grasmere	2	10·64	—	—	—	—	—	—	1	—	—	—	—	—
Kendal M.B. ..	14	0·82	15	0·88	2	2	—	—	4	4	—	—	1	3
Kirkby Lonsdale ..	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Shap	—	—	—	—	—	—	—	—	—	—	—	—	—	—
The Lakes	1	0·25	1	0·25	—	—	—	—	—	2	—	—	—	—
Windermere	8	1·38	—	—	—	—	—	—	—	5	—	1	—	—
RURAL DISTRICTS ..	79	2·31	11	0·32	4	2	—	1	9	76	—	—	—	4
East Westmorland ..	3	1·15	—	—	—	—	—	—	3	18	—	—	—	1
North Westmorland ..	29	2·26	4	0·31	1	2	—	—	3	43	—	—	—	3
South Westmorland ..	4	2·73	6	0·35	3	—	—	1	3	8	—	—	—	—
West Ward	—	—	1	0·63	—	—	—	—	—	7	—	—	—	—
WIGHT, ISLE OF														
ADMINISTRATIVE COUNTY ..														
171	1·99	29	0·34	5	14	—	4	28	16	—	—	—	—	5
URBAN DISTRICTS ..														
155	2·21	23	0·33	5	11	—	4	23	15	—	—	—	—	5
Cowes	20	1·31	2	0·13	—	—	—	—	4	4	—	—	—	2
Newport M.B. ..	26	1·30	10	0·50	—	3	—	2	15	8	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WIGHT, ISLE OF														
—cont.														
URBAN DISTRICTS—														
cont.														
Ryde M.B. ..	4	0·23	4	0·23	3	7	—	1	3	2	—	—	—	3
Sandown—														
Shanklin ..	78	7·11	6	0·55	2	1	—	—	1	1	—	—	—	—
Ventnor	27	4·35	1	0·16	—	—	—	1	—	—	—	—	—	—
RURAL DISTRICT														
Isle of Wight ..	16	1·02	6	0·38	—	3	—	—	5	1	—	—	—	—
WILTSHIRE :														
ADMINISTRATIVE														
COUNTY ..	726	2·37	443	1·45	9	85	—	7	58	290	2	4	2	21
URBAN DISTRICTS ..														
Bradford on Avon	1	0·21	1	0·21	—	—	—	—	2	1	—	—	—	1
Calne M.B. ..	3	0·64	—	—	—	1	—	1	—	2	—	—	1	—
Chippenham M.B.	18	1·99	2	0·22	1	3	—	—	2	1	1	—	—	1
Devizes M.B. ..	5	0·71	—	—	—	3	—	—	1	3	—	—	—	—
Malmesbury M.B.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Marlborough M.B.	42	8·56	5	1·02	—	—	—	1	3	5	—	—	—	1
Melksham ..	4	0·81	—	—	—	1	—	—	1	1	—	—	—	1
Salisbury M.B. ..	44	1·57	126	4·50	—	27	—	1	4	6	—	—	—	—
Swindon M.B. ..	246	4·07	148	2·45	—	30	—	—	10	151	—	2	—	5
Trowbridge ..	35	2·84	—	—	1	1	—	—	3	—	—	—	—	1
Warminster ..	2	0·39	4	0·77	1	1	—	—	—	1	—	—	—	—
Westbury ..	3	0·72	1	0·24	—	2	—	—	—	—	—	—	—	—
Wilton M.B. ..	1	0·43	8	3·46	—	1	—	—	2	1	—	—	—	—
RURAL DISTRICTS ..														
Amesbury ..	54	3·06	15	0·85	1	—	—	—	—	9	1	—	—	1
Bradford and Melksham ..	5	0·59	6	0·70	1	—	—	—	2	2	—	—	—	—
Calne and Chippenham ..	23	1·28	7	0·39	—	5	—	—	4	7	—	—	—	1
Cricklade and Wootton Bassett	40	3·56	10	0·89	—	2	—	—	2	11	—	—	—	—
Devizes ..	16	1·30	3	0·24	1	2	—	2	1	5	—	—	—	1
Highworth ..	45	2·72	37	2·24	—	1	—	—	6	22	—	1	—	4
Malmesbury ..	5	0·61	5	0·61	1	—	—	—	—	3	—	—	—	—
Marlborough and Ramsbury ..	29	2·95	3	0·31	—	1	—	—	3	15	—	—	1	—
Mere and Tisbury	30	2·80	24	2·24	1	—	—	1	4	23	—	—	—	1
Pewsey ..	52	3·50	6	0·40	1	1	—	—	1	13	—	—	—	2
Salisbury and Wilton ..	18	1·14	20	1·27	—	2	—	—	3	8	—	—	—	1

TABLE 29—continued.

AREA	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WILTSHIRE—cont.														
RURAL DISTRICTS—cont.														
Warminster and Westbury ..	5	0·41	12	1·00	—	1	—	1	4	—	—	1	—	—
WORCESTER :	958	2·19	873	2·00	14	89	—	8	146	499	6	3	1	34
COUNTY BOROUGHs	283	2·50	379	3·35	4	13	—	—	48	131	1	1	1	6
Dudley	128	2·12	107	1·77	1	4	—	—	31	107	—	1	—	2
Worcester	155	2·94	272	5·16	3	9	—	—	17	24	1	—	1	4
ADMINISTRATIVE COUNTY	675	2·08	494	1·52	10	76	—	8	98	368	5	2	—	28
URBAN DISTRICTS ..	502	2·17	406	1·76	9	63	—	4	73	313	4	2	—	25
Bewdley M.B. ..	19	4·43	6	1·40	—	2	—	—	1	3	—	—	—	1
Bromsgrove ..	48	2·15	18	0·81	3	1	—	—	2	20	—	—	—	1
Droitwich M.B. ..	9	2·02	13	2·91	—	1	—	—	—	—	—	—	—	—
Evesham M.B. ..	10	0·90	19	1·71	1	4	—	2	2	—	—	—	—	—
Halesowen ..	39	1·16	30	0·89	1	6	—	1	18	41	1	2	—	3
Kidderminster M.B.	111	3·53	74	2·35	—	7	—	—	26	53	2	—	—	5
Malvern	2	0·11	26	1·48	—	1	—	1	3	8	—	—	—	1
Oldbury M.B. ..	83	1·98	84	2·00	—	13	—	—	9	103	—	—	—	11
Redditch	32	1·45	19	0·86	3	1	—	—	4	59	1	—	—	2
Stourbridge M.B.	126	3·62	112	3·22	1	15	—	—	6	23	—	—	—	1
Stourport-on-Severn	23	3·05	5	0·66	—	12	—	—	2	3	—	—	—	—
RURAL DISTRICTS ..	173	1·87	88	0·95	1	13	—	4	25	55	1	—	—	3
Bromsgrove ..	27	1·48	18	0·99	—	—	—	1	1	5	—	—	—	—
Droitwich ..	19	1·78	12	1·12	—	2	—	—	3	—	—	—	—	1
Evesham ..	9	0·64	3	0·21	—	3	—	—	—	—	—	—	—	1
Kidderminster ..	28	3·59	5	0·64	—	—	—	—	1	6	—	—	—	—
Martley	32	3·01	13	1·22	—	4	—	—	8	12	—	—	—	—
Pershore	46	3·46	4	0·30	—	1	—	1	4	10	—	—	—	—
Tenbury	2	0·37	5	0·92	1	1	—	1	1	1	—	—	—	—
Upton on Severn	10	0·80	28	2·23	—	2	—	1	7	21	1	—	—	1

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE, EAST RIDING :	1,085	2·19	1,113	2·24	7	62	—	1	146	370	17	2	4	38
COUNTY BOROUGH Kingston upon Hull	744	2·32	963	3·00	3	49	—	—	102	278	16	1	3	31
ADMINISTRATIVE COUNTY	341	1·95	150	0·86	4	13	—	1	44	92	1	1	1	7
URBAN DISTRICTS	158	2·00	65	0·82	4	8	—	1	21	51	—	—	1	3
Beverley M.B. ..	50	3·54	17	1·20	1	3	—	—	4	17	—	—	—	1
Bridlington M.B.	35	1·68	6	0·29	2	1	—	1	6	15	—	—	—	1
Cottingham ..	10	4·03	16	6·45	—	—	—	—	1	1	—	—	—	—
Driffield	12	2·02	—	—	—	2	—	—	5	7	—	—	—	—
Filey	8	2·00	1	0·25	—	1	—	—	5	7	—	—	—	—
Haltemprice ..	20	1·35	1	0·07	—	—	—	—	—	2	—	—	—	—
Hedon M.B. ..	2	1·21	2	1·21	—	—	—	—	—	1	—	—	—	1
Hessle	1	0·59	2	1·18	—	—	—	—	—	1	—	—	—	—
Hornsea	1	0·22	11	2·43	—	1	—	—	—	—	—	—	1	—
Norton	10	2·43	4	0·97	1	—	—	—	—	—	—	—	—	—
Pocklington ..	—	—	3	4·54	—	—	—	—	—	—	—	—	—	—
Withernsea ..	9	2·27	2	0·50	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS	183	1·91	85	0·89	—	5	—	—	23	41	1	1	—	4
Beverley	13	0·87	8	0·54	—	—	—	—	2	4	—	—	—	1
Bridlington ..	8	0·99	1	0·12	—	1	—	—	3	5	—	—	—	1
Derwent	7	0·80	2	0·23	—	—	—	—	3	5	—	1	—	—
Driffield	24	2·37	4	0·40	—	1	—	—	3	6	—	—	—	1
Escrick	1	0·67	—	—	—	—	—	—	—	—	—	—	—	—
Holderness ..	22	1·75	9	0·71	—	—	—	—	2	6	—	—	—	—
Howden	29	2·49	9	0·77	—	2	—	—	5	9	—	—	—	—
Norton	18	2·56	4	0·57	—	—	—	—	—	—	—	—	—	—
Patrington ..	5	2·65	1	0·53	—	—	—	—	—	3	—	—	—	—
Pocklington ..	42	3·39	28	2·26	—	1	—	—	4	1	1	—	—	1
Riccall	—	—	14	11·05	—	—	—	—	1	—	—	—	—	—
Sculcoates ..	13	4·37	2	0·67	—	—	—	—	—	1	—	—	—	—
Sherburn	1	1·89	—	—	—	—	—	—	—	1	—	—	—	—
Skirlaugh ..	—	—	3	1·55	—	—	—	—	—	—	—	—	—	—
YORKSHIRE, NORTH RIDING :	1,508	3·19	585	1·24	33	71	—	8	189	1,021	10	2	2	24
COUNTY BOROUGH: Middlesbrough ..	462	3·30	180	1·29	18	33	—	—	65	521	6	—	2	12
ADMINISTRATIVE COUNTY	1,046	3·15	405	1·22	15	38	—	8	124	500	4	2	—	12
URBAN DISTRICTS ..	519	2·81	253	1·37	9	20	—	4	79	337	1	1	—	11
Eston	134	4·38	16	0·52	1	2	—	—	12	72	—	—	—	1
Guisborough ..	69	8·68	23	2·89	—	1	—	—	5	15	—	—	—	—
Loftus	25	3·18	3	0·38	—	—	—	—	10	47	—	—	—	3
Malton	5	1·18	—	—	—	—	—	—	2	—	—	—	—	—
Northallerton ..	9	1·81	6	1·21	—	—	—	—	2	16	—	—	—	—
Pickering	5	1·32	—	—	—	—	—	—	2	—	—	—	—	—
Redcar M.B. ..	61	2·77	28	1·27	1	5	—	—	11	35	—	—	—	—

a Great Driffield U.D. renamed Driffield U.D. from 1st April, 1935.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE, NORTH RIDING—cont.														
URBAN DISTRICTS—cont.														
Richmond M.B. . .	6	1·10	—	—	—	—	—	—	3	10	—	—	—	—
Saltburn and Marske by the Sea ..	23	3·40	32	4·73	—	1	—	—	2	11	—	—	—	—
Scalby ..	7	1·98	1	0·28	—	—	—	1	—	2	—	—	—	—
Scarborough M.B.	64	1·53	51	1·22	4	3	—	3	11	23	—	—	—	3
Skelton and Brotton ..	36	2·76	7	0·54	—	1	—	—	8	16	—	—	—	2
Thornaby on Tees M.B. ..	53	2·48	16	0·75	1	3	—	—	9	71	1	—	—	—
Whitby ..	22	1·88	70	5·99	2	4	—	—	2	19	—	1	—	2
RURAL DISTRICTS ..	527	3·58	152	1·03	6	18	—	4	45	163	3	1	—	1
Aysgarth ..	25	6·38	1	0·26	—	1	—	—	—	—	—	—	—	—
Bedale ..	85	12·92	8	1·22	—	1	—	—	3	1	—	—	—	—
Croft ..	6	2·83	3	1·42	—	—	—	—	—	1	—	—	—	—
Easingwold ..	16	1·68	16	1·68	1	3	—	—	3	9	—	—	—	—
Flaxton ..	44	3·53	10	0·80	2	—	—	—	5	1	—	—	—	—
Helmsley ..	17	3·34	—	—	—	1	—	—	1	20	—	—	—	—
Kirkby Moorside ..	13	2·65	1	0·20	—	1	—	—	1	8	—	—	—	—
Leyburn ..	40	5·77	29	4·18	1	—	—	1	3	8	—	—	—	—
Malton ..	34	5·91	—	—	1	—	—	—	2	—	—	—	—	—
Masham ..	16	8·31	1	0·52	—	—	—	—	2	2	—	—	—	—
Northallerton ..	55	7·23	4	0·53	—	2	—	—	5	23	—	1	—	—
Pickering ..	1	0·18	5	0·91	1	—	—	—	2	—	—	—	—	—
Reeth ..	—	—	—	—	—	—	—	—	3	1	—	—	—	—
Richmond ..	65	3·14	26	1·26	—	5	—	2	5	24	3	—	—	1
Scarborough ..	10	1·53	1	0·15	—	—	—	—	4	1	—	—	—	—
Startforth ..	24	5·77	—	—	—	2	—	1	—	4	—	—	—	—
Stokesley ..	38	2·50	20	1·32	—	—	—	—	3	9	—	—	—	—
Thirsk ..	13	1·07	5	0·41	—	—	—	—	3	30	—	—	—	—
Wath ..	4	1·98	—	—	—	—	—	—	—	3	—	—	—	—
Whitby ..	21	1·77	22	1·86	—	2	—	—	—	18	—	—	—	—
YORKSHIRE, WEST RIDING :														
COUNTY BOROUGHS	9,547	5·21	5,284	2·88	150	319	—	33	1,133	3,552	81	30	9	171
Barnsley ..	349	4·90	99	1·39	15	11	—	1	57	227	4	1	—	23
Bradford ..	1,232	4·22	930	3·18	6	40	—	9	147	362	15	4	2	14
Dewsbury ..	109	2·04	92	1·72	—	3	—	2	14	2	2	—	1	5
Doncaster ..	210	3·06	86	1·25	8	16	—	—	18	75	6	3	—	11
Halifax ..	227	2·34	322	3·32	2	11	—	—	54	117	1	1	—	8
Huddersfield ..	448	3·90	294	2·56	9	13	—	4	66	159	2	—	—	9
Leeds ..	2,064	4·24	1,353	2·78	55	77	—	5	302	770	35	3	1	57
Rotherham ..	603	8·78	140	2·04	5	6	—	2	59	102	1	—	1	5
Sheffield ..	4,195	8·06	1,757	3·38	48	131	—	6	387	1,678	14	16	4	31
Wakefield ..	110	1·83	211	3·51	2	11	—	4	29	60	1	2	—	8
ADMINISTRATIVE COUNTY ..	6,029	3·93	3,076	2·00	73	184	—	49	652	1,534	40	20	7	93

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and Pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE, WEST RIDING—cont.														
URBAN DISTRICTS ..	4,338	4.00	2,298	2.12	55	111	—	38	494	1,169	23	14	5	65
Adwick-le-Street ..	81	4.12	41	2.09	2	4	—	3	19	30	—	—	—	5
Altofts	11	2.32	10	2.11	—	1	—	—	3	11	—	—	—	—
Ardsley East and West	27	2.85	35	3.69	2	3	—	—	1	3	1	1	—	—
Baildon	9	0.93	19	1.96	—	—	—	—	1	—	—	—	—	—
Barkisland	—	—	1	0.71	—	1	—	—	—	1	—	—	—	—
Barnoldswick ..	15	1.36	2	0.18	—	—	—	—	7	3	1	—	—	1
Batley M.B. ..	59	1.76	63	1.87	—	2	—	—	4	13	1	3	—	2
Bentley with Arksey ..	37	2.19	11	0.65	—	6	—	—	4	14	—	—	—	5
Bingley	105	4.85	104	4.80	—	—	—	1	6	9	—	2	1	1
Birkenshaw ..	1	0.32	1	0.32	—	1	—	—	1	2	—	—	—	—
Birstal	27	3.83	10	1.42	—	—	—	—	2	—	—	—	—	—
Bolton upon Dearne ..	110	8.05	67	4.90	—	—	—	—	13	12	3	—	—	—
Brighouse M.B. ..	80	4.10	13	0.67	—	2	—	—	11	11	—	—	—	2
Burley in Wharfedale ..	1	0.25	—	—	—	—	—	—	—	2	—	—	—	—
Calverley	8	1.99	7	1.74	—	—	—	—	5	—	—	—	—	1
Castleford	21	1.02	38	1.84	—	1	—	2	6	14	1	—	—	—
Clayton West ..	4	2.27	—	—	—	1	—	—	1	—	—	—	—	—
Conisbrough ..	91	5.16	28	1.59	—	1	—	1	2	10	2	1	—	—
Cudworth	58	6.20	120	12.82	—	4	—	—	7	25	1	—	—	4
Darfield	18	3.35	5	0.93	1	2	—	—	3	6	—	—	—	—
Darton	66	4.95	14	1.05	2	2	—	—	12	19	—	—	—	—
Denby and Cum-berworth ..	16	4.78	—	—	1	—	—	—	—	3	—	—	—	—
Denholme	4	1.57	—	—	—	—	—	—	3	—	—	—	—	—
Dodworth	24	5.73	13	3.10	—	1	—	—	1	13	—	—	—	1
Drighlington ..	1	0.24	7	1.70	1	—	—	—	1	2	—	—	—	—
Earby	20	3.96	2	0.40	—	—	—	—	2	9	—	—	—	—
Elland	23	2.21	4	0.38	1	1	—	—	6	2	—	—	—	—
Emley	9	5.81	—	—	—	—	—	—	1	4	—	—	—	—
Farsley	19	2.89	44	6.70	—	—	—	—	2	—	—	—	—	—
Featherstone ..	45	3.12	57	3.95	—	1	—	1	9	18	1	—	—	1
Flockton	5	3.40	3	2.04	—	—	—	—	2	6	—	—	—	—
Garforth	2	0.55	6	1.64	—	—	—	—	—	—	—	—	—	—
Gildersome	5	1.57	2	0.63	—	—	—	—	1	3	—	—	—	—
Golcar	59	6.14	36	3.75	—	—	—	—	—	14	—	—	—	—
Goole M.B. ..	94	4.69	191	9.52	1	4	—	—	4	15	—	—	—	5
Greasborough ..	33	8.84	9	2.41	—	1	—	—	3	3	—	—	—	1
Greetland	6	1.38	—	—	1	—	—	—	4	1	—	—	—	—
Guiseley	6	1.04	1	0.17	—	—	—	—	4	4	—	—	—	—
Gunthwaite and Ingbirchworth	3	9.71	—	—	—	—	—	—	—	—	—	—	—	—
Harrogate M.B.	138	3.51	10	0.25	15	11	—	8	20	47	—	—	—	4
Haworth	12	2.13	5	0.89	—	—	—	—	—	1	—	—	1	—
Hebden Bridge ..	14	2.29	1	0.16	—	—	—	—	4	2	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE, WEST RIDING—cont.														
URBAN DISTRICTS—cont.														
Heckmondwike ..	10	1.12	6	0.67	—	—	—	1	3	1	—	—	—	1
Hemsworth ..	86	6.58	40	3.06	—	—	—	1	17	23	—	—	—	1
Hipperholme ..	5	0.92	2	0.37	—	—	—	1	1	8	—	—	—	—
Holme ..	1	2.91	—	—	—	—	—	—	1	—	—	—	—	—
Holmfirth ..	19	1.91	1	0.10	2	—	—	7	4	11	—	—	—	1
Honley ..	19	4.22	3	0.67	—	—	—	1	6	3	—	—	—	—
Horbury ..	21	2.68	2	0.26	—	—	—	—	5	13	1	—	—	—
Horsforth ..	16	1.32	9	0.74	1	—	—	—	4	13	—	1	—	—
Hoyland Nether	196	13.22	82	5.53	4	7	—	—	16	52	1	1	1	2
Hoyland Swaine	1	1.36	—	—	—	—	—	—	—	1	—	—	—	—
Hunsworth ..	8	3.75	5	2.34	—	—	—	—	—	3	—	—	—	—
Ilkley ..	19	2.02	7	0.74	5	—	—	—	4	10	—	—	—	—
Keighley M.B.	60	1.50	68	1.70	3	2	—	—	9	29	1	—	—	3
Kirkburton ..	17	5.45	2	0.64	—	1	—	1	—	1	1	—	—	—
Kirkheaton ..	4	1.54	5	1.92	—	—	—	—	—	1	1	—	—	—
Knarborough ..	18	3.00	2	0.33	—	1	—	—	1	7	—	—	—	—
Knottingley ..	13	1.83	4	0.56	1	—	—	—	—	21	—	—	—	—
Lepton ..	32	10.18	3	0.95	—	—	—	—	2	5	1	—	—	—
Linthwaite ..	77	8.24	16	1.71	—	—	—	—	2	8	—	—	—	—
Luddenden Foot	35	12.58	—	—	—	—	—	1	1	1	—	—	—	—
Maltby ..	94	8.70	15	1.39	1	—	—	—	9	7	—	—	—	—
Marsden ..	42	7.77	16	2.96	—	1	—	1	2	9	—	—	—	—
Meltham ..	23	4.82	1	0.21	—	—	—	—	—	2	—	—	—	—
Methley ..	18	4.02	17	3.79	—	—	—	—	1	4	—	—	—	—
Mexborough ..	63	3.95	13	0.82	—	3	—	—	4	7	—	—	—	—
Midgley ..	1	0.57	—	—	—	—	—	—	—	2	—	—	—	—
Mirfield ..	30	2.55	17	1.44	—	2	—	—	6	5	1	—	—	—
Morley M.B.	50	2.23	71	3.17	1	2	—	—	9	32	—	—	—	—
Mytholmroyd ..	7	1.56	—	—	—	—	—	—	—	—	—	—	—	—
New Mill ..	25	5.92	2	0.47	—	—	—	—	—	3	—	—	—	—
Normanton ..	59	3.91	43	2.85	1	1	—	1	11	58	—	—	—	—
Oakworth ..	5	1.30	—	—	—	—	—	—	1	1	—	1	—	—
Ossett M.B.	39	2.77	10	0.71	—	—	—	—	4	6	—	1	—	—
Otley ..	21	1.92	14	1.28	—	1	—	—	2	15	—	—	—	—
Oxenhope ..	—	—	1	0.46	—	—	—	—	—	—	—	—	—	—
Penistone ..	8	2.57	—	—	—	—	—	—	3	—	—	—	—	—
Pontefract M.B.	60	3.08	51	2.62	1	2	—	2	17	25	1	—	—	—
Pudsey M.B.	177	11.54	75	4.89	—	1	—	—	5	18	—	1	—	—
Queensbury ..	27	4.67	27	4.67	—	—	—	—	4	2	—	—	—	—
Rawdon ..	12	2.48	3	0.62	—	—	—	—	1	—	—	—	—	—
Rawmarsh ..	154	8.51	47	2.60	—	6	—	—	16	70	—	—	—	—
Ripon M.B.	17	2.01	6	0.71	—	—	—	—	1	2	—	—	—	—
Rishworth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rothwell ..	72	4.68	33	2.14	1	—	—	—	12	22	1	—	—	—
Royston ..	26	3.37	8	1.04	—	1	—	—	—	—	—	—	—	—
Saddleworth ..	10	0.81	22	1.78	—	—	—	—	5	—	—	—	—	—
Scammonden ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Selby ..	14	1.37	19	1.86	2	—	—	—	4	16	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE, WEST RIDING—cont.														
URBAN DISTRICTS—cont.														
Shelf	7	2·43	2	0·69	—	—	—	—	—	1	—	—	—	—
Shelley	16	10·72	1	0·67	1	—	—	—	1	3	—	—	—	—
Shepley	13	8·13	1	0·63	—	—	—	1	1	8	—	—	—	—
Shipley	69	2·25	105	3·42	—	3	—	1	6	5	—	1	—	—
Silsden	1	0·20	6	1·22	—	—	—	—	1	2	—	—	—	—
Skelmanthorpe ..	13	3·67	—	—	—	—	—	—	1	8	1	—	—	—
Skipton	26	2·01	7	0·54	1	4	—	—	6	1	—	—	—	—
Slaithwaite	14	2·86	5	1·02	—	—	—	—	2	4	—	—	—	—
South Crosland ..	6	2·05	6	2·05	—	—	—	—	1	8	—	—	—	—
Southowram	28	10·74	16	6·14	—	—	—	—	1	1	—	—	—	—
Sowerby	50	3·44	9	0·62	—	2	—	1	12	5	—	—	—	—
Soyland	4	1·33	1	0·33	—	—	—	—	1	—	—	—	—	6
Spenborough	114	3·80	64	2·13	—	1	—	—	8	34	—	—	—	—
Springhead	24	4·96	4	0·83	—	—	—	—	2	3	—	—	—	—
Stainland	17	4·18	—	—	1	—	—	—	3	6	—	—	—	—
Stanley	110	7·73	15	1·05	—	—	—	1	6	44	—	—	—	2
Stocksbridge	55	5·82	26	2·75	—	1	—	—	7	39	—	—	—	1
Swinton	138	10·14	58	4·26	1	2	—	1	11	8	—	—	1	—
Thurlstone	7	2·85	—	—	—	—	—	—	2	2	—	—	—	—
Thurnscoe	65	6·05	2	0·19	—	3	—	—	5	11	—	1	—	1
Thurstonland and Farnley Tyas	8	2·08	—	—	—	—	—	—	10	6	—	—	—	—
Tickhill	5	2·17	5	2·17	—	3	—	—	—	4	—	—	—	—
Todmorden M.B.	47	2·22	24	1·13	—	3	—	—	10	28	—	—	1	—
Wath upon Dearne	206	15·18	105	7·74	—	1	—	—	3	11	—	—	—	—
Whitley Upper ..	1	1·20	—	—	—	—	—	—	—	—	—	—	—	—
Whitwood	10	1·43	16	2·28	—	—	—	—	—	16	—	—	—	—
Wombwell	127	7·07	53	2·95	1	6	—	—	19	48	1	—	—	1
Worsborough	56	4·27	17	1·30	—	1	—	—	5	11	1	—	—	—
Yeadon	23	2·87	2	0·25	—	—	—	—	2	3	—	—	—	—
RURAL DISTRICTS ..	1,691	3·74	778	1·72	18	73	—	11	158	365	17	6	2	28
Barnsley	36	7·29	3	0·61	1	—	—	—	—	3	—	—	—	1
Bishopthorpe	1	0·30	3	0·89	—	—	—	—	1	—	—	—	—	—
Bowland	2	0·39	4	0·78	—	2	—	—	—	4	—	1	—	—
Doncaster	236	4·62	69	1·35	5	6	—	—	11	37	1	1	—	2
Goole	30	3·42	8	0·91	—	3	—	—	1	4	1	—	—	—
Great Ouseburn ..	38	2·61	11	0·76	2	18	—	—	1	2	—	—	—	4
Halifax	29	4·94	3	0·51	—	—	—	—	2	7	—	—	—	2
Hemsworth	205	4·23	137	2·83	—	4	—	—	25	67	3	—	—	—
Hunslet	12	2·84	2	0·47	—	—	—	—	2	4	—	—	—	—
Keighley	32	3·44	25	2·69	1	—	—	—	1	1	—	—	—	—
Kiveton Park	89	5·37	89	5·37	—	1	—	—	8	22	1	—	—	1
Knaresborough ..	32	3·15	3	0·29	—	—	—	2	1	11	—	—	—	—
Pateley Bridge ..	14	2·22	3	0·48	—	2	—	1	1	2	—	—	—	—
Penistone	16	3·05	17	3·24	—	—	—	—	9	—	—	—	—	—
Pontefract	75	3·01	22	0·88	—	—	—	1	10	25	—	—	—	3
Ripon	9	1·78	2	0·40	—	—	—	—	—	1	—	—	—	—
Rotherham	269	6·36	77	1·82	—	7	—	—	20	36	—	2	—	3
Sedbergh.. ..	3	0·75	2	0·50	1	—	—	—	—	1	—	—	1	—

TABLE 29—continued.

AREA.		Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
						Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
YORKSHIRE, WEST RIDING—cont.															
RURAL DISTRICTS—cont.															
Selby	5	0·86	4	0·69	—	—	—	—	1	7	—	—	—	—	—
Settle	47	3·28	36	2·51	—	—	—	—	4	2	—	—	—	—	—
Skipton	50	2·72	11	0·60	—	—	—	—	6	3	—	—	1	—	—
Tadcaster	98	3·24	68	2·25	1	—	—	—	15	13	—	—	—	—	—
Thorne	68	2·13	91	2·85	4	20	—	—	3	50	6	1	—	—	1
Todmorden	6	1·33	—	—	1	—	—	—	1	1	—	—	—	1	1
Wakefield	64	3·49	30	1·64	1	3	—	—	6	17	—	—	—	—	9
Wetherby	28	1·66	5	0·30	—	1	—	—	5	5	—	—	—	—	—
Wharfedale	9	0·82	20	1·81	1	3	—	1	10	16	—	—	—	—	—
Wortley	188	6·30	33	1·11	—	3	—	5	14	24	5	—	—	—	1
COUNTY BOROUGH															
York	169	1·87	169	1·87	1	6	—	1	38	89	5	1	1	—	6
WALES AND MONMOUTH.															
ANGLESEY :															
ADMINISTRATIVE															
COUNTY	46	0·97	27	0·57	2	2	—	1	5	22	1	—	—	—	3
URBAN DISTRICTS..															
	35	1·96	11	0·61	—	2	—	—	3	5	1	—	—	—	—
Amlwch	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—
Beaumaris M.B.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Holyhead	21	2·05	7	0·68	—	2	—	—	1	—	1	—	—	—	—
Llangefni	6	3·39	2	1·13	—	—	—	—	1	1	—	—	—	—	—
Menai Bridge ..	8	4·71	2	1·18	—	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS..															
	11	0·37	16	0·54	2	—	—	1	2	17	—	—	—	—	3
Aethwy	5	0·48	5	0·48	2	—	—	—	—	10	—	—	—	—	1
Twrcelyn	2	0·23	2	0·23	—	—	—	1	2	5	—	—	—	—	1
Valley	4	0·37	9	0·84	—	—	—	—	—	2	—	—	—	—	1
BRECKNOCKSHIRE:															
ADMINISTRATIVE															
COUNTY	139	2·51	50	0·90	3	3	—	1	18	51	—	1	1	—	1
URBAN DISTRICTS..															
	99	6·19	14	0·88	3	—	—	1	4	18	—	—	—	—	—
Brecknock M.B.	6	1·12	5	0·94	1	—	—	—	—	—	—	—	—	—	—
Brynawr	88	12·61	8	1·15	1	—	—	1	4	13	—	—	—	—	—
Builth Wells ..	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Hay	5	3·57	1	0·71	1	—	—	—	—	3	—	—	—	—	—
Llanwrtyd	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
RURAL DISTRICTS..															
	40	1·02	36	0·91	—	3	—	—	14	33	—	1	1	—	1
Brecknock (Defynnock and Llangorse Div.) ..	1	0·17	6	1·03	—	—	—	—	2	2	—	—	—	—	—
Brecknock(Merthyr Cynog Div.) ..	2	1·02	3	1·53	—	—	—	—	—	—	—	—	—	—	—
Builth	1	0·25	—	—	—	—	—	—	—	5	—	—	—	—	—
Crickhowell ..	22	3·20	—	—	—	—	—	—	—	3	—	—	—	—	—
Hay	1	0·28	1	0·28	—	—	—	—	—	2	—	—	—	—	—
Vaynor and Penderyn	9	1·64	5	0·91	—	—	—	—	2	2	—	—	—	—	—

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BRECKNOCKSHIRE <i>—cont.</i>														
RURAL DISTRICTS— <i>cont.</i>														
Ystradgynlais ..	4	0·34	21	1·79	—	3	—	—	10	19	—	1	1	1
CAERNARVON- SHIRE :														
ADMINISTRATIVE COUNTY	176	1·47	97	0·81	8	9	—	—	31	39	—	1	—	—
URBAN DISTRICTS ..	103	1·56	79	1·20	4	8	—	—	16	34	—	1	—	—
Bangor M.B. ..	44	3·61	34	2·79	2	5	—	—	3	7	—	—	—	—
Bethesda.. ..	4	0·88	2	0·44	—	—	—	—	—	—	—	—	—	—
Bettws y Coed ..	1	1·28	—	—	—	—	—	—	—	1	—	—	—	—
Caernarvon M.B.	11	1·30	2	0·24	—	—	—	—	—	2	—	—	—	—
Conway M.B. ..	23	2·62	27	3·07	—	3	—	—	6	11	—	1	—	—
Criccieth	—	—	1	0·68	—	—	—	—	1	—	—	—	—	—
Llandudno	17	1·14	5	0·33	—	—	—	—	4	9	—	—	—	—
Llanfairfechan ..	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Penmaenmawr ..	1	0·25	2	0·50	—	—	—	—	1	4	—	—	—	—
Portmadoc	2	0·49	3	0·73	—	—	—	—	1	—	—	—	—	—
Pwllheli M.B. ..	—	—	3	0·84	1	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS ..	73	1·37	18	0·34	4	1	—	—	15	5	—	—	—	2
Gwyrfaï	23	0·94	6	0·25	1	—	—	—	6	2	—	—	—	—
Lleyn	18	1·03	6	0·34	2	—	—	—	6	2	—	—	—	1
Nant Conway ..	12	1·87	3	0·47	1	1	—	—	2	—	—	—	—	1
Ogwen	20	3·90	3	0·58	—	—	—	—	1	1	—	—	—	—
CARDIGANSHIRE :														
ADMINISTRATIVE COUNTY	78	1·45	9	0·17	2	1	—	4	7	50	—	—	—	2
URBAN DISTRICTS ..	34	1·94	4	0·23	—	—	—	2	1	17	—	—	—	1
Aberayron	1	0·85	—	—	—	—	—	—	—	—	—	—	—	—
Aberystwyth M.B.	31	3·19	3	0·31	—	—	—	2	—	11	—	—	—	1
Cardigan M.B. ..	—	—	—	—	—	—	—	—	—	6	—	—	—	—
Lampeter M.B. ..	2	0·92	1	0·46	—	—	—	—	—	—	—	—	—	—
New Quay	—	—	—	—	—	—	—	—	1	—	—	—	—	—
RURAL DISTRICTS ..	44	1·21	5	0·14	2	1	—	2	6	33	—	—	—	1
Aberayron	16	1·71	1	0·11	—	—	—	—	1	9	—	—	—	—
Aberystwyth ..	5	0·75	1	0·15	—	—	—	1	1	5	—	—	—	1
North	6	1·36	—	—	—	—	—	1	2	3	—	—	—	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CARDIGANSHIRE														
—cont.														
RURAL DISTRICTS—														
cont.														
Teifside ..	15	1·47	3	0·29	2	—	—	—	2	11	—	—	—	—
Tregaron ..	2	0·36	—	—	—	1	—	—	—	5	—	—	—	—
CARMARTHENSHIRE :														
ADMINISTRATIVE														
COUNTY	373	2·11	156	0·88	4	14	—	4	35	133	1	4	4	5
URBAN DISTRICTS														
Ammanford ..	4	0·56	13	1·82	—	1	—	—	1	2	—	—	—	—
Burry Port ..	11	1·97	—	—	—	—	—	1	—	1	—	—	—	—
Carmarthen M.B.	3	0·28	4	0·37	—	1	—	—	—	4	1	—	—	—
Cwmamman ..	1	0·19	1	0·19	1	—	—	—	2	11	—	—	1	—
Kidwelly M.B. ..	13	4·30	6	1·98	—	—	—	1	1	16	—	—	—	—
Llandilo	2	1·03	—	—	—	—	—	—	3	1	—	—	—	—
Llandovery M.B.	—	—	1	0·49	—	—	—	—	2	1	—	—	—	—
Llanelly M.B. ..	180	4·75	62	1·64	2	6	—	2	16	46	—	2	2	1
Newcastle Emlyn	1	1·24	—	—	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS														
Carmarthen ..	24	0·87	7	0·26	1	1	—	—	1	6	—	—	—	—
^a Llandilo	17	0·64	23	0·86	—	2	—	—	5	29	—	1	—	—
Llandovery ..	4	2·60	—	—	—	1	—	—	—	—	—	—	—	—
Llanelly	101	2·73	39	1·06	—	2	—	—	3	13	—	1	—	4
^b Llanybyther ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
^c Newcastle Emlyn	11	1·25	—	—	—	—	—	—	1	3	—	—	1	—
Whitland	1	0·82	—	—	—	—	—	—	—	—	—	—	—	—
DENBIGHSHIRE :														
ADMINISTRATIVE														
COUNTY	470	3·01	442	2·83	3	23	—	2	61	145	1	1	2	12
URBAN DISTRICTS														
^d Abergele	28	5·53	—	—	—	—	—	—	2	3	—	—	—	—
Colwyn Bay M.B.	13	0·63	26	1·26	—	1	—	—	5	14	—	—	—	—
Denbigh M.B. ..	4	0·55	10	1·36	—	1	—	—	3	9	1	1	—	3
Llangollen ..	15	5·09	5	1·70	—	—	—	—	—	2	—	—	—	—
Llanwrst	1	0·42	—	—	—	—	—	—	2	—	—	—	—	1
Ruthin M.B. ..	41	13·09	9	2·87	—	4	—	—	2	5	—	—	—	—
Wrexham M.B. ..	104	4·39	80	3·37	—	6	—	—	12	29	—	—	1	4
RURAL DISTRICTS														
Aled	5	1·04	1	0·21	1	—	—	—	2	5	—	—	—	—
Ceiriog	—	—	2	0·28	—	—	—	—	—	1	—	—	1	—
^e Chirk	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glan Conway ..	1	2·17	—	—	—	—	—	—	—	—	—	—	—	—
Hiraethog ..	5	1·17	4	0·94	—	—	—	—	—	—	—	—	—	—
Llangollen ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Llanwrst	—	—	2	2·10	—	—	—	—	—	—	—	—	—	—
^e Llansilin	—	—	—	—	—	—	—	—	—	—	—	—	—	—

^a Llandilo Fawr R.D. renamed Llandilo R.D. from 1st April, 1935.

^b Abolished 1st April, 1935. Figures included in those of Newcastle Emlyn R.D. from 1st January, 1935.

^c Newcastle in Emlyn R.D. renamed Newcastle Emlyn from 1st April, 1935.

^d Abergele and Pensarn U.D. renamed Abergele U.D. from 1st April, 1935.

^e Abolished 1st April, 1935. Figures included in those of Ceiriog R.D. from 1st January, 1935.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DENBIGHSHIRE —cont.														
RURAL DISTRICTS— cont.														
Ruthin	40	4.49	15	1.68	—	1	—	—	5	7	—	—	—	—
St. Asaph (Den- bigh)	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Uwchaled	5	10.53	—	—	—	—	—	—	—	—	—	—	—	—
Wrexham	208	3.39	288	4.69	2	10	—	2	27	69	—	—	—	4
FLINTSHIRE :														
ADMINISTRATIVE COUNTY	478	4.12	164	1.41	12	19	—	2	34	119	1	1	—	7
URBAN DISTRICTS	196	3.44	79	1.39	6	10	—	2	14	59	1	—	—	4
Buckley	20	2.83	1	0.14	—	—	—	2	—	2	—	—	—	—
Connah's Quay ..	41	6.89	—	—	—	2	—	—	1	18	—	—	—	—
Flint M.B.	37	3.08	11	0.92	2	3	—	—	6	19	1	—	—	1
Holywell	20	3.61	44	7.94	1	1	—	—	2	11	—	—	—	1
Mold	16	2.91	2	0.36	—	2	—	—	—	—	—	—	—	—
Prestatyn	21	3.44	6	0.98	—	—	—	—	1	—	—	—	—	—
Rhyl	41	2.78	15	1.02	3	2	—	—	4	9	—	—	—	2
RURAL DISTRICTS..	282	4.77	85	1.44	6	9	—	—	20	60	—	1	—	3
Hawarden	212	7.85	51	1.89	2	5	—	—	5	33	—	—	—	1
Holywell	58	2.85	31	1.52	3	2	—	—	10	21	—	1	—	2
Overton	2	0.45	1	0.22	—	2	—	—	—	1	—	—	—	—
St. Asaph (Flint)	10	1.39	2	0.28	1	—	—	—	5	5	—	—	—	—
GLAMORGAN- SHIRE :	2,585	2.16	2,249	1.88	144	174	—	29	384	1,368	21	13	8	136
COUNTY BOROUGHS	744	1.64	949	2.09	94	73	—	8	124	293	13	5	2	66
Cardiff	378	1.71	349	1.58	61	44	—	8	68	129	7	—	—	49
Merthyr Tydfil ..	136	2.02	237	3.53	3	3	—	—	15	29	1	—	—	4
Swansea	230	1.40	363	2.20	30	26	—	—	41	135	5	5	2	13
ADMINISTRATIVE COUNTY	1,841	2.48	1,300	1.75	50	101	—	21	260	1,075	8	8	6	70
URBAN DISTRICTS ..	1,568	2.79	1,147	2.04	39	92	—	17	212	930	5	5	5	55
Aberdare	77	1.67	95	2.06	—	1	—	1	22	58	—	—	2	—
Barry	82	2.19	56	1.50	1	4	—	2	16	37	—	—	—	2
Bridgend	16	1.60	6	0.60	—	—	—	—	—	2	—	—	—	—
Caerphilly	76	2.23	174	5.10	4	6	—	4	8	21	—	1	—	5
Cowbridge M.B... ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gelligaer	155	3.96	249	6.36	3	9	—	—	18	35	2	—	1	1
Glyncorwg	12	1.20	10	1.00	2	1	—	—	8	7	—	—	—	—
Llchwyr	49	1.88	84	3.22	—	3	—	1	3	8	—	—	—	—
Maesteg	31	1.30	34	1.43	—	7	—	—	5	33	—	—	—	2

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLAMORGANSHIRE —cont.														
URBAN DISTRICTS —cont.														
Mountain Ash ..	106	2·89	32	0·87	1	9	—	4	16	89	—	—	—	1
Neath M.B. ..	9	0·28	61	1·87	2	1	—	1	8	10	—	—	—	2
Ogmore and Garw ..	181	7·02	31	1·20	2	10	—	1	18	61	—	3	—	8
Penarth ..	86	5·03	2	0·12	1	8	—	3	12	80	—	—	1	3
Pontypridd ..	35	0·85	61	1·48	2	9	—	—	15	94	—	—	—	6
Porthcawl ..	18	2·80	5	0·78	1	1	—	—	—	2	—	1	—	—
Port Talbot M.B.	59	1·46	23	0·57	2	1	—	—	14	7	—	—	1	3
Rhondda..	576	4·28	224	1·66	18	22	—	—	49	386	3	—	—	22
RURAL DISTRICTS ..	273	1·51	153	0·85	11	9	—	4	48	145	3	3	1	15
Cardiff ..	58	1·91	31	1·02	1	1	—	3	5	10	—	1	—	2
Cowbridge ..	11	1·07	16	1·55	3	—	—	1	—	8	—	—	—	1
Gower ..	5	0·50	2	0·20	—	1	—	—	2	6	—	—	—	—
Llantrisant and Llantwitfardre	85	3·32	32	1·25	1	—	—	—	6	20	—	—	1	4
Neath ..	32	0·79	42	1·04	4	3	—	—	13	60	1	1	—	5
Penybont ..	35	1·21	14	0·48	2	1	—	—	9	36	—	1	—	—
Pontardawe ..	47	1·34	16	0·46	—	3	—	—	13	5	2	—	—	3
MERIONETHSHIRE:														
ADMINISTRATIVE COUNTY.	32	0·77	10	0·24	1	3	—	1	8	40	—	—	—	3
URBAN DISTRICTS ..	17	0·92	4	0·22	1	2	—	1	1	12	—	—	—	2
Bala ..	2	1·35	2	1·35	—	—	—	—	—	—	—	—	—	—
Barmouth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dolgelley ..	2	0·84	—	—	—	2	—	1	—	2	—	—	—	1
Ffestiniog ..	1	0·11	2	0·23	1	—	—	—	1	5	—	—	—	—
Towyn ..	12	3·37	—	—	—	—	—	—	—	5	—	—	—	1
RURAL DISTRICTS ..	15	0·66	6	0·26	—	1	—	—	7	28	—	—	—	1
Deudraeth ..	1	0·14	3	0·42	—	—	—	—	1	5	—	—	—	—
Dolgelley ..	14	1·90	—	—	—	—	—	—	4	23	—	—	—	—
Edeirnion ..	—	—	3	0·66	—	1	—	—	2	—	—	—	—	1
Penllyn ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Civil Parish of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire).	—	—	—	—	—	—	—	—	—	—	—	—	—	—
MONMOUTHSHIRE:	1,065	2·52	646	1·53	24	45	—	23	120	305	7	2	1	36
COUNTY BOROUGH														
Newport ..	198	2·09	207	2·18	11	15	—	5	27	109	1	2	1	13
ADMINISTRATIVE COUNTY ..	867	2·65	439	1·34	13	30	—	18	93	196	6	—	—	23

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MONMOUTHSHIRE —cont.														
URBAN DISTRICTS ..	826	2.95	413	1.48	13	29	—	12	89	187	6	—	—	23
Abercarn ..	31	1.58	1	0.05	—	2	—	—	1	4	—	—	—	—
Abergavenny M.B.	6	0.73	1	0.12	3	—	—	—	2	2	—	—	—	—
Abersychan ..	15	2.45	4	0.65	—	—	—	—	2	2	—	—	—	1
Abertillery ..	44	1.46	9	0.30	—	1	—	3	—	3	2	—	—	1
Bedwas and Machen ..	39	4.43	28	3.18	1	3	—	—	5	23	2	—	—	—
Bedwellty ..	60	2.01	111	3.71	1	5	—	—	20	28	1	—	—	10
Blaenavon ..	23	2.17	4	0.38	—	—	—	—	—	5	—	—	—	—
*Caerleon ..	8	2.53	3	0.95	—	—	—	—	1	—	—	—	—	1
Chepstow ..	3	0.74	7	1.73	—	2	—	—	—	1	—	—	—	—
Cwmbran ..	12	1.41	21	2.47	—	1	—	—	2	15	—	—	—	—
Ebbw Vale ..	34	1.13	55	1.82	1	3	—	5	12	39	—	—	—	3
Llanfrechfa Upper	—	—	4	3.66	—	—	—	—	—	—	—	—	—	—
Llantarnam ..	5	2.87	4	2.30	—	—	—	—	—	—	—	—	—	1
Monmouth M.B.	15	3.02	1	0.20	—	—	—	—	—	—	—	—	—	—
Mynyddislwyn ..	30	2.03	28	1.90	—	2	—	—	4	3	—	—	—	2
Nantyglo and Blaina ..	206	16.41	13	1.04	4	1	—	—	—	15	1	—	—	—
Panteg ..	1	0.36	3	1.08	—	—	—	—	1	—	—	—	—	—
Pontypool ..	46	1.38	39	1.17	1	1	—	—	4	4	—	—	—	—
Rymney ..	51	5.07	14	1.39	—	—	—	1	10	1	—	—	—	—
Risca ..	100	6.28	10	0.63	—	1	—	—	3	9	—	—	—	3
Tredegar ..	94	4.25	53	2.40	2	7	—	3	22	33	—	—	—	1
Usk ..	3	2.41	—	—	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS ..	41	0.87	26	0.55	—	1	—	6	4	9	—	—	—	—
Abergavenny ..	7	0.82	6	0.71	—	1	—	6	2	1	—	—	—	—
Chepstow ..	6	0.70	3	0.35	—	—	—	—	—	—	—	—	—	—
Magor ..	1	0.56	1	0.56	—	—	—	—	—	2	—	—	—	—
Magor and St. Mellons ..	10	0.85	3	0.26	—	—	—	—	2	1	—	—	—	—
Monmouth ..	1	0.16	3	0.49	—	—	—	—	—	—	—	—	—	—
Pontypool ..	9	1.69	5	0.94	—	—	—	—	—	2	—	—	—	—
St. Mellons ..	7	1.34	5	0.96	—	—	—	—	—	3	—	—	—	—
MONTGOMERYSHIRE :														
ADMINISTRATIVE COUNTY ..	23	0.50	26	0.56	3	7	—	—	8	63	—	1	1	4
URBAN DISTRICTS ..	6	0.36	2	0.12	1	3	—	—	4	26	—	—	—	2
Llanfyllin M.B. ..	1	0.75	—	—	—	1	—	—	—	1	—	—	—	1
Llanidloes M.B.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Machynlleth ..	2	1.08	—	—	1	—	—	—	—	3	—	—	—	1
Montgomery M.B.	—	—	—	—	—	—	—	—	1	3	—	—	—	—
Newtown and Llanllwchaiarn	3	0.62	2	0.41	—	1	—	—	3	10	—	—	—	—
Welshpool M.B.	—	—	—	—	—	1	—	—	—	9	—	—	—	—
RURAL DISTRICTS ..	17	0.57	24	0.81	2	4	—	—	4	37	—	1	1	2
Forden ..	5	1.00	—	—	—	2	—	—	1	9	—	—	—	1
Llanfyllin ..	5	0.45	—	—	—	1	—	—	2	5	—	—	—	—
Machynlleth ..	2	0.58	—	—	1	—	—	—	—	5	—	—	—	—
Newtown and Llanidloes ..	5	0.50	24	2.42	1	1	—	—	1	18	—	1	1	—

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
PEMBROKESHIRE :														
ADMINISTRATIVE COUNTY.	80	0·94	110	1·29	2	3	-	5	7	50	-	-	-	-
URBAN DISTRICTS ..	42	1·02	75	1·83	1	3	-	2	5	23	-	-	-	-
Fishguard and Goodwick	-	-	3	0·62	-	-	-	-	-	1	-	-	-	-
Haverfordwest M.B.	-	-	26	4·14	1	-	-	1	1	2	-	-	-	-
Milford Haven ..	13	1·26	22	2·13	-	-	-	-	4	3	-	-	-	-
Narberth.. ..	-	-	1	0·98	-	-	-	-	-	1	-	-	-	-
Neyland	2	0·92	4	1·83	-	1	-	-	-	-	-	-	-	-
Pembroke M.B.	26	2·12	12	0·98	-	1	-	1	-	16	-	-	-	-
Tenby M.B. ..	1	0·24	7	1·71	-	1	-	-	-	-	-	-	-	-
RURAL DISTRICTS ..	38	0·86	35	0·79	1	-	-	3	2	27	-	-	-	-
Cemaes	12	1·31	3	0·33	-	-	-	1	1	12	-	-	-	-
Haverfordwest ..	6	0·31	11	0·56	1	-	-	-	1	7	-	-	-	-
Narberth.. ..	4	0·40	7	0·69	-	-	-	-	-	6	-	-	-	-
Pembroke	16	3·09	14	2·70	-	-	-	2	-	2	-	-	-	-
RADNORSHIRE :														
ADMINISTRATIVE COUNTY	5	0·24	19	0·93	-	3	-	1	1	7	-	-	-	-
URBAN DISTRICTS ..	2	0·35	8	1·40	-	-	-	-	-	2	-	-	-	-
Knighton	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Llandrindod Wells	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Presteign	2	1·76	8	7·03	-	-	-	-	-	-	-	-	-	-
RURAL DISTRICTS ..	3	0·20	11	0·74	-	3	-	1	1	5	-	-	-	-
Colwyn	-	-	4	2·10	-	-	-	-	-	1	-	-	-	-
Knighton	1	0·27	4	1·08	-	2	-	-	1	-	-	-	-	-
New Radnor	1	0·40	2	0·80	-	-	-	-	-	1	-	-	-	-
Painscastle	-	-	1	0·49	-	-	-	-	-	2	-	-	-	-
Rhayader	1	0·21	-	-	-	1	-	1	-	1	-	-	-	-

TABLE 30.—AIR TEMPERATURE, RAINFALL AND SUNSHINE, ENGLAND AND WALES, DURING THE YEAR 1935*

District.	Air Temperature.			Rainfall.		Sun- shine.	Average Values, 1881–1915.			
	Highest.	Lowest.	Difference from Average Daily Mean.	Percentage of Average.	Number of Days Difference from Average.	Percentage of Average.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
	Year 1935.						Years 1881–1915.			
	° F.	° F.	° F.	%		%	° F.	mm.		hr.
England N.E. ..	89	13	+1·0	112	— 6	106	47·3	645	188	3·93
England E. ..	89	7	+1·0	112	— 5	105	48·4	610	181	4·32
Midland Counties	92	7	+1·2	113	— 7	110	47·9	686	181	3·82
England S.E. ..	89	17	+0·9	124	+ 5	102	49·5	709	175	4·49
England N.W.† ·	89	8	+0·7	106	0	107	48·2	901	201	3·89
England S.W.†..	88	14	+0·7	108	+ 9	97	49·5	1001	199	4·28
Mean	—	—	+0·9	113	— 1	105	48·5	759	187	4·12

* For similar values for each month and quarter, see the Registrar-General's Quarterly Returns.

† The district known as England N.W. includes the Northern half of Wales, whilst England S.W. includes the Southern half.

Year.	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of Rain in Inches and in Millimetres.		Departure from Average of 50 Years (1861-1910)	Mean Degree of Humidity of the Air (Saturation = 100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910)
	Miles.	Miles.	in.	mm.	mm.	%	%	° F.	° F.
1886 ..	1962	+ 11	24.2	615	+ 5	81	0	48.7	— 0.8
1887 ..	1927	— 24	19.9	504	—106	79	— 2	47.8	— 1.7
1888 ..	2049	+ 98	27.5	699	+ 89	82	+ 1	47.7	— 1.8
1889 ..	1934	— 17	23.3	591	— 19	83	+ 2	48.8	— 0.7
1890 ..	1946	— 5	21.9	555	— 55	81	0	48.6	— 0.9
1891 ..	1945	— 6	25.0	636	+ 26	82	+ 1	48.4	— 1.1
1892 ..	1863	— 88	22.3	567	— 43	80	— 1	48.1	— 1.4
1893 ..	1909	— 42	20.1	511	— 99	76	— 5	51.1	+ 1.6
1894 ..	2019	+ 68	26.9	683	+ 73	81	0	49.9	+ 0.4
1895 ..	1951	0	19.7	501	—109	78	— 3	49.3	— 0.2
1896 ..	1932	— 19	22.4	569	— 41	79	— 2	50.2	+ 0.7
1897 ..	2033	+ 82	22.1	562	— 48	79	— 2	50.3	+ 0.8
1898 ..	1956	+ 5	18.9	479	—131	78	— 3	51.3	+ 1.8
1899 ..	1911	— 40	22.3	567	— 43	77	— 4	50.6	+ 1.1
1900 ..	2050	+ 99	22.3	567	— 43	79	— 2	50.4	+ 0.9
1901 ..	1970	+ 19	20.3	515	— 95	78	— 3	49.2	— 0.3
1902 ..	1933	— 18	19.3	491	—119	80	— 1	49.2	— 0.3
1903 ..	2226	+275	35.5	903	+293	80	— 1	50.1	+ 0.6
1904 ..	1913	— 38	20.7	525	— 85	82	+ 1	49.8	+ 0.3
1905 ..	2063	+112	23.0	585	— 25	81	0	49.9	+ 0.4
1906 ..	2093	+142	24.7	628	+ 18	79	— 2	50.7	+ 1.2
1907 ..	1977	+ 26	22.3	565	— 45	81	0	49.7	+ 0.2
1908 ..	1932	— 19	23.8	604	— 6	83	+ 2	50.1	+ 0.6
1909 ..	2041	+ 90	25.7	653	+ 43	83	+ 2	48.9	— 0.6
1910 ..	2155	+204	28.1	713	+103	84	+ 3	50.2	+ 0.7
1911 ..	2140	+189	23.7	601	— 9	79	— 2	51.8	+ 2.3
1912 ..	2085	+134	24.9	632	+ 22	83	+ 2	51.0	+ 1.5
1913 ..	2030	+ 79	22.4	570	— 40	83	+ 2	51.3	+ 1.8
1914 ..	2087	+136	23.9	606	— 4	81	0	51.5	+ 2.0
1915 ..	1932	— 19	30.6	776	+166	82	+ 1	49.9	+ 0.4
1916 ..	2040	+ 89	29.8	757	+147	84	+ 3	49.9	+ 0.4
1917 ..	2059	+108	26.0	660	+ 50	82	+ 1	48.9	— 0.6
1918 ..	1993	+ 42	28.4	722	+112	82	+ 1	50.6	+ 1.1
1919 ..	1940	— 11	23.0	586	— 24	81	0	48.8	— 0.7
1920 ..	1918	— 33	21.5	546	— 64	82	+ 1	51.1	+ 1.6
1921 ..	1855	— 96	12.8	318	—292	77	— 4	52.7	+ 3.2
1922 ..	2043	+ 92	23.2	589	— 21	80	— 1	49.4	— 0.1
1923 ..	2055	+104	24.0	610	0	81	0	50.3	+ 0.8
1924 ..	1947	— 4	30.6	779	+169	83	+ 2	50.6	+ 1.1
1925 ..	1957	+ 6	23.4	594	— 16	81	0	50.5	+ 1.0
1926 ..	1948	— 3	28.1	714	+104	82	+ 1	51.1	+ 1.6
1927 ..	†2003	+ 52	29.4	746	+136	83	+ 2	50.2	+ 0.7
1928 ..	2086	+135	25.3	643	+ 33	80	— 1	51.1	+ 1.6
1929 ..	1846	—105	21.7	551	— 59	78	— 3	50.1	+ 0.6
1930 ..	1979	+ 28	27.4	696	+ 86	79	— 2	51.2	+ 1.7
1931 ..	1968	+ 17	24.9	634	+ 24	82	+ 1	49.9	+ 0.4
1932 ..	1970	+ 19	24.7	628	+ 18	82	+ 1	50.7	+ 1.2
1933 ..	1871	— 80	17.0	430	—180	79	— 2	50.5	+ 1.0
1934 ..	1891	— 60	19.5	496	—114	81	0	51.7	+ 2.2
1935 ..	2070	+109	25.6	651	+ 41	79	— 2	51.3	+ 1.8
Average 50 years (1861-1910)	} 1951	—	24.0	610	—	81	—	49.5	—

† Mean of 52 weeks only (50th week—defective record).

Corresponding values from the year 1849 are

ELEMENTS, GREENWICH, 1886-1935.

Mean Temperature of the Air in the Quarters ended the last day of

March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910).	Year.
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
36.5	— 3.5	52.5	— 0.5	61.2	+ 0.7	44.6	+ 0.3	1886
37.3	— 2.7	51.6	— 1.4	61.0	+ 0.5	41.3	— 3.0	1887
36.9	— 3.1	51.6	— 1.4	57.6	— 2.9	44.6	+ 0.3	1888
38.2	— 1.8	54.5	+ 1.5	58.9	— 1.6	43.5	— 0.8	1889
41.4	+ 1.4	52.8	— 0.2	58.4	— 2.1	40.8	— 3.5	1890
37.6	— 2.4	51.6	— 1.4	59.3	— 1.2	45.0	+ 0.7	1891
37.5	— 2.5	53.4	+ 0.4	59.2	— 1.3	42.3	— 2.0	1892
40.9	+ 0.9	57.0	+ 4.0	61.9	+ 1.4	44.6	+ 0.3	1893
41.4	+ 1.4	53.3	+ 0.3	58.6	— 1.9	46.4	+ 2.1	1894
35.2	— 4.8	55.1	+ 2.1	62.3	+ 1.8	44.7	+ 0.4	1895
42.2	+ 2.2	55.6	+ 2.6	60.4	— 0.1	42.4	— 1.9	1896
41.1	+ 1.1	53.1	+ 0.1	60.9	+ 0.4	46.0	+ 1.7	1897
41.5	+ 1.5	52.4	— 0.6	62.7	+ 2.2	48.5	+ 4.2	1898
41.8	+ 1.8	52.8	— 0.2	63.0	+ 2.5	44.7	+ 0.4	1899
39.2	— 0.8	52.8	— 0.2	61.8	+ 1.3	47.6	+ 3.3	1900
37.8	— 2.2	53.4	+ 0.4	61.7	+ 1.2	43.9	— 0.4	1901
40.5	+ 0.5	51.0	— 2.0	59.6	— 0.9	45.2	+ 0.9	1902
43.9	+ 3.9	51.2	— 1.8	60.0	— 0.5	45.2	+ 0.9	1903
39.5	— 0.5	53.8	+ 0.8	61.5	+ 1.0	44.3	0.0	1904
41.9	+ 1.9	53.8	+ 0.8	61.7	+ 1.2	42.2	— 2.1	1905
41.1	+ 1.1	52.8	— 0.2	63.2	+ 2.7	45.8	+ 1.5	1906
40.0	0.0	52.9	— 0.1	60.1	— 0.4	45.8	+ 1.5	1907
39.5	— 0.5	53.8	+ 0.8	60.3	— 0.2	46.6	+ 2.3	1908
38.4	— 1.6	52.5	— 0.5	59.7	— 0.8	44.8	+ 0.5	1909
41.5	+ 1.5	54.2	+ 1.2	59.3	— 1.2	45.6	+ 1.3	1910
40.3	+ 0.3	54.9	+ 1.9	65.7	+ 5.2	46.2	+ 1.9	1911
43.6	+ 3.6	55.3	+ 2.3	58.9	— 1.6	45.9	+ 1.6	1912
42.4	+ 2.4	54.5	+ 1.5	60.2	— 0.3	47.8	+ 3.5	1913
42.5	+ 2.5	54.9	+ 1.9	62.2	+ 1.7	46.5	+ 2.2	1914
40.8	+ 0.8	53.4	+ 0.4	60.9	+ 0.4	44.3	0.0	1915
41.5	+ 1.5	53.0	0.0	60.4	— 0.1	44.7	+ 0.4	1916
36.4	— 3.6	54.5	+ 1.5	61.7	+ 1.2	43.1	— 1.2	1917
42.3	+ 2.3	53.2	+ 0.2	60.7	+ 0.2	46.1	+ 1.8	1918
38.1	— 1.9	54.3	+ 1.3	60.2	— 0.3	42.5	— 1.8	1919
44.3	+ 4.3	55.3	+ 2.3	59.1	— 1.4	45.4	+ 1.1	1920
44.5	+ 4.5	54.9	+ 1.9	64.2	+ 3.7	47.2	+ 2.9	1921
41.2	+ 1.2	54.2	+ 1.2	58.1	— 2.4	44.2	— 0.1	1922
44.8	+ 4.8	51.4	— 1.6	61.8	+ 1.3	43.0	— 1.3	1923
39.8	— 0.2	54.6	+ 1.6	60.8	+ 0.3	47.1	+ 2.8	1924
42.2	+ 2.2	55.0	+ 2.0	60.9	+ 0.4	44.0	— 0.3	1925
43.8	+ 3.8	53.9	+ 0.9	63.0	+ 2.5	43.9	— 0.4	1926
42.8	+ 2.8	53.8	+ 0.8	60.6	+ 0.1	43.6	— 0.7	1927
43.4	+ 3.4	53.1	+ 0.1	62.2	+ 1.7	45.9	+ 1.6	1928
37.0	— 3.0	53.0	0.0	64.0	+ 3.5	46.4	+ 2.1	1929
42.0	+ 2.0	55.0	+ 2.0	61.8	+ 1.3	45.9	+ 1.6	1930
39.7	— 0.3	54.6	+ 1.6	59.2	— 1.3	46.0	+ 1.7	1931
40.9	+ 0.9	53.1	+ 0.1	63.1	+ 2.6	45.4	+ 1.1	1932
41.2	+ 1.2	55.9	+ 2.9	65.5	+ 5.0	43.0	— 1.3	1933
40.1	+ 0.1	55.3	+ 2.3	63.6	+ 3.1	47.8	+ 3.5	1934
42.8	+ 2.8	53.9	+ 0.9	63.6	+ 3.1	44.9	+ 0.6	1935
40.0	—	53.0	—	60.5	—	44.3	—	Average 50 years (1861-1910)

TABLE 32.—QUARTERLY METEOROLOGICAL ELEMENTS. GREENWICH, 1935.

1st Quarter : Jan., Feb., Mar. 2nd " " April, May, June 3rd " " July, Aug., Sept. 4th " " Oct., Nov., Dec.	Temperature of							Vapour Pressure in Millibars.		Mass of Vapour in a Cubic Metre of Air.		Degree of Humidity		Mean Air Pressure at Station Level* in Millibars.		Mass of a Cubic Metre of Air.		Rain.		Readings of Thermometer on Grass.				
	Air.		Evaporation.		Dew Point.		Air Daily Range.	Mean.	mb.	gms.	gms.	%	mb.	mb.	gms.	gms.	mm.	mm.	Difference from Average of 86 years.	At or below 30° F.	Between 30° and 40° F.	Above 40° F.	Lowest Reading at Night.	Highest Reading at Night.
	Mean of Maximum and Minimum.	Difference from Average of 130 years.	Difference from Average of 60 years.	Mean of " Wet Bulb " Readings at 9h. and 21h.	Difference from Average of 60 years.	Mean.	Difference from Average of 60 years.																	
1935.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	mb.	gms.	gms.	%	mb.	mb.	gms.	gms.	mm.	mm.					° F.	° F.
Year ..	51·3	+2·6	+1·9	47·5	+1·0	44·6	+1·1	15·4	-0·4	10·4	+0·5	79	-3	1010·3	+1·4	1236	-5	651	+21	79	126	160	13	58
1st Quarter	42·8	+3·9	+3·0	40·1	+2·3	36·8	+1·6	11·1	-0·7	7·7	+0·7	83	-1	1013·5	+4·7	1262	-2	100	-25	37	40	13	19	48
2nd "	53·9	+1·5	+1·0	49·0	-0·1	45·6	+0·4	17·9	-2·0	10·7	+0·3	76	-1	1010·9	+1·7	1231	-1	185	+42	15	24	52	21	57
3rd "	63·6	+3·8	+3·2	57·7	+1·2	54·0	+1·0	22·0	+2·3	14·3	+0·7	73	-4	1013·7	+4·1	1210	-4	144	-38	1	21	70	29	58
4th "	44·9	+1·2	+0·5	43·1	+0·5	40·4	-0·2	11·0	-0·7	9·0	+0·3	86	-3	1002·9	-5·2	1240	-13	222	+42	26	41	25	13	54

* Height of barometer cistern above mean sea level = 152 feet (average correction to sea level + 5·6 mb.).
In this table + and - respectively signify that the numbers in the preceding column are above or below the average to which the signs are affixed.
Pressure is expressed in millibars (1,000 mb. = 29·531 mercury inches).
Density is expressed in grams per cubic metre (2·294 grams per cubic metre = 1 grain per cubic foot).

APPENDIX A. INFANT MORTALITY (DEATHS UNDER 1 YEAR AND VARIOUS SUB-DIVISIONS OF THE FIRST YEAR PER 1,000 LIVE BIRTHS), 1931-35.

By Sex, Age, Cause and Legitimacy—England and Wales.

By Age, Cause and Legitimacy—Greater London, Aggregates of County Boroughs, Other Urban Districts and Rural Districts.

	All Infants.						Legitimate Infants.					Illegitimate Infants.						
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
All Causes—																		
England and Wales ..	M 70.00 F 53.95 P 62.17	35.45 27.16 31.41	11.43 8.35 9.93	9.58 7.38 8.51	7.34 5.85 6.61	6.20 5.21 5.72	67.98 52.23 60.30	34.41 26.19 30.40	10.97 8.01 9.53	9.24 7.13 8.21	7.24 5.75 6.52	6.12 5.15 5.65	114.58 91.61 103.34	58.42 48.42 53.53	21.61 15.74 18.74	17.12 12.88 15.05	9.54 8.01 8.79	7.88 6.56 7.24
Greater London ..	56.28	25.44	9.51	9.40	6.60	5.32	53.27	24.09	8.77	8.79	6.41	5.22	121.21	54.55	25.61	22.68	10.79	7.59
County Boroughs ..	71.70	33.82	11.76	10.47	8.34	7.31	69.88	32.92	11.36	10.13	8.24	7.23	110.91	53.20	20.42	17.61	10.56	9.11
Other Urban Districts ..	60.06	32.72	9.15	7.27	5.81	5.12	58.72	31.85	8.93	7.13	5.74	5.08	91.90	53.21	14.46	10.55	7.45	6.23
Rural Districts ..	54.90	31.43	8.34	6.04	4.85	4.24	53.33	30.38	8.03	5.90	4.81	4.20	87.86	53.47	14.68	9.04	5.60	5.07
All Urban Districts ..	63.90	31.40	10.31	9.09	7.03	6.07	61.96	30.41	9.88	8.76	6.92	5.99	107.23	53.54	19.76	16.56	9.59	7.78
I. Common Infectious Diseases (6-10, 44 : 4)																		
England and Wales ..	M 2.74 F 2.92 P 2.83	0.06 0.07 0.06	0.38 0.45 0.41	0.49 0.55 0.52	0.77 0.80 0.79	1.04 1.06 1.05	2.73 2.91 2.82	0.07 0.07 0.07	0.38 0.46 0.42	0.48 0.54 0.51	0.78 0.80 0.79	1.02 1.05 1.04	3.01 3.24 3.12	0.03 0.06 0.05	0.28 0.34 0.31	0.73 0.72 0.72	0.66 0.90 0.78	1.31 1.21 1.26
Greater London ..	2.78	0.04	0.36	0.53	0.82	1.02	2.75	0.04	0.37	0.51	0.82	1.01	3.54	—	0.27	0.95	0.95	1.37
County Boroughs ..	3.63	0.06	0.42	0.62	1.04	1.48	3.61	0.06	0.43	0.62	1.04	1.47	3.93	0.02	0.41	0.77	1.02	1.72
Other Urban Districts ..	2.42	0.08	0.39	0.45	0.64	0.86	2.41	0.08	0.40	0.44	0.64	0.85	2.61	0.06	0.17	0.70	0.67	1.01
Rural Districts ..	2.12	0.08	0.48	0.43	0.52	0.61	2.12	0.08	0.49	0.43	0.53	0.60	2.01	0.11	0.38	0.45	0.34	0.72
All Urban Districts ..	3.00 (1)	0.06 (2)	0.40 (3)	0.54 (4)	0.85 (5)	1.15 (6)	2.98 (7)	0.06 (8)	0.40 (9)	0.53 (10)	0.85 (11)	1.14 (12)	3.40 (13)	0.03 (14)	0.30 (15)	0.79 (16)	0.89 (17)	1.40 (18)

APPENDIX A—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
II. Tuberculous Diseases (23-32)																		
England and Wales ..	0.94	0.01	0.06	0.24	0.31	0.31	0.93	0.01	0.06	0.24	0.31	0.32	1.04	—	0.12	0.36	0.31	0.25
{ M ..	0.72	0.00	0.04	0.18	0.25	0.25	0.72	0.00	0.03	0.18	0.24	0.26	0.75	0.02	0.08	0.16	0.36	0.14
{ F ..	0.83	0.01	0.05	0.21	0.28	0.28	0.83	0.01	0.05	0.21	0.28	0.29	0.90	0.01	0.10	0.26	0.33	0.20
{ P ..																		
Greater London ..	0.73	0.00	0.03	0.22	0.25	0.23	0.73	0.00	0.03	0.22	0.25	0.24	0.69	—	0.04	0.23	0.30	0.11
County Boroughs ..	0.94	0.01	0.06	0.25	0.30	0.32	0.95	0.01	0.06	0.25	0.31	0.33	0.68	0.02	0.09	0.16	0.23	0.18
Other Urban Districts ..	0.84	0.00	0.05	0.21	0.29	0.28	0.81	0.00	0.05	0.20	0.28	0.28	1.42	—	0.20	0.46	0.58	0.17
Rural Districts ..	0.73	0.01	0.04	0.16	0.25	0.27	0.73	0.01	0.05	0.16	0.26	0.27	0.79	—	0.04	0.19	0.23	0.34
All Urban Districts ..	0.85	0.01	0.05	0.23	0.29	0.29	0.85	0.01	0.05	0.22	0.28	0.29	0.92	0.01	0.11	0.28	0.36	0.16
III. Diarrhoea and Enteritis (119)																		
England and Wales ..	6.32	0.65	1.75	2.08	1.16	0.68	5.96	0.63	1.59	1.95	1.12	0.66	14.28	0.98	5.22	4.95	2.00	1.13
{ M ..	4.48	0.43	1.12	1.51	0.87	0.55	4.21	0.42	1.02	1.40	0.84	0.53	10.47	0.68	3.19	3.90	1.60	1.09
{ F ..	5.42	0.54	1.44	1.80	1.02	0.62	5.11	0.53	1.31	1.68	0.98	0.60	12.41	0.84	4.22	4.44	1.80	1.11
{ P ..																		
Greater London ..	7.90	0.45	1.87	2.94	1.69	0.96	7.12	0.43	1.56	2.64	1.59	0.90	24.74	0.95	8.42	9.38	3.85	2.13
County Boroughs ..	6.82	0.65	1.86	2.31	1.26	0.74	6.47	0.64	1.73	2.17	1.22	0.71	14.34	0.81	4.61	5.36	2.17	1.38
Other Urban Districts ..	3.79	0.54	1.07	1.11	0.65	0.41	3.70	0.54	1.02	1.08	0.64	0.41	5.91	0.75	2.12	1.85	0.78	0.41
Rural Districts ..	2.90	0.46	0.84	0.77	0.46	0.37	2.77	0.44	0.78	0.74	0.46	0.36	5.45	0.87	2.16	1.36	0.49	0.57
All Urban Districts ..	6.02	0.56	1.58	2.05	1.15	0.68	5.66	0.55	1.44	1.90	1.11	0.65	14.17	0.83	4.74	5.21	2.13	1.25
{ (1) ..		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Diphtheria (10)	0.14	0.01	0.02	0.02	0.04	0.05	0.13	0.01	0.02	0.02	0.04	0.05	0.25	0.01	0.03	0.04	0.10	0.06
	0.12	0.01	0.01	0.02	0.04	0.04	0.12	0.01	0.01	0.02	0.04	0.04	0.14	0.02	0.02	0.08	0.03	—
	0.13	0.01	0.02	0.02	0.04	0.05	0.12	0.01	0.02	0.02	0.04	0.05	0.20	0.02	0.02	0.06	0.07	0.03
	0.19	0.00	0.03	0.04	0.06	0.06	0.17	0.00	0.03	0.03	0.06	0.05	0.65	—	0.08	0.23	0.23	0.11
Influenza (11)	0.15	0.01	0.02	0.02	0.05	0.05	0.15	0.01	0.02	0.02	0.05	0.06	0.11	0.02	0.02	0.02	0.05	—
	0.08	0.00	0.00	0.01	0.02	0.04	0.08	0.00	0.00	0.01	0.02	0.04	0.06	—	—	0.03	0.03	—
	0.10	0.01	0.01	0.01	0.03	0.04	0.10	0.01	0.01	0.01	0.03	0.04	0.08	0.04	—	—	—	0.04
	0.14	0.01	0.02	0.02	0.04	0.05	0.13	0.01	0.02	0.02	0.04	0.05	0.23	0.01	0.03	0.08	0.09	0.03
Diphtheria (10)	0.68	0.07	0.14	0.17	0.17	0.14	0.69	0.07	0.14	0.16	0.18	0.14	0.61	0.01	0.09	0.22	0.12	0.16
	0.52	0.05	0.10	0.12	0.12	0.12	0.52	0.05	0.10	0.12	0.12	0.12	0.54	0.03	0.08	0.14	0.17	0.12
	0.60	0.06	0.12	0.14	0.15	0.13	0.61	0.06	0.12	0.14	0.15	0.13	0.58	0.02	0.08	0.18	0.14	0.14
	0.33	0.02	0.05	0.09	0.10	0.07	0.32	0.02	0.05	0.08	0.10	0.07	0.57	—	0.08	0.27	0.15	0.08
Influenza (11)	0.64	0.05	0.13	0.16	0.16	0.14	0.64	0.05	0.14	0.16	0.16	0.14	0.57	—	0.07	0.27	0.07	0.16
	0.66	0.07	0.14	0.16	0.15	0.14	0.66	0.07	0.14	0.16	0.15	0.14	0.55	—	0.06	0.06	0.26	0.17
	0.74	0.09	0.14	0.15	0.18	0.18	0.75	0.09	0.14	0.16	0.18	0.18	0.64	0.11	0.15	0.11	0.11	0.15
	0.57	0.05	0.12	0.14	0.14	0.12	0.57	0.05	0.12	0.14	0.14	0.12	0.56	—	0.07	0.20	0.15	0.14
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Tuberculosis of nervous system (24)																	
England and Wales ..	M 0.49 F 0.40 P 0.44	0.00 0.00 0.00	0.03 0.01 0.02	0.12 0.09 0.10	0.17 0.15 0.16	0.17 0.14 0.16	0.49 0.40 0.45	0.00 0.00 0.00	0.02 0.01 0.02	0.11 0.09 0.10	0.17 0.15 0.16	0.18 0.14 0.16	— 0.02 0.01	0.03 0.03 0.03	0.18 0.08 0.13	0.15 0.12 0.14	0.12 0.09 0.11
Greater London ..	0.38	—	0.01	0.10	0.14	0.13	0.38	—	0.01	0.10	0.14	0.14	—	0.04	0.15	0.11	0.04
County Boroughs ..	0.49	0.00	0.03	0.11	0.17	0.18	0.50	0.00	0.03	0.12	0.18	0.18	0.02	0.02	0.09	0.07	0.07
Other Urban Districts ..	0.47	0.00	0.02	0.11	0.18	0.16	0.46	0.00	0.02	0.11	0.17	0.16	—	0.06	0.20	0.29	0.12
Rural Districts ..	0.39	0.00	0.01	0.08	0.14	0.15	0.39	0.00	0.01	0.08	0.15	0.15	—	—	0.08	0.08	0.23
All Urban Districts ..	0.46	0.00	0.02	0.11	0.17	0.16	0.46	0.00	0.02	0.11	0.17	0.16	0.01	0.04	0.14	0.15	0.08
Tuberculosis of intestines and peritoneum (25)																	
England and Wales ..	M 0.15 F 0.09 P 0.12	0.00 0.00 0.00	0.02 0.01 0.01	0.04 0.02 0.03	0.04 0.02 0.03	0.05 0.03 0.04	0.15 0.08 0.12	0.00 0.00 0.00	0.02 0.01 0.01	0.04 0.02 0.03	0.04 0.02 0.03	0.05 0.03 0.04	—	0.04 0.05 0.05	0.04 0.05 0.05	0.03 0.09 0.06	0.06 0.03 0.05
Greater London ..	0.04	—	0.00	0.01	0.02	0.01	0.04	—	0.00	0.01	0.01	0.01	—	—	—	0.08	—
County Boroughs ..	0.13	0.01	0.02	0.04	0.03	0.04	0.13	0.01	0.01	0.04	0.03	0.04	—	0.02	0.05	0.02	0.05
Other Urban Districts ..	0.16	0.00	0.02	0.04	0.05	0.05	0.15	0.00	0.01	0.03	0.04	0.05	—	0.12	0.12	0.09	0.03
Rural Districts ..	0.14	—	0.02	0.03	0.04	0.05	0.14	—	0.02	0.03	0.04	0.05	—	0.04	—	0.08	0.11
All Urban Districts ..	0.12	0.00	0.01	0.03	0.03	0.04	0.11	0.00	0.01	0.03	0.03	0.04	—	0.05	0.06	0.06	0.03
Other tuberculous diseases (23, 26-32)																	
England and Wales ..	M 0.29 F 0.23 P 0.26	0.00 0.00 0.00	0.02 0.01 0.02	0.09 0.07 0.08	0.09 0.07 0.08	0.09 0.08 0.09	0.29 0.24 0.26	0.00 0.00 0.00	0.02 0.01 0.01	0.08 0.07 0.08	0.09 0.07 0.08	0.09 0.08 0.09	—	0.04 — 0.02	0.13 0.03 0.08	0.13 0.14 0.14	0.07 0.02 0.05
Greater London ..	0.31	0.00	0.02	0.11	0.09	0.09	0.31	0.00	0.02	0.11	0.09	0.09	—	—	0.08	0.11	0.08
County Boroughs ..	0.32	0.00	0.02	0.09	0.10	0.11	0.32	0.00	0.01	0.10	0.09	0.11	—	0.05	0.02	0.14	0.07
Other Urban Districts ..	0.21	0.00	0.01	0.06	0.07	0.07	0.20	0.00	0.01	0.06	0.06	0.07	—	0.03	0.14	0.20	0.03
Rural Districts ..	0.20	0.00	0.01	0.05	0.07	0.06	0.21	0.00	0.01	0.05	0.07	0.07	—	—	0.11	0.08	—
All Urban Districts ..	0.28	0.00	0.02	0.08	0.09	0.09	0.28	0.00	0.02	0.08	0.08	0.09	—	0.03	0.08	0.15	0.06
Syphilis (34)																	
England and Wales ..	M 0.44 F 0.36 P 0.40	0.18 0.14 0.16	0.16 0.11 0.13	0.07 0.08 0.08	0.02 0.03 0.02	0.01 0.01 0.01	0.38 0.29 0.34	0.15 0.11 0.13	0.13 0.09 0.11	0.07 0.06 0.06	0.02 0.02 0.02	0.01 0.01 0.01	0.76 0.84 0.80	0.70 0.44 0.57	0.24 0.39 0.31	0.09 0.20 0.14	0.10 0.03 0.07
Greater London ..	0.40	0.14	0.15	0.09	0.02	0.01	0.31	0.10	0.13	0.07	0.01	0.01	1.07	0.57	0.50	0.08	0.04
County Boroughs ..	0.53	0.19	0.18	0.11	0.03	0.01	0.46	0.17	0.15	0.10	0.02	0.01	0.72	0.72	0.29	0.25	0.07
Other Urban Districts ..	0.34	0.15	0.10	0.05	0.02	0.01	0.28	0.13	0.08	0.05	0.02	0.01	0.78	0.46	0.26	0.09	0.06
Rural Districts ..	0.29	0.13	0.09	0.03	0.02	0.02	0.23	0.11	0.07	0.02	0.01	0.01	0.68	0.45	0.23	0.11	0.11
All Urban Districts ..	0.43	0.17	0.14	0.09	0.02	0.01	0.36	0.14	0.12	0.07	0.02	0.01	0.83	0.60	0.33	0.15	0.06

Bronchitis (106)		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
England and Wales ..	{ M	2.99	0.45	0.91	0.76	0.51	0.36	2.95	0.45	0.91	0.74	0.50	0.36	3.86	0.43	1.06	1.15	0.70	0.52
	{ F	2.38	0.34	0.68	0.63	0.41	0.32	2.35	0.34	0.67	0.61	0.41	0.31	3.08	0.33	0.96	0.89	0.42	0.48
Greater London ..	{ P	2.69	0.40	0.80	0.69	0.46	0.34	2.66	0.40	0.79	0.68	0.46	0.34	3.48	0.38	1.01	1.02	0.56	0.50
	{ ..	1.67	0.23	0.44	0.54	0.26	0.20	1.59	0.23	0.41	0.51	0.25	0.19	3.35	0.27	1.07	1.18	0.42	0.42
County Boroughs ..	{ ..	3.19	0.43	0.98	0.80	0.55	0.43	3.17	0.44	0.98	0.78	0.55	0.42	3.75	0.34	0.99	1.29	0.54	0.59
	{ ..	2.97	0.46	0.91	0.74	0.52	0.35	2.93	0.45	0.90	0.73	0.51	0.34	3.94	0.61	1.13	0.81	0.78	0.61
Other Urban Districts ..	{ ..	2.48	0.42	0.69	0.59	0.44	0.34	2.47	0.43	0.68	0.59	0.43	0.34	2.54	0.26	0.83	0.68	0.45	0.30
	{ ..	2.75	0.39	0.82	0.72	0.47	0.34	2.70	0.39	0.81	0.70	0.46	0.33	3.72	0.41	1.06	1.11	0.59	0.55
Pneumonia (107-109)																			
England and Wales ..	{ M	10.73	0.93	2.17	2.76	2.56	2.32	10.56	0.91	2.13	2.69	2.54	2.29	14.55	1.37	2.94	4.25	3.16	2.83
	{ F	8.17	0.69	1.67	2.07	1.92	1.81	8.03	0.68	1.63	2.04	1.90	1.79	11.26	0.92	2.63	2.83	2.47	2.41
Greater London ..	{ P	9.48	0.81	1.93	2.42	2.25	2.07	9.33	0.80	1.89	2.37	2.22	2.05	12.94	1.15	2.79	3.55	2.82	2.63
	{ ..	9.21	0.98	1.99	2.44	2.02	1.79	8.94	0.95	1.90	2.35	1.96	1.77	15.13	1.49	3.85	4.31	3.24	2.25
County Boroughs ..	{ ..	12.44	1.01	2.44	3.17	3.04	2.78	12.27	1.00	2.40	3.11	3.02	2.75	16.12	1.36	3.32	4.41	3.53	3.50
	{ ..	8.38	0.61	1.70	2.09	2.05	1.91	8.26	0.60	1.69	2.05	2.03	1.88	11.01	0.90	1.97	3.10	2.46	2.58
Other Urban Districts ..	{ ..	6.29	0.60	1.31	1.62	1.41	1.36	6.22	0.59	1.28	1.60	1.40	1.35	7.95	0.79	1.89	1.97	1.70	1.59
	{ ..	10.24	0.86	2.07	2.62	2.45	2.24	10.06	0.85	2.03	2.56	2.42	2.21	14.19	1.24	3.01	3.95	3.11	2.89
Other respiratory diseases (104, 105, 110-114)																			
England and Wales ..	{ M	0.26	0.07	0.06	0.05	0.04	0.04	0.25	0.07	0.06	0.05	0.04	0.04	0.48	0.15	0.09	0.10	0.10	0.03
	{ F	0.19	0.05	0.04	0.04	0.03	0.03	0.19	0.05	0.04	0.04	0.03	0.03	0.26	0.06	0.11	0.08	0.02	—
Greater London ..	{ P	0.23	0.06	0.05	0.05	0.04	0.03	0.22	0.06	0.05	0.04	0.03	0.03	0.37	0.11	0.10	0.09	0.06	0.02
	{ ..	0.19	0.04	0.05	0.04	0.04	0.02	0.17	0.04	0.05	0.04	0.03	0.02	0.46	0.11	0.11	0.04	0.15	0.04
County Boroughs ..	{ ..	0.25	0.07	0.05	0.05	0.03	0.04	0.24	0.06	0.05	0.05	0.03	0.05	0.38	0.14	0.11	0.09	0.02	0.02
	{ ..	0.24	0.07	0.05	0.04	0.04	0.03	0.23	0.07	0.05	0.04	0.04	0.03	0.38	0.14	0.09	0.09	0.06	—
Other Urban Districts ..	{ ..	0.23	0.06	0.05	0.05	0.04	0.03	0.23	0.06	0.05	0.05	0.04	0.03	0.26	—	0.08	0.15	0.04	—
	{ ..	0.23	0.06	0.05	0.05	0.03	0.03	0.22	0.06	0.05	0.04	0.03	0.04	0.40	0.13	0.10	0.08	0.07	0.02
Inflammation of the stomach (118:1)																			
England and Wales ..	{ M	0.35	0.06	0.13	0.09	0.04	0.02	0.33	0.06	0.13	0.08	0.04	0.02	0.83	0.09	0.28	0.31	0.09	0.06
	{ F	0.28	0.05	0.09	0.07	0.04	0.02	0.27	0.05	0.08	0.07	0.04	0.02	0.48	0.06	0.22	0.14	0.05	0.02
Greater London ..	{ P	0.32	0.06	0.11	0.08	0.04	0.02	0.30	0.06	0.11	0.07	0.04	0.02	0.66	0.08	0.25	0.23	0.07	0.04
	{ ..	0.20	0.03	0.07	0.06	0.03	0.01	0.17	0.03	0.05	0.05	0.02	0.01	0.84	0.04	0.42	0.23	0.11	0.04
County Boroughs ..	{ ..	0.38	0.07	0.14	0.10	0.05	0.03	0.37	0.07	0.14	0.09	0.05	0.03	0.47	0.09	0.14	0.16	0.07	0.02
	{ ..	0.32	0.06	0.11	0.08	0.04	0.02	0.30	0.06	0.11	0.07	0.04	0.02	0.70	0.09	0.23	0.32	0.03	0.03
Other Urban Districts ..	{ ..	0.32	0.07	0.11	0.07	0.04	0.03	0.30	0.07	0.10	0.06	0.04	0.02	0.76	0.08	0.30	0.23	0.08	0.08
	{ ..	0.31	0.06	0.11	0.08	0.04	0.02	0.30	0.06	0.11	0.08	0.04	0.02	0.64	0.08	0.24	0.23	0.07	0.03

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Diarrhoea and enteritis (119)	6.32	0.65	1.75	2.08	1.16	0.68	5.96	0.63	1.59	1.95	1.12	0.66	14.28	0.98	5.22	4.95	2.00	1.13
England and Wales ..	4.48	0.43	1.12	1.51	0.87	0.55	4.21	0.42	1.02	1.40	0.84	0.53	10.47	0.68	3.19	3.90	1.60	1.09
	5.42	0.54	1.44	1.80	1.02	0.62	5.11	0.53	1.31	1.68	0.98	0.60	12.41	0.84	4.22	4.44	1.80	1.11
Greater London ..	7.90	0.45	1.87	2.94	1.69	0.96	7.12	0.43	1.56	2.64	1.59	0.90	24.74	0.95	8.42	9.38	3.85	2.13
County Boroughs ..	6.82	0.65	1.86	2.31	1.26	0.74	6.47	0.64	1.73	2.17	1.22	0.71	14.34	0.81	4.61	5.36	2.17	1.38
Other Urban Districts ..	3.79	0.54	1.07	1.11	0.65	0.41	3.70	0.54	1.02	1.08	0.64	0.41	5.91	0.75	2.12	1.85	0.78	0.41
Rural Districts ..	2.90	0.46	0.84	0.77	0.46	0.37	2.77	0.44	0.78	0.74	0.46	0.36	5.45	0.87	2.16	1.36	0.49	0.57
All Urban Districts ..	6.02	0.56	1.58	2.05	1.15	0.68	5.66	0.55	1.44	1.90	1.11	0.65	14.17	0.83	4.74	5.21	2.13	1.25
Hernia, intestinal obstruction (122)	0.78	0.11	0.09	0.26	0.20	0.12	0.78	0.11	0.09	0.26	0.20	0.12	0.82	0.12	0.12	0.28	0.19	0.10
England and Wales ..	0.37	0.06	0.03	0.11	0.12	0.05	0.38	0.06	0.03	0.11	0.12	0.06	0.17	0.06	0.03	0.06	0.02	—
	0.58	0.09	0.06	0.19	0.16	0.09	0.58	0.09	0.06	0.19	0.16	0.09	0.50	0.09	0.08	0.18	0.11	0.05
Greater London ..	0.59	0.08	0.07	0.19	0.14	0.11	0.60	0.08	0.07	0.19	0.14	0.11	0.42	—	0.11	0.23	0.08	—
County Boroughs ..	0.61	0.09	0.05	0.19	0.19	0.08	0.62	0.09	0.05	0.20	0.19	0.08	0.47	0.09	0.02	0.09	0.20	0.07
Other Urban Districts ..	0.57	0.08	0.07	0.19	0.14	0.09	0.57	0.08	0.06	0.19	0.14	0.10	0.61	0.17	0.12	0.20	0.06	0.06
Rural Districts ..	0.53	0.09	0.06	0.17	0.14	0.06	0.53	0.10	0.06	0.16	0.15	0.06	0.49	0.08	0.08	0.23	0.04	0.08
All Urban Districts ..	0.59	0.08	0.06	0.19	0.16	0.09	0.60	0.08	0.06	0.19	0.16	0.10	0.50	0.10	0.08	0.16	0.12	0.05
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

{ M
F
P }

{ ..
excluding
Greater
London. }

{ M
F
P }

{ ..
excluding
Greater
London. }

APPENDIX A—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Atelectasis (161a)	2.08	2.01	0.06	—	—	—	2.06	2.00	0.06	—	—	—	2.47	2.27	0.21	—	—	—
	1.47	1.43	0.04	—	—	—	1.47	1.42	0.04	—	—	—	1.65	1.62	0.03	—	—	—
	1.78	1.73	0.05	—	—	—	1.77	1.72	0.05	—	—	—	2.07	1.95	0.12	—	—	—
England and Wales ..																		
Greater London County Boroughs Other Urban Districts Rural Districts All Urban Districts ..	1.76	1.69	0.07	—	—	—	1.72	1.66	0.06	—	—	—	2.59	2.33	0.27	—	—	—
	1.97	1.90	0.06	—	—	—	1.96	1.90	0.06	—	—	—	2.06	1.97	0.09	—	—	—
	1.67	1.64	0.03	—	—	—	1.67	1.64	0.03	—	—	—	1.85	1.77	0.09	—	—	—
	1.65	1.60	0.05	—	—	—	1.64	1.59	0.05	—	—	—	1.85	1.78	0.08	—	—	—
Icterus neonatorum (161b)	1.82	1.76	0.05	—	—	—	1.80	1.75	0.05	—	—	—	2.12	1.99	0.13	—	—	—
England and Wales ..																		
Greater London County Boroughs Other Urban Districts Rural Districts All Urban Districts ..	0.65	0.58	0.07	—	—	—	0.65	0.58	0.06	—	—	—	0.64	0.49	0.15	—	—	—
	0.38	0.34	0.04	0.00	—	—	0.38	0.34	0.03	0.00	—	—	0.40	0.36	0.05	—	—	—
	0.52	0.46	0.05	0.00	—	—	0.51	0.47	0.05	0.00	—	—	0.53	0.43	0.10	—	—	—
England and Wales ..																		
Greater London County Boroughs Other Urban Districts Rural Districts All Urban Districts ..	0.45	0.38	0.06	—	—	—	0.45	0.39	0.06	—	—	—	0.34	0.23	0.11	—	—	—
	0.51	0.46	0.05	0.00	—	—	0.51	0.46	0.05	0.00	—	—	0.57	0.54	0.02	—	—	—
	0.54	0.50	0.04	—	—	—	0.54	0.50	0.04	—	—	—	0.58	0.52	0.06	—	—	—
	0.56	0.50	0.06	—	—	—	0.56	0.51	0.05	—	—	—	0.57	0.30	0.26	—	—	—
All Urban Districts ..	0.50	0.46	0.05	0.00	—	—	0.50	0.46	0.05	0.00	—	—	0.51	0.46	0.06	—	—	—
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

APPENDIX B. ESTIMATED RESIDENT MID-YEAR POPULATION, 1935, OF
AREAS AS CONSTITUTED AFTER CHANGE OF BOUNDARY DURING THE YEAR.
(Supplementary to Table 17.)

Areas in which a change of Boundary occurred during 1935.	Estimated Resident Mid-Year Population.	Areas in which a change of Boundary occurred during 1935.	Estimated Resident Mid-Year Population.
<i>Regional Summary :—</i>		<i>Devonshire—contd.</i>	
North II	1,291,900*	Rural Districts	226,106
North IV	6,155,700*	Axminster	10,180*
Midland I	4,629,370	Barnstaple	18,910
Midland II	2,416,230	Bideford	5,159
		Culmstock	Nil
<i>Density Summary (Greater London excluded) :—</i>		Honiton	6,830
County Boroughs	12,784,100	Kingsbridge	10,760
Urban Districts	12,002,333	Newton Abbot	21,200
Rural Districts	7,383,667	Okehampton	12,210
		Plympton St. Mary ..	31,180
<i>Counties, County Boroughs, Urban and Rural Districts :—</i>		St. Thomas	28,940
<i>Berkshire—</i>		Tavistock	14,070
Rural Districts—		Tiverton	19,251
Wallingford	11,100*		
Wantage	11,410*	<i>Durham—</i>	
		Urban Districts	513,200
<i>Cheshire—</i>		Brandon and Byshottles ..	16,200*
County Boroughs	417,100	Durham M.B.	19,210
Stockport	130,600	Rural Districts	395,100
Administrative County ..	701,900	Durham	28,070
Urban Districts	511,800		
Haze Grove and Bramhall	14,210	<i>Gloucestershire</i>	803,000
		County Boroughs	470,000
<i>Cumberland</i>	259,800*	Bristol	413,100
Administrative County ..	201,000*	Gloucester	56,900
Urban Districts	81,690	Administrative County ..	333,000
Cockermouth	5,072	Urban Districts	106,610
Keswick	4,482	Awre	Nil
Rural Districts	119,310	Charlton Kings	4,834†
Cockermouth	18,140	Cheltenham M.B.	51,140
Millom	12,000*	Cirencester	7,980
Penrith	11,600	Coleford	Nil
Wigton	21,080	Mangotsfield	12,550
		Nailsworth	3,226†
<i>Derbyshire—</i>		Newnham	Nil
Urban Districts	335,130	Stow on the Wold	Nil
Bolsover	9,910	Tetbury	Nil
Brampton and Walton ..	Nil	Tewkesbury M.B.	4,460
Clay Cross	8,440	Westbury on Severn ..	Nil
Dronfield	6,397	Rural Districts	226,390
Staveley	17,500	Campden	Nil
Rural Districts	283,870	Cheltenham	15,489
Blackwell	43,800	Cirencester	11,830
Chesterfield	65,510	Dursley	13,550
		East Dean	19,270
<i>Devonshire—</i>		Faringdon (part of) ..	Nil
Urban Districts	232,494	Gloucester	22,058
Ashburton	2,444	Lydney	10,550
Bampton	Nil	North Cotswold	15,445
Bideford M.B.	9,561	Northleach	7,506
Dawlish	5,276	Sodbury	25,170
Honiton M.B.	3,284*	Stow on the Wold	Nil
Ivybridge	Nil	Stroud	27,150
Kingsbridge	3,193	Tetbury	6,010
Lynton	1,901	Tewkesbury	Nil
Northam	5,293	Thornbury	18,160
Okehampton M.B.	3,581	Warmley	8,980
Sidmouth	8,014	West Dean	17,942
Tavistock	5,460	Wheatenhurst	Nil
Teignmouth	10,048	Winchcomb	Nil
Torquay M.B.	44,700		
		<i>Hertfordshire—</i>	
		Urban Districts	326,390
		Barnet	18,380
		Bishops Stortford	10,560
		Bushey	12,290
		Cheshunt	15,760*
		Great Berkhamstead ..	9,542
		Harpenden	10,775
		Hemel Hempstead M.B. ..	17,420
		Hertford M.B.	13,270

* No population was involved in this change. The population, therefore, is the same as in Table 17.

† The population involved in this change was too small to necessitate adjustment for the calculation of rates. The population, therefore, is the same as in Table 17.

APPENDIX B—*contd.*

Areas in which a change of Boundary occurred during 1935.	Estimated Resident Mid-Year Population.	Areas in which a change of Boundary occurred during 1935.	Estimated Resident Mid-Year Population.
Hertfordshire—<i>contd.</i>		Lancashire—<i>contd.</i>	
Urban Districts— <i>contd.</i>		Urban Districts— <i>contd.</i>	
Hitchin	15,510†	Kirkham	4,169
Hoddesdon	11,615	Lancaster M.B.	46,570
Letchworth	14,810	Morecambe and Heysham M.B.	27,980*
Rickmansworth	13,390	Nelson M.B.	37,090
Royston	3,821	Padiham	11,120†
St. Albans M.B.	34,570	Thornton Cleveleys	11,570*
Stevenage	5,718*	Rural Districts	229,590
Ware	7,409	Burnley	17,880
Watford, M.B.	63,200	Fylde	9,666
Welwyn Garden City	10,033	Lancaster	9,502
Rural Districts	115,310	Limehurst	8,000
Ashwell	Nil	Ulverston	16,200
Barnet	6,537		
Berkhampstead	4,185		
Braughing	9,023		
Buntingford	Nil		
Hadham	Nil		
Hatfield	13,650	Leicestershire	556,230
Hemel Hempstead	8,366	Leicester C.B.	261,000
Hertford	6,829	Administrative County	295,230
Hitchin	18,720	Urban Districts	118,078
St. Albans	18,250	Hinckley	17,440
Ware	9,400	Loughborough M.B.	27,300
Watford	16,280	Market Harborough	9,480†
Welwyn	4,070†	Melton Mowbray	10,810
		Quorndon	Nil
		Thurmaston	Nil
		Wigston	11,800
Huntingdonshire—		Rural Districts	177,152
Urban Districts	26,190	Ashby de la Zouch	17,650†
Huntingdon M.B.	4,609	Barrow upon Soar	37,562
Ramsey	5,100	Belvoir	Nil
Rural Districts	29,510	Billesdon	5,890
Huntingdon	6,784	Blaby	27,100
Norman Cross	6,801	Hallaton	Nil
Oundle (part of)	Nil	Hinckley	18,080
St. Ives	9,277	Loughborough	3,640
St. Neots	6,648	Lutterworth	10,720
Thrapston (part of)	Nil	Market Bosworth	23,990
Civil Parish of Sibson cum Stibbington	Nil	Market Harborough	8,728
		Melton and Belvoir	17,242
Kent—		Lincolnshire, Parts of Holland—	
Urban Districts	1,028,200	Administrative County	94,140
Broadstairs and St. Peters	13,200	Rural Districts	58,440
Deal M.B.	22,902	Boston	18,510
Faversham M.B.	12,510		
Gravesend M.B.	39,290	Lincolnshire, Parts of Kesteven—	
Margate M.B.	39,150	Administrative County	110,380
Northfleet	17,600	Rural Districts	68,580
Ramsgate M.B.	34,370	East Kesteven	18,970
Sandwich M.B.	3,816		
Walmer	Nil		
Rural Districts	275,400	Lincolnshire, Parts of Lindsey ..	425,880
East Ashford	9,046*	Administrative County	267,880
Eastry	22,130	Rural Districts	135,480
Faversham	Nil	Horncastle	11,500
Hoo	Nil	Sibsey	3,030
Isle of Thanet	Nil		
Milton	Nil	Middlesex—	
Strood	16,918	Urban Districts—	
Swale	17,920	Wembley	99,120*
West Ashford	8,540	Willesden M.B.	188,440*
Lancashire—	5,036,700*	Norfolk—	
Administrative County	1,821,100*	County Boroughs	180,100*
Urban Districts	1,591,510	Norwich	124,700*
Ashton under Lyne M.B.	50,220	Administrative County	321,400*
Colne M.B.	23,090		
Dalton in Furness	10,270		
Fleetwood M.B.	24,030*		

* No population was involved in this change. The population, therefore, is the same as in Table 17.

† The population involved in this change was too small to necessitate adjustment for the calculation of rates. The population, therefore, is the same as in Table 17.

‡ The inward and outward transfers of population involved in this change were estimated to be the same. The population, therefore, is the same as in Table 17.

APPENDIX B—*contd.*

Areas in which a change of Boundary occurred during 1935.	Estimated Resident Mid-Year Population.	Areas in which a change of Boundary occurred during 1935.	Estimated Resident Mid-Year Population.
Norfolk—<i>contd.</i>		Northumberland—<i>contd.</i>	
Urban Districts	65,255	Rural Districts	96,277
Kings Lynn M.B.	24,020	Alnwick	12,090†
Sheringham	4,179	Castle Ward	12,420
Wymondham	5,215	Hexham	20,410
Rural Districts	256,145	Morpeth	15,220
Aylsham	Nil	Norham and Islandshires ..	4,805
Blofield	Nil	Rothbury	5,692
Blofield and Flegg	26,480		
Downham	19,550		
East and West Flegg	Nil		
Erpingham	17,470	Nottinghamshire—	
Forehoe	Nil	Urban Districts	315,055
Forehoe and Henstead	19,515	Beeston and Stapleford	31,490
Freebridge Lynn	9,980	Carlton	28,260
Henstead	Nil	Eastwood	9,281
Kings Lynn	Nil	Hucknall	18,260
Loddon	11,630†	Huthwaite	Nil
Marshland	15,331	Kirkby in Ashfield	18,680
St. Faiths and Aylsham	28,270	Mansfield M.B.	46,620
Smallburgh	15,940	Newark M.B.	19,850
Swaffham	7,669	Sutton in Ashfield	38,749
Thetford	Nil	Warsop	11,115
Walsingham	17,560	West Bridgford	20,120
Wayland	16,520	Rural Districts	138,445
		Basford	41,607
		Bingham	15,720
		East Retford	19,420
		Leake	Nil
		Misterton	Nil
		Newark	9 169
		Skegby	Nil
		Southwell	37,685
		Stapleford	Nil
Northamptonshire—			
Urban Districts	106,080	Suffolk, West—	
Brackley M.B.	2,270	Urban Districts	39,951
Finedon	Nil	Bury St. Edmunds M.B. ..	17,040
Irthlingborough	4,529	Glensford	Nil
Kettering	32,450	Sudbury M.B.	6,814†
Raunds	4,440	Rural Districts	63,949
Wellingborough	26,098	Brandon	Nil
Rural Districts	110,120	Clare	8,347
Brackley	8,292	Cosford	9,193
Brixworth	14,639	Melford	11,559
Crick	Nil	Mildenhall	12,111
Daventry	15,388	Moulton	Nil
Easton on the Hill	Nil	Thingoe	14,990
Gretton	Nil		
Hardingstone	Nil	Warwickshire	1,576,870
Kettering	13,880	Administrative County	374,170
Middleton Cheney	Nil	Urban Districts	234,010
Northampton	15,591	Nuneaton M.B.	47,750
Oundle (part of)	Nil	Rural Districts	140,160
Oundle and Thrapston	16,725	Atherstone	21,940
Oxendon	Nil	Rugby	18,170
Potterspury	Nil	Stratford on Avon	14,910
Thrapston (part of)	Nil	Tamworth	13,900
Towcester	13,155		
		Westmorland—	
Northumberland—		Urban Districts	30,189
County Boroughs	360,300	Ambleside	Nil
Newcastle upon Tyne	292,700	Grasmere	Nil
Tynemouth	67,600	Kendal M.B.	17,270
Administrative County	406,100	Kirkby Lonsdale	Nil
Urban Districts	309,823	Shap	Nil
Ashington	30,020	The Lakes	5,374
Berwick upon Tweed M.B. ..	12,050	Windermere	5,940
Blyth M.B.	34,190	Rural Districts	34,011
Cramlington	Nil	East Westmorland	Nil
Earsdon	Nil	North Westmorland	17,140
Gosforth	19,040	South Westmorland	16,871
Hexham	9,050	West Ward	Nil
Longbenton	21,340		
Morpeth M.B.	9,370	Yorkshire, East Riding—	
Newbiggin by the Sea	8,752	Kingston upon Hull C.B. ..	322,200
Newburn	19,120	Administrative County	173,600
Rothbury	Nil		
Seaton Delaval	Nil		
Seaton Valley	28,414		
Seghill	Nil		
Weetslade	Nil		
Whitley and Monkseaton ..	26,990		

† The population involved in this change was too small to necessitate adjustment for the calculation of rates. The population, therefore, is the same as in Table 17.

* No population was involved in this change. The population, therefore, is the same as in Table 17

